Digitized by the Internet Archive
in 2013

http://archive.org/details/climatologicalda3449unit

U. S. DEPARTMENT OF AGRICULTURE, WEATHER BUREAU
CHARLES F. MARVIN, Chief

CLIMATOLOGICAL DATA

GEORGIA SECTION

C. F. von HERRMANN, Meteorologist

VOL. XXXIV ATLANTA, GA., YEAR 1930 NO. 13

GENERAL SUMMARY

The winter months of 1930 were decidedly warm, especially February; there were six warm months and six cold months during the year, with the annual mean only very slightly above the normal. March and December were decidedly cold. The extremes for the year, 109° and 8°, did not break any records for the State.

The precipitation was somewhat small, and gave a deficiency of nearly 3.50 inches, but except perhaps at some northwestern stations conditions indicating severe drought practically did not obtain. Drought, in fact, was very much more severe in Georgia in many other years, notably in 1904 and 1925.

October was dry and cold and favorable for the maturing and harvesting of crops. November was rather too wet for harvesting and for planting cereals. December was remarkable not for unusually low temperatures but for the frequency of cloudy weather and the considerable sleet and snow on the ground during the last half of the month over the northern half of the State, which causes combined to keep maximum temperatures very low, so that at some stations the month was one of the coldest on record.

ATMOSPHERIC PRESSURE.—The mean pressure for the year was 30.08 inches; the highest recorded was 30.69 inches at Augusta and Macon on January 5, and the lowest was 29.28 inches at Atlanta on March 7.

TEMPERATURE.—The annual mean temperature was 63.9°, or 0.1° above the normal. The highest annual mean was 68.0° at Brunswick, and the lowest was 54.9° at Clayton. The highest monthly mean was 85.2° at Millen in July, and the lowest was 34.9° at Clayton in December. The highest temperature recorded was 109° at Milledgeville and Monticello on July 12, and the lowest was 8° at Blue Ridge on January 19.

PRECIPITATION.—The annual average precipitation was 46.13 inches, or 3.46 inches below the normal. The greatest annual total was 57.88 inches at Millen, and the least was 30.53 inches at Double Branches. The greatest local monthly rainfall was 13.00 inches at Tallapoosa in September, and the least was 0.08 inch at Hazlehurst in October. The greatest amount of precipitation in 24 hours was 6.00 inches at Thomasville on March 7. The greatest depth of snowfall, unmelted, was 28.3 inches at Clayton. The average number of days with 0.01 inch or more of precipitation was 99.

WINDS.—The prevailing winds were from the northeast. The maximum velocity was 43 miles per hour from the northwest at Atlanta on April 7.

SUNSHINE AND CLOUDINESS.—The average percentage of sunshine was 66, with a maximum of 86 per cent at Macon in April and May and a minimum of 40 per cent at Savannah in November. The average number of clear days was 175, partly cloudy days 93, and cloudy days 97.

SUMMARY BY MONTHS

JANUARY.—Although a long period of cold weather prevailed throughout Georgia from the 16th to 26th, with temperatures as low as 8° in the northern division, 15° in the central, and 19° in the southern, yet, owing to an almost equally long warm spell from the 6th to 15th, the month as a whole was above normal in temperature. The precipitation was somewhat above normal in the southern division. Traces of snow occurred as far south as Thomasville and Waycross, and large amounts in the north, Clayton reporting 14 inches.

FEBRUARY.—The month was unusually fine and agreeable. The percentage of sunshine was very high, the number of clear days exceptionally large, and the rainfall the smallest since 1898. The mean temperature for the State was much above normal, and the warmth caused early development of peach buds. Plowing and other agricultural operations made excellent progress during the month.

MARCH.—A cold month, with the mean temperature lower than for the preceding February. The maximum, 82° at Waycross, was the lowest maximum registered in Georgia during the past 40 years. The rainfall was decidedly excessive in the southern division, and the number of rainy days very large. Farm operations were carried on with difficulty; nevertheless some planting of staple crops was done.

APRIL.—Temperatures were moderately above normal, the highest exceeding 90° in all sections. The rainfall was large in the south, but decidedly deficient in the northern division. Progress in planting staple crops was very rapid; the transplanting of tobacco was nearly completed by the end of the month.

MAY.—Uneventful, moderately warm the first half and decidedly cold during the last half. The deficiency in precipitation was considerable, with tendency toward drought in several portions of the State. The cold weather was detrimental to the germination of seeds.

JUNE.—Unusually cool weather prevailed over most of Georgia during the first half of June, and the consequent deficiencies in temperature could not be overcome by the intense heat wave that persisted during the remainder of the month. The precipitation was moderate, and drought began to be somewhat severe in northwestern counties. A series of very severe hailstorms occurred June 21 in the south.

JULY.—The hottest July on record since 1892. Temperatures as high as 108° occurred in all divisions. There was a deficiency in precipitation in the northern division, but a slight

[Concluded on page 53]

Climatological Data for the Year 1930

Stations	Counties	Elevation, feet	Temperature (degrees Fahrenheit)						Precipitation (inches)							Number rainy days	Sky			Prevailing direction of wind
			Length of record, years	Annual mean	Highest	Date	Lowest	Date	Length of record, years	Total for the year	Greatest monthly	Month	Least monthly	Month	Total snowfall		Number clear days	Number partly cloudy days	Number cloudy days	
Northern division																				
Athens	Clarke	830	49	63.3	108	July 12	17	Dec. 18	54	40.49	6.49	Sept.	0.81	Feb.	5.8	106	155	96	114	w.
Atlanta	Fulton	1,173	65	61.5	103	July 12	15	Jan. 19	65	36.66	6.50	May	0.96	Aug.	3.0	114	124	108	133	nw.
Blue Ridge	Fannin	1,737	11	.....	.....	.....	8	Jan. 19	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Canton	Cherokee	894	.....	.....	.....	.....	.....	.....	40	39.61	6.06	Sept.	1.10	Feb.	10.0	91	.....	.....	.....	s.
Carlton	Madison	557	4	60.6	105	July 7†	16	Jan. 24	32	36.59	6.23	July	0.58	Aug.	5.0	82	.....	.....	.....	w.
Clayton	Rabun	2,100	36	54.9	102	July 12	10	Nov. 27†	36	52.64	7.95	May	1.60	Oct.	28.3	75	246	34	85	.....
Cornelia	Habersham	1,500	12	59.0	103	July 12	16	Dec. 18	12	44.54	5.73	Nov.	1.13	Aug.	17.0	113	180	63	122	w.
Dahlonega	Lumpkin	1,519	39	58.9	101	July 10	16	Nov. 27	41	45.84	6.21	Sept.	1.58	July	19.7	123	161	161	43	nw.
Double Branches	Lincoln	.....	.....	.....	.....	.....	.....	.....	5	30.53	4.66	Sept.	0.31	Aug.	2.2	70	.....	.....	.....	.....
Gainesville	Hall	1,254	52	60.2	106	July 12	15	Dec. 18	54	41.10	5.29	Jan.	0.87	Aug.	17.1	99	.....	.....	.....	w.
Gillsville	do	1,052	.....	.....	.....	.....	.....	.....	40	37.98	5.36	Nov.	1.12	Feb.	12.2	82	.....	.....	.....	.....
Hartwell	Hart	838	21	62.0	107	July 12	16	Dec. 18	21	37.06	5.73	Nov.	0.83	Feb.	16.0	82	133	173	59	w.
Norcross	Gwinnett	1,025	.....	.....	.....	.....	.....	.....	21	34.46	5.53	Nov.	0.89	Feb.	5.1	110	.....	.....	.....	.....
Resaca	Gordon	657	.....	.....	.....	.....	.....	.....	37	41.81	6.18	Nov.	1.86	Apr.	13.4	107	.....	.....	.....	n.
Rome	Floyd	576	72	61.6	107	July 10	14	Jan. 19	75	49.02	8.24	Sept.	1.04	Aug.	11.5	101	.....	.....	.....	nw.
Tallapoosa	Haralson	1,150	32	60.1	106	July 12	11	Jan. 31	32	48.83	13.00	Sept.	0.90	June	13.5	76	.....	.....	.....	.....
Toccoa	Stephens	1,050	45	61.0	106	July 12	14	Nov. 28	46	43.84	5.86	Nov.	1.82	Feb.	7.8	105	171	102	92	ne.
Washington	Wilkes	630	40	63.6	108	July 12	20	Jan. 24	43	37.52	5.71	Sept	0.70	Feb.	1.3	97	210	69	86	w.
Division means and extremes		.....	.....	60.5	108	July 12	8	Jan. 19	.....	41.02	13.00	Sept.	0.31	Aug.	11.5	97	177	91	97	w.
Middle division																				
Augusta	Richmond	182	85	65.0	104	July 12	25	Dec. 18	64	39.10	5.85	Sept.	0.96	Feb.	0.3	108	128	137	100	nw.
Brooklet	Bulloch	253	31	66.0	102	July 7†	24	Jan. 24†	31	48.87	8.30	June	0.20	Oct.	T.	92	215	116	34	.....
Butler	Taylor	650	.....	.....	.....	.....	.....	.....	30	49.78	7.41	July	0.66	Aug.	T.	77	.....	.....	.....	n.
Columbus	Muscogee	262	43	65.8	105	July 10	20	Jan. 19	43	48.04	7.04	Mar.	1.63	May	T.	97	.....	.....	.....	ne.
Concord	Pike	850	.....	.....	.....	.....	.....	.....	19	45.59	7.92	Sept.	0.58	Aug.	2.0	95	235	44	86	.....
Covington	Newton	800	3	61.4	107	July 12	18	Jan. 19	39	39.55	5.56	Nov.	0.97	Feb.	3.0	82	.....	.....	.....	.....
Dover	Screven	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dublin	Laurens	452	19	64.6	106	July 12	23	Jan. 19†	37	49.29	6.98	June	0.59	May	T.	116	153	121	91	w.
Fair View	Lamar	.....	15	63.0	104	June 24	20	Jan. 24	15	46.06	7.32	Mar.	1.85	May	2.0	106	.....	.....	.....	.....
Fort Valley	Peach	526	10	64.4	105	July 12	21	Jan. 19†	10	47.00	6.93	Nov.	0.61	May	T	116	140	130	95	sw.
Goat Rock	Muscogee	.....	.....	.....	.....	.....	.....	.....	17	44.42	7.58	Sept.	1.46	Aug.	T.	102	.....	.....	.....	.....
Greensboro	Greene	598	29	61.4	107	July 12	16	Jan. 24	29	42.72	6.44	Nov.	0.70	Feb.	1.0	85	220	58	37	w.
Griffin	Spalding	975	41	63.3	103	July 12	17	Jan. 19	41	48.50	9.82	July	0.53	Aug.	1.2	94	145	99	121	se.
Louisville	Jefferson	259	33	64.4	103	July 10	21	Dec. 18	33	47.74	8.50	Mar.	0.86	Feb.	T.	93	.....	.....	.....	.....
Macon	Bibb	370	50	63.9	104	July 12	22	Jan. 24	53	44.12	10.00	July	1.05	May	T.	107	142	96	127	nw.
Marshallville	Macon	500	37	64.6	106	July 12	20	Jan. 24	38	50.44	8.56	Nov.	1.11	May	T.	93	.....	.....	.....	e.
Midville	Burke	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Milledgeville	Baldwin	276	43	63.9	109	July 12	21	Jan. 24†	42	42.52	6.61	Mar.	1.03	Feb.	T.	98	175	96	94	nw.
Millen	Jenkins	158	43	65.7	106	July 7†	24	Jan. 24†	44	57.88	9.50	July	1.05	Feb.	T.	88	.....	.....	.....	se.
Monticello	Jasper	800	36	63.4	109	July 12	19	Jan. 24	35	51.48	7.32	July	1.12	Feb.	0.8	103	183	99	83	.....
Newnan	Coweta	959	42	62.3	104	July 12	16	Jan. 19	42	46.21	7.16	Sept.	1.33	Oct.	2.4	101	198	74	93	ne.
Sparta	Hancock	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Stillmore	Emanuel	.....	6	64.8	104	July 12	21	Jan. 24	6	53.34	10.88	Sept.	1.15	Feb.	T.	114	.....	.....	.....	.....
Talbotton	Talbot	750	37	63.8	107	July 11†	18	Jan. 19	37	50.03	8.36	Nov.	2.46	Feb.	T.	78	.....	.....	.....	sw.
Warrenton	Warren	500	16	63.9	106	July 10†	18	Dec. 18	16	42.02	7.98	July	0.57	Feb.	0.7	97	201	169	55	sw.
West Point	Troup	620	41	62.5	105	July 10†	15	Jan. 24	42	54.24	8.95	Sept.	1.78	Feb	T.	112	156	72	137	n.
Woodbury	Meriwether	641	.....	.....	.....	.....	.....	.....	30	46.58	7.37	Mar.	0.98	Aug.	T.	99	.....	.....	.....	.....
Division means and extremes		.....	.....	63.9	109	July 12	15	Jan. 24	.....	47.28	10.88	Sept.	0.20	Oct.	0.5	98	175	99	91	nw.
Southern division																				
Abbeville	Wilcox	180	.....	.....	.....	.....	.....	.....	28	40.39	7.15	July	0.15	Aug.	T.	.....	.....	.....	.....	nw.
Alapaha	Berrien	293	42	66.2	100	June 24†	23	Jan. 24	42	40.47	5.74	Jan.	0.12	Oct.	T.	95	228	58	79	ne.
Albany	Dougherty	230	44	66.1	102	July 11	23	Jan. 19	45	50.64	8.91	Sept.	0.90	May	0.0	123	229	23	113	ne.
Americus	Sumter	362	46	64.3	108	July 11	19	Jan. 19	47	52.80	10.63	Nov.	1.06	Feb.	0.0	108	267	31	67	s.
Bainbridge	Decatur	119	39	66.2	103	June 23†	23	Jan. 25	39	53.26	8.89	Mar.	0.36	May	0.0	124	.....	.....	.....	ne.
Blakely	Early	300	35	65.8	107	July 11	19	Jan. 19	37	53.36	9.08	July	0.75	Oct.	0.0	124	145	133	87	ne.
Brunswick	Glynn	14	26	68.0	100	July 11	29	Dec. 24	29	57.02	11.51	Sept.	0.76	Oct.	T.	98	159	91	115	ne.
Eastman	Dodge	361	39	66.4	107	July 10†	23	Jan. 19†	39	49.04	7.59	July	0.69	May	T.	96	232	70	63	nw.
Fargo	Clinch	116	3	65.9	99	July 11	23	Dec. 24	3	48.39	10.00	Mar.	0.31	May	T.	90	.....	.....	.....	ne.
Fitzgerald	Ben Hill	.....	1	.....	104	July 11	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Fort Gaines	Clay	166	43	65.9	106	June 24	20	Jan. 19	43	49.74	8.92	Sept.	0.62	Feb.	0.0	107	.....	.....	.....	ne.
Glennville	Tattnall	175	26	65.9	101	July 11	25	Jan. 24	26	48.44	9.38	July	0.52	Oct.	T.	106	118	176	71	w.
Hawkinsville	Pulaski	235	35	64.5	105	July 11	21	Jan. 19	36	50.17	7.28	Nov.	0.67	May	T.	113	193	44	128	w.
Hazlehurst	Jeff Davis	261	12	66.2	107	July 11	23	Jan. 24	12	45.00	7.31	July	0.08	Oct.	T.	111	133	184	48	sw.
Lumber City	Telfair	150	.....	.....	.....	.....	.....	.....	21	45.55	7.59	Mar.	0.14	Oct.	T.	.....	.....	.....	.....	.....
Meldrim	Bryan	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Montezuma	Macon	292	.....	.....	.....	.....	.....	.....	26	52.08	9.16	Nov.	0.52	Feb.	0.0	95	.....	.....	.....	sw.
Moultrie	Colquitt	397	4	67.3	103	July 11	26	Jan. 19†	4	47.91	7.67	July	0.32	Oct.	T.	115	.....	.....	.....	.....
Quitman	Brooks	173	45	67.2	101	July 8†	25	Dec. 24	37	52.20	8.25	Mar.	1.09	Oct.	0.0	107	.....	.....	.....	ne.
Savannah	Chatham	65	81	66.6	100	July 23	29	Mar. 3	81	42.15	9.43	Sept.	0.64	Oct.	T.	113	124	99	142	w.
Savannah, No. 2	do	22	3	65.2	99	July 7†	21	Nov. 28	3	42.17	7.18	Sept.	0.13	Aug.	T.	110	174	119	72	ne.
Thomasville	Thomas	273	49	66.7	102	July 11	26	Jan. 19	49	57.62	10.92	Mar.	0.80	Oct.	T.	120	102	118	145	ne.
Tifton	Tift	370	8	65.2	103	July 11	22	Jan. 24	9	48.05	7.22	June	0.23	Oct.	T.	98	193	65	107	.....
Waycross	Ware	131	42	66.3	101	July 11	24	Jan. 24	40	56.67	8.97	June	0.89	Oct.	T.	110	.....	.....	.....	ne.
Division means and extremes		.....	.....	66.1	108	July 11	19	Jan. 19	.....	48.75	11.51	Sept	0.08	Oct.	T.	105	170	83	112	ne.
State means and extremes		.....	.....	63.9	109	July 12	8	Jan. 19	.....	46.13	13.00	Sept.	0.08	Oct.	3.3	99	175	93	97	ne.

† On other dates also.

Monthly and Annual Precipitation for the Year 1930, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure
Northern division																										
Athens	4.07	−0.88	0.81	−4.28	3.63	−1.42	2.98	−0.60	4.38	+0.72	2.46	−1.72	2.59	−2.38	1.27	−3.52	6.49	+3.12	1.41	−1.43	5.72	+2.88	4.68	+0.28	40.49	−9.23
Atlanta	5.35	+0.57	1.02	−3.92	4.31	−1.12	1.40	−2.62	6.50	+2.89	1.44	−2.38	1.48	−2.89	0.96	−3.47	3.52	+0.30	1.25	−1.33	5.94	+2.71	3.46	−1.22	36.66	−12.48
Blue Ridge	3.23	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......
Canton	4.39	−0.83	1.10	−4.35	1.63	−0.66	1.62	−2.60	3.68	+0.06	1.24	−2.69	3.25	−2.15	2.21	−2.47	6.06	+3.35	2.09	−1.27	5.95	+2.85	3.39	−1.89	39.61	−12.65
Carlton	3.38	−0.45	0.72	−4.48	3.62	−1.09	1.98	−1.24	3.39	−0.23	3.18	−0.87	6.23	+1.82	0.58	−3.87	3.13	−0.41	1.09	−1.51	5.09	+2.49	4.20	−0.22	36.59	−10.06
Clayton	4.92	−1.26	2.58	−3.89	5.11	−1.81	2.48	−3.36	7.95	+2.99	2.05	−3.32	2.65	−5.05	2.85	−3.52	6.00	+1.09	1.60	−3.09	7.70	+3.88	6.75	−0.27	52.64	−17.61
Cornelia	5.08	......	2.02	......	4.79	......	2.47	......	4.74	......	2.19	......	3.22	......	1.13	......	5.70	......	2.21	......	5.73	......	5.26	......	44.54	......
Dahlonega	5.38	−0.45	2.03	−3.82	5.82	−0.15	1.93	−2.60	5.25	+0.36	2.45	−2.68	1.58	−4.45	1.98	−3.45	6.21	+2.08	2.82	−0.92	5.62	+2.13	4.77	−1.44	45.84	−15.39
Double Branches	4.22	......	0.80	......	3.74	......	1.41	......	1.28	......	2.85	......	3.31	......	0.31	......	4.66	......	0.62	......	4.17	......	3.16	......	30.53	......
Gainesville	5.29	−0.03	1.48	−4.18	4.79	−1.16	2.40	−1.57	3.68	−0.13	2.78	−1.58	3.88	−1.22	0.87	−4.46	4.81	+0.96	2.16	−0.80	5.03	+1.75	3.93	−1.14	41.10	−13.56
Gillsville	4.76	+0.04	1.12	−4.31	4.52	−0.66	2.66	−1.16	3.59	−0.17	2.39	−1.45	4.52	−0.61	1.43	−3.32	2.20	−1.57	2.07	−1.00	5.36	+2.59	3.36	−1.38	37.98	−13.00
Hartwell	4.52	+0.49	0.83	−4.29	3.25	−1.28	3.00	−0.63	4.27	+0.65	3.93	+0.03	2.82	−1.88	1.67	−3.39	1.95	−1.32	1.43	−1.24	5.73	+3.18	3.63	−1.08	37.06	−10.76
Norcross	4.32	−1.21	0.89	−3.94	4.16	−0.75	1.34	−2.96	4.26	+0.34	2.10	−2.00	2.33	−3.73	1.36	−2.89	2.68	+0.22	1.53	−2.13	5.53	+2.75	3.96	−1.36	34.46	−17.66
Resaca	3.18	−1.86	2.87	−2.70	5.22	−0.43	1.86	−2.76	3.24	−0.42	2.08	−1.91	2.26	−3.01	1.89	−2.33	5.34	+2.50	3.88	+0.95	6.18	+3.20	3.81	−1.39	41.81	−10.16
Rome	4.14	−0.79	1.65	−3.18	5.35	−0.27	2.33	−2.04	4.97	+1.37	4.57	+0.48	3.58	−0.65	1.04	−3.00	8.24	+5.68	3.39	+0.59	6.65	+3.44	3.11	−1.65	49.02	−0.02
Tallapoosa	5.15	+0.57	1.60	−3.52	3.90	−1.43	1.30	−3.15	6.70	+3.28	0.90	−3.02	5.03	−0.41	1.00	−3.59	13.00	+9.76	1.16	−1.98	5.90	+3.04	3.19	−1.73	48.83	−2.18
Toccoa	5.18	+0.04	1.82	−3.74	5.38	−0.31	2.38	−2.25	2.82	−1.21	3.76	−0.80	4.42	−1.46	2.21	−4.03	3.41	−0.83	1.99	−1.52	5.86	+2.66	4.61	−1.03	43.84	−14.48
Washington	4.41	+0.20	0.70	−4.41	3.50	−1.29	1.62	−1.86	2.17	−1.46	3.02	−1.12	5.52	+0.06	1.50	−3.32	5.71	+1.91	1.59	−2.27	4.78	+2.04	3.00	−1.04	37.52	−12.56
Middle division																										
Augusta	5.31	+1.42	0.96	−3.23	4.08	−0.38	1.91	−1.29	1.44	−1.62	2.49	−2.01	4.37	−0.65	3.67	−1.35	5.85	+2.41	2.16	−0.30	4.70	+2.06	2.16	−1.26	39.10	−6.20
Brooklet	4.22	+1.23	1.68	−2.05	4.59	+0.78	6.01	+3.25	0.36	−3.59	8.30	+2.12	7.93	+1.99	1.99	−4.59	7.80	+3.77	0.20	−2.12	3.18	+0.96	2.61	−0.67	48.87	+1.08
Butler	4.78	+0.56	2.24	−2.50	5.51	+0.58	2.79	−1.29	2.61	−1.42	5.69	+0.94	7.41	+0.85	0.66	−4.59	4.28	+0.39	3.72	+1.20	6.58	+2.88	3.51	−0.68	49.78	−2.08
Columbus	4.06	−0.17	2.40	−3.02	7.04	+1.49	3.12	−0.39	1.63	−1.58	3.75	−0.08	4.12	−2.10	2.62	−2.06	4.64	+1.67	4.21	+1.67	6.66	+3.98	3.79	−0.97	48.04	−1.56
Concord	4.48	−0.78	2.06	−2.70	5.37	−1.33	3.45	+0.33	1.85	−2.01	2.24	−1.46	5.75	−0.39	0.58	−3.56	7.92	+4.83	1.69	−0.87	7.32	+4.67	2.88	−1.97	45.59	−5.24
Covington	3.70	−0.72	0.97	−4.08	4.28	−0.91	2.84	−1.18	2.44	−1.04	2.07	−1.97	4.87	+0.07	2.07	−2.84	4.86	+1.89	2.00	−1.10	5.56	+2.67	3.89	−0.66	39.55	−9.87
Dover	......	......	......	......	......	......	......	......	......	......	......	......	4.04	......	1.44	......	6.71	......	0.24	......	3.99	......	3.70	......	......	......
Dublin	6.36	+2.37	1.05	−3.77	6.12	+1.38	3.44	+0.50	0.59	−2.93	6.98	+2.20	6.08	+0.50	4.05	−0.98	3.12	−0.42	1.41	−1.01	6.61	+4.01	3.48	−0.28	49.29	+1.57
Fair View	4.79	−0.74	2.28	−2.07	7.32	+2.10	3.48	0.00	1.85	−2.33	2.42	−0.51	4.60	−1.75	1.88	−1.67	5.70	+2.81	1.97	−0.49	6.49	+4.14	3.28	−1.07	46.06	−1.28
Fort Valley	4.83	......	2.01	......	6.45	......	2.56	......	0.61	......	4.71	......	6.27	......	1.76	......	3.62	......	4.16	......	6.93	......	3.09	......	47.00	......
Goat Rock	4.69	+0.15	1.99	−2.12	6.13	+2.28	3.42	−0.02	1.70	−1.66	2.64	−0.27	2.55	−4.39	1.46	−2.13	7.58	+5.51	2.38	−0.32	7.39	+4.58	2.49	−2.41	44.42	−0.80
Greensboro	4.69	+0.46	0.70	−4.05	4.67	+0.21	2.29	−1.09	1.44	−2.00	2.96	−1.09	6.18	+0.96	2.05	−2.65	5.56	+1.98	2.05	−1.00	6.44	+3.81	3.69	−0.44	42.72	−4.90
Griffin	5.07	+0.89	1.08	−4.36	5.26	+0.04	5.13	+1.48	1.81	−1.49	1.88	−2.22	9.82	+4.53	0.53	−4.76	5.76	+2.67	1.77	−0.81	7.11	+4.53	3.28	−1.29	48.50	−0.79
Louisville	5.22	+1.83	0.86	−3.75	8.50	+4.34	3.17	+0.07	2.32	−1.13	6.14	+1.76	5.14	−0.52	1.03	−3.90	3.21	−0.13	3.08	+0.44	6.24	+3.79	2.83	−0.43	47.74	+2.37
Macon	4.27	+0.42	2.04	−2.33	4.80	−0.15	4.19	+0.53	1.05	−2.01	1.58	−2.45	10.00	+5.20	1.71	−2.55	2.30	−0.85	2.87	+0.59	6.60	+3.83	2.71	−1.29	44.12	−1.06
Marshallville	5.34	+0.45	1.60	−4.05	7.19	+1.69	2.05	−2.09	1.11	−2.55	3.79	−0.45	7.36	+1.34	3.67	−1.17	4.16	+1.03	3.32	+0.55	8.56	+5.53	2.29	−2.16	50.44	−1.88
Midville	......	......	......	......	......	......	......	......	......	......	......	......	7.06	......	2.43	......	8.19	......	3.26	......	......	......	2.46	......	......	......
Milledgeville	4.27	−0.16	1.63	−3.58	*6.61	+1.48	4.34	+1.36	2.07	−1.24	2.93	−1.18	4.59	−1.21	1.12	−3.72	4.29	+0.58	2.25	−0.43	5.60	+3.20	3.42	−0.43	42.52	−5.33
Millen	6.70	+3.43	1.05	−3.00	6.31	+2.46	4.85	+1.09	1.95	−1.28	7.40	+2.28	9.50	+3.19	3.42	−1.64	6.25	+2.64	2.30	−0.21	5.05	+2.87	3.10	−0.23	57.88	+11.54
Monticello	5.33	+0.86	1.12	−4.31	5.28	−0.24	4.47	+0.96	2.35	−1.22	3.56	−1.08	7.32	+1.89	2.59	−2.35	6.25	+2.97	2.07	−0.93	6.74	+4.18	4.40	+0.36	51.48	+1.09
Newnan	5.02	+0.32	2.35	−2.87	5.44	−0.30	1.54	−3.02	4.54	+0.90	2.56	−1.72	4.44	−0.68	1.87	−3.10	7.16	+4.07	1.33	−1.42	6.38	+3.51	3.58	−1.24	46.21	−5.55
Sparta	......	......	......	......	......	......	......	......	......	......	......	......	......	......	1.49	......	7.04	......	2.07	......	6.39	......	......	......	......	......
Stillmore	6.19	......	1.15	......	4.44	......	4.17	......	2.68	......	3.54	......	9.06	......	1.40	......	10.88	......	1.40	......	5.03	......	3.40	......	53.34	......
Talbotton	4.93	+0.58	2.46	−3.05	6.42	+0.69	4.24	+0.32	3.42	−0.12	2.76	−1.10	3.32	−2.33	3.56	−1.25	3.32	+0.28	3.11	+0.14	8.36	+5.43	4.13	−0.52	50.03	−0.93
Warrenton	4.74	+0.72	0.57	−4.23	4.61	+0.16	1.72	−1.17	1.15	−2.66	3.40	−0.70	7.98	+2.49	1.70	−2.85	5.43	+1.31	2.38	−0.39	5.50	+2.90	2.84	−0.93	42.02	−5.29
West Point	4.40	−0.02	1.78	−3.86	8.02	+2.51	1.90	−2.25	5.71	+2.30	4.85	+0.58	3.67	−1.58	3.14	−1.87	8.95	+6.13	2.20	−0.48	6.90	+4.08	2.72	−2.50	54.24	+3.04
Woodbury	5.19	+1.09	2.30	−2.91	7.37	+2.02	2.84	−0.77	2.24	−1.31	2.67	−1.36	5.04	−0.92	0.98	−3.19	7.22	+4.23	1.73	−0.89	6.64	+4.20	2.36	−2.30	46.58	−2.11
Southern division																										
Abbeville	5.09	+1.18	1.55	−2.64	5.45	+1.69	3.41	+0.11	0.65	−3.06	4.50	+0.61	7.15	+0.08	0.15	−4.78	3.70	−0.58	0.61	−1.66	4.34	+1.80	3.79	+0.10	40.39	−7.15
Alapaha	5.74	+2.11	1.41	−3.07	5.70	+1.60	3.93	+0.88	0.66	−2.73	4.13	−0.86	4.73	−1.05	2.67	−2.79	3.78	−0.25	0.12	−2.35	4.07	+2.01	3.53	−0.25	40.47	−6.75
Albany	5.51	+1.44	1.79	−3.22	5.02	+0.30	4.73	+1.15	0.90	−3.00	4.42	0.00	6.72	+0.56	4.11	−1.46	8.91	+5.69	0.99	−1.47	4.39	+2.05	3.15	−0.64	50.64	+1.40
Americus	6.18	+1.74	1.06	−3.82	7.88	+2.79	3.30	−0.28	2.54	−1.11	4.02	−0.27	4.70	−0.75	2.30	−2.99	6.16	+3.07	1.44	−0.99	10.63	+7.96	2.59	−1.17	52.80	+4.27
Bainbridge	6.04	+2.22	2.31	−2.35	8.89	+4.88	6.77	+3.07	0.36	−2.73	4.77	−0.06	6.53	−0.02	2.17	−3.50	6.34	+2.40	0.58	−1.86	5.32	+3.11	3.18	−1.02	53.26	+4.14
Blakely	5.86	+1.41	1.01	−4.69	5.40	+0.50	2.29	−1.57	1.03	−2.41	3.73	−0.87	9.08	+1.62	3.01	−2.95	8.86	+5.39	0.75	−2.03	8.79	+6.11	3.55	−0.87	53.36	−0.36
Brunswick	5.94	+2.98	4.21	+1.16	7.71	+4.79	3.97	+0.83	1.05	−2.72	6.79	+1.19	6.95	+0.14	2.10	−3.85	11.51	+5.43	0.76	−2.97	2.85	+0.86	3.18	+0.07	57.02	+7.91
Eastman	6.33	+2.19	2.45	−2.24	5.57	+0.73	4.42	+1.51	0.69	−2.48	4.90	+0.69	7.59	+1.62	1.37	−3.53	6.01	+2.23	0.71	−1.71	6.84	+4.33	2.16	−1.47	49.04	+1.87
Fargo	5.57	......	1.48	......	10.00	......	2.26	......	0.31	......	6.32	......	5.05	......	0.82	......	7.01	......	1.00	......	5.24	......	3.36	......	48.39	......
Fitzgerald	......	......	......	......	......	......	......	......	0.10	......	2.03	......	7.42	......	1.73	......	3.92	......	0.61	......	3.51	......	2.84	......	......	......
Fort Gaines	5.15	+0.48	0.62	−4.73	5.66	+0.85	1.70	−2.04	2.02	−1.59	2.91	−1.39	6.45	+0.11	2.85	−2.58	8.92	+6.09	1.79	−0.69	8.35	+5.52	3.32	−1.27	49.74	−1.24
Glennville	5.19	+2.42	1.48	−1.86	4.42	+1.05	4.20	+1.57	0.64	−3.22	6.51	+1.76	9.38	+3.45	2.37	−4.38	8.21	+3.79	0.52	−1.94	2.79	+0.48	2.73	−0.75	48.44	+2.37
Hawkinsville	5.54	+1.25	1.07	−3.53	6.34	+1.57	5.26	+2.39	0.67	−2.50	3.74	−0.46	7.21	+1.41	3.33	−1.76	4.46	+1.35	1.75	−0.81	7.28	+4.87	3.52	+0.09	50.17	+3.87
Hazlehurst	5.23	......	2.68	......	5.65	......	4.01	......	0.38	......	5.85	......	7.31	......	1.05	......	6.21	......	0.08	......	3.19	......	3.36	......	45.00	......
Lumber City	5.15	+1.50	2.19	−1.73	7.59	+3.79	4.81	+2.30	0.17	−3.07	5.06	−0.02	7.01	+1.75	0.70	−5.09	5.52	+2.20	0.14	−2.02	3.19	+0.83	4.02	+0.95	45.55	+1.39
Meldrim	......	......	......	......	......	......	......	......	......	......	......	......	6.96	......	0.31	......	10.82	......	0.35	......	3.29	......	2.58	......	......	......
Montezuma	6.74	+2.31	0.52	−4.04	8.07	+3.73	2.58	−1.42	1.15	−2.87	2.61	−1.17	8.39	+3.12	1.86	−2.59	4.86	+1.53	3.13	+0.87	9.16	+6.45	3.01	−1.15	52.08	+4.80
Moultrie	5.47	......	1.57	......	6.17	......	5.30	......	1.58	......	4.58	......	7.67	......	2.27	......	3.92	......	0.32	......	6.79	......	2.33	......	47.91	......
Quitman	5.42	+1.56	2.58	−2.00	8.25	+4.36	3.84	+0.45	1.63	−2.02	6.34	+0.21	8.02	+0.86	1.23	−5.11	5.68	+0.95	1.09	−1.29	5.07	+2.82	3.05	−1.46	52.20	−0.67
Savannah	3.59	+0.66	1.13	−1.62	4.22	+0.71	4.21	+1.49	1.94	−1.44	3.42	−1.84	6.39	−0.12	1.95	5.76	9.13	+4.03	0.64	−2.35	2.88	+0.76	2.35	−0.67	42.15	−6.15
Savannah, No. 2	4.51	......	1.40	......	5.04	......	4.78	......	0.61	......	5.35	......	6.42	......	0.13	......	7.18	......	0.43	......	3.20	......	3.12	......	42.17	......
Thomasville	5.70	+1.83	3.17	−1.41	10.92	+6.99	4.49	+1.08	1.29	−2.49	5.15	−0.32	5.94	−0.77	2.99	−2.79	8.09	+5.25	0.80	−2.28	6.74	+4.15	2.34	−2.06	57.62	+5.18
Tifton	5.41	......	2.56	......	5.70	......	5.95	......	1.20	......	7.22	......	5.62	......	3.82	......	3.78	......	0.23	......	2.84	......	3.72	......	48.05	......
Waycross	5.79	+2.25	1.65	−2.49	6.73	+3.39	4.38	+1.64	1.45	−2.03	8.97	+3.24	7.31	+0.78	4.50	−1.70	8.27	+4.07	0.89	−1.68	3.68	+1.56	3.05	−0.18	56.67	+9.14

BOUND BY THE NATIONAL LIBRARY BINDERY CO. OF GA.

Monthly and Annual Mean Temperatures for the Year 1930, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
Northern division																										
Athens	46.3	+3.6	52.4	+7.5	51.0	−1.7	65.0	+3.9	72.6	+2.8	77.0	−0.1	83.8	+4.6	80.4	+2.3	77.8	+3.7	61.8	−0.3	51.0	−0.7	41.0	−3.2	63.3	+1.8
Atlanta	42.8	−0.2	51.8	+6.5	49.3	−3.4	63.4	+2.6	70.4	+1.4	75.2	−0.7	81.4	+3.0	78.8	+1.6	75.6	+3.1	60.0	−2.1	49.6	−2.2	39.6	−5.1	61.5	+0.3
Blue Ridge	42.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Carlton	44.6	+1.0	48.6	+4.0	48.6	−4.4	66.0	+2.5	[c]68.7	−1.6	73.4	−3.6	80.8	+1.7	77.0	−1.1	76.6	+3.7	59.0	−3.2	48.4	−3.6	40.5	−3.8	60.6	−0.8
Clayton	41.2	+0.7	44.6	+3.5	45.0	−4.9	56.8	0.0	62.8	−2.4	67.8	−4.2	76.0	+1.6	69.2	−4.6	67.0	−1.7	52.2	−6.6	41.6	−6.7	34.9	−6.2	54.9	−2.7
Cornelia	42.5	.....	47.6	.....	46.8	.....	61.0	.....	67.8	.....	72.0	.....	79.6	.....	75.6	.....	73.2	.....	56.8	.....	47.2	.....	38.5	.....	59.0	.....
Dahlonega	43.3	+2.3	47.8	+5.5	47.3	−3.7	60.6	+2.1	67.6	+1.3	72.1	−1.3	79.8	+4.2	75.0	0.0	72.2	+1.8	55.6	−4.5	47.2	−2.4	38.2	−3.8	58.9	+0.1
Gainesville	[c]42.4	+1.1	49.2	+6.4	47.3	−4.3	61.3	+2.0	69.4	+1.6	73.6	−1.3	81.2	+3.6	77.2	+1.0	74.3	+3.0	58.0	−2.6	48.4	−2.1	39.6	−2.8	60.2	+0.5
Hartwell	45.7	+2.2	51.3	+6.6	49.4	−4.0	62.6	+1.8	[a]71.2	+1.6	75.0	−2.0	82.6	+3.5	78.4	+0.2	76.7	+3.1	60.8	−1.6	50.2	−1.5	40.3	−4.1	62.0	+0.5
Rome	43.5	+1.7	50.4	+6.1	49.0	−3.7	62.2	+1.2	71.0	+1.4	74.8	−2.0	82.6	+3.2	79.0	+0.5	76.1	+2.7	59.9	−2.3	50.6	+0.1	40.4	−2.7	61.6	+0.5
Tallapoosa	42.6	+0.1	49.2	+5.9	49.0	−4.2	60.8	+0.9	69.0	+0.4	72.2	−3.9	80.8	+2.7	76.8	−0.8	74.4	+1.3	57.4	−4.6	49.3	−1.8	39.3	−4.0	60.1	−0.6
Toccoa	45.4	+3.2	50.4	+7.1	49.7	−2.3	62.8	+2.6	69.6	+1.1	71.2	−1.4	81.9	+3.9	77.2	+0.4	74.2	+2.3	58.2	−2.8	47.6	−3.4	40.4	−2.9	61.0	+0.7
Washington	48.2	+3.5	53.6	+8.1	51.1	−4.3	64.9	+2.6	73.6	+2.3	77.0	−1.1	82.2	+2.0	77.2	−2.1	77.8	+3.3	62.6	−0.5	52.0	−1.2	42.6	−2.6	63.6	+0.9
Middle division																										
Augusta	49.6	+2.4	54.8	+4.9	52.8	−3.6	67.0	+2.7	75.2	+2.8	78.0	−0.9	83.9	+2.6	79.4	−0.5	79.1	+4.0	62.7	−1.8	53.4	−0.9	44.0	−3.6	65.0	+0.7
Brooklet	51.0	+1.5	56.0	+4.9	54.8	−4.8	67.8	+1.9	76.7	+2.7	77.3	−2.8	83.3	+1.4	79.1	−2.3	79.6	+2.4	64.1	−3.1	55.6	−1.5	46.2	−4.1	66.0	−0.3
Columbus	48.7	+1.0	54.6	+5.2	54.2	−4.2	67.1	+1.7	76.6	+3.4	79.2	−0.8	84.4	+2.9	80.8	−0.3	79.9	+2.8	63.8	−2.8	54.9	+0.2	45.8	−3.4	65.8	+0.4
Covington	44.7	.....	50.8	.....	49.4	.....	61.2	.....	69.3	.....	73.8	.....	[b]82.0	.....	77.3	.....	76.6	.....	60.5	.....	50.7	.....	40.8	.....	61.4	.....
Dublin	49.4	+1.3	54.0	+3.6	53.4	−3.7	65.5	+0.2	75.0	+2.6	76.6	−2.7	82.8	+1.9	77.8	−2.7	79.0	+2.8	62.5	−3.5	54.4	−0.8	45.0	−4.6	64.6	−0.5
Fair View	46.8	0.0	53.3	+4.3	51.7	−4.6	64.5	+1.2	72.8	+2.8	75.8	−2.4	81.4	+2.3	77.4	−1.3	75.6	+0.9	61.3	−3.2	52.2	−1.8	42.6	−5.0	63.0	−0.5
Fort Valley	47.8	.....	54.0	.....	53.0	.....	66.4	.....	75.8	.....	77.1	.....	82.2	.....	78.5	.....	78.5	.....	62.6	.....	53.2	.....	43.7	.....	64.4	.....
Greensboro	44.8	−0.2	50.6	+4.2	49.4	−5.9	63.0	+0.8	71.2	+0.6	74.6	−3.3	81.2	+1.4	77.0	−2.1	75.8	+1.2	59.8	−3.5	49.8	−3.4	40.0	−5.6	61.4	−1.4
Griffin	47.2	+2.0	54.5	+7.7	51.6	−4.5	64.8	+1.7	72.8	+1.7	75.4	−2.6	81.0	+1.1	78.6	−0.3	76.6	+1.8	62.3	−1.7	52.0	−1.9	43.1	−3.1	63.3	+0.1
Louisville	49.4	+2.2	54.0	+4.8	53.1	−4.2	65.4	+1.4	74.2	+1.4	76.6	−2.4	82.5	+2.1	78.4	−1.6	79.1	+3.7	61.9	−3.1	53.8	−0.9	44.2	−3.8	64.4	0.0
Macon	47.4	+0.1	53.0	+4.1	52.5	−4.3	64.9	+0.9	73.9	+1.8	77.0	−1.9	82.2	+1.1	78.6	−1.4	77.8	+2.2	61.8	−2.9	53.8	−0.5	43.8	−3.5	63.9	−0.3
Marshallville	48.7	+0.7	54.6	+5.0	52.8	−5.5	65.8	+1.1	74.8	+1.7	77.6	−1.9	82.7	+1.7	78.9	−1.7	78.6	+1.9	63.1	−3.0	[g]53.0	−2.8	45.0	−3.8	64.6	−0.6
Milledgeville	45.8	−0.1	51.4	+3.2	51.8	−4.2	65.4	+1.7	75.4	+3.2	77.6	−1.3	84.2	+3.3	79.6	−0.5	79.0	+3.4	61.4	−2.9	52.1	−1.9	42.8	−4.3	63.9	0.0
Millen	[a]51.2	+2.9	54.3	+4.6	53.4	−4.8	65.2	+0.2	76.6	+3.5	79.0	−0.6	85.2	+3.8	80.4	−0.5	80.7	+4.4	63.6	−2.1	55.0	−0.6	44.2	−4.6	65.7	+0.5
Monticello	46.0	+1.0	52.0	+5.1	51.0	−4.3	65.4	+2.5	73.9	+2.5	77.1	−1.1	82.6	+2.6	79.3	−0.1	77.9	+2.8	61.6	−2.0	51.8	−1.7	41.7	−4.5	63.4	+0.2
Newnan	45.3	+0.9	52.8	+7.3	49.6	−5.5	64.2	+2.5	71.3	+0.6	76.0	−1.9	82.1	+2.4	77.6	−1.2	75.9	+1.5	60.0	−3.5	50.8	−2.5	41.4	−3.6	62.3	−0.2
Stillmore	51.0	.....	[b]55.1	.....	53.9	.....	66.2	.....	74.6	.....	76.8	.....	83.0	.....	78.3	.....	78.6	.....	62.0	.....	54.5	.....	44.2	.....	64.8	.....
Talbotton	47.2	+0.2	53.1	+4.8	[g]51.8	−5.5	64.4	+1.0	74.5	+2.6	77.2	−1.4	83.6	+3.6	79.4	−0.3	78.0	+2.5	61.8	−3.1	52.5	−2.3	42.4	−5.5	63.8	−0.3
Warrenton	47.8	+1.8	53.5	+6.6	51.3	−4.8	65.4	+2.6	74.1	+2.5	77.2	−1.1	82.8	+2.4	78.6	−1.0	77.8	+2.9	61.6	−2.2	52.4	−1.5	43.0	−3.6	63.9	+0.5
West Point	44.6	−0.8	50.0	+3.2	51.0	−5.1	63.2	+0.1	73.0	+1.5	75.6	−3.1	82.8	+2.3	78.6	−1.0	76.7	+1.6	60.0	−4.1	51.9	−1.7	42.1	−4.1	62.5	−0.9
Southern division																										
Alapaha	[d]51.2	+0.5	56.2	+3.7	55.6	−4.5	66.4	−0.1	76.2	+2.2	76.9	−3.0	82.4	+1.0	79.2	−1.8	79.3	+2.0	64.4	−3.0	58.4	+0.7	47.6	−3.7	66.2	−0.4
Albany	50.4	+0.2	55.6	+3.6	55.0	−5.5	67.0	+0.2	77.0	+2.5	78.2	−1.8	82.8	+0.7	80.5	−1.1	79.3	+1.3	65.0	−2.8	56.4	−1.5	46.2	−5.1	66.1	−0.9
Americus	47.6	−0.8	53.3	+2.6	52.6	−6.0	65.2	0.0	74.8	+1.4	77.2	−2.8	82.4	+1.0	79.8	−1.1	78.0	+1.2	63.2	−3.4	53.0	−3.2	44.0	−5.4	64.3	−1.3
Bainbridge	51.4	−0.8	56.6	+2.9	55.0	−6.9	67.2	−0.7	76.4	+1.7	78.2	−2.5	82.2	+0.3	80.2	−1.6	79.0	+0.7	64.2	−3.9	57.0	−1.6	46.6	−5.7	66.2	−1.5
Blakely	51.0	+0.6	56.4	+4.1	54.6	−5.7	66.5	+0.1	75.4	+1.6	78.7	−1.5	82.4	+1.1	78.8	−2.3	78.4	+0.6	64.4	−2.9	56.5	−1.0	46.1	−5.1	65.8	−0.8
Brunswick	55.1	+1.6	58.6	+3.8	57.4	−3.9	68.4	+0.8	76.1	+1.9	77.8	−3.3	83.8	+2.2	81.0	−0.6	81.2	+3.0	68.4	−1.8	[b]58.6	−1.9	49.1	−5.9	68.0	−0.3
Eastman	50.4	+0.6	55.2	+4.3	55.0	−4.7	67.6	+1.5	78.0	+4.3	79.2	−0.8	84.5	+2.9	80.7	−0.3	80.3	+3.3	[f]63.8	−2.9	55.8	−1.0	45.7	−4.2	66.4	+0.3
Fargo	53.0	.....	56.6	.....	[b]55.2	.....	66.4	.....	74.8	.....	75.4	.....	81.4	.....	78.4	.....	[d]79.0	.....	63.8	.....	57.4	.....	49.2	.....	65.9	.....
Fitzgerald	.....	.....	.....	.....	.....	.....	.....	.....	76.4	.....	77.4	.....	83.0	.....	79.7	.....	80.0	.....	65.0	.....	57.4	.....	47.1	.....	.....	.....
Fort Gaines	51.4	+2.1	56.1	+5.1	54.7	−4.6	66.6	+0.8	76.0	+2.4	78.5	−1.5	83.3	+2.0	79.2	−1.5	78.6	+1.6	64.2	−2.6	56.3	−0.3	46.0	−4.4	65.9	−0.1
Glennville	52.8	+1.4	[b]57.0	+3.6	55.4	−4.9	66.3	−0.7	74.8	+0.6	76.2	−4.1	81.9	+0.3	78.4	−2.9	79.0	+2.0	64.4	−3.7	56.6	−1.1	47.7	−3.7	65.9	−1.1
Hawkinsville	48.8	+0.5	53.6	+3.6	53.5	−5.3	65.2	+0.1	74.9	+1.5	76.6	−3.1	82.3	+1.0	78.1	−1.9	78.6	+1.4	62.6	−3.9	54.6	−1.7	45.1	−4.3	64.5	−1.1
Hazlehurst	51.8	.....	55.5	.....	55.2	.....	66.4	.....	76.0	.....	77.6	.....	84.0	.....	79.6	.....	80.3	.....	64.4	.....	56.8	.....	46.4	.....	66.2	.....
Moultrie	53.6	.....	58.2	.....	57.1	.....	68.2	.....	76.7	.....	78.1	.....	83.6	.....	80.5	.....	80.2	.....	65.6	.....	57.6	.....	48.1	.....	67.3	.....
Quitman	53.2	+0.8	59.4	+4.6	55.4	−5.8	67.2	−0.3	77.0	+2.2	77.6	−2.8	82.1	+0.5	80.8	−0.5	80.8	+2.7	66.5	−2.0	59.4	+0.3	47.6	−5.4	67.2	−0.5
Savannah	53.0	+1.2	58.0	+4.2	55.3	−4.4	67.1	+0.8	75.4	+1.7	77.4	−1.8	83.6	+2.1	79.8	−0.9	80.0	+3.5	65.2	−2.1	56.5	−1.8	47.8	−1.6	66.6	−0.2
Savannah, No. 2	52.6	.....	55.1	.....	54.6	.....	65.0	.....	72.6	.....	76.0	.....	83.0	.....	77.8	.....	79.4	.....	63.3	.....	56.1	.....	47.0	.....	65.2	.....
Thomasville	53.2	+0.5	58.6	+4.4	55.7	−5.6	67.6	+0.6	76.1	+1.7	77.4	−2.5	81.9	+0.6	79.6	−1.4	79.1	+1.4	65.4	−2.9	58.1	−0.8	47.9	−5.0	66.7	−0.8
Tifton	[a]50.4	.....	[b]55.8	.....	52.9	.....	65.8	.....	75.6	.....	[a]76.2	.....	[b]81.3	.....	78.6	.....	78.7	.....	[a]63.8	.....	56.0	.....	46.3	.....	65.2	.....
Waycross	54.2	+1.8	58.0	+4.5	56.1	−5.4	66.8	−0.4	75.6	+1.1	76.0	−4.2	82.6	+0.8	79.6	−1.9	79.4	+1.6	65.2	−3.5	55.8	−3.0	46.0	−6.2	66.3	−1.2

Reference letters, [a], [b], [c], appearing in the table indicate number of days missing; for example, [b] represents two days, etc.

[Continued from page 49]

excess elsewhere brought the average for the State to about normal. Drought can not be said to have been very dangerous in Georgia as compared with the drought of 1925.

AUGUST.—Drought began to be more severe in August, the average precipitation being only 1.90 inches as compared with 1.79 inches in August, 1925. These two records are the lowest since 1892. The month was slightly below normal in temperature. Cotton withstood the drought well, and the boll weevil exhibited less activity than in almost any year since its appearance in the State.

SEPTEMBER.—A warm and rather wet month, with a rather large number of rainy days. Crops made about normal progress during the month.

OCTOBER.—Moderately cold and rather dry. The month was very favorable for harvesting operations, and at the close of the month cotton was mostly picked and ginned, except over the northern division. The maturing of most crops was favored by dry, cool weather.

NOVEMBER.—A moderately cold but very wet month, with the highest average precipitation for this month on record. High river stages were recorded and moderate flood conditions at a few stations, something quite unique for November. Only brief periods of fair weather occurred.

DECEMBER.—The month was decidedly cold, yet without any very low minimum temperatures. The precipitation was below normal. The special feature for the month was the heavy fall of mingled sleet and snow that occurred on the 16-17th. In the north the precipitation was mostly snow and reached a depth of 14 inches at Clayton; farther south it was mostly sleet, and the compact ice melted very slowly, keeping the maximum temperature for the last half of December quite low. Though the weather was not favorable for farm work, cereal crops and winter vegetables remained in good condition.

MONTHLY STATE DATA FOR 1930

Months	Temperature				Precipitation				
	Mean	Departure from normal	Maximum	Minimum	Average	Departure from normal	Greatest	Least	No. days with 0.01 inch or more
January	48.2	+1.6	81	8	5.00	+0.76	6.74	3.18	10
February	53.7	+5.7	87	11	1.61	−3.39	4.21	0.52	5
March	52.4	−4.3	82	14	5.77	+0.98	10.92	3.25	13
April	64.9	+1.5	93	25	3.26	−0.32	6.77	1.30	5
May	73.6	+2.0	98	43	2.26	−1.24	7.95	0.10	7
June	76.2	−1.8	106	38	3.84	−0.57	8.97	0.90	10
July	82.4	+2.6	109	51	5.72	+0.01	10.00	1.48	10
August	78.6	−0.8	105	44	1.90	−3.32	4.50	0.13	5
September	77.8	+2.5	101	45	6.01	+2.54	13.00	1.98	12
October	62.2	−2.4	91	24	1.67	−1.09	4.21	0.08	4
November	53.3	−1.2	86	10	5.74	+3.09	10.63	2.79	10
December	43.8	−3.8	76	10	3.35	−0.91	6.75	2.16	8
Year	63.9	+0.1	109	8	46.13	−3.46	57.88	30.53	99

KILLING FROSTS

Stations	Last in spring	First in autumn	Stations	Last in spring	First in autumn
Northern division			*Middle division*—Con.		
Athens	Mar. 5	Nov. 1	Monticello	Mar. 5	Nov. 1
Atlanta	Mar. 4	do 1	Newnan	Mar. 5	Oct. 31†
Carlton	Apr. 9*	Oct. 25	Stillmore	Mar. 5	Nov. 1†
Clayton	Apr. 25	Oct. 19	Talbotton	Mar. 4*	do 1†
Cornelia	Mar. 31	Oct. 22	Warrenton	Mar. 5*	do 1†
Dahlonega	Apr. 1	Oct. 25	West Point	Mar. 31*	Oct. 31†
Gainesville	Apr. 1*	Nov. 1	*Southern division*		
Hartwell	Mar. 31	Oct. 25	Alapaha	Mar. 5*	Nov. 27
Rome	Mar. 31	Oct. 31	Albany	Mar. 4	do 27
Tallapoosa	Apr. 1	Oct. 19	Americus	Mar. 5	Oct. 31†
Toccoa	Mar. 31	Nov. 1	Bainbridge	Mar. 5	Nov. 1
Washington	Mar. 5	do 1†	Blakely	Mar. 5	do 1
Middle division			Brunswick	Mar. 4	do 27
Augusta	Mar. 5	Nov. 8	Eastman	Mar. 4*	do 1
Brooklet	Mar. 5	do 27	Fargo	Mar. 5*	Oct. 26†
Columbus	Mar. 5	do 2†	Fitzgerald	....	Nov. 1†
Covington	Mar. 31	do 1	Fort Gaines	Mar. 4	do 1
Dublin	Mar. 5	do 1	Glennville	Mar. 5	do 27
Fair View	Mar. 5	do 1	Hawkinsville	Mar. 5	Oct. 26†
Fort Valley	Mar. 4	do 1†	Hazlehurst	Mar. 5	Nov. 1†
Greensboro	Mar. 31	do 1	Moultrie	Mar. 4	do 27†
Griffin	Mar. 5	Oct. 31†	Quitman	Mar. 5	do 27†
Louisville	Mar. 5*	Nov. 1†	Savannah	Mar. 4	do 27
Macon	Mar. 4	do 1	Savannah, No. 2	Mar. 5*	do 2†
Marshallville	Mar. 5	do 1†	Thomasville	Mar. 4	do 27
Milledgeville	Mar. 31	do 1†	Tifton	Mar. 4*	do 1†
Millen	Mar. 4	do 1	Waycross	Mar. 5	do 1†

* Latest date with temperature 32° or below.
† Earliest date with temperature 32° or below.

ANNUAL CLIMATOLOGICAL DATA FOR THE STATE

Year	Temperature				Precipitation		Number days 0.01 inch or more rain	Number clear days	Number partly cloudy days	Number cloudy days	Prevailing wind direction
	Mean	Departure from normal	Maximum	Minimum	Average	Departure from normal					
1892	62.8	−1.0	102	9	51.12	+1.53	96	152	104	110	.....
1893	63.3	−0.5	108	−1	40.29	−9.30	86	169	107	89	nw.
1894	64.0	+0.2	104	0	49.75	+0.16	94	157	123	85	nw.
1895	62.2	−1.6	102	−5	49.57	−0.02	96	154	117	94	nw.
1896	64.5	+0.7	108	−3	45.15	−4.44	81	176	113	77	nw.
1897	64.0	+0.2	107	−6	49.23	−0.36	84	154	115	96	sw.
1898	63.9	+0.1	103	7	53.14	+3.55	99	152	122	91	nw.
1899	63.6	−0.2	106	−12	44.20	−5.39	91	171	110	84	sw.
1900	63.7	−0.1	107	0	57.33	+7.74	115	141	130	94	nw.
1901	61.6	−2.2	106	3	57.58	+7.99	113	152	123	90	sw.
1902	63.6	−0.2	108	7	49.99	+0.40	100	136	128	101	nw.
1903	62.6	−1.2	104	9	53.84	+4.25	100	140	116	109	nw.
1904	62.6	−1.2	104	4	37.17	−12.42	87	183	107	76	nw.
1905	63.2	−0.6	106	−8	51.03	+1.44	100	155	106	104	ne.
1906	63.4	−0.4	103	11	54.60	+5.01	102	163	108	94	sw.
1907	64.2	+0.4	106	14	48.73	−0.86	97	159	126	80	w.
1908	64.3	+0.5	105	9	50.03	+0.44	89	169	113	84	nw.
1909	64.0	+0.2	104	5	48.31	−1.28	91	178	112	75	w.
1910	63.0	−0.8	105	8	43.60	−5.99	91	184	86	95	w.
1911	65.7	+1.9	108	9	48.23	−1.36	98	167	75	123	w.
1912	62.9	−0.9	103	0	63.02	+13.43	115	152	83	131	w.
1913	64.0	+0.2	110	12	46.47	−3.12	97	183	79	103	w.
1914	63.4	−0.4	109	5	45.58	−4.01	93	130	109	126	nw.
1915	64.0	+0.2	108	16	49.63	+0.04	89	196	83	86	nw.
1916	64.3	+0.5	103	10	43.50	−6.09	93	180	95	91	nw.
1917	62.6	−1.2	103	0	47.41	−2.18	99	181	92	92	sw.
1918	64.5	+0.7	106	−3	48.73	−0.86	101	163	88	116	w.
1919	65.2	+1.4	103	2	54.91	+5.32	103	167	87	111	nw.
1920	63.0	−0.8	105	4	59.73	+10.14	107	166	86	114	nw.
1921	66.1	+2.3	104	20	40.94	−8.65	94	173	100	92	w.
1922	65.7	+1.9	104	12	55.38	+5.79	113	158	94	113	ne.sw
1923	64.5	+0.7	105	0	52.76	+3.17	108	159	88	118	sw.
1924	63.1	−0.7	107	−9	54.27	+4.68	99	187	72	107	nw.
1925	65.8	+2.0	111	0	41.00	−8.59	89	186	75	104	w.
1926	63.9	+0.1	110	6	50.44	+0.85	104	181	78	106	w.
1927	66.2	+2.4	108	4	40.65	−8.94	92	177	100	88	sw.
1928	63.6	−0.2	105	−5	59.92	+10.33	114	167	101	98	nw.
1929	64.6	+0.8	103	7	69.83	+20.24	122	156	101	108	ne.
1930	63.9	+0.1	109	8	46.13	−3.46	99	175	93	97	ne.
Normals	63.8	......	111*	−12*	49.59	....	98	165	101	99	nw.

* Extremes.

(WBO, Atlanta, 1-30-31—1250)

Monthly and Annual Mean Temperatures for the Year 1930, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
Northern division																										
Athens	46.3	+3.6	52.4	+7.5	51.0	−1.7	65.0	+3.9	72.6	+2.8	77.0	−0.1	83.8	+4.6	80.4	+2.3	77.8	+3.7	61.8	−0.3	51.0	−0.7	41.0	−3.2	63.3	+1.8
Atlanta	42.8	−0.2	51.8	+6.5	49.3	−3.4	63.4	+2.6	70.4	+1.4	75.2	−0.7	81.4	+3.0	78.8	+1.6	75.6	+3.1	60.0	−2.1	49.6	−2.2	39.6	−5.1	61.5	+0.3
Blue Ridge	42.2	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......
Carlton	44.6	+1.0	48.6	+4.0	48.6	−4.4	66.0	+2.5	c68.7	−1.6	73.4	−3.6	80.8	+1.7	77.0	−1.1	76.6	+3.7	59.0	−3.2	48.4	−3.6	40.5	−3.8	60.6	−0.8
Clayton	41.2	+0.7	44.6	+3.5	45.0	−4.9	56.8	0.0	62.8	−2.4	67.8	−4.2	76.0	+1.6	69.2	−4.6	67.0	−1.7	52.2	−6.6	41.6	−6.7	34.9	−6.2	54.9	−2.7
Cornelia	42.5	......	47.6	......	46.8	......	61.0	......	67.8	......	72.0	......	79.6	......	75.6	......	73.2	......	56.8	......	47.2	......	38.5	......	59.0	......
Dahlonega	43.3	+2.3	47.8	+5.5	47.3	−3.7	60.6	+2.1	67.6	+1.3	72.1	−1.3	79.8	+4.2	75.0	0.0	72.2	+1.8	55.6	−4.5	47.2	−2.4	38.2	−3.8	58.9	+0.1
Gainesville	c42.4	+1.1	49.2	+6.4	47.3	−4.3	61.3	+2.0	69.4	+1.6	73.6	−1.3	81.2	+3.6	77.2	+1.0	74.3	+3.0	58.0	−2.6	48.4	−2.1	39.6	−2.8	60.2	+0.5
Hartwell	45.7	+2.2	51.3	+6.6	49.4	−4.0	62.6	+1.8	a71.2	+1.6	75.0	−2.0	82.6	+3.5	78.4	+0.2	76.7	+3.1	60.8	−1.6	50.2	−1.5	40.3	−4.1	62.0	+0.5
Rome	43.5	+1.7	50.4	+6.1	49.0	−3.7	62.2	+1.2	71.0	+1.4	74.8	−2.0	82.6	+3.2	79.0	+0.5	76.1	+2.7	59.9	−2.3	50.6	+0.1	40.4	−2.7	61.6	+0.5
Tallapoosa	42.6	+0.1	49.2	+5.9	49.0	−4.2	60.8	+0.9	69.0	+0.4	72.2	−3.9	80.8	+2.7	76.8	−0.8	74.4	+1.3	57.4	−4.6	49.3	−1.8	39.3	−4.0	60.1	−0.6
Toccoa	45.4	+3.2	50.4	+7.1	49.7	−2.3	62.8	+2.6	69.6	+1.1	74.2	−1.4	81.9	+3.9	77.2	+0.4	74.2	+2.3	58.2	−2.8	47.6	−3.4	40.4	−2.9	61.0	+0.7
Washington	48.2	+3.5	53.6	+8.1	51.1	−4.3	64.9	+2.6	73.6	+2.3	77.0	−1.1	82.2	+2.0	77.2	−2.1	77.8	+3.3	62.6	−0.5	52.0	−1.2	42.6	−2.6	63.6	+0.9
Middle division																										
Augusta	49.6	+2.4	54.8	+4.9	52.8	−3.6	67.0	+2.7	75.2	+2.8	78.0	−0.9	83.9	+2.6	79.4	−0.5	79.1	+4.0	62.7	−1.8	53.4	−0.9	44.0	−3.6	65.0	+0.7
Brooklet	51.0	+1.5	56.0	+4.9	54.8	−4.8	67.8	+1.9	76.7	+2.7	77.3	−2.8	83.3	+1.4	79.1	−2.3	79.6	+2.4	64.1	−3.1	55.6	−1.5	46.2	−4.1	66.0	−0.3
Columbus	48.7	+1.0	54.6	+5.2	54.2	−4.2	67.1	+1.7	76.6	+3.4	79.2	−0.8	84.4	+2.9	80.8	−0.3	79.9	+2.8	63.8	−2.8	54.9	+0.2	45.8	−3.4	65.8	+0.4
Covington	44.7	......	50.8	......	49.4	......	61.2	......	69.3	......	73.8	......	b82.0	......	77.3	......	76.6	......	60.5	......	50.7	......	40.8	......	61.4	......
Dublin	49.4	+1.3	54.0	+3.6	53.4	−3.7	65.5	+0.2	75.0	+2.6	76.6	−2.7	82.8	+1.9	77.8	−2.7	79.0	+2.8	62.5	−3.5	54.4	−0.8	45.0	−4.6	64.6	−0.5
Fair View	46.8	0.0	53.3	+4.3	51.7	−4.6	64.5	+1.2	72.8	+2.8	75.8	−2.4	81.4	+2.3	77.4	−1.3	75.6	+0.9	61.3	−3.2	52.2	−1.8	42.6	−5.0	63.0	−0.5
Fort Valley	47.8	......	54.0	......	53.0	......	66.4	......	75.8	......	77.1	......	82.2	......	78.5	......	78.5	......	62.6	......	53.2	......	43.7	......	64.4	......
Greensboro	41.8	−0.2	50.6	+4.2	49.4	−5.9	63.0	+0.8	71.2	+0.6	74.6	−3.3	81.2	+1.4	77.0	−2.1	75.8	+1.2	59.8	−3.5	49.8	−3.4	40.0	−5.6	61.4	−1.4
Griffin	47.2	+2.0	54.5	+7.7	51.6	−4.5	64.8	+1.7	72.8	+1.7	75.4	−2.6	81.0	+1.1	78.6	−0.3	76.6	+1.8	62.3	−1.7	52.0	−1.9	43.1	−3.1	63.3	+0.1
Louisville	49.4	+2.2	51.0	+4.8	53.1	−4.2	65.4	+1.4	74.2	+1.4	76.6	−2.4	82.5	+2.1	78.4	−1.6	79.1	+3.7	61.9	−3.1	53.8	−0.9	44.2	−3.8	64.4	0.0
Macon	47.4	+0.1	53.0	+4.1	52.5	−4.3	64.9	+0.9	73.9	+1.8	77.0	−1.9	82.2	+1.1	78.6	−1.4	77.8	+2.2	61.8	−2.9	53.8	−0.5	43.8	−3.5	63.9	−0.3
Marshallville	48.7	+0.7	54.6	+5.0	52.8	−5.5	65.8	+1.1	74.8	+1.7	77.6	−1.9	82.7	+1.7	78.9	−1.7	78.6	+1.9	63.1	−3.0	g53.0	−2.8	45.0	−3.8	64.6	−0.6
Milledgeville	45.8	−0.1	51.4	+3.2	51.8	−4.2	65.4	+1.7	75.4	+3.2	77.6	−1.3	84.2	+3.3	79.6	−0.5	79.0	+3.4	61.4	−2.9	52.1	−1.9	42.8	−4.3	63.9	0.0
Millen	a51.2	+2.9	54.3	+4.6	53.4	−4.8	65.2	+0.2	76.6	+3.5	79.0	−0.6	85.2	+3.8	80.4	−0.5	80.7	+4.4	63.6	−2.1	55.0	−0.6	44.2	−4.6	65.7	+0.5
Monticello	46.0	+1.0	52.0	+5.1	51.0	−4.3	65.4	+2.5	73.9	+2.5	77.4	−1.1	82.6	+2.6	79.3	−0.1	77.9	+2.8	61.6	−2.0	51.8	−1.7	41.7	−4.5	63.4	+0.2
Newnan	45.3	+0.9	52.8	+7.3	49.6	−5.5	64.2	+2.5	71.3	+0.6	76.0	−1.9	82.1	+2.4	77.6	−1.2	75.9	+1.5	60.0	−3.5	50.8	−2.5	41.4	−3.6	62.3	−0.2
Stillmore	51.0	......	b55.1	......	53.9	......	66.2	......	74.6	......	76.8	......	83.0	......	78.3	......	78.6	......	62.0	......	54.5	......	44.2	......	64.8	......
Talbotton	47.2	+0.2	53.1	+4.8	g51.8	−5.5	64.4	+1.0	74.5	+2.6	77.2	−1.4	83.6	+3.6	79.4	−0.3	78.0	+2.5	61.8	−3.1	52.5	−2.3	42.4	−5.5	63.8	−0.3
Warrenton	47.8	+1.8	53.5	+6.6	51.3	−4.8	65.4	+2.6	74.1	+2.5	77.2	−1.1	82.8	+2.4	78.6	−1.0	77.8	+2.9	61.6	−2.2	52.4	−1.5	43.0	−3.6	63.9	+0.5
West Point	44.6	−0.8	50.0	+3.2	51.0	−5.1	63.2	+0.1	73.0	+1.5	75.6	−3.1	82.8	+2.3	78.6	−1.0	76.7	+1.6	60.0	−4.1	51.9	−1.7	42.1	−4.1	62.5	−0.9
Southern division																										
Alapaha	d51.2	+0.5	56.2	+3.7	55.6	−4.5	66.4	−0.1	76.2	+2.2	76.9	−3.0	82.4	+1.0	79.2	−1.8	79.3	+2.0	64.4	−3.0	58.4	+0.7	47.6	−3.7	66.2	−0.4
Albany	50.4	+0.2	55.6	+3.6	55.0	−5.5	67.0	+0.2	77.0	+2.5	78.2	−1.8	82.8	+0.7	80.5	−1.1	79.3	+1.3	65.0	−2.8	56.4	−1.5	46.2	−5.1	66.1	−0.9
Americus	47.6	−0.8	53.3	+2.6	52.6	−6.0	65.2	0.0	74.8	+1.4	77.2	−2.8	82.4	+1.0	79.8	−1.1	78.0	+1.2	63.2	−3.4	53.0	−3.2	44.0	−5.4	64.3	−1.3
Bainbridge	51.4	−0.8	56.6	+2.9	55.0	−6.9	67.2	−0.7	76.4	+1.7	78.2	−2.5	82.2	+0.3	80.2	−1.6	79.0	+0.7	64.2	−3.9	57.0	−1.6	46.6	−5.7	66.2	−1.5
Blakely	51.0	+0.6	56.4	+4.1	54.6	−5.7	66.5	+0.1	75.4	+1.6	78.7	−1.5	82.4	+1.1	78.8	−2.3	78.4	+0.6	64.4	−2.9	56.5	−1.0	46.1	−5.1	65.8	−0.8
Brunswick	55.1	+1.6	58.6	+3.8	57.4	−3.9	68.4	+0.8	76.1	+1.9	77.8	−3.3	83.8	+2.2	81.0	−0.6	81.2	+3.0	68.4	−1.8	b58.6	−1.9	49.1	−5.9	68.0	−0.3
Eastman	50.4	+0.6	55.2	+4.3	55.0	−4.7	67.6	+1.5	78.0	+4.3	79.2	−0.8	84.5	+2.9	80.7	−0.3	80.3	+3.3	f63.8	−2.9	55.8	−1.0	45.7	−4.2	66.4	+0.3
Fargo	53.0	......	56.6	......	b55.2	......	66.4	......	74.8	......	75.4	......	81.4	......	78.4	......	d79.0	......	63.8	......	57.4	......	49.2	......	65.9	......
Fitzgerald	......	......	......	......	......	......	......	......	76.4	......	77.4	......	83.0	......	79.7	......	80.0	......	65.0	......	57.4	......	47.1	......	......	......
Fort Gaines	51.4	+2.1	56.1	+5.1	54.7	−4.6	66.6	+0.8	76.0	+2.4	78.5	−1.5	83.3	+2.0	79.2	−1.5	78.6	+1.6	64.2	−2.6	56.3	−0.3	46.0	−4.4	65.9	−0.1
Glennville	52.8	+1.4	b57.0	+3.6	55.4	−4.9	66.3	−0.7	74.8	+0.6	76.2	−4.1	81.9	+0.3	78.4	−2.9	79.0	+2.0	64.4	−3.7	56.6	−1.1	47.7	−3.7	65.9	−1.1
Hawkinsville	48.8	+0.5	53.6	+3.6	53.5	−5.3	65.2	+0.1	74.9	+1.5	76.6	−3.1	82.3	+1.0	78.1	−1.9	78.6	+1.4	62.6	−3.9	54.6	−1.7	45.1	−4.3	64.5	−1.1
Hazlehurst	51.8	......	55.5	......	55.2	......	66.4	......	76.0	......	77.6	......	84.0	......	79.6	......	80.3	......	64.4	......	56.8	......	46.4	......	66.2	......
Moultrie	53.6	......	58.2	......	57.1	......	68.2	......	76.7	......	78.1	......	83.6	......	80.5	......	80.2	......	65.6	......	57.6	......	48.1	......	67.3	......
Quitman	53.2	+0.8	59.4	+4.6	55.4	−5.8	67.2	−0.3	77.0	+2.2	77.6	−2.8	82.1	+0.5	80.8	−0.5	80.8	+2.7	66.5	−2.0	59.4	+0.3	47.6	−5.4	67.2	−0.5
Savannah	53.0	+1.2	58.0	+4.2	55.3	−4.4	67.1	+0.8	75.4	+1.7	77.4	−1.8	83.6	+2.1	79.8	−0.9	80.0	+3.5	65.2	−2.1	56.5	−1.8	47.8	−4.6	66.6	−0.2
Savannah, No. 2	52.0	......	55.1	......	54.6	......	65.0	......	72.6	......	76.0	......	83.0	......	77.8	......	79.4	......	63.3	......	56.1	......	47.0	......	65.2	......
Thomasville	53.2	+0.5	58.6	+4.4	55.7	−5.6	67.6	+0.6	76.1	+1.7	77.4	−2.5	81.9	+0.6	79.6	−1.4	79.1	+1.4	65.4	−2.9	58.1	−0.8	47.9	−5.0	66.7	−0.8
Tifton	a50.4	......	b55.8	......	52.9	......	65.8	......	75.6	......	a76.2	......	b81.3	......	78.6	......	78.7	......	a63.8	......	56.0	......	46.3	......	65.2	......
Waycross	54.2	+1.8	58.0	+4.5	56.1	−5.4	66.8	−0.4	75.6	+1.1	76.0	−4.2	82.6	+0.8	79.6	−1.9	79.4	+1.6	65.2	−3.5	55.8	−3.0	46.0	−6.2	66.3	−1.2

Reference letters, a, b, c, appearing in the table indicate number of days missing; for example, b represents two days, etc.

[Continued from page 49]

excess elsewhere brought the average for the State to about normal. Drought can not be said to have been very dangerous in Georgia as compared with the drought of 1925.

AUGUST.—Drought began to be more severe in August, the average precipitation being only 1.90 inches as compared with 1.79 inches in August, 1925. These two records are the lowest since 1892. The month was slightly below normal in temperature. Cotton withstood the drought well, and the boll weevil exhibited less activity than in almost any year since its appearance in the State.

SEPTEMBER.—A warm and rather wet month, with a rather large number of rainy days. Crops made about normal progress during the month.

OCTOBER.—Moderately cold and rather dry. The month was very favorable for harvesting operations, and at the close of the month cotton was mostly picked and ginned, except over the northern division. The maturing of most crops was favored by dry, cool weather.

NOVEMBER.—A moderately cold but very wet month, with the highest average precipitation for this month on record. High river stages were recorded and moderate flood conditions at a few stations, something quite unique for November. Only brief periods of fair weather occurred.

DECEMBER.—The month was decidedly cold, yet without any very low minimum temperatures. The precipitation was below normal. The special feature for the month was the heavy fall of mingled sleet and snow that occurred on the 16-17th. In the north the precipitation was mostly snow and reached a depth of 14 inches at Clayton; farther south it was mostly sleet, and the compact ice melted very slowly, keeping the maximum temperature for the last half of December quite low. Though the weather was not favorable for farm work, cereal crops and winter vegetables remained in good condition.

MONTHLY STATE DATA FOR 1930

Months	Temperature				Precipitation				
	Mean	Departure from normal	Maximum	Minimum	Average	Departure from normal	Greatest	Least	No. days with 0.01 inch or more
January	48.2	+1.6	81	8	5.00	+0.76	6.74	3.18	10
February	53.7	+5.7	87	11	1.61	−3.39	4.21	0.52	5
March	52.4	−4.3	82	14	5.77	+0.98	10.92	3.25	13
April	64.9	+1.5	93	25	3.26	−0.32	6.77	1.30	5
May	73.6	+2.0	98	43	2.26	−1.24	7.95	0.10	7
June	76.2	−1.8	106	38	3.84	−0.57	8.97	0.90	10
July	82.4	+2.6	109	51	5.72	+0.01	10.00	1.48	10
August	78.6	−0.8	105	44	1.90	−3.32	4.50	0.13	5
September	77.8	+2.5	101	45	6.01	+2.54	13.00	1.98	12
October	62.2	−2.4	91	24	1.67	−1.09	4.21	0.08	4
November	53.3	−1.2	86	10	5.74	+3.09	10.63	2.79	10
December	43.8	−3.8	76	10	3.35	−0.91	6.75	2.16	8
Year	63.9	+0.1	109	8	46.13	−3.46	57.88	30.53	99

KILLING FROSTS

Stations	Last in spring	First in autumn	Stations	Last in spring	First in autumn
Northern division			*Middle division*—Con.		
Athens	Mar. 5	Nov. 1	Monticello	Mar. 5	Nov. 1
Atlanta	Mar. 4	do 1	Newnan	Mar. 5	Oct. 31†
Carlton	Apr. 9*	Oct. 25	Stillmore	Mar. 5	Nov. 1†
Clayton	Apr. 25	Oct. 19	Talbotton	Mar. 4*	do 1†
Cornelia	Mar. 31	Oct. 22	Warrenton	Mar. 5*	do 1†
Dahlonega	Apr. 1	Oct. 25	West Point	Mar. 31*	Oct. 31†
Gainesville	Apr. 1*	Nov. 1	*Southern division*		
Hartwell	Mar. 31	Oct. 25	Alapaha	Mar. 5*	Nov. 27
Rome	Mar. 31	Oct. 31	Albany	Mar. 4	do 27
Tallapoosa	Apr. 1	Oct. 19	Americus	Mar. 5	Oct. 31†
Toccoa	Mar. 31	Nov. 1	Bainbridge	Mar. 5	Nov. 1
Washington	Mar. 5	do 1†	Blakely	Mar. 5	do 1
Middle division			Brunswick	Mar. 4	do 27
Augusta	Mar. 5	Nov. 8	Eastman	Mar. 4*	do 1
Brooklet	Mar. 5	do 27	Fargo	Mar. 5*	Oct. 26†
Columbus	Mar. 5	do 2†	Fitzgerald	....	Nov. 1†
Covington	Mar. 31	do 1	Fort Gaines	Mar. 4	do 1
Dublin	Mar. 5	do 1	Glennville	Mar. 5	do 27
Fair View	Mar. 5	do 1	Hawkinsville	Mar. 5	Oct. 26†
Fort Valley	Mar. 4	do 1†	Hazlehurst	Mar. 5	Nov. 1†
Greensboro	Mar. 31	do 1	Moultrie	Mar. 4	do 27†
Griffin	Mar. 5	Oct. 31†	Quitman	Mar. 5	do 27†
Louisville	Mar. 5*	Nov. 1†	Savannah	Mar. 4	do 27
Macon	Mar. 4	do 1	Savannah, No. 2	Mar. 5*	do 2†
Marshallville	Mar. 5	do 1†	Thomasville	Mar. 4	do 27
Milledgeville	Mar. 31	do 1†	Tifton	Mar. 4*	do 1†
Millen	Mar. 4	do 1	Waycross	Mar. 5	do 1†

* Latest date with temperature 32° or below.
† Earliest date with temperature 32° or below.

ANNUAL CLIMATOLOGICAL DATA FOR THE STATE

Year	Temperature				Precipitation		Number days 0.01 inch or more rain	Number clear days	Number partly cloudy days	Number cloudy days	Prevailing wind direction
	Mean	Departure from normal	Maximum	Minimum	Average	Departure from normal					
1892	62.8	−1.0	102	9	51.12	+1.53	96	152	104	110	......
1893	63.3	−0.5	108	−1	40.29	−9.30	86	169	107	89	nw.
1894	64.0	+0.2	104	0	49.75	+0.16	94	157	123	85	nw.
1895	62.2	−1.6	102	−5	49.57	−0.02	96	154	117	94	nw.
1896	64.5	+0.7	108	−3	45.15	−4.44	81	176	113	77	nw.
1897	64.0	+0.2	107	−6	49.23	−0.36	84	154	115	96	sw.
1898	63.9	+0.1	103	7	53.14	+3.55	99	152	122	91	nw.
1899	63.6	−0.2	106	−12	44.20	−5.39	91	171	110	84	sw.
1900	63.7	−0.1	107	0	57.33	+7.74	115	141	130	94	nw.
1901	61.6	−2.2	106	3	57.58	+7.99	113	152	123	90	sw.
1902	63.6	−0.2	108	7	49.99	+0.40	100	136	128	101	nw.
1903	62.6	−1.2	104	9	53.84	+4.25	100	140	116	109	nw.
1904	62.6	−1.2	104	4	37.17	−12.42	87	183	107	76	nw.
1905	63.2	−0.6	106	−8	51.03	+1.44	100	155	106	104	ne.
1906	63.4	−0.4	103	11	54.60	+5.01	102	163	108	94	sw.
1907	64.2	+0.4	106	14	48.73	−0.86	97	159	126	80	w.
1908	64.3	+0.5	105	9	50.03	+0.44	89	169	113	84	nw.
1909	64.0	+0.2	104	5	48.31	−1.28	91	178	112	75	w.
1910	63.0	−0.8	105	8	43.60	−5.99	91	184	86	95	w.
1911	65.7	+1.9	108	9	48.23	−1.36	98	167	75	123	w.
1912	62.9	−0.9	103	0	63.02	+13.43	115	152	83	131	w.
1913	64.0	+0.2	110	12	46.47	−3.12	97	183	79	103	w.
1914	63.4	−0.4	109	5	45.58	−4.01	93	130	109	126	nw.
1915	64.0	+0.2	108	16	49.63	+0.04	89	196	83	86	nw.
1916	64.3	+0.5	103	10	43.50	−6.09	93	180	95	91	nw.
1917	62.6	−1.2	103	0	47.41	−2.18	99	181	92	92	sw.
1918	64.5	+0.7	106	−3	48.73	−0.86	101	163	88	116	w.
1919	65.2	+1.4	103	2	54.91	+5.32	103	167	87	111	nw.
1920	63.0	−0.8	105	4	59.73	+10.14	107	166	86	114	nw.
1921	66.1	+2.3	104	20	40.94	−8.65	94	173	100	92	w.
1922	65.7	+1.9	104	12	55.38	+5.79	113	158	94	113	ne.,sw.
1923	64.5	+0.7	105	0	52.76	+3.17	108	159	88	118	sw.
1924	63.1	−0.7	107	−9	54.27	+4.68	99	187	72	107	nw.
1925	65.8	+2.0	111	0	41.00	−8.59	89	186	75	104	w.
1926	63.9	+0.1	110	6	50.44	+0.85	104	181	78	106	w.
1927	66.2	+2.4	108	4	40.65	−8.94	92	177	100	88	sw.
1928	63.6	−0.2	105	−5	59.92	+10.33	114	167	101	98	nw.
1929	64.6	+0.8	103	7	69.83	+20.24	122	156	101	108	ne.
1930	63.9	+0.1	109	8	46.13	−3.46	99	175	93	97	ne.
Normals	63.8	......	111*	−12*	49.59	....	98	165	101	99	nw.

* Extremes.

(WBO, Atlanta, 1-30-31—1250)


GEORGIA
SCALE OF MILES
0 10 20 30 40 50 60
85
84
83
82
81
35
34
33
32
31
DADE
WALKER
CATOOSA
WHITFIELD
MURRAY
FANNIN
Blue Ridge
UNION
TOWNS
RABUN
Clayton
GILMER
HABERSHAM
WHITE
LUMPKIN
Dahlonega
Toccoa
Cornelia
STEPHENS
CHATTOOGA
Resaca
GORDON
PICKENS
DAWSON
HALL
Gainesville
BANKS
Cillsville
FRANKLIN
HART
Hartwell
FLOYD
Rome
Adairsville
BARTOW
CHEROKEE
Canton
FORSYTH
JACKSON
MADISON
ELBERT
Carlton
MILTON
POLK
PAULDING
Marietta
COBB
GWINNETT
Norcross
BARROW
CLARKE
Athens
Point Peter
OGLETHORPE
Lisbon
Savannah
HARALSON
Tallapoosa
FULTON
Atlanta
DEKALB
WALTON
OCONEE
WILKES
Washington
LINCOLN
DOUGLAS
CARROLL
CAMPBELL
CLAYTON
ROCKDALE
Covington
NEWTON
MORGAN
Greensboro
GREENE
TALIAFERRO
McDUFFIE
COLUMBIA
Augusta
Newman
COWETA
FAYETTE
HENRY
HEARD
Griffen
SPALDING
BUTTS
JASPER
Monticello
PUTNAM
Eatonton
HANCOCK
Warrenton
WARREN
RICHMOND
GLASCOCK
PIKE
Concord
LAMAR
MERIWETHER
TROUP
MONROE
JONES
Milledgeville
BALDWIN
JEFFERSON
Louisville
BURKE
River
West Point
Woodbury
Fair View
UPSON
WASHINGTON
Macon
BIBB
WILKINSON
HARRIS
TALBOT
Talbotton
Coat Rock
CRAWFORD
TWIGGS
JOHNSON
JENKINS
Millen
SCREVEN
MUSCOGEE
Columbus
TAYLOR
Butler
Ft. Valley
HOUSTON
EMANUEL
Marshallville
MARION
MACON
Montezuma
BLECKLEY
Dublin
LAURENS
TREUTLEN
CANDLER
Statesboro
BULLOCH
EFFINGHAM
CHATTA-
HOOCHEE
SCHLEY
Hawkinsville
PULASKI
DODGE
Eastman
WHEELER
MONTGOMERY
EVANS
TATTNALL
River
STEWART
WEBSTER
Americus
SUMTER
DOOLY
TOOMBS
Savannah
CHATHAM
BRYAN
QUIT-
MAN
WILCOX
Abbeville
CRISP
TELFAIR
Lumber City
Hazlehurst
Clenville
LIBERTY
CLAY
RANDOLPH
TERRELL
LEE
TURNER
BEN HILL
JEFF DAVIS
APPLING
LONG
Ft. Gaines
CALHOUN
Albany
DOUGHERTY
WORTH
IRWIN
COFFEE
BACON
WAYNE
McINTOSH
Chattahoochee
Blakely
EARLY
BAKER
TIFT
PIERCE
Alapaha
ATKINSON
GLYNN
MILLER
MITCHELL
COLQUITT
COOK
BERRIEN
Waycross
WARE
BRANTLEY
Brunswick
SEMINOLE
DECATURE
Bainbridge
GRADY
THOMAS
Thomasville
BROOKS
LOWNDES
Valdosta
Quitman
LANIER
CLINCH
ECHOLS
CAMDEN
CHARLTON
St. George
L.S.

U. S. DEPARTMENT OF AGRICULTURE, WEATHER BUREAU
CHARLES F. MARVIN, Chief

CLIMATOLOGICAL DATA

GEORGIA SECTION

C. F. von HERRMANN, Meteorologist

VOL. XXXV ATLANTA, GA., YEAR 1931 No. 13

GENERAL SUMMARY

The remarkable climatic feature of the year 1931 in Georgia was the general drought that prevailed, with some interruptions, from January through November, and in the southern division even through December. Owing to the fact that the rainfall was about normal during May, and that good rains were received during April in the northern division and during July and August in the southern division, the effect of the drought on crop conditions was not nearly so destructive as occurred during the mid-summer drought of 1925. Nevertheless, especially in the southern division, during the fall months very low stages occurred in the rivers of the State, small streams and wells were dry, and in many counties water had to be hauled for drinking purposes. An unusual number of forest fires occurred in southeastern Georgia, which covered the State with a canopy of smoke.

The average rainfall for the State during the six unusually dry years since the beginning of records in 1891 is as follows:

Year	Amount	Departure
1893	40.29	−9.80
1904	37.17	−12.92
1921	40.94	−9.15
1925	41.00	−9.09
1927	40.65	−9.44
1931	36.75	−13.34

The year 1931 was thus the driest on the records for the past 40 years. It is odd that in 1925 January was characterized by excessive rainfall and dangerous floods, only to be followed by persistent drought during the rest of the year, while in 1931 the reverse took place, unusually heavy rains occurring in December, but without flood conditions, due, of course, to the preceding drought.

At 19 stations in Georgia the total precipitation for 1931 was the smallest on record.

Stations	Rainfall in 1931	Previous minimum record
Northern division—		
Washington	34.76	1904—36.97
Central division—		
Augusta	28.18	1904—29.54
Brooklet	29.19	1927—36.84
Concord	31.83	1925—32.54
Fair View	35.35	1921—37.53
Griffin	30.71	1925—32.03
Marshallville	36.36	1927—36.78
Millen	30.06	1910—32.04
Talbotton	35.89	1914—38.81
Warrenton	32.20	1904—34.94
Southern division—		
Americus	31.55	1909—35.96
Blakely	34.10	1904—34.70
Brunswick	31.92	1916—33.31
Glennville	28.27	1927—30.80
Hawkinsville	32.47	1910—34.76
Hazlehurst	32.18	1921—33.05
Savannah	22.00	1923—32.62
Tifton	34.41	1923—43.63
Waycross	25.89	1923—35.24

The spring months of 1931 were decidedly cold, but the last four months of the year, especially December, were remarkably warm. At some stations the highest temperature ever registered in December were reported.

ATMOSPHERIC PRESSURE.—The mean pressure for the year was 30.08 inches; the highest recorded was 30.65 inches at Macon on January 15, and the lowest was 29.33 inches at Thomasville on April 1.

TEMPERATURE.—The annual mean temperature was 65.4°, or 1.5° above the normal. The highest annual mean was 69.2° at Brunswick and Waycross, and the lowest was 55.4° at Clayton. The highest monthly mean was 86.0° at Millen in July, and the lowest was 38.0° at Clayton in January. The highest temperature recorded was 109° at Eastman on June 29 and at Milledgeville on June 28, and the lowest was 11° at Clayton on January 2.

PRECIPITATION.—The annual average precipitation was 36.75 inches, or 13.34 inches below the normal. The greatest annual total was 64.45 inches at Clayton, and the least was 22.00 inches at Savannah. The greatest local monthly rainfall was 17.32 inches at Dahlonega in December, and the least was 0.00 inch at Dover, Quitman, and Tifton in November. The greatest amount of precipitation in 24 hours was 5.32 inches at Fitzgerald on August 14. The greatest depth of snowfall, unmelted, was 4.0 inches at Clayton. The average number of days with 0.01 inch or more of precipitation was 87.

WINDS.—The prevailing winds were from the northwest. The maximum velocity was 43 miles per hour from the southeast at Thomasville on March 28.

SUNSHINE AND CLOUDINESS.—The average percentage of sunshine was 69, with a maximum of 91 per cent at Macon in September and a minimum of 44 per cent at Atlanta in December. The average number of clear days was 194, partly cloudy days 91, and cloudy days 80.

SUMMARY BY MONTHS

JANUARY.—Temperatures for the State, as a whole, were moderately below normal, and the rainfall considerably below normal, without being remarkable in any way. A pleasant period of fair, warm weather prevailed from the 20th to the close of the month. Very little snow occurred.

FEBRUARY.—A moderately warm, rather dry month. Owing to the high average number of clear days and the excellent condition of the soil, farm work was more advanced than usual at this time of the year. All winter crops, cereals, truck, etc., remained in good condition.

MARCH.—There was a complete absence during March of the warm periods that normally occur in the spring months, and the month therefore was unusually cold. The month was also very dry. Some heavy hail was reported on the 31st.

APRIL.—Not in any way an eventful month, although the weather continued moderately cold and dry. There was one pleasant, warm period lasting from the 12th to 21st, which was decidedly beneficial to vegetation; crops began to make considerable growth and forests became green quite rapidly.

MAY.—The germination of seeds and the growth of crops was slow during May, which was again rather cold, although practically normal in precipitation. A moderate rise occurred in most of the rivers of central Georgia, due to considerable rainfall during the first decade. Some local hail and wind storms were reported, but the aggregate damage was small.

JUNE.—Strikingly abnormal conditions prevailed, the month being both very warm and extremely dry. It was the driest June on record. Most crops suffered considerably. A few severe local thunderstorms occurred.

JULY.—July was an extremely warm month; the mean temperature for the State, 83.1°, is the highest monthly mean on

[Continued on page 53]

Climatological Data for the Year 1931

Stations	Counties	Elevation, feet	Temperature (degrees Fahrenheit)						Precipitation (inches)							Number rainy days	Sky			Prevailing direction of wind
			Length of record, years	Annual mean	Highest	Date	Lowest	Date	Length of record, years	Total for the year	Greatest monthly	Month	Least monthly	Month	Total snowfall		Number clear days	Number partly cloudy days	Number cloudy days	
Northern division																				
Athens	Clarke	830	50	65.1	107	June 29	19	Jan. 15	55	41.10	11.31	Dec.	0.47	Nov.	T.	104	177	94	94	w.
Atlanta	Fulton	1,173	66	63.0	101	June 29	18	Jan. 15	66	36.25	12.07	Dec.	0.39	June	0.1	101	146	104	115	w.
Blairsville	Union										13.51	Dec.								
Canton	Cherokee	894							41	47.94	12.66	Dec.	1.67	Nov.	0.1	92				e.
Carlton Bridge	Oglethorpe	557	5		103	June 28[†]	14	Jan. 16	32	40.13	12.23	Dec.	1.09	Nov.	0.2					
Clayton	Rabun	2,100	37	55.4	96	June 28	11	Jan. 2	37	64.45	16.35	Dec.	1.30	Sept.	4.0	78	238	13	114	
Cornelia	Habersham	1,500	13	60.6	102	June 29	16	Jan. 15	13	49.36	14.35	Dec.	1.03	Sept.	2.0	118	182	68	115	w.
Dahlonega	Lumpkin	1,519	40	59.8	99	June 21	15	Jan. 15[†]	42	52.49	17.32	Dec.	1.32	Sept.	1.0	121	166	166	33	nw.
Double Branches	Lincoln								6	28.01	6.61	Dec.	0.18	Oct.	0.0					
Gainesville	Hall	1,254	53	61.4	102	June 29	17	Jan. 15	55	46.41	13.41	Dec.	1.23	June	0.2	119	253	31	81	w.
Gillsville	do	1,052							41	46.18	15.21	Dec.	1.04	Sept.	T.	96				
Hartwell	Hart	838	22	62.8	104	June 28	17	Jan. 16	22	41.86	12.10	Dec.	1.24	Nov.	1.1	78				w.
Norcross	Gwinnett	1,025							22	42.76	12.66	Dec.	0.43	June	0.1	109				
Resaca	Gordon	657							38	47.26	13.24	Dec.	1.28	Nov.	T.	101				s.
Rome	Floyd	576	73	62.8	107	June 28	16	Jan. 15	76	42.91	10.44	Dec.	0.95	Sept.	T.	100				nw.
Tallapoosa	Haralson	1,150	33	60.8	106	June 29	13	Jan. 15	33	42.11	13.10	Dec.	0.70	Oct.	T.	74				
Toccoa	Stephens	1,050	46	61.9	103	June 29	17	Jan. 15	47	47.19	13.74	Dec.	0.73	Sept.	1.4	113	173	114	78	w.
Washington	Wilkes	630	41	65.3	105	June 28	18	Jan. 15	44	34.76	8.05	Dec.	0.32	Nov.	0.2	101	224	69	72	w.
Division means and extremes				61.6	107	June 28[†]	11	Jan. 2		44.55	17.32	Dec.	0.18	Oct.	0.6	97	189	89	87	w.
Middle division																				
Augusta	Richmond	182	86	66.0	105	June 28	23	Jan. 16	65	28.18	5.35	Dec.	0.19	Nov.	T.	97	146	132	87	nw.
Brooklet	Bulloch	253	32	67.6	106	June 29	23	Jan. 16	32	29.19	6.60	Aug.	T.	Nov.	0.0	64	254	94	17	
Butler	Taylor	650							31	38.35	7.07	Dec.	0.15	Nov.	0.0	60				
Columbus	Muscogee	262	44	66.7	104	June 28[†]	22	Jan. 15	44	40.47	8.77	Dec.	0.32	Sept.	0.0	86				ne.
Concord	Pike	850							20	31.83	8.20	Dec.	0.49	Nov.	0.0	89	229	53	83	
Covington	Newton	800	4	63.5	105	June 28[†]	17	Jan. 15	40	34.99	8.25	Dec.	0.35	Nov.	T.	65				
Dover	Screven								2	29.03	7.86	Aug.	0.00	Nov.	0.0	64				
Dublin	Laurens	452	20	66.4	107	June 29	22	Jan. 15	38	31.17	5.54	July	0.11	Nov.	0.0	95				w.
Fair View	Lamar		16	64.3	104	June 28[†]	19	Jan. 15	16	35.35	6.73	Dec.	0.38	Nov.	T.	86				
Fort Valley	Peach	526	11	65.1	104	June 28[†]	20	Jan. 15	11	40.03	8.72	May	0.24	Nov.	0.0	100	206	86	73	w.
Goat Rock	Muscogee								18	28.39	6.55	Dec.	0.41	Sept.	0.0	76				
Greensboro	Greene	598	30	62.3	104	June 28	16	Jan. 15	30	37.01	8.04	Dec.	0.39	Nov.	T.	80	219	68	78	w.
Griffin	Spalding	975	42	64.4	103	June 29	16	Jan. 15	42	30.71	7.81	Dec.	0.26	Nov.	0.0	92	153	88	124	se.
Louisville	Jefferson	259	34	65.6	104	June 28[†]	21	Jan. 15	34	30.83	7.86	Aug.	0.06	Nov.	0.0	83				
Macon	Bibb	370	51	65.1	104	June 28	21	Jan. 15	54	39.30	7.31	Aug.	0.21	Nov.	T.	96	147	93	125	nw.
Marshallville	Macon	500	38	66.0	104	June 29[†]	22	Jan. 15	39	36.36	7.27	Aug.	0.08	Nov.	0.0	76				w.
Midville	Burke								2	23.23	4.01	July	0.04	Nov.	0.0	65				
Milledgeville	Baldwin	276	44	64.5	109	June 28	19	Jan. 2	43	34.80	7.05	May	0.13	June	0.0	80	214	46	105	nw.
Millen	Jenkins	158	44	66.8	108	July 3	21	Jan. 15	45	30.06	5.85	July	T.	Nov.	0.0	67				nw.
Monticello	Jasper	800	37	64.9	108	June 29	18	Jan. 15	36	43.08	9.75	July	0.15	Nov.	0.0	99	221	72	72	
Newnan	Coweta	959	43	64.6	103	June 28	18	Jan. 15	43	35.81	12.76	Dec.	0.40	Oct.	T.	99	203	73	89	nw.
Sparta	Hancock								2	33.13	6.55	Dec.	T.	Nov.	0.0	71				
Stillmore	Emanuel		7	66.7	106	July 3	20	Jan. 15	7	34.86	12.41	Aug.	0.09	Nov.	0.0	91				
Talbotton	Talbot	750	38	65.5	105	June 28	19	Jan. 15	38	35.89	8.02	Dec.	0.46	Oct.	0.0	62	201	115	49	sw.
Warrenton	Warren	500	17	64.7	107	June 28	21	Jan. 2[†]	17	32.20	5.81	Dec.	T.	Nov.	T.	92	209	116	40	ne.
West Point	Troup	620	42	64.0	104	June 28[†]	18	Jan. 2[†]	43	38.65	7.90	Dec.	0.28	Sept.	0.0	101	170	67	128	n.
Woodbury	Meriwether	641							31	34.23	8.53	Dec.	0.64	Nov	0.0	84				
Division means and extremes				65.2	109	June 28	16	Jan. 15		33.84	12.76	Dec.	0.00	Nov.	T.	82	193	87	85	nw.
Southern division																				
Abbeville	Wilcox	180							29	30.27	6.79	May	0.20	Nov.	0.0	70				nw.
Alapaha	Berrien	293	43	67.8	101	June 29	23	Jan. 15	43	38.72	8.58	July	0.06	Nov.	0.0	73				sw.
Albany	Dougherty	230	45	67.6	106	June 29	24	Jan. 15	46	44.14	10.57	July	0.06	Nov.	0.0	94	265	20	80	ne.
Americus	Sumter	362	47	66.1	108	June 29	20	Jan. 15	48	31.55	5.36	July	0.03	June	0.0	79	266	51	48	s.
Bainbridge	Decatur	119	40	67.4	104	June 28	24	Jan. 2[†]	40	33.95	6.07	Dec.	0.01	Nov.	0.0	87				sw.
Blakely	Early	300	36	67.3	106	June 29	22	Jan. 15	38	34.10	7.22	July	0.02	Nov.	0.0	92	176	126	63	nw.
Brunswick	Glynn	14	27	69.2	102	July 2	27	Jan. 15	30	31.92	6.26	Aug.	0.28	Oct.	0.0	81	190	107	68	se.
Darien	McIntosh		1	68.0	100	July 7	26	Jan. 15	1	36.32	6.41	July	0.96	Oct.	0.0					ne.
Eastman	Dodge	361	40	67.7	109	June 29	22	Jan. 15	40	35.76	7.13	May	0.04	Nov.	0.0	77	263	62	40	nw.
Fargo	Clinch	116	4	67.6	106	June 29	24	Jan. 2[†]	4	31.82	5.92	May	0.05	Oct.	0.0	78				nw.
Fitzgerald	Ben Hill		15	67.9	104	June 29[†]	23	Jan. 15	16	34.53	12.25	Aug.	T.	Nov.	0.0	46				
Fort Gaines	Clay	166	44	67.2	104	June 29[†]	22	Jan. 2	44	35.75	6.91	Dec.	0.05	Nov.	0.0	73				ne.
Glennville	Tattnall	175	27	67.5	103	July 2[†]	24	Jan. 15[†]	27	28.27	7.77	Aug.	T.	Oct.	0.0	85	171	143	51	ne.
Hawkinsville	Pulaski	235	36	66.6	107	June 29	21	Jan. 2[†]	37	32.47	7.27	May	0.20	Nov.	0.0	87	215	42	108	w.
Hazlehurst	Jeff Davis	261	13	67.7	107	July 3[†]	22	Jan. 15	13	32.18	6.72	July	0.04	Nov.	0.0	94	146	176	33	sw.
Lumber City	Telfair	150							22	36.81	10.45	Aug.	0.16	Nov.	0.0	86				
Meldrim	Bryan								2	26.00	7.75	Aug.	0.25	Nov.	0.0	76				
Montezuma	Macon	292							27	34.28	5.42	Dec.	0.05	Nov.	0.0	86				nw.
Moultrie	Colquitt	397	5	68.7	104	June 29	24	Jan. 15	5	34.53	5.08	July	0.15	Nov.	0.0					
Quitman	Brooks	173	46	68.8	107	June 29	25	Jan. 15[†]	38	44.35	10.64	Aug.	0.00	Nov.	0.0	75				nw.
Savannah	Chatham	65	82	68.2	101	July 7	28	Jan. 15	82	22.00	3.81	July	0.04	Nov.	0.0	86	155	90	120	s.
Savannah, No. 2	do	22	4	66.6	103	July 7	19	Jan. 16	4	29.78	6.18	July	0.24	Nov.	0.0	96	166	140	59	sw.
Thomasville	Thomas	273	50	68.4	103	June 29	25	Jan. 15	50	41.18	7.81	Dec.	0.01	Nov.	T.	95	114	138	113	nw.
Tifton	Tift	370	9	67.5	105	June 29	22	Jan. 15	10	34.41	7.11	July	0.00	Nov.	0.0	73	212	73	80	
Waycross	Ware	131	43	69.2	106	June 29	22	Jan. 15	41	25.89	5.94	July	0.18	Nov.	0.0	86				sw.
Division means and extremes				67.7	109	June 29	19	Jan. 16		33.79	12.25	Aug.	0.00	Nov.	T.	81	195	93	77	sw.
State means and extremes				65.4	109	June 28[†]	11	Jan. 2		36.75	17.32	Dec.	0.00	Nov.	0.2	87	194	91	80	nw.

[†] On other dates also.

Monthly and Annual Precipitation for the Year 1931, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure
Northern division																										
Athens	3.04	-1.79	3.40	-1.73	2.69	-2.52	5.04	+1.46	3.66	-0.02	1.46	-2.64	5.82	+0.86	2.10	-2.58	1.21	-2.29	0.90	-2.01	0.47	-2.42	11.31	+6.93	41.10	-8.75
Atlanta	2.61	-2.39	2.40	-2.39	3.46	-2.06	1.83	-1.83	2.77	-0.88	0.39	-3.34	5.31	+0.65	2.41	-1.86	1.32	-1.88	1.05	-1.53	0.57	-2.52	12.07	+7.55	36.25	-12.48
Blairsville	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	3.50	......	2.57	......	§13.51	......	......	......
Canton	2.64	-2.40	3.72	-1.67	2.97	-2.45	4.87	+0.67	2.38	-1.32	2.16	-1.75	7.23	+1.92	3.96	-0.78	1.82	-1.07	1.86	-1.38	1.67	-1.59	12.66	+7.43	47.94	-4.39
Carlton Bridge	2.77	-1.00	2.81	-2.39	2.96	-1.91	3.59	+0.27	4.07	+0.46	3.08	-1.00	§2.70	-1.99	2.29	-2.14	1.22	-2.51	1.32	-1.42	1.09	-1.52	12.23	+7.75	40.13	-7.40
Clayton	3.40	-2.73	4.40	-1.79	7.25	+0.18	7.00	+1.30	3.00	-2.00	5.15	-0.29	4.80	-2.51	6.75	+0.43	1.30	-3.85	2.40	-2.13	2.65	-1.56	16.35	+9.33	64.45	-5.62
Cornelia	3.20	-2.51	4.47	-1.02	3.25	-2.42	6.08	+1.29	2.26	-2.99	1.75	-1.71	4.02	-1.68	3.78	-0.26	1.03	-3.34	1.28	-1.70	3.89	+0.21	14.35	+8.26	49.36	-7.87
Dahlonega	2.95	-2.80	3.93	-1.84	4.02	-2.04	5.21	+0.76	2.80	-2.12	1.38	-3.65	5.34	-0.62	2.59	-2.72	1.32	-3.04	1.50	-2.21	4.10	+0.39	17.32	*11.13	52.49	-8.76
Double Branches	3.17	......	2.27	......	2.48	......	2.38	......	3.98	......	§1.10	......	1.77	......	3.51	......	0.35	......	0.18	......	0.21	......	6.61	......	28.01	......
Gainesville	2.56	-2.68	3.39	-2.20	3.26	-2.76	4.60	+0.63	3.44	-0.44	1.23	-3.14	5.00	-0.36	4.63	-0.62	1.41	-2.54	1.52	-1.45	1.96	-1.35	13.41	+8.40	46.41	-8.51
Gillsville	2.70	-1.98	3.73	-1.65	3.32	-2.00	4.35	+0.53	2.78	-1.05	1.93	-1.81	2.70	-2.46	5.55	+0.88	1.04	-2.83	1.42	-1.75	1.45	-1.42	15.21	*10.47	46.18	-5.07
Hartwell	2.64	-1.33	3.45	-1.54	3.43	-1.27	3.46	-0.14	3.66	-0.11	1.36	-2.50	2.88	-1.72	2.82	-1.94	3.10	-0.33	1.72	-1.01	1.24	-1.39	12.10	+7.37	41.86	-5.91
Norcross	2.65	-2.55	3.05	-1.91	2.51	-2.72	4.64	+0.63	4.94	+0.86	0.43	-3.62	5.71	+0.11	3.52	-0.61	0.76	-2.04	0.99	-2.24	0.90	-2.11	12.66	+7.63	42.76	-8.57
Resaca	2.93	-1.96	3.60	-1.79	4.30	-1.52	5.93	+1.34	2.17	-1.54	2.27	-1.90	2.86	-2.27	4.84	+0.54	1.73	-1.26	2.11	-0.80	1.28	-2.12	13.24	+8.00	47.26	-5.28
Rome	3.09	-1.78	3.37	-1.44	3.81	-1.85	4.23	-0.11	1.93	-1.74	1.87	-2.29	5.17	+0.92	4.51	+0.51	0.95	-1.73	1.83	-0.94	1.71	-1.65	10.44	+5.65	42.91	-6.45
Tallapoosa	2.50	-1.96	3.00	-2.14	3.01	-2.49	4.70	+0.32	3.50	-0.16	3.40	-0.61	2.90	-2.56	2.60	-1.95	1.50	-2.00	0.70	-2.24	1.20	-1.94	13.10	+8.19	42.11	-9.54
Toccoa	3.34	-1.74	3.77	-1.77	3.63	-2.17	5.09	+0.51	2.67	-1.37	2.19	-2.35	4.36	-1.36	4.49	-1.50	0.73	-3.54	1.12	-2.46	2.06	-1.20	13.74	+8.16	47.19	-10.79
Washington	3.13	-0.98	2.80	-2.33	2.62	-2.18	2.96	-0.44	4.80	+1.29	2.65	-1.46	3.00	-2.39	2.56	-2.18	1.22	-2.88	0.65	-2.31	0.32	-2.47	8.05	+4.00	34.76	-14.33
Middle division																										
Augusta	2.23	-1.65	1.87	-2.37	2.14	-2.35	2.92	-0.26	3.51	+0.44	1.29	-3.26	3.34	-1.73	4.54	-0.35	0.40	-3.18	0.40	-2.13	0.19	-2.43	5.35	+1.92	28.18	-17.35
Brooklet	3.23	+0.13	2.13	-1.58	1.62	-2.33	2.51	-0.61	1.54	-2.46	2.03	-4.25	5.45	-0.64	6.60	+0.21	0.52	-4.26	0.45	-1.80	T.	-2.22	3.11	-0.14	29.19	-19.95
Butler	2.96	-1.18	2.80	-2.23	3.08	-2.00	3.02	-1.24	1.40	-2.42	4.49	-0.30	3.16	-3.23	5.90	+0.78	2.25	-1.73	2.07	-0.56	0.15	-2.69	7.07	+2.84	38.35	-13.96
Columbus	3.79	-0.37	3.33	-2.09	2.81	-2.87	4.45	+0.88	2.99	-0.20	1.29	-2.60	2.41	-3.59	7.92	+3.19	0.32	-2.60	1.85	-0.87	0.54	-2.29	8.77	+4.10	40.47	-9.31
Concord	2.82	-2.07	2.92	-1.88	3.57	-3.43	2.06	-1.33	3.42	-0.10	1.17	-2.97	2.73	-3.87	2.02	-2.02	0.97	-2.32	1.46	-1.12	0.49	-2.49	8.20	+3.55	31.83	-20.15
Covington	3.24	-1.11	3.02	-2.00	2.71	-2.68	3.50	-0.43	3.24	-0.25	2.29	-1.74	4.40	-0.57	1.87	-3.00	0.67	-2.42	1.45	-1.59	0.35	-2.61	8.25	+3.59	34.99	-14.81
Dover	3.29	......	2.31	......	1.84	......	3.16	......	2.99	......	0.84	......	4.02	......	7.86	......	0.65	......	0.34	......	0.00	......	1.70	......	29.03	......
Dublin	3.44	-0.60	2.29	-2.51	3.09	-1.79	3.16	+0.09	4.46	+1.02	0.63	-4.19	5.54	-0.30	3.71	-1.54	0.91	-2.94	0.67	-1.70	0.11	-2.55	3.16	-0.68	31.17	-17.69
Fair View	2.63	-2.31	3.65	-0.99	3.43	-2.15	2.52	-1.07	3.01	-0.65	1.28	-2.17	4.53	-1.28	5.06	+1.11	1.05	-2.31	1.08	-1.50	0.38	-2.38	6.73	+2.48	35.35	-13.22
Fort Valley	3.42	-1.47	2.69	-1.55	2.87	-2.95	2.96	-0.74	8.72	+5.06	0.91	-4.05	6.94	+0.78	3.12	-1.96	0.76	-3.18	2.24	-0.39	0.24	-2.56	5.16	+1.08	40.03	-11.93
Goat Rock	2.31	-1.93	2.35	-1.72	1.46	-3.72	4.90	+1.40	1.19	-1.78	0.88	-2.14	2.63	-3.20	3.74	+0.06	0.41	-2.03	1.04	-1.40	0.93	-2.11	6.55	+2.03	28.39	-16.54
Greensboro	2.47	-1.65	2.96	-1.85	2.89	-1.81	2.60	-0.75	5.85	+2.47	1.12	-3.02	4.10	-1.16	5.09	+0.16	0.71	-3.04	0.79	-2.28	0.39	-2.38	8.04	+3.87	37.01	-11.44
Griffin	2.75	-1.41	3.08	-2.27	2.48	-3.08	3.82	+0.13	1.71	-1.57	1.05	-3.07	4.52	-0.91	1.50	-3.60	0.67	-2.43	1.06	-1.58	0.26	-2.52	7.81	+3.30	30.71	-19.01
Louisville	2.68	-0.76	2.57	-1.92	2.38	-1.94	1.03	-2.13	4.27	+0.81	0.62	-3.81	3.18	-2.54	7.86	+2.93	0.66	-2.65	0.34	-2.32	0.06	-2.43	5.18	+1.94	30.83	-14.82
Macon	2.89	-0.90	2.23	-2.24	2.39	-2.65	2.02	-1.66	4.96	+1.98	0.79	-3.34	6.49	+1.62	7.31	+2.83	2.50	-0.70	1.42	-0.91	0.21	-2.59	6.09	+2.11	39.30	-6.45
Marshallville	3.32	-1.53	2.63	-2.95	2.70	-2.87	2.63	-1.35	3.68	+0.14	0.70	-3.64	3.05	-3.04	7.27	+2.49	3.43	+0.28	1.41	-1.35	0.08	-3.10	5.46	+1.06	36.36	-15.86
Midville	2.15	......	2.44	......	1.73	......	3.35	......	2.76	......	0.31	....	4.01	......	3.47	......	1.02	......	0.46	.....	0.04	......	1.49	......	23.23	......
Milledgeville	3.30	-1.01	2.61	-2.04	2.51	-2.77	2.00	-1.06	7.05	+3.74	0.13	-4.02	3.61	-2.32	3.42	-1.48	3.20	-0.73	0.89	-1.78	0.20	-2.33	5.88	+2.09	34.80	-13.71
Millen	2.95	-0.41	2.50	-1.64	1.80	-2.16	3.40	+0.50	2.71	-0.44	0.55	-4.59	5.85	-0.46	4.10	-0.87	1.55	-2.49	0.10	-2.40	T.	-2.15	4.55	+1.19	30.06	-15.92
Monticello	2.67	-1.81	2.68	-2.76	3.11	-2.67	3.77	+0.21	3.78	+0.32	3.50	-1.24	9.75	+4.42	2.70	-2.37	3.27	-0.26	1.01	-2.10	0.15	-2.57	6.69	+2.57	43.08	-8.26
Newnan	2.91	-1.70	2.71	-2.57	3.06	-2.97	3.43	-0.52	1.77	-1.90	4.12	+0.11	2.41	-2.66	3.00	-1.87	0.84	-2.33	0.40	-2.33	1.40	-1.57	12.76	+8.00	38.81	-12.31
Sparta	3.19	......	2.75	......	2.87	......	2.35	......	5.73	......	1.41	......	4.52	......	2.35	......	0.62	......	0.79	......	T.	......	6.55	......	33.13	......
Stillmore	2.90	......	2.88	......	2.99	......	2.92	......	2.22	......	1.61	......	3.48	......	12.41	......	0.31	......	0.20	......	0.09	......	2.85	......	34.86	......
Talbotton	3.30	-1.02	3.70	-1.81	3.44	-2.46	2.66	-1.35	2.36	-1.04	1.24	-2.81	3.51	-1.98	3.59	-1.19	0.46	-2.73	1.74	-1.20	1.87	-1.23	8.02	+3.43	35.89	-15.39
Warrenton	3.20	-0.75	2.82	-2.07	1.95	-2.68	2.89	-0.05	5.00	+1.73	0.71	-3.52	4.86	-0.67	3.18	-1.35	0.97	-3.33	0.81	-2.06	T.	-2.70	5.81	+2.06	32.20	-15.39
West Point	2.99	-1.40	3.43	-1.97	3.83	-2.05	3.97	-0.20	4.37	+0.87	2.06	-2.42	2.54	-2.59	4.66	-0.32	0.28	-2.72	1.30	-1.38	1.32	-1.73	7.90	+2.78	38.65	-13.13
Woodbury	2.87	-1.16	3.26	-1.91	3.12	-2.67	2.38	-1.23	2.49	-1.09	2.89	-1.33	4.25	-1.68	1.64	-2.36	0.96	-2.24	1.20	-1.42	0.64	-2.05	8.53	+3.97	34.23	-15.17
Southern division																										
Abbeville	2.73	-1.24	2.70	-1.66	2.58	-1.46	3.04	-0.37	6.79	+3.42	1.28	-2.56	2.69	-3.94	4.47	-0.27	1.22	-3.08	0.92	-1.15	0.20	-2.24	1.65	-1.89	30.27	-16.44
Alapaha	2.87	-0.84	2.05	-2.42	3.32	-0.93	2.06	-1.12	3.42	+0.13	3.63	-1.44	8.58	+2.80	7.92	+2.43	1.43	-2.73	0.47	-1.87	0.06	-2.03	2.91	-0.89	38.72	-8.91
Albany	1.63	-2.61	2.53	-2.64	2.09	-2.82	3.29	-0.45	5.13	+2.37	2.56	-1.98	10.57	+4.46	10.40	+4.80	0.99	-2.47	1.02	-1.38	0.06	-2.30	2.87	-1.04	44.14	-6.06
Americus	4.15	-0.24	3.09	-1.82	2.10	-3.21	2.16	-1.44	3.01	-0.48	0.03	-4.28	5.36	-0.01	5.05	-0.21	0.81	-2.56	1.95	-0.47	0.05	-2.74	3.79	+0.04	31.55	-17.42
Bainbridge	3.00	-0.85	2.99	-1.66	3.45	-0.85	1.49	-2.29	3.74	+0.63	2.79	-2.12	4.33	-2.25	3.58	-2.15	2.02	-2.09	0.48	-1.93	0.01	-2.27	6.07	+1.97	33.95	-15.86
Blakely	2.00	-2.44	2.81	-2.91	2.76	-2.62	3.16	-0.82	2.26	-1.08	0.72	-3.99	7.22	0.00	6.92	+1.20	0.56	-3.30	0.61	-2.18	0.02	-2.82	5.06	+0.56	34.10	-20.40
Brunswick	2.59	-0.48	1.73	-1.46	4.05	+0.88	1.56	-1.62	0.35	-3.11	2.77	-2.95	5.28	-1.88	6.26	+0.50	3.06	-3.61	0.28	-3.13	1.10	-0.85	2.89	-0.13	31.92	-17.84
Darien	2.68	......	1.60	......	3.67	......	2.11	......	3.81	......	3.50	......	6.41	......	5.14	......	3.91	......	0.96	......	§1.00	......	1.23	......	36.32	......
Eastman	4.14	-0.03	3.19	-1.62	2.80	-2.22	2.75	-0.37	7.13	+3.88	0.54	-3.79	3.68	-2.58	6.80	+1.88	0.48	-3.50	1.20	-1.31	0.04	-2.54	3.01	-0.65	35.76	-12.85
Fargo	3.60	......	2.56	......	4.55	......	2.23	......	1.95	......	1.93	......	5.62	......	5.92	......	0.35	......	0.05	......	0.24	......	2.82	......	31.82	......
Fitzgerald	2.66	-0.59	2.91	-1.21	2.33	-2.25	2.41	-1.11	2.91	-0.49	0.01	-3.93	4.85	-1.33	12.25	+7.41	0.36	-3.80	0.32	-1.92	T.	-2.40	5.52	-0.02	34.53	-11.64
Fort Gaines	3.06	-1.47	3.76	-1.63	2.75	-2.35	2.26	-1.45	4.26	+0.75	1.44	-2.99	5.26	-0.93	4.07	-1.31	0.75	-2.46	1.18	-1.32	0.05	-2.87	6.91	+2.39	35.75	-15.64
Glennville	2.77	-0.09	2.09	-1.46	2.20	-1.36	1.24	-1.62	1.16	-2.31	2.89	-2.18	5.54	-0.58	7.77	+1.58	0.49	-4.88	T.	-2.27	0.16	-2.07	1.96	-1.38	28.27	-18.62
Hawkinsville	3.37	-0.86	2.75	-1.89	2.22	-2.74	1.81	-1.22	7.27	+4.25	0.30	-4.09	3.39	-2.40	6.37	+1.29	0.48	-2.93	1.24	-1.34	0.20	-2.29	3.07	-0.42	32.47	-14.64
Hazlehurst	2.80	-1.16	2.98	-1.24	2.82	-1.97	1.99	-1.41	2.81	-0.91	2.13	-4.07	6.72	-0.35	6.48	+0.87	0.27	-4.89	0.18	-1.78	0.04	-2.26	2.96	-0.92	32.18	-20.09
Lumber City	3.72	-0.30	2.61	-1.36	3.25	-0.98	3.00	+0.02	2.54	-0.38	0.93	-4.24	7.20	+1.19	10.45	+5.15	1.27	-2.73	0.03	-1.94	0.16	-2.33	1.65	-1.65	36.81	-9.55
Meldrim	1.50	......	1.43	......	2.21	......	1.41	......	1.42	......	2.88	......	3.33	......	7.75	......	2.05	......	0.65	......	0.25	......	1.09	......	26.00	......
Montezuma	3.14	-1.16	2.66	-2.04	2.61	-2.10	2.84	-1.09	4.54	+0.85	0.62	-3.27	2.03	-3.53	5.20	+0.45	2.99	-0.45	2.15	-0.16	0.05	-2.84	5.42	+1.27	34.28	-14.07
Moultrie	3.10	......	2.89	......	3.16	......	1.44	......	1.56	......	3.06	......	5.08	......	4.64	......	§1.50	......	3.70	......	§0.15	......	§4.25	......	34.53	......
Quitman	3.76	-0.09	2.52	-2.05	3.96	-0.10	1.75	-1.73	4.99	+1.50	2.38	-3.56	5.66	-1.62	10.64	+4.05	1.98	+0.04	0.11	-2.18	0.00	-2.23	3.60	-0.73	44.35	-8.70
Savannah	2.11	-0.82	1.82	-1.26	2.62	-0.94	0.72	-1.95	1.88	-1.72	2.68	-2.56	3.81	-3.11	3.23	-4.39	1.25	-4.34	0.34	-2.50	0.04	-2.03	1.50	-1.49	22.00	-27.11
Savannah, No. 2	2.13	......	2.24	......	1.95	......	1.50	......	3.15	......	2.17	......	6.18	......	4.70	......	2.29	......	0.70	......	0.24	......	2.53	......	29.78	......
Thomasville	3.12	-0.97	2.68	-1.76	3.73	-0.62	1.31	-2.16	4.05	+0.48	2.06	-3.38	6.55	-0.20	6.89	+0.93	2.08	-2.95	0.89	-1.99	0.01	-2.70	7.81	+3.61	41.18	-11.71
Tifton	2.54	-2.81	2.75	-1.10	2.84	-2.24	2.92	-1.19	3.24	+0.07	2.48	-3.13	7.11	+1.63	4.77	-1.01	1.56	-2.66	1.47	-0.60	0.00	-2.18	2.73	-1.59	34.41	-14.81
Waycross	2.41	-0.90	2.02	-2.13	3.37	+0.14	1.14	-1.78	1.59	-1.88	3.90	-1.95	5.94	-0.86	2.62	-3.50	0.58	-3.98	0.21	-2.30	0.18	-1.95	1.93	-1.27	25.89	-22.36

* Plus (+). § Interpolated.

Monthly and Annual Mean Temperatures for the Year 1931, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
Northern division																										
Athens	44.8	+1.9	48.2	+2.8	49.6	−3.2	61.4	+0.2	69.2	−0.7	81.4	+5.9	84.0	+4.6	80.4	+2.1	80.4	+6.9	67.4	+5.1	60.6	+8.8	53.6	+9.3	65.1	+3.7
Atlanta	43.4	+0.3	47.6	+2.1	46.7	−6.0	59.6	−1.4	66.6	−2.7	79.3	+3.2	81.0	+2.8	77.0	−0.3	77.5	+4.4	66.0	+3.4	59.8	+8.0	51.4	+6.8	63.0	+1.7
Blairsville	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	71.0	.....	58.6	.....	53.9	.....	49.9	.....	.....	.....
Carlton Bridge	42.2	−1.5	44.1	−1.1	46.2	−7.0	[c]58.4	−2.4	66.7	−3.3	77.8	+1.0	.....	.....	.....	.....	.....	.....	63.8	+1.5	57.0	+5.0	51.5	+6.7	.....	.....
Clayton	38.0	−2.3	40.6	−0.8	41.8	−7.5	50.1	−6.6	59.1	−5.7	70.8	−0.7	76.4	+2.1	70.0	−3.5	68.6	+0.1	54.1	−4.2	51.1	+3.2	43.9	+3.1	55.4	−1.9
Cornelia	41.8	−0.4	44.8	−0.6	44.4	−6.4	56.8	−3.3	64.4	−2.0	76.8	+2.4	79.8	+3.1	75.0	−0.5	75.0	+2.8	62.4	+1.8	56.2	+6.1	50.0	+6.1	60.6	+0.8
Dahlonega	41.1	−0.1	41.4	+1.7	45.1	−5.7	56.8	−1.8	63.5	−2.8	75.6	+2.3	78.2	+2.5	74.2	−0.7	73.6	+3.2	60.8	+1.8	54.8	+5.3	49.8	+7.8	59.8	+1.0
Gainesville	43.0	+1.6	44.9	+1.7	45.0	−6.4	57.9	−1.5	65.0	−2.9	78.4	+3.6	80.8	+3.2	76.0	−0.3	76.3	+4.9	63.0	+2.3	55.8	+5.3	50.6	+8.1	61.4	+1.6
Hartwell	44.0	−0.4	[f]45.2	−0.2	47.8	−5.4	59.9	−1.0	[b]68.2	−1.4	78.6	+1.8	82.1	+2.8	78.1	−0.3	77.5	+3.7	64.0	+1.4	57.4	+5.7	51.2	+6.8	62.8	+1.2
Rome	42.4	+0.2	46.8	+2.1	47.4	−5.3	59.3	−0.8	67.2	−2.4	79.4	+2.7	82.4	+2.9	77.6	−1.0	78.0	+4.4	64.4	+2.1	57.8	+7.1	51.2	+8.0	62.8	+1.6
Tallapoosa	40.4	−2.2	44.6	+0.7	45.6	−7.3	57.4	−2.6	64.4	−4.2	76.8	+1.1	80.2	+2.1	76.5	−0.9	75.9	+2.8	62.2	+0.5	55.6	+4.6	50.2	+7.0	60.8	+0.1
Toccoa	43.4	+1.0	46.3	+2.4	47.0	−5.0	59.0	−1.3	66.4	−2.2	77.7	+2.2	80.6	+2.5	76.4	−0.5	76.0	+4.0	62.4	+1.3	56.4	+5.5	51.4	+8.0	61.9	+1.5
Washington	45.3	+0.3	49.1	+2.8	49.7	−5.5	61.7	−0.5	68.8	−2.6	80.6	+2.6	83.6	+3.4	80.1	+0.8	80.8	+6.1	68.8	+5.4	61.3	+6.6	54.1	+8.8	65.3	+2.3
Middle division																										
Augusta	46.5	−0.7	49.8	−0.3	51.6	−4.8	62.9	−1.4	70.3	−2.1	80.9	+2.0	84.7	+3.4	80.2	+0.3	80.1	+4.9	68.3	+3.7	60.8	+6.4	56.0	+8.4	66.0	+1.6
Brooklet	48.9	−0.7	52.2	+0.5	54.4	−5.0	64.6	−1.5	72.8	−1.2	81.4	+1.4	84.4	+2.5	80.5	−0.9	79.4	+2.1	70.0	+2.8	62.8	+5.7	60.4	+10.1	67.6	+1.3
Columbus	46.1	−1.7	51.0	+1.1	52.6	−5.6	63.0	−3.5	70.8	−2.5	82.8	+2.9	85.4	+3.9	80.6	−0.5	81.2	+3.9	69.4	+3.0	61.4	+6.5	56.6	+7.5	66.7	+1.2
Covington	43.5	−0.1	46.7	+3.5	48.3	−6.7	60.4	−0.5	68.3	−2.2	79.7	+2.4	83.0	+3.3	79.2	+0.6	78.2	+4.2	65.4	+3.2	57.3	+4.9	52.3	+7.9	63.5	+1.7
Dublin	46.9	−1.5	50.6	−0.6	52.9	−4.2	63.1	−2.3	70.6	−2.0	82.0	+2.9	84.4	+3.5	79.9	−0.5	[b]79.5	+3.0	68.4	+2.2	60.8	+5.3	57.8	+8.3	66.4	+1.2
Fair View	45.6	−1.3	49.3	−0.4	50.2	−5.4	61.6	−1.8	68.1	−2.3	80.5	+2.9	81.8	+2.6	77.5	−1.0	77.5	+2.9	65.6	+1.2	59.9	+6.0	54.0	+6.7	64.3	+0.9
Fort Valley	45.4	−2.4	50.6	−1.6	50.4	−6.8	62.2	−3.5	69.4	−2.6	81.2	+2.4	82.3	+1.9	78.4	−1.8	78.8	+6.1	67.2	+1.3	60.6	+4.8	55.0	+5.1	65.1	+0.2
Greensboro	42.6	−2.3	46.4	−0.5	[b]46.4	−8.4	58.9	−3.3	65.5	−5.0	78.6	+1.1	81.6	+1.9	77.3	−1.6	77.6	+3.0	64.4	+1.1	56.8	+3.8	51.0	+7.2	62.3	−0.2
Griffin	46.1	+0.9	50.1	+2.5	50.2	−4.8	61.0	−2.3	67.8	−3.3	79.6	+1.8	80.8	+0.9	77.8	−1.2	78.6	+3.8	66.5	+2.3	60.8	+6.8	53.3	+6.9	64.4	+1.2
Louisville	46.4	−0.9	49.4	+0.4	51.4	−5.6	61.2	−2.7	69.7	−3.1	81.1	+2.2	84.6	+4.1	79.2	−0.8	78.8	+3.2	67.8	+4.8	61.0	+4.8	56.4	+8.5	65.6	+1.2
Macon	45.8	−1.5	49.8	+0.6	50.8	−5.8	62.4	−1.7	69.2	−2.8	81.2	+2.5	83.2	+2.2	79.0	−1.0	78.4	+2.8	66.5	+1.7	60.0	+5.7	55.3	+8.0	65.1	+0.8
Marshallville	46.6	−1.5	50.7	+0.7	51.8	−6.3	63.2	−1.8	70.5	−2.7	81.6	+2.3	83.5	+2.6	79.0	−1.5	79.0	+2.2	67.4	+1.4	[f]62.0	+6.3	56.4	+7.5	66.0	+0.8
Milledgeville	43.8	−2.2	47.0	−1.5	49.1	−6.8	61.3	−2.6	69.3	−3.0	82.0	+3.2	84.6	+3.6	79.7	−0.5	79.3	+3.5	66.2	+1.7	58.4	+4.3	52.8	+5.7	64.5	+0.5
Millen	47.6	−0.8	50.4	+0.3	52.3	−5.7	63.8	−1.3	71.4	−1.8	82.2	+2.7	86.0	+4.5	81.3	+0.4	80.4	+3.9	69.0	+3.1	60.6	+4.9	56.4	+7.5	66.8	+1.5
Monticello	44.5	−0.3	49.2	+2.0	49.5	−5.6	61.6	−1.4	69.3	−2.2	81.2	+2.9	82.8	+2.7	79.3	−0.1	80.2	+5.0	66.9	+3.2	60.2	+6.8	53.6	+7.5	64.9	+1.7
Newnan	44.8	+0.3	49.2	+3.1	49.9	−4.8	60.4	−1.5	68.6	−2.1	82.0	+4.3	84.2	+4.5	80.2	+1.2	78.8	+4.3	65.6	+2.0	58.8	+5.5	52.1	+6.9	64.6	+2.0
Stillmore	47.4	.....	51.3	.....	53.4	.....	62.2	.....	*71.0	.....	[j]80.4	.....	[d]83.6	.....	79.7	.....	79.2	.....	*69.3	.....	[c]63.0	.....	60.2	.....	66.7	.....
Talbotton	46.7	−0.3	51.0	+2.3	50.5	−6.3	61.0	−2.5	69.2	−2.7	81.4	+3.0	83.5	+3.3	79.5	−0.1	80.5	+4.9	*66.9	+1.9	*61.0	+6.3	*54.8	+7.1	65.5	+1.4
Warrenton	44.8	−1.4	48.6	+1.0	49.8	−6.1	61.5	−1.5	68.4	−3.2	80.8	+2.6	83.2	+2.8	78.8	−0.8	79.2	+4.2	67.0	+3.1	59.8	+5.8	54.2	+7.5	64.7	+1.2
West Point	43.0	−2.2	47.8	+0.6	48.6	−7.1	61.0	−2.1	67.9	−3.5	79.9	+1.4	83.3	+2.8	78.2	−1.2	79.4	+4.3	66.0	+2.0	58.9	+5.5	54.0	+8.2	64.0	+0.7
Southern division																										
Alapaha	47.8	−3.1	52.6	−0.3	54.8	−5.3	64.2	−2.4	72.8	−1.2	81.0	+1.2	83.1	+1.7	79.6	−1.4	79.2	+1.8	70.8	+3.3	[c]64.9	+6.9	[a]63.0	+11.2	67.8	+1.0
Albany	47.2	−3.0	52.2	−0.2	54.1	−6.1	64.6	−2.4	72.7	−1.8	82.6	+1.9	83.4	+1.3	79.4	−2.2	80.1	+2.1	70.0	+2.1	63.2	+7.7	61.8	+10.7	67.6	+0.8
Americus	44.6	−3.7	50.6	−0.2	49.9	−8.4	[c]61.8	−3.5	70.6	−2.8	82.0	+2.1	82.8	+1.4	79.4	−1.4	79.8	+3.7	69.3	+2.6	63.2	+7.5	59.7	+10.5	66.1	+0.6
Bainbridge	48.0	−3.9	52.0	−2.0	52.8	−8.6	64.2	−3.6	71.2	−3.5	81.8	+1.3	83.8	+2.0	79.3	−2.2	79.4	+1.1	70.4	+2.4	62.6	+4.1	63.0	+11.1	67.4	−0.1
Blakely	48.2	−2.3	52.2	−0.4	54.2	−5.9	63.8	−2.6	71.6	−2.2	82.0	+2.0	82.8	+1.6	78.2	−2.8	79.8	+2.0	70.8	+3.5	63.6	+6.1	60.7	+9.6	67.3	+0.7
Brunswick	51.3	−2.2	55.0	−0.4	56.6	−4.6	65.2	−2.5	73.8	−0.6	80.5	−0.3	84.0	+2.4	81.4	−0.3	80.0	+1.6	72.2	+1.9	65.1	+4.5	65.4	+10.6	69.2	+0.8
Darien	[c]49.8	.....	54.2	.....	54.6	.....	64.4	.....	71.8	.....	79.2	.....	83.2	.....	80.2	.....	78.6	.....	71.4	.....	*64.6	.....	64.2	.....	68.0	.....
Eastman	48.0	−2.0	52.2	+0.7	54.0	−5.4	64.3	−2.0	72.0	−1.9	83.0	+2.9	85.4	+3.6	80.6	−0.4	80.6	+3.4	70.0	+3.1	62.9	+5.9	59.6	+9.5	67.7	+1.4
Fargo	50.1	.....	*53.0	.....	55.0	.....	[i]63.4	.....	71.4	.....	78.8	.....	*84.6	.....	80.4	.....	[b]79.1	.....	69.0	.....	61.6	.....	[a]64.8	.....	67.6	.....
Fitzgerald	48.9	−0.9	53.2	+2.5	55.0	−6.4	64.5	−0.6	72.4	−1.8	81.8	+2.1	84.4	+2.8	80.2	−0.9	80.0	+2.8	69.7	+3.2	63.2	+5.6	61.6	+11.4	67.9	+1.6
Fort Gaines	47.6	−1.8	52.6	+1.5	54.2	−4.9	63.9	−1.9	71.2	−2.4	81.6	+1.8	83.0	+1.8	79.4	−1.2	*80.2	+3.2	70.1	+3.3	62.5	+5.8	60.6	+10.3	67.2	+1.2
Glennville	48.2	−3.6	52.6	−1.3	[a]54.8	−5.3	64.0	−2.9	71.4	−2.7	81.0	+1.1	[a]83.3	+1.8	[a]79.4	−1.7	[a]79.0	+1.3	70.0	+1.9	63.5	+5.5	63.0	+11.4	67.5	+0.4
Hawkinsville	46.5	−1.8	50.2	−0.2	52.6	−6.0	62.8	−2.4	70.0	−3.4	82.2	+2.6	84.7	+3.5	80.2	−0.7	[f]80.7	+3.4	69.0	+2.4	61.2	+4.9	58.8	+9.5	66.6	+1.0
Hazlehurst	48.6	−3.1	52.0	−1.2	54.6	−5.1	64.0	−3.0	72.6	−0.5	81.6	+1.9	84.5	+3.3	80.5	−0.4	80.1	+1.9	70.2	+2.4	62.0	+3.6	61.8	+9.2	67.7	+0.7
Moultrie	50.9	.....	54.4	.....	56.6	.....	65.3	.....	73.6	.....	80.8	.....	[c]84.4	.....	[b]80.6	.....	*79.7	.....	70.8	.....	*64.6	.....	*63.0	.....	68.7	.....
Quitman	50.0	−2.5	52.7	−2.5	56.4	−4.9	65.1	−2.5	73.3	−1.5	82.6	+2.3	83.8	+2.2	78.9	−2.4	79.4	+1.2	71.8	+3.1	66.7	+7.5	64.6	+11.6	68.8	+1.0
Savannah	50.8	−1.0	54.7	+0.7	54.8	−4.8	64.8	−1.6	72.0	−1.7	79.6	+0.4	83.5	+2.1	81.2	+0.5	79.2	+2.6	70.6	+3.2	64.4	+6.3	62.8	+10.4	68.2	+1.4
Savannah, No. 2	48.1	.....	51.3	.....	53.1	.....	62.6	.....	70.1	.....	80.5	.....	82.8	.....	80.4	.....	78.4	.....	69.0	.....	60.8	.....	62.4	.....	66.7	.....
Thomasville	50.8	−1.9	54.6	+0.1	56.0	−5.1	64.8	−2.3	72.4	−2.0	81.2	+0.5	83.0	+1.8	79.2	−1.8	79.4	+1.7	71.3	+2.9	64.9	+5.9	63.6	+10.7	68.4	+0.8
Tifton	47.8	−3.3	51.6	−2.3	53.7	−3.9	63.2	−3.5	72.4	−0.3	81.4	+3.0	83.7	+3.6	80.0	+0.1	79.6	+1.6	70.0	+2.9	64.0	+7.0	62.2	+10.9	67.5	+1.4
Waycross	49.4	−3.1	53.3	−0.9	56.8	−4.5	65.2	−2.0	73.6	−0.8	81.7	+1.7	85.2	+3.4	81.8	+0.4	81.6	+3.8	72.2	+3.5	65.0	+6.2	[b]65.2	+12.9	69.2	+1.7

Reference letters, [a], [b], [c], appearing in the table indicate number of days missing; for example, [b] represents two days, etc.

* Interpolated.

[Continued from page 49]

record excepting only September, 1925, when the mean was 83.6°. But the frequent showers received were very beneficial, and resulted in marked improvement in crop conditions. Very few severe local storms occurred.

AUGUST.—Alternate periods of moderately warm and moderately cool weather prevailed, with rather frequent showers and the average nearly normal. There was some hail in the northern division. Crops continued to make good progress during the month.

SEPTEMBER.—A very warm month and also the driest September on record, though equaled in this respect by September, 1926. Small streams and wells were dried up and water had to be hauled for drinking purposes in numerous sections of the State.

OCTOBER.—Dry and warm; temperatures were almost uniformly high, with a very late occurrence of a temperature above 90°, namely, at Hartwell on the 25th. Killing frosts occurred at a few places in the north on several mornings.

NOVEMBER.—The driest and warmest November on record for 40 years. The drought reduced rivers, streams, small lakes, and wells to the lowest water level ever observed, especially in the southern division. The soil became very hard and dry, and delayed the planting of winter cereals.

DECEMBER.—The remarkable feature for the month of December was the unusually heavy precipitation that occurred, especially over the northern division. The State average precipitation was exceeded only twice before. The rainfall exceeded 10 inches at 16 northern stations, with a maximum of 17.32 inches at Dahlonega. The drought was completely broken, except in coast districts.

KILLING FROSTS

Stations	Last in spring	First in autumn	Stations	Last in spring	First in autumn
Northern division			*Middle division*—Con.		
Athens	Mar. 18*	Nov. 8†	Monticello	Mar. 18	Nov. 8
Atlanta	Mar. 17	Dec. 8†	Newnan	Mar. 30	do 8†
Blairsville	....	Oct. 19†	Stillmore	Mar. 18	do 7
Carlton Bridge	Mar. 30*	Nov. 2†	Talbotton	Mar. 18	do 8
Clayton	Apr. 2	Oct. 19†	Warrenton	Mar. 18*	do 7
Cornelia	Apr. 2	Nov. 2†	West Point	Mar. 18*	do 1
Dahlonega	Apr. 7	do 1†	*Southern division*		
Gainesville	Apr. 7	do 2†	Alapaha	Mar. 18	None.
Hartwell	Mar. 30*	do 3†	Albany	Mar. 18	None.
Rome	Mar. 23*	do 1†	Americus	Mar. 18	None.
Tallapoosa	Apr. 7*	Oct. 19†	Bainbridge	Mar. 18	Nov. 2†
Toccoa	Mar. 30*	Nov. 2†	Blakely	Mar. 18	None.
Washington	Mar. 30	do 7	Brunswick	Feb. 11	None.
Middle division			Darien	Feb. 16*	None.
Augusta	Feb. 15	Nov. 8	Eastman	Mar. 18	None.
Brooklet	Mar. 18*	None.	Fargo	Mar. 5*	Nov. 1†
Columbus	Mar. 18	None.	Fitzgerald	Mar. 5	None.
Covington	Mar. 26*	Nov. 1†	Fort Gaines	Mar. 18	Nov. 1
Dublin	Mar. 18	do 2†	Glennville	Mar. 5*	None.
Fair View	Mar. 18*	do 8	Hawkinsville	Mar. 18	Nov. 7
Fort Valley	Mar. 18	do 8	Hazlehurst	Mar. 18*	do 1
Greensboro	Mar. 20*	do 8	Moultrie	Mar. 9*	None.
Griffin	Mar. 30*	do 1†	Quitman	Mar. 10*	None.
Louisville	Mar. 18	do 1†	Savannah	Feb. 11	None.
Macon	Mar. 18	do 8	Savannah, No. 2	Mar. 18*	Nov. 2†
Marshallville	Mar. 18	do 7	Thomasville	Mar. 10	None.
Milledgeville	Mar. 18	do 2†	Tifton	Mar. 17*	None.
Millen	Mar. 18	do 1†	Waycross	Mar. 10*	Nov. 2†

* Latest date with temperature 32° or below.
† Earliest date with temperature 32° or below.

MONTHLY STATE DATA FOR 1931

Months	Temperature				Precipitation				
	Mean	Departure from normal	Maximum	Minimum	Average	Departure from normal	Greatest	Least	No. days with 0.01 inch or more
January	46.1	−0.6	78	11	2.91	−1.30	4.15	1.50	7
February	49.8	+1.3	79	13	2.83	−2.15	4.47	1.43	7
March	51.2	−5.3	81	19	2.96	−2.02	7.25	1.46	8
April	61.9	−1.6	89	27	3.01	−0.61	7.00	0.72	8
May	69.7	−1.9	98	33	3.45	+0.02	8.72	0.35	8
June	80.4	+2.5	109	41	1.80	−2.68	5.15	0.01	5
July	83.1	+3.2	108	58	4.75	−1.00	10.57	1.77	11
August	79.0	−0.4	104	46	5.04	−0.13	12.41	1.50	10
September	78.6	+3.2	107	35	1.31	−2.43	4.98	0.27	4
October	67.6	+2.7	95	24	1.04	−1.69	3.70	T.	3
November	60.6	+6.0	90	21	0.63	−2.10	4.10	0.00	3
December	56.8	+9.3	86	19	7.02	+2.75	17.32	1.09	13
Year	65.4	+1.5	109	11	36.75	−13.34	64.45	22.00	87

ANNUAL CLIMATOLOGICAL DATA FOR THE STATE

Year	Temperature				Precipitation		Number days 0.01 inch or more rain	Number clear days	Number partly cloudy days	Number cloudy days	Prevailing wind direction
	Mean	Departure from normal	Maximum	Minimum	Average	Departure from normal					
1892	62.8	−1.1	102	9	51.12	+1.03	96	152	104	110	......
1893	63.3	−0.6	108	−1	40.29	−9.80	86	169	107	89	nw.
1894	64.0	+0.1	104	0	49.75	−0.34	94	157	123	85	nw.
1895	62.2	−1.7	102	−5	49.57	−0.52	96	154	117	94	nw.
1896	64.5	+0.6	108	−3	45.15	−4.94	81	176	113	77	nw.
1897	64.0	+0.1	107	−6	49.23	−0.86	84	154	115	96	sw.
1898	63.9	0.0	103	7	53.14	+3.05	99	152	122	91	nw.
1899	63.6	−0.3	106	−12	44.20	−5.89	91	171	110	84	sw.
1900	63.7	−0.2	107	0	57.33	+7.24	115	141	130	94	nw.
1901	61.6	−2.3	106	3	57.58	+7.49	113	152	123	90	sw.
1902	63.6	−0.3	108	7	49.99	−0.10	100	136	128	101	nw.
1903	62.6	−1.3	104	9	53.84	+3.75	100	140	116	109	nw.
1904	62.6	−1.3	104	4	37.17	−12.92	87	183	107	76	nw.
1905	63.2	−0.7	106	−8	51.03	+0.94	100	155	106	104	ne.
1906	63.4	−0.5	103	11	54.60	+4.51	102	163	108	94	sw.
1907	64.2	+0.3	106	14	48.73	−1.36	97	159	126	80	w.
1908	64.3	+0.4	105	9	50.03	−0.06	89	169	113	84	nw.
1909	64.0	+0.1	104	5	48.31	−1.78	91	178	112	75	w.
1910	63.0	−0.9	105	8	43.60	−6.49	91	184	86	95	w.
1911	65.7	+1.8	108	9	48.23	−1.86	98	167	75	123	w.
1912	62.9	−1.0	103	0	63.02	+12.93	115	152	83	131	w.
1913	64.0	+0.1	110	12	46.47	−3.62	97	183	79	103	w.
1914	63.4	−0.5	109	5	45.58	−4.51	93	130	109	126	nw.
1915	64.0	+0.1	108	16	49.63	−0.46	89	196	83	86	nw.
1916	64.3	+0.4	103	10	43.50	−6.59	93	180	95	91	nw.
1917	62.6	−1.3	103	0	47.41	−2.68	99	181	92	92	sw.
1918	64.5	+0.6	106	−3	48.73	−1.36	101	163	88	116	w.
1919	65.2	+1.3	103	2	54.91	+1.82	103	167	87	111	nw.
1920	63.0	−0.9	105	4	59.73	+9.64	107	166	86	114	nw.
1921	66.1	+2.2	104	20	40.94	−9.15	94	173	100	92	w.
1922	65.7	+1.8	104	12	55.38	+5.29	113	158	94	113	ne,sw
1923	64.5	+0.6	105	0	52.76	+2.67	108	159	88	118	sw.
1924	63.1	−0.8	107	−9	54.27	+4.18	99	187	72	107	nw.
1925	65.8	+1.9	111	0	41.00	−9.09	89	186	75	104	w.
1926	63.9	0.0	110	6	50.44	+0.35	104	181	78	106	w.
1927	66.2	+2.3	108	4	40.65	−9.44	92	177	100	88	sw.
1928	63.6	−0.3	105	−5	59.92	+9.83	114	167	101	98	nw.
1929	64.6	+0.7	103	7	69.83	+19.74	122	156	101	108	ne.
1930	63.9	0.0	109	8	46.13	−3.96	99	175	93	97	ne.
1931	65.4	+1.5	109	11	36.75	−13.34	87	194	91	80	nw.
Normals	63.9	......	111*	−12*	50.09	....	98	165	101	99	nw.

* Extremes.

(WBO, Atlanta, 1-28-32—1250)

 GEORGIA
SCALE OF MILES
0 10 20 30 40 50 60
85
84
83
82
81
35
34
33
32
31
DADE
WALKER
CATOOSA
WHITFIELD
MURRAY
FANNIN
Blue Ridge
UNION
TOWNS
RABUN
Clayton
GILMER
LUMPKIN
WHITE
HABERSHAM
Toccoa
STEPHENS
Cornelia
Dahlonega
Resaca
GORDON
CHATTOOGA
PICKENS
DAWSON
HALL
BANKS
FRANKLIN
HART
Hartwell
Adairsville
FLOYD
Rome
BARTOW
CHEROKEE
Canton
FORSYTH
Gainesville
Gillsville
JACKSON
MADISON
ELBERT
Carlton
MILTON
POLK
Marietta
GWINNETT
Norcross
BARROW
CLARKE
Athens
Point Peter
Lisbon
Savannah
PAULDING
COBB
HARALSON
Tallapoosa
FULTON
Atlanta
DEKALB
WALTON
OCONEE
OGLETHORPE
WILKES
Washington
LINCOLN
DOUGLAS
CARROLL
CAMPBELL
CLAYTON
ROCKDALE
Covington
NEWTON
MORGAN
Greensboro
GREENE
TALIAFERRO
McDUFFIE
COLUMBIA
Augusta
HENRY
Newman
COWETA
FAYETTE
Warrenton
WARREN
RICHMOND
HEARD
Griffen
SPALDING
BUTTS
JASPER
Monticello
PUTNAM
Eatonton
HANCOCK
GLASCOCK
PIKE
Concord
LAMAR
TROUP
MERIWETHER
MONROE
JONES
Milledgeville
BALDWIN
JEFFERSON
Louisville
BURKE
River
West Point
Woodbury
Fair View
UPSON
Macon
BIBB
WASHINGTON
HARRIS
TALBOT
Talbotton
Goat Rock
CRAWFORD
WILKINSON
JENKINS
Millen
SCREVEN
JOHNSON
TAYLOR
Butler
Ft. Valley
TWIGGS
EMANUEL
MUSCOGEE
Columbus
Marshallville
HOUSTON
BLECKLEY
Dublin
LAURENS
TREUTLEN
CANDLER
Statesboro
BULLOCH
EFFINGHAM
MARION
MACON
Montezuma
CHATTAHOOCHEE
SCHLEY
Hawkinsville
River
STEWART
WEBSTER
Americus
SUMTER
DOOLY
PULASKI
DODGE
Eastman
WHEELER
MONTGOMERY
TOOMBS
TATTNALL
EVANS
Savannah
BRYAN
CHATHAM
QUITMAN
WILCOX
Abbeville
CRISP
TELFAIR
Lumber City
Hazlehurst
Glenville
LIBERTY
RANDOLPH
TERRELL
LEE
CLAY
BEN HILL
JEFF DAVIS
APPLING
LONG
TURNER
Ft. Gaines
CALHOUN
Albany
DOUGHERTY
WORTH
IRWIN
COFFEE
BACON
WAYNE
McINTOSH
Chattahoochee
Blakely
EARLY
BAKER
TIFT
PIERCE
Alapaha
ATKINSON
GLYNN
MILLER
MITCHELL
COLQUITT
COOK
BERRIEN
Waycross
WARE
BRANTLEY
Brunswick
LANIER
SEMINOLE
DECATUR
Bainbridge
GRADY
THOMAS
Thomasville
BROOKS
LOWNDES
Valdosta
Quitman
CLINCH
ECHOLS
CHARLTON
CAMDEN
St. George
L.S.

U. S. DEPARTMENT OF AGRICULTURE, WEATHER BUREAU
CHARLES F. MARVIN, Chief

CLIMATOLOGICAL DATA

7 GEORGIA SECTION

GEORGE W. MINDLING, Meteorologist

Vol. XXXVI Atlanta, Ga., Year, 1932 No. 13

GENERAL SUMMARY

January, February, and December, 1932, in Georgia were especially warm, while March and November were decidedly cold. July, too, was a warm month, but the other months of the year averaged generally close to the normal temperature. With the warm weather during January and February of this year and in December of 1931, the winter of 1931–1932 was the warmest winter of record in Georgia.

The year 1932 was dry during the spring, moderately wet in the summer months, and decidedly wet during October, November, and December over most of the State. January also was a wet month. A marked feature of the precipitation during December was the sleet and ice storm that prevailed over northern Georgia from the 15th to 17th. Much damage resulted to telephone and electric services in that area. Some snow fell at a few places in connection with this storm, and snow fell also in the northern and central districts during March.—*A. H. S.*

Atmospheric pressure.—The mean pressure for the year was 30.05 inches; the highest recorded was 30.64 inches at Macon on February 1, and the lowest was 29.13 inches at Thomasville on March 5.

Temperature.—The annual mean temperature was 65.7°, or 1.8° above the normal. The highest annual mean was 70.0° at Brunswick, and the lowest was 56.0° at Clayton. The highest monthly mean was 86.0° at Millen in July, and the lowest was 41.8° at Clayton in December. The highest temperature recorded was 108° at Millen on July 14, 15, 22, and 23, and the lowest was 10° at Blairsville and Clayton on March 10.

Precipitation.—The annual average precipitation was 56.80 inches, or 6.71 inches above the normal. The greatest annual total was 89.71 inches at Clayton, and the least was 39.80 inches at Columbus. The greatest local monthly rainfall was 20.63 inches at Dahlonega in December, and the least was 0.20 inch at Darien in December. The greatest amount of precipitation in 24 hours was 6.10 inches at Fargo on September 15. The greatest depth of snowfall, unmelted, was 4.0 inches at Clayton, Cornelia, Gainesville, Gillsville, Hartwell, and Toccoa. The average number of days with 0.01 inch or more of precipitation was 115.

Winds.—The prevailing winds were from the northwest. The maximum velocity was 58 miles per hour from the west at Savannah on June 15.

Sunshine and cloudiness.—The average percentage of sunshine was 62, with a maximum of 87 per cent at Macon in April and a minimum of 27 per cent at Atlanta in December. The average number of clear days was 162, partly cloudy days 93, and cloudy days 111.

SUMMARY BY MONTHS

January.—A remarkably warm month, with the highest average temperature on record for January. Precipitation was frequent, averaging moderately above normal, and not much farm work was accomplished. Winter cereals and truck made very good growth, but fruit buds in the main peach-growing areas remained dormant.

February.—Another warm month, with frequent precipitation over most of the State, except during the last week. All crops and forest vegetation made rapid growth. Peach buds were still dormant in the Fort Valley area, though the buds had developed further north. Farm work made rapid progress during the last week of the month.

March.—A cold month, due to the long spell of cold weather from the 6th to the 16th, inclusive. On the 10th temperatures as low as 22° were reported in the extreme south, with 26° on the coast. The cold spell, following a remarkably mild winter, was destructive to crops and all vegetation unduly advanced. The peach crop was severely damaged over northern Georgia, but not in the Fort Valley district where the buds were still dormant. Destructive local tornadoes occurred in northern Georgia on the 21st and further south on the 27th.

April.—The month was moderately warm and dry, and plowing and planting made about normal progress. Two local wind storms occurred, one on the 26th near Nashville, in Berrien County, and the other on the 30th near Americus, in Sumter County. Both storms moved from the southwest to northeast, being possibly of tornadic type, with some loss of life and considerable property damage.

May.—An uneventful month that was moderately cool and dry. Nights were rather cool most of the month, and this caused slow growth of crops. Drought prevailed the first half of the month, but general and copious rains relieved this condition after the 16th, and crops responded vigorously to the improved moisture conditions.

June.—A marked feature was the frequency of the showers, and with practically normal temperature conditions. All crops grew well, though the frequent showers caused sappy growth, especially in cotton, and favored unusual weevil activity. The showers interfered with farm work, and many fields became grassy. Some damage from hail occurred on the 15th.

July.—An extremely warm month, with frequent showers during the first week. Crops, as a rule, made good progress, though corn suffered severely during the dry, hot weather at the middle of the month. Two persons were killed by lightning during the month.

August.—Normal temperature conditions prevailed, with fairly frequent showers. Crops generally grew well, though the weather was too wet in places. Frequent showers again favored boll weevil activity, and cotton fruited poorly in many areas.

September.—The month was practically normal as to tem-

(Continued on page 53)

Climatological Data for the Year 1932

Stations	Counties	Elevation, feet	Temperature (degrees Fahrenheit)						Precipitation (inches)								Sky			Prevailing direction of wind
			Length of record, years	Annual averages	Highest	Date	Lowest	Date	Length of record, years	Total for the year	Greatest monthly	Month	Least monthly	Month	Total snowfall	Number rainy days	Number clear days	Number partly cloudy days	Number cloudy days	
Northern division																				
Athens	Clarke	830	51	64.8	104	July 21	17	Mar. 10	56	57.17	9.89	Dec.	1.21	Sept.	2.0	134	148	100	118	w.
Atlanta	Fulton	1,173	67	62.3	96	July 15	15	Mar. 10	67	54.99	11.60	Dec.	1.80	May	0.5	139	114	115	137	e.
Blairsville	Union	......	1	......	93	July 17†	10	Mar. 10	1	75.81	13.30	Dec.	3.63	July	3.6	......	......	......	......	......
Canton	Cherokee	894	......	......	......	......	......	......	42	79.20	20.11	Dec	1.74	Apr.	1.7	126	......	......	......	w.
Carlton Bridge	Oglethorpe	557	6	......	102	July 14	18	Mar. 10	33	......	9.35	Dec.	1.73	May	2.7	......	......	......	......	......
Clayton	Rabun	2,100	38	56.0	96	July 20	10	Mar. 10	38	89.71	14.70	Dec.	3.95	May	4.0	96	230	19	117	......
Cornelia	Habersham	1,500	14	60.2	100	July 15	12	Mar. 10	14	76.75	16.02	Dec.	2.38	Apr.	4.0	136	160	54	152	w.
Dahlonega	Lumpkin	1,519	41	59.9	94	July 17	12	Mar. 10	43	82.21	20.63	Dec.	2.49	Apr.	2.5	149	183	133	50	sw.
Double Branches	Lincoln	......	......	......	......	......	......	......	7	50.08	6.90	Jan.	1.25	July	0.2	86	......	......	......	......
Gainesville	Hall	1,254	54	60.9	98	July 15†	11	Mar. 10	56	73.26	15.37	Dec.	1.98	Apr.	4.0	124	231	14	121	w.
Gillsville	....do	1,052	......	......	......	......	......	......	42	72.54	14.03	Dec.	2.85	Apr.	4.0	111	......	......	......	......
Hartwell	Hart	838	23	62.7	104	July 22	16	Mar. 10	23	61.89	11.32	Dec.	0.36	July	4.0	103	......	......	......	w.
Norcross	Gwinnett	1,025	......	......	......	......	......	......	23	69.27	14.17	Dec.	1.83	Sept.	2.0	131	......	......	......	......
Resaca	Gordon	657	......	......	......	......	......	......	39	71.24	13.78	Dec.	2.83	Sept.	T.	128	......	......	......	n.
Rome	Floyd	576	74	62.6	101	June 27†	15	Mar. 10	77	77.65	16.47	Dec.	2.02	Sept.	0.9	140	......	......	......	nw.
Tallapoosa	Haralson	1,150	34	60.7	98	July 15	13	Mar. 10	34	82.20	15.16	Dec.	1.97	Apr.	T.	115	......	......	......	......
Toccoa	Stephens	1,050	47	60.6	100	July 21	13	Mar. 10	48	81.52	16.85	Dec.	2.58	July	4.0	133	165	89	112	ne.
Washington	Wilkes	630	42	......	104	July 15	17	Mar. 10	45	57.81	7.06	Feb.	1.58	Sept.	0.5	132	207	51	108	w.
Division means and extremes		......	......	61.3	104	July 15†	10	Mar. 10	......	70.76	20.63	Dec.	0.36	July	2.2	124	174	80	111	w.
Middle division																				
Augusta	Richmond	182	87	66.7	104	July 22	22	Mar. 10	66	42.47	6.08	Oct.	0.74	Apr.	1.7	115	131	107	128	nw.
Brooklet	Bulloch	253	33	68.1	103	July 14†	22	Mar. 10	33	55.38	10.37	June	1.11	Apr.	0.0	105	185	149	32	......
Butler	Taylor	650	......	......	......	......	......	......	32	52.35	7.77	Jan.	1.84	Apr.	0.0	78	......	......	......	......
Columbus	Muscogee	262	45	67.0	104	July 15	21	Mar. 10	45	39.80	6.05	June	1.07	Apr.	0.0	117	......	......	......	ne
Concord	Pike	850	......	......	......	......	......	......	21	43.33	5.82	Dec.	1.15	May	0.4	131	201	44	115	......
Covington	Newton	800	20	63.5	102	July 15†	17	Mar. 10	41	49.94	9.02	Dec.	1.29	Sept.	T.	100	......	......	......	......
Dover	Screven	......	......	......	......	......	......	......	3	49.22	10.29	Aug.	1.07	Apr.	0.0	87	......	......	......	......
Dublin	Laurens	452	21	67.0	104	July 15	20	Mar. 10	39	48.96	7.06	Aug.	1.49	Apr.	0.0	121	127	121	118	w.
Fair View	Lamar	......	17	64.5	101	July 23	17	Mar. 10	17	47.64	6.56	June	1.49	Apr.	0.3	129	......	......	......	......
Fort Valley	Peach	526	12	65.1	100	July 15	18	Mar. 10	12	55.86	8.55	June	1.45	Apr.	0.0	119	161	81	124	nw.
Goat Rock	Muscogee	......	......	......	......	......	......	......	19	42.79	7.20	Dec.	1.31	Apr.	0.0	109	......	......	......	......
Greensboro	Greene	598	31	62.2	101	July 15†	14	Mar. 10	31	49.91	6.31	Feb.	0.94	Sept.	1.0	117	197	55	114	w.
Griffin	Spalding	975	43	63.6	102	July 15	13	Mar. 10	43	44.81	6.45	Dec.	1.56	May	0.6	123	114	118	134	se.
Louisville	Jefferson	259	35	66.6	102	July 15†	19	Mar. 10	35	51.65	6.99	Oct.	0.38	Apr.	T.	113	......	......	......	......
Macon	Bibb	370	52	65.7	102	July 15	19	Mar. 10	55	46.63	6.66	Jan.	0.74	Apr.	T.	125	114	84	168	nw.
Marshallville	Macon	500	39	66.1	101	July 14†	20	Mar. 10	40	54.67	7.77	June	2.22	Apr.	0.0	112	134	103	129	w.
Midville	Burke	......	......	......	......	......	......	......	3	47.91	6.92	June	1.01	Apr.	0.0	113	......	......	......	......
Milledgeville	Baldwin	276	45	64.9	104	July 15	18	Mar. 10	44	48.06	7.70	Jan.	0.85	Apr.	T.	103	174	88	104	nw.
Millen	Jenkins	158	45	67.6	108	July 14†	20	Mar. 10	46	45.11	5.85	June	0.97	Apr.	0.0	98	......	......	......	se.
Monticello	Jasper	800	38	64.7	105	July 15	16	Mar. 10	37	56.09	7.19	July	1.97	Sept.	T.	127	186	81	99	......
Newnan	Coweta	959	44	63.7	100	July 15†	17	Mar. 10	44	65.10	10.44	Dec.	1.95	May	0.2	140	205	68	93	nw.
Sparta	Hancock	......	......	......	......	......	......	......	3	50.70	7.07	Jan.	1.20	Sept.	0.4	109	......	......	......	......
Stillmore	Emanuel	......	8	67.6	101	July 14†	20	Mar. 10	8	52.00	9.09	July	0.74	Apr.	0.0	126	......	......	......	......
Talbotton	Talbot	750	39	......	103	July 15	18	Mar. 10	39	58.22	8.26	June	0.96	Sept.	0.0	101	......	......	......	sw.
Warrenton	Warren	500	18	65.3	103	July 22	18	Mar. 10	18	45.19	7.39	Jan.	1.47	Sept.	0.2	109	177	119	70	ne.
West Point	Troup	620	43	64.2	101	July 15	17	Mar. 10	44	52.60	7.87	July	1.71	Sept.	T.	132	129	58	179	w.
Woodbury	Meriwether	641	......	......	......	......	......	......	32	46.59	8.10	July	0.71	Sept.	T.	120	......	......	......	......
Division means and extremes		......	......	65.5	108	July 14†	13	Mar. 10	......	49.71	10.44	Dec.	0.38	Apr.	0.2	115	159	91	116	nw.
Southern division																				
Abbeville	Wilcox	180	......	......	......	......	......	......	30	55.89	8.78	July	0.89	Apr.	0.0	115	......	......	......	nw.
Alapaha	Berrien	293	44	68.7	104	July 15	22	Mar. 10	44	48.53	8.79	Aug.	1.25	Dec.	0.0	99	......	......	......	ne.
Albany	Dougherty	230	46	68.4	102	July 14†	21	Mar. 10	47	49.01	7.41	Jan.	1.24	Apr.	0.0	125	198	32	136	nw.
Americus	Sumter	362	48	67.5	107	July 15	19	Mar. 10	49	54.17	7.92	July	1.31	Apr.	0.0	110	231	73	62	e.
Bainbridge	Decatur	119	41	68.2	105	July 14	23	Mar. 10	41	62.57	9.08	Jan.	0.82	Apr.	0.0	122	......	......	......	sw.
Blakely	Early	300	37	67.6	104	July 15	20	Mar. 10	39	58.74	7.43	Nov.	1.65	Apr.	0.0	136	137	116	113	sw.
Brunswick	Glynn	14	28	70.0	100	June 24†	26	Mar. 10	31	59.90	13.02	Sept.	0.29	Dec.	0.0	109	172	102	92	se.
Darien	McIntosh	......	2	69.0	99	July 15†	26	Mar. 10	2	50.38	8.37	Sept.	0.20	Dec.	0.0	78	58	171	137	ne.
Eastman	Dodge	361	41	67.8	106	July 23	20	Mar. 10	41	52.98	8.37	Aug.	1.27	Apr.	0.0	113	213	94	59	s.
Fargo	Clinch	116	5	......	104	July 15	22	Mar. 11	5	51.71	11.42	June	0.29	Apr.	0.0	......	......	......	......	se.
Fitzgerald	Ben Hill	......	16	68.2	102	July 14†	21	Mar. 10	17	46.25	8.19	June	1.02	Apr.	0.0	85	......	......	......	......
Fort Gaines	Clay	166	45	67.6	99	July 14†	21	Mar. 10	45	65.44	12.84	Aug.	1.55	Apr.	0.0	116	......	......	......	ne.
Glennville	Tattnall	175	28	68.0	102	July 15	22	Mar. 10	28	40.52	10.47	June	0.56	Dec.	0.0	114	......	......	......	e.
Hawkinsville	Pulaski	235	37	67.2	104	July 15	21	Mar. 10	33	51.63	7.24	Jan.	0.68	Apr.	0.0	124	161	44	161	e.
Hazlehurst	Jeff Davis	261	14	69.0	106	July 15	21	Mar. 10	14	55.78	10.97	Aug.	1.00	Apr.	0.0	125	125	187	54	sw.
Lumber City	Telfair	150	......	......	......	......	......	......	23	62.91	11.82	Aug.	1.76	Apr.	0.0	114	......	......	......	......
Meldrim	Bryan	......	......	......	......	......	......	......	3	55.33	16.07	June	0.32	Apr.	0.0	113	......	......	......	......
Montezuma	Macon	292	......	......	......	......	......	......	28	51.56	7.52	Jan.	1.95	Apr.	0.0	111	......	......	......	sw.
Moultrie	Colquitt	397	6	......	101	June 24†	22	Mar. 10	6	......	13.75	Aug.	0.88	Apr.	0.0	......	......	......	......	......
Quitman	Brooks	173	47	69.4	102	July 15	23	Mar. 10	39	59.05	8.86	June	1.33	Feb.	0.0	111	......	......	......	nw.
Savannah	Chatham	65	83	68.7	100	July 15	24	Mar. 10	83	46.78	10.09	Sept.	0.30	Dec.	0.0	114	128	98	140	s.
Savannah, No. 2	....do	22	5	67.6	100	July 12†	20	Mar. 11	5	54.50	12.88	June	0.59	Dec.	0.0	123	......	......	......	sw.
Thomasville	Thomas	273	51	68.9	100	July 13	22	Mar. 10	51	70.20	9.60	Aug.	0.51	Apr.	0.0	138	102	102	162	sw.
Tifton	Tift	370	10	68.0	104	July 14	22	Mar. 10†	11	48.34	7.51	Aug.	1.82	Apr.	0.0	104	183	65	118	......
Waycross	Ware	131	44	69.9	104	July 15	22	Mar. 10	42	51.03	10.84	Aug.	0.36	Apr.	0.0	112	171	22	173	se.
Division means and extremes		......	......	68.5	107	July 15	19	Mar. 10	......	54.50	16.07	June	0.20	Dec.	0.0	114	159	100	107	sw.
State means and extremes		......	......	65.7	108	July 14†	10	Mar. 10	......	56.30	20.63	Dec.	0.20	Dec.	0.7	115	162	93	111	nw.

† On other dates also.

Monthly and Annual Precipitation for the Year 1932, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure
Northern division																										
Athens	5.53	+0.70	5.46	+0.33	4.40	−0.81	3.34	−0.24	4.20	+0.52	7.00	+2.90	3.82	−1.14	1.84	−2.84	1.21	−2.29	6.04	+3.13	4.44	+1.55	9.89	+5.51	57.17	+7.32
Atlanta	4.58	−0.37	5.52	+0.73	4.53	−0.77	3.17	−0.41	1.80	−1.67	5.31	+1.57	2.80	−1.85	2.30	−2.15	3.52	+0.53	6.90	+4.31	2.96	−0.07	11.60	+6.90	54.99	+6.72
Blairsville	8.30	......	6.25	......	6.73	......	4.37	......	4.65	......	6.54	......	3.63	......	4.73	......	4.60	......	7.10	......	5.61	......	13.30	......	75.81	......
Canton	7.11	+2.07	7.67	+2.28	5.45	+0.03	1.74	−2.46	3.08	−0.62	6.12	+2.21	6.48	+1.17	4.92	+0.18	4.11	+1.25	6.05	+2.81	6.33	+3.07	20.11	*14.88	79.20	+26.87
Carlton Bridge	5.69	+1.92	4.40	−0.80	3.63	−1.24	2.56	−0.76	1.73	−1.88	7.89	+3.81	2.77	−1.92	4.14	−0.29	3.54	−0.19	6.37	+3.63	....	......	9.35	+4.87	......	......
Clayton	9.75	+3.62	6.81	+0.62	8.85	+1.78	4.80	−0.90	3.95	−1.05	6.80	+1.36	4.10	−3.21	5.80	−0.52	8.80	+3.65	9.85	+5.32	5.50	+1.29	14.70	+7.68	89.71	+19.64
Cornelia	8.38	+2.67	5.87	+0.38	6.84	+1.17	2.38	−2.41	6.81	+0.56	4.36	+0.90	3.89	−1.81	2.91	−1.13	6.31	+1.94	6.20	+3.22	7.78	+4.10	16.02	+9.93	76.75	+19.52
Dahlonega	8.72	+2.97	6.73	+0.96	6.61	+0.55	2.49	−1.99	5.13	+0.21	4.51	−0.52	4.96	−1.00	6.07	+0.76	4.68	+0.32	6.20	+2.49	5.48	+1.77	20.63	*14.44	82.21	+20.96
Double Branches	6.90	......	5.11	......	3.74	......	2.47	......	3.89	......	5.26	......	1.25	......	6.86	......	1.74	......	4.41	......	3.47	......	4.98	......	50.08	......
Gainesville	7.26	+2.02	6.35	+0.76	6.84	+0.82	1.98	−1.99	3.92	+0.04	6.09	+1.72	3.54	−1.82	3.82	−1.43	4.55	+0.60	6.58	+3.61	6.96	+3.65	15.37	*10.36	73.26	+18.34
Gillsville	7.12	+2.44	5.57	+0.19	6.39	+1.07	2.85	−0.97	3.98	+0.15	8.99	+5.25	3.50	−1.66	4.16	−0.51	3.38	−0.49	6.16	+2.99	6.41	+3.54	14.03	+9.29	72.54	+21.29
Hartwell	4.94	+0.97	3.90	−1.09	3.46	−1.24	1.97	−1.63	1.64	−2.13	5.91	+2.05	0.36	−4.24	8.79	+4.03	4.02	+0.59	10.76	+6.03	4.82	+2.19	11.32	+6.59	61.89	+14.12
Norcross	5.88	+0.68	6.86	+1.90	6.41	+1.18	2.14	−1.87	3.35	−0.73	4.43	+0.38	6.46	+0.86	5.66	+1.53	1.83	−0.97	6.20	+2.97	5.88	+2.87	14.17	+9.14	69.27	+17.94
Resaca	7.45	+2.56	5.81	+0.42	4.46	−1.36	3.86	−0.73	5.57	+1.86	3.67	−0.50	6.10	+0.97	3.09	−1.21	2.83	−0.16	7.70	+4.79	6.92	+3.52	13.78	+8.54	71.24	+18.70
Rome	7.70	+2.83	7.86	+3.05	4.85	−0.81	2.56	−1.78	6.91	+3.24	3.86	−0.30	8.07	+3.82	3.27	−0.73	2.02	−0.66	7.72	+4.95	6.36	+3.00	16.47	*11.68	77.65	+28.29
Tallapoosa	6.70	+2.24	6.64	+1.50	5.20	−0.30	1.97	−2.41	6.21	+2.55	8.97	+4.96	6.88	+1.42	4.39	−0.16	5.75	+2.25	7.11	+4.17	7.22	+4.08	15.16	*10.25	82.20	+30.55
Toccoa	8.52	+3.44	5.27	−0.27	7.22	+1.42	3.13	−1.45	7.27	+3.23	6.53	+1.99	2.58	−3.14	5.08	−0.91	3.49	−0.78	8.57	+4.99	7.01	+3.75	16.55	*11.27	81.52	+23.54
Washington	6.86	+2.75	7.06	+1.93	3.49	−1.31	2.32	−1.08	3.11	−0.40	6.08	+1.97	4.08	−1.31	7.91	+3.17	1.58	−2.52	4.74	+1.78	4.49	+1.70	6.09	+2.04	57.81	+8.72
Middle division																										
Augusta	4.91	+0.98	4.88	+0.65	4.74	+0.63	0.74	−2.40	2.02	−1.02	3.71	−0.97	2.27	−3.12	4.91	−0.12	1.31	−2.65	6.08	+3.62	2.47	+0.07	4.43	+1.18	42.47	−2.55
Brooklet	1.91	−1.19	1.57	−2.14	2.66	−1.29	1.11	−2.01	3.34	−0.56	10.37	+4.09	7.63	+1.54	10.12	+3.73	4.44	−0.34	3.48	+1.23	7.10	+4.88	1.65	−1.60	55.38	+5.81
Butler	7.77	+3.63	3.76	−1.27	3.57	−1.51	1.84	−2.42	3.54	−0.28	7.18	+2.39	2.98	−3.41	6.85	+1.73	1.88	−2.10	4.69	+2.06	3.46	+0.62	4.83	+0.00	52.35	+0.04
Columbus	5.26	+1.10	3.80	−1.62	3.55	−2.13	1.07	−2.5[illegible]	2.79	−0.40	6.05	+2.16	2.37	−3.63	3.62	−1.11	1.37	−1.55	1.97	−0.75	3.34	+0.51	4.61	−0.06	39.8[illegible]	−9.98
Concord	4.28	−0.61	3.89	−0.91	3.67	−3.33	1.87	−1.52	1.15	−2.37	4.76	+0.62	3.48	−3.12	4.34	+0.30	1.52	−1.77	5.78	+3.20	2.77	−0.21	5.82	+1.17	43.33	−8.55
Covington	5.05	+0.70	5.35	+0.33	3.72	−1.67	1.62	−2.31	2.72	−0.77	4.64	+0.61	5.37	+0.40	2.00	−2.87	1.29	−1.80	5.32	+2.28	3.84	+0.88	9.02	+4.36	49.94	+0.14
Dover	3.51	......	1.79	......	3.37	......	1.07	......	2.12	......	5.50	......	4.67	......	10.29	......	5.74	......	4.17	......	5.79	......	1.14	......	49.22	......
Dublin	5.64	+1.60	2.83	−1.97	3.65	−1.23	1.49	−1.58	2.66	−0.78	6.35	+1.53	4.53	−1.31	7.06	+1.81	3.26	−0.59	4.79	+2.42	4.09	+1.43	2.61	−1.23	48.96	+0.10
Fair View	5.35	+0.41	4.16	−0.48	4.80	−0.78	1.49	−2.10	4.03	+0.37	6.56	+3.11	1.81	−4.00	3.59	−0.36	1.77	−1.59	6.35	+3.77	3.35	+0.59	4.38	+0.13	47.64	−0.93
Fort Valley	7.43	+2.54	2.93	−1.31	3.91	−1.91	1.45	−2.25	3.33	−0.33	8.55	+3.59	4.76	−1.40	5.94	+0.86	3.30	−0.64	5.28	+2.65	3.11	+0.31	5.87	+1.79	55.86	+3.90
Goat Rock	5.35	+1.11	3.22	−0.85	4.39	−0.79	1.31	−2.19	2.71	−0.26	2.62	−0.40	2.63	−3.20	4.31	+0.63	2.12	−0.32	2.79	+0.35	4.14	+1.10	7.20	+2.68	42.79	−2.14
Greensboro	6.03	+1.91	6.31	+1.50	4.16	−0.54	2.94	−0.41	4.10	+0.72	3.31	−0.83	4.14	−1.12	4.43	−0.50	0.94	−2.81	4.22	+1.15	3.24	+0.47	6.09	+1.92	49.91	+1.46
Griffin	4.73	+0.57	5.89	+0.54	4.70	−0.86	3.01	−0.68	1.56	−1.72	2.22	−1.90	2.86	−2.57	2.83	−2.27	1.69	−1.41	5.77	+3.13	3.10	+0.32	6.45	+1.94	44.81	−4.91
Louisville	6.29	+2.85	3.65	−0.84	4.92	+0.60	0.38	−2.78	2.88	−0.58	6.61	+2.18	6.63	+0.91	3.53	−1.40	3.00	−0.31	6.99	+4.33	3.70	+1.21	3.07	−0.17	51.65	+6.00
Macon	6.66	+2.49	2.60	−1.98	4.09	−0.88	0.74	−2.41	2.21	−0.75	6.04	+2.00	4.09	−0.65	5.48	+1.14	2.57	−0.62	5.03	+2.79	2.67	−0.45	5.05	+1.06	46.63	+1.64
Marshallville	6.64	+1.79	2.32	−3.26	2.99	−2.58	2.22	−1.76	3.41	−0.13	7.77	+3.43	4.59	−1.50	7.42	+2.64	2.75	−0.40	5.37	+2.61	3.89	+0.71	5.30	+0.90	54.67	+2.45
Midville	5.90	......	2.94	......	6.14	......	1.01	......	3.74	......	6.92	......	3.25	......	4.06	......	2.27	......	3.24	......	6.47	......	1.97	......	47.91	......
Milledgeville	7.70	+3.39	4.72	+0.07	4.52	−0.76	0.85	−2.21	3.09	−0.22	4.43	+0.28	5.93	0.00	4.37	−0.53	1.19	−2.74	3.46	+0.79	3.21	+0.68	4.59	+0.80	48.06	−0.45
Millen	3.72	+0.36	3.20	−0.94	4.82	+0.86	0.97	−1.93	3.25	+0.10	5.85	+0.71	4.40	−1.91	5.30	+0.33	2.65	−1.39	3.50	+1.00	5.05	+2.90	2.40	−0.96	45.11	−0.87
Monticello	5.57	+1.09	6.14	+0.70	4.28	−1.50	2.29	−1.27	5.05	+1.59	4.84	+0.10	7.19	+1.86	4.31	−5.76	1.97	−1.56	4.48	+1.37	4.11	+1.39	5.86	+1.74	56.09	+4.75
Newnan	7.38	+2.77	8.02	+2.74	4.87	−1.16	2.58	−1.37	1.95	−1.72	1.48	+0.47	6.73	+1.66	5.98	+1.11	2.86	−0.31	5.25	+2.50	4.58	+1.61	10.44	+5.68	65.10	+13.58
Sparta	7.07	......	6.02	......	4.44	......	1.73	......	3.46	......	5.40	......	2.68	......	5.12	......	1.20	......	4.25	......	4.06	......	5.27	......	50.70	......
Stillmore	3.10	......	1.39	......	3.93	......	0.74	......	1.61	......	8.62	......	9.09	......	8.22	......	3.87	......	3.58	......	5.22	......	2.63	......	52.00	......
Talbotton	6.95	+2.63	3.96	−1.55	5.07	−0.83	2.23	−1.78	5.88	+2.48	8.26	+4.21	3.57	−1.92	5.14	+0.36	0.96	−2.23	5.27	+2.33	5.02	+1.92	5.91	+1.32	58.22	+6.94
Warrenton	7.39	+3.44	4.69	−0.29	4.79	+0.16	2.04	−0.90	2.03	−1.24	5.35	+1.12	2.01	−3.52	2.92	−1.61	1.47	−2.83	3.20	+0.33	4.11	+1.41	5.19	+1.44	45.19	−2.10
West Point	5.79	+1.40	4.14	−1.26	5.26	−0.62	3.39	−0.78	2.63	−0.87	3.06	−1.42	7.87	+2.74	3.19	−1.79	1.71	−1.29	3.21	+0.53	4.80	+1.75	7.55	+2.43	52.60	+0.82
Woodbury	5.14	+1.11	3.87	−1.30	3.59	−2.20	1.89	−1.72	1.21	−2.37	3.67	−0.55	8.10	+2.17	4.83	+0.83	0.71	−2.49	4.29	+1.67	4.03	+1.34	5.26	+0.70	46.59	−2.81
Southern division																										
Abbeville	5.64	+1.67	2.50	−1.86	4.40	+0.36	0.89	−2.52	6.86	+3.49	3.93	+0.09	8.78	+2.15	6.27	+1.53	4.10	−0.20	4.16	+2.09	5.30	+2.86	3.06	−0.48	55.89	+9.18
Alapaha	6.53	+2.82	2.31	−2.16	4.22	−0.03	1.29	−1.89	2.71	−0.58	4.70	−0.37	6.54	+0.76	8.79	+3.30	3.14	−1.02	3.59	+1.25	3.46	+1.37	1.25	−2.55	48.53	+0.90
Albany	7.41	+3.17	2.09	−3.08	4.48	−0.43	1.24	−2.50	4.61	+0.85	4.99	+0.45	5.19	−0.92	6.64	+1.04	2.33	−1.13	1.96	−0.44	1.88	+2.52	3.19	−0.72	49.01	−1.19
Americus	7.47	+3.08	2.80	−2.11	4.09	−1.22	1.31	−2.29	3.76	+0.27	6.26	+1.95	7.92	+2.55	4.90	−0.36	2.89	−0.48	3.42	+1.00	2.86	+0.07	6.49	+2.74	54.17	+5.20
Bainbridge	9.08	+5.23	2.20	−2.45	5.31	+1.01	0.82	−2.96	5.82	+2.71	6.28	+1.37	7.76	+1.18	6.69	+0.96	6.73	+2.62	3.65	+1.24	5.21	+2.93	3.02	−1.08	62.57	+12.76
Blakely	7.09	+2.65	3.43	−2.29	4.30	−1.08	1.65	−2.33	5.05	+1.71	3.14	−1.57	3.87	−3.35	5.56	−0.16	6.48	+2.62	4.16	+1.37	7.43	+4.59	6.58	+2.08	58.74	+4.24
Brunswick	0.76	−2.31	0.67	−2.52	4.44	+1.27	0.63	−2.55	3.11	−0.35	8.61	+2.89	9.17	+2.07	8.62	+2.86	13.02	+6.35	6.43	+3.02	4.15	+2.20	0.29	−2.73	59.90	+10.14
Darien	0.91	......	0.65	......	4.33	......	1.85	......	2.44	......	7.55	......	5.84	......	6.06	......	8.37	......	5.62	......	6.56	......	0.20	......	50.38	......
Eastman	4.83	+0.66	2.02	−2.79	4.56	−0.46	1.27	−1.85	1.33	−1.92	4.61	+0.28	7.25	+0.99	8.37	+3.45	5.13	+1.15	5.71	+3.20	5.10	+2.52	2.80	−0.86	52.98	+4.37
Fargo	1.29	......	1.09	......	5.34	......	0.29	......	2.18	......	11.42	......	3.89	......	9.67	......	8.99	......	1.92	......	5.32	......	0.31	......	51.71	......
Fitzgerald	4.48	+1.23	1.70	−2.42	4.29	−0.29	1.02	−2.59	2.06	−1.34	8.19	+4.25	2.47	−3.71	6.24	+1.40	5.81	+1.65	5.38	+3.14	2.95	+0.55	1.66	−1.88	46.25	+0.08
Fort Gaines	6.41	+1.88	1.83	−3.56	3.31	−1.79	1.55	−2.16	8.16	+4.95	7.82	+3.39	4.61	−1.58	12.84	+7.46	4.91	+1.70	3.33	+0.83	3.50	+0.58	6.87	+2.35	65.44	+14.05
Glennville	2.01	−0.85	1.34	−2.21	2.26	−1.30	1.19	−1.67	0.85	−2.62	10.47	+5.40	2.54	−3.58	4.84	−1.35	6.96	+1.59	3.59	+1.32	3.91	−1.68	0.56	−2.78	40.52	−6.37
Hawkinsville	7.24	+3.01	2.61	−2.03	3.63	−1.33	0.68	−2.35	2.91	−0.08	6.14	+1.75	5.19	−0.60	5.92	+0.84	4.01	+0.60	5.11	+2.53	4.73	+2.21	3.43	−0.06	51.63	+4.52
Hazlehurst	3.10	−0.86	1.81	−2.41	4.07	−0.72	1.00	−2.40	1.90	−1.82	10.53	+4.33	6.89	−0.18	10.97	+5.36	4.35	−0.81	5.41	+3.45	3.94	+1.64	1.81	−2.07	55.78	+3.51
Lumber City	5.23	+1.21	2.28	−1.69	3.34	−0.89	1.76	−1.22	2.98	+0.06	10.65	+5.48	6.37	+0.36	11.82	+6.52	5.84	+1.84	6.02	+4.05	3.84	+1.35	2.78	−0.52	62.91	+16.55
Meldrim	2.41	......	2.31	......	2.61	......	0.32	......	2.84	......	16.07	......	7.40	......	7.71	......	5.63	......	2.64	......	4.08	......	1.31	......	55.33	......
Montezuma	7.52	+3.22	2.10	−2.60	3.85	−0.89	1.95	−1.98	4.35	+0.66	4.57	+0.68	5.81	+0.25	5.32	+0.57	2.03	−1.41	5.00	+2.69	3.20	+0.31	5.86	+1.71	51.56	+3.21
Moultrie	......	......	1.47	......	5.52	......	0.88	......	2.59	......	6.18	......	6.93	......	13.75	......	6.37	......	5.59	......	3.62	......	1.61	......	......	......
Quitman	5.20	+1.35	1.33	−3.24	4.99	+0.93	1.42	−2.06	5.20	+1.71	8.86	+2.92	7.40	+0.12	6.34	−0.25	7.33	+2.39	2.74	+0.45	6.83	+4.60	1.41	−2.92	59.05	+6.60
Savannah	1.72	−1.06	1.67	−1.59	2.31	−0.72	1.31	−1.26	1.39	−1.63	9.14	+3.85	2.58	−1.06	9.26	+1.95	10.09	+1.68	4.71	+1.73	2.27	+0.17	0.30	−2.63	46.78	−0.57
Savannah, No. 2	1.96	......	1.79	......	2.23	......	0.63	......	4.64	......	12.88	......	6.60	......	8.53	......	6.17	......	3.23	......	5.25	......	0.59	......	54.50	......
Thomasville	8.49	+4.39	1.72	−2.89	4.86	+0.77	0.51	−2.83	6.95	+3.32	8.02	+2.57	9.21	+2.51	9.60	+3.85	7.39	+2.51	8.86	+5.90	3.12	+0.44	1.47	−2.84	70.20	+17.85
Tifton	6.06	+0.71	2.24	−1.61	3.50	−1.58	1.82	−2.29	3.68	+0.51	3.63	−1.98	4.79	−0.69	7.51	+1.73	5.47	+1.25	5.00	+2.93	2.81	+0.63	1.83	−2.49	48.34	−2.88
Waycross	2.19	−1.12	1.04	−3.11	3.42	+0.19	0.36	−2.56	6.72	+3.25	10.02	+4.17	4.34	−2.46	10.84	+4.72	4.11	−0.45	2.82	+0.31	4.69	+2.56	0.48	−2.72	51.03	+2.78

*Plus (+)

Monthly and Annual Average Temperatures for the Year 1932, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
Northern division																										
Athens	54.4	+11.5	55.2	+9.8	51.7	−1.1	63.6	+2.4	70.5	+0.6	79.4	+3.9	83.4	+4.0	80.4	+2.1	75.0	+1.5	64.3	+2.0	51.0	−0.8	48.2	+3.9	64.8	+3.4
Atlanta	51.2	+8.6	53.2	+7.9	48.8	−3.2	61.9	+0.9	67.6	−2.3	76.9	+0.9	80.6	+2.5	78.4	+1.4	71.8	−0.6	61.4	−1.6	47.8	−4.3	47.6	+2.9	62.3	+1.1
Blairsville	48.7	......	48.5	......	45.1	......	56.4	......	b63.4	......	70.9	.....	75.6	......	73.6	......	67.6	......	......	......	44.0	......	42.8	......	.. ..	......
Carlton Bridge	53.2	+9.5	52.8	+7.6	50.0	−3.2	63.1	+2.3	70.1	+0.1	78.8	+2.0	82.8	+3.7	79.7	+1.7	73.1	−0.3	61.2	−1.1	......	......	47.2	+2.4	......	......
Clayton	46.4	+6.1	47.2	+5.8	44.6	−4.7	54.6	−2.1	60.4	−4.4	69.3	−2.2	74.2	−0.1	70.6	−2.9	65.0	−3.5	55.2	−3.1	42.6	−5.3	41.8	+1.0	56.0	−1.3
Cornelia	49.0	+6.8	51.0	+5.6	46.6	−4.2	59.6	−0.5	65.2	−1.2	71.4	0.0	79.3	+2.6	76.0	+0.5	70.0	−2.2	59.0	−1.6	47.3	−2.8	44.6	+0.7	60.2	+0.3
Dahlonega	48.5	+7.3	50.3	+7.6	46.7	−4.1	59.4	+0.8	66.2	−0.1	74.8	+1.5	78.0	+2.3	75.2	+0.3	69.4	−1.0	58.2	−1.8	46.6	−2.9	45.4	+3.4	59.9	+1.1
Gainesville	50.0	+8.6	52.4	+9.2	47.6	−3.8	59.6	+0.2	66.0	−1.9	75.6	+0.8	80.0	+2.4	76.5	+0.2	70.6	−0.8	59.8	−0.9	47.8	−2.7	44.9	+2.4	60.9	+1.1
Hartwell	51.8	+8.2	52.5	+8.1	50.4	−2.8	61.1	+0.2	67.9	−1.7	76.8	0.0	82.4	+3.1	a77.6	−0.8	73.6	−0.2	62.4	−0.2	49.4	−2.3	46.4	+2.0	62.7	+1.1
Rome	50.6	+8.4	52.9	+8.2	49.0	−3.7	62.0	+0.9	68.5	−1.1	79.2	+2.5	82.0	+2.5	80.2	+1.6	73.1	−0.5	60.5	−1.8	47.6	−3.1	45.8	+2.6	62.6	+1.4
Tallapoosa	49.6	+7.0	51.6	+7.7	48.0	−4.7	59.6	−0.4	65.4	−3.2	75.7	0.0	79.0	+0.9	77.0	−0.4	70.9	−2.2	58.6	−3.1	46.8	−4.2	46.4	+3.2	60.7	0.0
Toccoa	50.4	+8.0	52.4	+8.5	49.1	−2.9	61.0	+0.7	66.0	−2.6	75.0	−0.5	80.0	+1.9	76.0	−0.9	69.8	−2.2	58.4	−2.7	46.4	−4.5	43.3	−0.1	60.6	+0.2
Washington	55.3	+10.3	55.5	+9.2	52.4	−2.8	63.4	+1.2	70.9	−0.5	78.2	+0.2	83.2	+3.0	80.1	+0.8	77.2	+2.5	......	......	51.6	−3.1	49.6	+4.3	......	......
Middle division																										
Augusta	57.4	+10.4	57.0	+7.1	53.9	−2.1	65.2	+1.0	72.2	−0.2	80.4	+1.7	84.9	+3.6	81.4	+1.0	76.0	+0.7	65.7	+0.4	53.2	−1.3	52.9	+4.8	66.7	+2.3
Brooklet	59.0	+9.4	60.1	+8.4	56.2	−3.2	67.1	+1.0	73.2	−0.8	79.8	−0.2	84.6	+2.7	80.8	−0.6	76.2	−1.1	68.0	+0.8	55.2	−1.9	57.4	+7.1	68.1	+1.8
Columbus	55.6	+7.8	59.4	+9.5	54.1	−4.1	66.2	−0.3	70.8	−2.5	81.0	+1.1	85.5	+4.0	83.2	+2.1	77.7	+0.4	65.0	−1.4	51.8	−3.1	53.4	+4.3	67.0	+1.5
Covington	52.8	+9.2	54.3	+11.1	50.9	−4.1	62.4	+1.5	68.7	−1.8	78.4	+1.1	82.2	+2.5	79.0	+0.4	74.0	0.0	61.6	−0.6	49.5	−2.9	48.4	+4.0	63.5	+1.7
Dublin	58.0	+9.6	59.2	+8.0	54.8	−2.3	65.7	+0.3	72.1	−0.5	79.4	+0.3	83.6	+2.7	80.8	+0.4	76.4	−0.1	65.6	−0.6	53.6	−1.9	54.8	+5.3	67.0	+1.8
Fair View	55.0	+8.2	56.2	+6.5	52.3	−3.3	63.8	+0.4	69.2	−1.2	77.4	−0.2	82.0	+2.8	79.2	+0.7	74.0	−0.6	63.1	−1.3	50.6	−3.3	51.6	+4.3	64.5	+1.1
Fort Valley	54.4	+6.6	57.1	+4.9	52.9	−4.3	64.7	−1.0	70.8	−1.2	78.3	−0.5	82.2	+1.8	79.5	−0.7	74.4	+1.7	63.8	−2.1	50.4	−5.4	52.8	+2.9	65.1	+0.2
Greensboro	52.2	+7.3	53.1	+6.2	49.3	−5.5	60.5	−1.7	67.5	−3.0	76.4	−1.1	80.8	+1.1	77.7	−1.2	72.4	−2.2	61.5	−1.8	47.7	−5.3	47.6	+3.8	62.2	−0.3
Griffin	53.6	+8.4	55.0	+7.4	51.2	−3.8	62.4	−0.9	68.0	−3.1	77.2	−0.6	81.3	+1.4	78.4	−0.6	73.8	−1.0	63.1	−1.1	49.5	−4.5	49.8	+3.4	63.6	+0.4
Louisville	58.0	+10.7	57.6	+8.6	54.6	−2.4	65.0	+1.1	71.6	−1.2	79.2	+0.3	83.4	+2.4	80.8	+0.8	75.4	−0.2	65.4	+2.4	53.6	−2.6	54.6	+6.7	66.6	+2.3
Macon	55.9	+9.1	57.3	+8.0	53.0	−3.7	65.1	+1.2	71.0	−1.3	78.8	−0.1	83.4	+2.2	79.8	−0.1	75.0	+0.2	64.0	−0.5	51.6	−2.6	53.0	+5.5	65.7	+1.5
Marshallville	55.3	+7.2	58.5	+8.5	54.0	−4.1	65.8	+0.8	71.9	−1.3	78.8	−0.5	83.6	+2.7	80.8	+0.3	75.4	−1.4	64.0	−2.0	51.4	−4.3	53.8	+4.9	66.1	+0.9
Milledgeville	53.5	+7.5	55.0	+6.5	52.0	−3.9	63.8	−0.1	71.2	−1.1	79.2	+0.4	83.6	+2.6	80.7	+0.5	75.4	−0.4	63.6	−0.9	50.4	−3.7	50.8	+3.7	64.9	+0.9
Millen	57.0	+8.6	58.2	+8.1	54.6	−3.4	66.4	+1.3	72.8	−0.4	80.8	+1.3	86.0	+4.5	81.8	+0.9	76.6	+0.1	67.0	+1.1	54.5	−1.2	56.0	+7.1	67.6	+2.3
Monticello	53.3	+8.5	55.2	+8.0	51.4	−3.7	64.2	+1.2	70.6	−0.9	79.1	+0.8	83.2	+3.1	80.2	+0.8	75.5	+0.3	64.0	+0.3	49.6	−3.8	49.8	+3.7	64.7	+1.5
Newnan	52.7	+8.2	54.3	+3.2	50.2	−4.5	62.8	+0.9	69.0	−1.7	78.4	+0.7	81.6	+1.9	79.0	+0.2	74.1	−0.4	63.1	−0.5	48.8	−4.5	50.2	+5.0	63.7	+1.1
Stillmore	59.0	......	60.1	......	55.8	......	66.2	......	72.4	.....	79.4	......	83.1	......	80.6	......	76.3	......	66.8	......	55.0	......	57.0	......	67.6	......
Talbotton	54.2	+7.2	57.2	+8.5	52.6	−4.2	64.1	+0.6	71.8	−0.1	78.8	+0.4	f83.6	+3.4	80.4	+0.8	74.6	−1.0	.....	......	49.9	−4.8	52.7	+5.0	.....	......
Warrenton	55.6	+9.4	55.8	+8.2	52.8	−3.1	63.8	+0.8	70.8	−0.8	78.9	+0.7	83.5	+3.1	80.3	+0.7	75.4	+0.4	64.5	−0.6	51.4	−2.6	51.0	+4.3	65.3	+1.8
West Point	51.8	+6.6	55.7	+8.5	50.6	−5.1	63.4	+0.3	69.8	−1.6	79.2	+0.7	82.7	+2.2	80.6	+0.6	75.2	+0.1	62.0	−2.0	49.1	−4.3	50.9	+5.1	64.2	+0.9
Southern division																										
Alapaha	58.9	+8.0	62.8	+9.9	56.2	−3.9	67.4	+0.8	74.2	+0.2	80.0	+0.2	83.8	+2.4	81.0	0.0	77.2	−0.2	67.9	+0.4	56.2	−1.8	a58.8	+7.0	68.7	+1.9
Albany	57.4	+7.2	61.6	+9.2	55.7	−4.5	67.1	+0.1	73.6	−0.9	80.3	−0.4	85.4	+3.3	81.8	+0.2	77.8	−0.2	67.6	−0.3	53.8	−1.7	58.8	+7.7	68.4	+1.6
Americus	56.5	+8.2	60.1	+9.3	53.2	−5.1	66.3	+1.0	73.0	−0.4	80.2	+0.3	84.9	+3.5	82.0	+1.2	77.7	−1.6	67.0	+0.3	52.9	−2.9	56.1	+6.9	67.5	+2.0
Bainbridge	57.5	+5.6	63.2	+9.2	54.9	−6.5	67.5	−0.3	73.8	−0.9	80.6	+0.1	84.4	+2.6	81.2	−0.3	77.2	−1.1	65.6	−2.4	53.2	−5.3	59.2	+7.3	68.2	+0.7
Blakely	58.1	+7.6	62.1	+9.5	55.0	−5.1	66.4	0.0	72.6	−1.2	79.4	−0.6	83.6	+2.4	80.8	−0.2	77.0	−0.8	65.8	−1.5	52.8	−4.9	57.6	+6.5	67.6	+1.0
Brunswick	62.4	+8.9	64.2	+8.8	57.8	−3.4	68.2	+0.5	74.4	0.0	79.8	−1.0	84.5	+2.9	81.4	−0.3	77.8	−0.6	70.4	+0.1	58.2	−2.4	60.8	+6.0	70.0	+1.6
Darien	60.8	......	62.8	.....	56.6	......	67.8	.....	72.0	......	78.6	......	83.8	......	81.0	......	76.2	......	69.6	......	58.0	......	60.6	... ..	69.0	......
Eastman	57.6	+7.6	59.6	+8.1	55.8	−3.6	67.0	+0.7	73.9	0.0	80.6	+0.5	85.2	+3.4	81.2	+0.2	76.2	−1.0	66.4	−0.5	53.4	−3.6	56.6	+6.5	67.8	+1.5
Fargo	60.4	......	b61.4	......	57.6	......	68.0	......	c73.8	......	79.4	......	c84.4	......	a81.7	......	......	......	69.4	......	......	......	61.1	......	......	......
Fitzgerald	59.1	+9.3	61.7	+11.0	56.2	−5.2	66.2	+1.1	73.6	−0.6	79.7	0.0	84.4	+2.8	80.8	−0.3	76.1	−1.1	67.0	+0.5	55.7	−1.9	58.2	+8.0	68.2	+1.9
Fort Gaines	56.4	+7.9	62.0	+10.8	54.6	−4.5	66.8	+1.0	73.3	−0.3	78.8	−1.0	83.4	+2.2	80.4	−0.2	76.7	−0.3	65.9	−0.9	54.4	−2.3	58.0	+7.7	67.6	+1.6
Glennville	60.5	+8.7	b61.5	+7.6	56.9	−3.2	67.4	+0.5	72.7	−1.4	78.6	−1.3	83.1	+1.6	79.5	−1.6	75.0	−2.7	67.7	−0.4	56.2	−1.8	57.1	+5.5	68.0	+0.9
Hawkinsville	57.5	+9.2	59.4	+9.0	54.8	−3.8	66.7	+1.5	72.6	−0.8	79.9	+0.3	84.5	+3.3	80.8	−0.1	76.2	−1.1	65.2	−1.4	53.6	−2.7	55.8	+6.5	67.2	+1.6
Hazlehurst	59.6	+7.9	62.1	+8.9	a56.4	−3.3	67.6	+0.6	74.3	+1.2	80.4	+0.7	85.4	+4.2	81.2	+0.3	77.0	−1.2	68.2	+0.4	a56.6	−1.8	59.2	+6.6	69.0	+2.0
Moultrie	......	......	64.4	......	57.8	......	69.0	......	75.2	......	81.0	......	84.6	......	82.4	......	78.0	......	67.8	......	56.0	......	59.8	......	......	......
Quitman	61.0	+8.5	64.9	+9.7	57.0	−4.3	68.4	+0.8	74.8	0.0	79.2	−1.1	83.6	+2.0	80.6	−0.7	77.0	−1.2	68.6	−0.1	57.4	−1.8	60.2	+7.2	69.4	+1.6
Savannah	60.8	+9.4	61.8	+7.8	56.4	−2.6	67.2	+1.2	73.0	−0.4	79.2	+0.2	84.2	+2.7	80.6	−0.1	76.2	0.0	69.1	+1.2	56.8	−1.7	59.4	+7.0	68.7	+2.0
Savannah, No. 2	60.0	......	60.8	......	55.4	......	64.9	......	71.2	......	78.6	......	83.2	......	79.6	......	75.3	......	67.6	......	56.4	......	57.8	......	67.6	......
Thomasville	60.2	+9.2	64.4	+9.4	56.4	−3.8	67.9	+1.2	73.8	−0.2	79.2	−0.3	83.2	+1.4	80.6	−0.4	77.0	+0.2	68.0	−0.2	56.0	−2.5	60.6	+8.1	68.9	+1.8
Tifton	57.5	+6.4	61.3	+7.4	54.5	−3.2	66.7	0.0	73.5	+0.8	79.8	+1.4	84.2	+3.1	81.2	+1.3	76.8	−1.0	67.4	+0.3	55.0	−2.0	57.5	+6.2	68.0	+1.9
Waycross	61.9	+9.4	64.9	+10.7	57.8	−3.5	68.2	+1.0	75.0	+0.6	80.8	+0.8	85.2	+3.4	82.8	+1.4	77.9	+0.1	59.6	+0.9	a55.4	−3.4	59.2	+6.9	69.9	+2.4

Reference letters, a, b, c, appearing in the table indicate number of days missing; for example, b represents two days, etc.

[Continued from page 49]

perature, and the rainfall, most of which fell after the 13th, averaged close to normal, though there were some localities where the precipitation was deficient, especially in the middle division. Conditions were favorable for the maturing and harvesting of crops during the first half of the month. The heavy rains in the southern portion during the 13–15th and the frequent showers after the 20th interfered somewhat with harvesting operations, but sweet potatoes, cane, and late crops generally were benefited.

October.—The month was unusually wet, due especially to the heavy rains that fell on the 5–6th, 15–16th, and 31st. The rainfall for the month was quite generally above 6 inches northward from Atlanta and Athens, but it was less than 4 inches in the southern drainage areas of the Chattahoochee and Flint Rivers and in much of the southeastern portion of the State. A tornado struck into Cairo, Grady County, on the 31st, and much damage to property resulted, while about 30 people were injured, 2 of them fatally.

November.—A rather cold November, with generally abundant rainfall, which was quite well distributed through the month. Winter cereals and truck were making generally good growth at the close of the month.

December.—An outstanding warm month, though with a cold spell from the 15th through the 21st, and exceptionally wet over the northern part of the State, but with light rain near the coast; at Dahlonga the total amount of precipitation was 20.63 inches, while at Darien the total amount was 0.20 inch. During the 15–17th cold rains mixed with sleet and snow fell in the northern sections. Sleet and snow accumulated to a depth of 4 inches at several stations. At the same time, the rain froze to an unusual extent on striking the surface, especially on trees and wires, which were broken down in many places by the weight of the ice, with resulting interruptions to communication systems and lighting services. Heavy ice coating was reported as far south as Griffin. Due to the heavy rains, the rivers of northern Georgia were above flood stage early in the second decade and again near the close of the month.

MONTHLY STATE DATA FOR 1932

Months	Temperature				Precipitation				
	Mean	Departure from normal	Maximum	Minimum	Average	Departure from normal	Greatest	Least	No. days with 0.01 inch or more
January	55.6	+8.9	87	16	5.72	+1.51	9.75	0.76	9
February	57.9	+9.4	87	18	3.73	−1.25	8.02	0.65	10
March	53.0	−3.5	88	10	4.46	−0.52	8.85	2.23	8
April	64.6	+1.1	94	28	1.74	−1.88	4.80	0.29	6
May	70.9	−0.7	97	37	3.57	+0.14	8.46	0.85	8
June	78.5	+0.6	107	46	6.52	+2.04	16.07	2.22	14
July	82.9	+3.0	108	45	5.07	−0.68	9.21	1.25	10
August	79.8	+0.4	103	44	6.13	+0.96	13.75	1.84	13
September	74.9	−0.5	103	44	3.94	+0.20	13.02	0.71	9
October	64.8	−0.1	92	29	5.09	+2.36	10.76	1.92	7
November	52.0	−2.6	83	12	4.59	+1.86	7.78	2.07	9
December	53.2	+5.7	84	16	6.24	+1.97	20.63	0.20	12
Year	65.7	+1.8	108	10	56.80	+6.71	89.71	39.80	115

KILLING FROSTS

Stations	Last in spring	First in autumn	Stations	Last in spring	First in autumn
Northern division			*Middle division—Con.*		
Athens	Mar. 15*	Nov. 12†	Monticello	Mar. 16*	Nov. 12†
Atlanta	Mar. 15	do 12†	Newnan	Mar. 15*	do 12†
Blairsville	Apr. 2*	....	Stillmore	Mar. 15*	do 13†
Carlton Bridge	Mar. 25*	....	Talbotton	Mar. 15*	do 12†
Clayton	Apr. 29*	Oct. 7†	Warrenton	Mar. 15*	do 13†
Cornelia	Mar. 23	Nov. 10†	West Point	Mar. 24*	do 12†
Dahlonega	Mar. 23	Oct. 7†	*Southern division*		
Gainesville	Mar. 23*	Nov. 12†	Alapaha	Mar. 15*	Nov. 13†
Hartwell	Mar. 23*	do 12†	Albany	Mar. 15*	do 12
Rome	Mar. 23*	do 10	Americus	Mar. 15*	do 12†
Tallapoosa	Apr. 16*	Oct. 7†	Bainbridge	Mar. 16*	do 13†
Toccoa	Mar. 25*	Nov. 12†	Blakely	Mar. 15	do 12
Washington	Mar. 15*	do 12†	Brunswick	Mar. 15*	do 29†
Middle division			Darien	Mar. 15*	do 29†
Augusta	Mar. 11	Nov. 14	Eastman	Mar. 15*	do 12†
Brooklet	Mar. 16*	do 13†	Fargo	Mar. 15*	do 12†
Columbus	Mar. 15*	do 10	Fitzgerald	Mar. 15*	do 13†
Covington	Mar. 24*	do 12†	Fort Gaines	Mar. 16*	do 12†
Dublin	Mar. 24	do 13	Glennville	Mar. 15*	do 28†
Fair View	Mar. 15*	do 12†	Hawkinsville	Mar. 15*	do 13†
Fort Valley	Mar. 15*	do 12†	Hazlehurst	Mar. 15*	do 13†
Greensboro	Mar. 24*	do 10†	Moultrie	Mar. 15*	do 13†
Griffin	Mar. 23*	do 12†	Quitman	Mar. 16	do 13†
Louisville	Mar. 24	do 13	Savannah	Mar. 11	do 13
Macon	Mar. 14	do 14	Savannah, No. 2	Mar. 16*	do 13
Marshallville	Mar. 15*	do 12†	Thomasville	Mar. 15	Dec. 13
Milledgeville	Mar. 25*	do 13†	Tifton	Mar. 16*	Nov. 13
Millen	Mar. 16*	do 12†	Waycross	Mar. 15*	do 17†

* Latest date with temperature 32° or below.
† Earliest date with temperature 32° or below.

ANNUAL CLIMATOLOGICAL DATA FOR THE STATE

Year	Temperature				Precipitation						
	Mean	Departure from normal	Maximum	Minimum	Average	Departure from normal	Number days 0.01 inch or more rain	Number clear days	Number partly cloudy days	Number cloudy days	Prevailing wind direction
1892	62.8	−1.1	102	9	51.12	+1.03	96	152	104	110	......
1893	63.3	−0.6	108	−1	40.29	−9.80	86	169	107	89	nw.
1894	64.0	+0.1	104	0	49.75	−0.34	94	157	123	85	nw.
1895	62.2	−1.7	102	−5	49.57	−0.52	96	154	117	94	nw.
1896	64.5	+0.6	108	−3	45.15	−4.94	81	176	113	77	nw.
1897	64.0	+0.1	107	−6	49.23	−0.86	84	154	115	96	sw.
1898	63.9	0.0	103	7	53.14	+3.05	99	152	122	91	nw.
1899	63.6	−0.3	106	−12	44.20	−5.89	91	171	110	84	sw.
1900	63.7	−0.2	107	0	57.33	+7.24	115	141	130	94	nw.
1901	61.6	−2.3	106	3	57.58	+7.49	113	152	123	90	sw.
1902	63.6	−0.3	108	7	49.99	−0.10	100	136	128	101	nw.
1903	62.6	−1.3	104	9	53.84	+3.75	100	140	116	109	nw.
1904	62.6	−1.3	104	4	37.17	−12.92	87	183	107	76	nw.
1905	63.2	−0.7	106	−8	51.03	+0.94	100	155	106	104	ne.
1906	63.4	−0.5	103	11	54.60	+4.51	102	163	108	94	sw.
1907	64.2	+0.3	106	14	48.73	−1.36	97	159	126	80	w.
1908	64.3	+0.4	105	9	50.03	−0.06	89	169	113	84	nw.
1909	64.0	+0.1	104	5	48.31	−1.78	91	178	112	75	w.
1910	63.0	−0.9	105	8	43.60	−6.49	91	184	86	95	w.
1911	65.7	+1.8	108	9	48.23	−1.86	98	167	75	123	w.
1912	62.9	−1.0	103	0	63.02	+12.93	115	152	83	131	w.
1913	64.0	+0.1	110	12	46.47	−3.62	97	183	79	103	w.
1914	63.4	−0.5	109	5	45.58	−4.51	93	130	109	126	nw.
1915	64.0	+0.1	108	16	49.63	−0.46	89	196	83	86	nw.
1916	64.3	+0.4	103	10	43.50	−6.59	93	180	95	91	nw.
1917	62.6	−1.3	103	0	47.41	−2.68	99	181	92	92	sw.
1918	64.5	+0.6	106	−3	48.73	−1.36	101	163	88	116	w.
1919	65.2	+1.3	103	2	54.91	+4.82	103	167	87	111	nw.
1920	63.0	−0.9	105	4	59.73	+9.64	107	166	86	111	nw.
1921	66.1	+2.2	104	20	40.94	−9.15	94	173	100	92	w.
1922	65.7	+1.8	104	12	55.38	+5.29	113	158	94	113	ne.,sw
1923	64.5	+0.6	105	0	52.76	+2.67	108	159	88	118	sw.
1924	63.1	−0.8	107	−9	54.27	+4.18	99	187	72	107	nw.
1925	65.8	+1.9	111	0	41.00	−9.09	89	186	75	104	w.
1926	63.9	0.0	110	6	50.44	+0.35	104	181	78	106	w.
1927	66.2	+2.3	108	4	40.65	−9.44	92	177	100	88	sw.
1928	63.6	−0.3	105	−5	59.92	+9.83	114	167	101	98	nw.
1929	64.6	+0.7	103	7	69.83	+19.74	122	156	101	108	ne.
1930	63.9	0.0	109	8	46.13	−3.96	99	175	93	97	ne.
1931	65.4	+1.5	109	11	36.75	−13.34	87	194	91	80	nw.
1932	65.7	+1.8	108	10	56.80	+6.71	115	162	93	111	nw.
Normals	63.9	......	111*	−12*	50.09	....	98	165	101	99	nw.

* Extremes.

(WBO, Atlanta, 2-1-33—1250)


GEORGIA
SCALE OF MILES
0 10 20 30 40 50 60
85
84
83
82
81
35
34
33
32
31
DADE
WALKER
CATOOSA
WHITFIELD
MURRAY
FANNIN
Blue Ridge
UNION
TOWNS
RABUN
Clayton
GILMER
HABERSHAM
WHITE
LUMPKIN
Dahlonega
DAWSON
Toccoa
Cornelia
STEPHENS
CHATTOOGA
Resaca
GORDON
PICKENS
HALL
Gainesville
BANKS
Gillsville
FRANKLIN
HART
Hartwell
FLOYD
Rome
Adairsville
BARTOW
CHEROKEE
Canton
FORSYTH
JACKSON
MADISON
ELBERT
Carlton
POLK
MILTON
GWINNETT
Norcross
BARROW
CLARKE
Athens
Point Peter
Lisbon
Savannah
PAULDING
Marietta
COBB
FULTON
HARALSON
Tallapoosa
DOUGLAS
Atlanta
DEKALB
WALTON
OCONEE
OGLETHORPE
WILKES
Washington
LINCOLN
CARROLL
CAMPBELL
CLAYTON
ROCKDALE
Covington
NEWTON
MORGAN
Greensboro
GREENE
TALIAFERRO
McDUFFIE
COLUMBIA
Augusta
HEARD
Newnan
COWETA
FAYETTE
HENRY
Griffin
SPALDING
BUTTS
JASPER
Monticello
PUTNAM
Eatonton
HANCOCK
Warrenton
WARREN
GLASCOCK
RICHMOND
TROUP
MERIWETHER
PIKE
Concord
LAMAR
MONROE
JONES
Milledgeville
BALDWIN
JEFFERSON
Louisville
BURKE
River
West Point
Woodbury
Fair View
UPSON
Macon
BIBB
WASHINGTON
HARRIS
TALBOT
Talbotton
CRAWFORD
WILKINSON
JOHNSON
JENKINS
Millen
SCREVEN
Goat Rock
TAYLOR
Butler
Ft. Valley
TWIGGS
EMANUEL
MUSCOGEE
Columbus
Marshallville
HOUSTON
Dublin
LAURENS
TREUTLEN
CANDLER
Statesboro
BULLOCH
EFFINGHAM
CHATTAHOOCHEE
MARION
SCHLEY
MACON
Montezuma
BLECKLEY
Hawkinsville
PULASKI
DODGE
Eastman
WHEELER
MONTGOMERY
TATTNALL
EVANS
Savannah
CHATHAM
BRYAN
STEWART
WEBSTER
Americus
SUMTER
DOOLY
TOOMBS
WILCOX
Abbeville
CRISP
TELFAIR
Lumber City
Hazlehurst
Glenville
LIBERTY
QUITMAN
RANDOLPH
TERRELL
LEE
TURNER
BEN HILL
JEFF DAVIS
APPLING
LONG
CLAY
Ft. Gaines
CALHOUN
Albany
DOUGHERTY
WORTH
IRWIN
COFFEE
BACON
WAYNE
McINTOSH
Chattahoochee
Blakely
EARLY
BAKER
TIFT
Alapaha
PIERCE
ATKINSON
GLYNN
MILLER
MITCHELL
COLQUITT
COOK
BERRIEN
Waycross
WARE
BRANTLEY
Brunswick
SEMINOLE
DECATUR
Bainbridge
GRADY
THOMAS
Thomasville
BROOKS
Quitman
LANIER
LOWNDES
Valdosta
ECHOLS
CLINCH
CHARLTON
CAMDEN
St. George
L.S.

COPY

U. S. DEPARTMENT OF AGRICULTURE, WEATHER BUREAU
CHARLES F. MARVIN, Chief

CLIMATOLOGICAL DATA

GEORGIA SECTION

G. W. MINDLING

XVII ATLANTA, GA., YEAR 1933 No. 13

GENERAL SUMMARY

The severe drought in the fall season in southwestern Geor- was the outstanding weather phenomenon of 1933. This more fully described in a later paragraph under "The ather by Month.

The year was warm and dry, slightly warmer than in either the two preceding years. January, May, September, and cember were especially warm, each having an average ex- s in temperature amounting to 3° or more. January was rmer than either of the two months preceding, Novem- 1932 having been the coldest month of the winter season il February, which with a State average of 1.7° above nor- l still proved to be the coldest month of the winter of 1932- Only April, July, and November had average tempera- s below the normal, but in each case the deficiency was less n 1°. December had an average excess of 7.2° and was ° warmer than the preceding month.

he precipitation average for the State was 41.91 inches, ch is 7.82 inches less than the normal and the least for any r since 1925, when the average was 41.00 inches. Only ears drier than 1933 are indicated in the State records, ch begin with 1892. The driest year was 1904, with an age of 36.75 inches.

ainfall conditions varied greatly within the State during the , the extremes resulting in river floods in some places in arly part of the year and unprecedented drought in south- ern Georgia in the autumn. The annual rainfall ranged 35 to 45 inches over most parts of the State, but most counties and the extreme northeastern part of the State over 50 inches, while a portion of the Savannah River area near Augusta and Lincolnton received less than ches. The extremes by stations was 65.08 inches at Sa- ah, No. 2, and 25.95 inches at Double Branches, Lincoln The greatest and least monthly amounts recorded n the State during the year were 14.37 inches at Eastman ly and 0.03 inch at Newnan in November.

ER FLOODS.—Flood stages were reached or slightly ex- d in the Broad River at Carlton on February 8, in the lgee at Abbeville on February 27, and in the Ogeechee at rim on the 26th. The Chattahoochee River rose 1.2 feet flood stage at Alaga, Ala., opposite Early County, on h 19. The Altamaha and lower Ogeechee Rivers under- a remarkably rapid rise following the extremely heavy ll in that part of the State on September 5 and 6, the r rising a little above flood stage at Everett City on Sep- r 11 and the latter at Meldrim on the 6th.

NADOES.—A storm of tornadic character struck Brooks y in the vicinity of Barwick on January 25, causing the death of two people and injuring several others. Property damage was estimated at $75,000. On April 3 a tornado at Quitman destroyed 10 houses and injured a dozen or more people. On May 8 there was a storm in the vicinity of Sycamore and Cloverdale, Turner County, that was possibly of tornadic character. Several dwellings and other buildings were unroofed or otherwise mutilated.

HAILSTORMS.—Destructive hail fell on April 24 in some parts of Meriwether, Emanuel, Screven, and Grady Counties, causing much damage to gardens, tobacco shades, peaches, and various young crops. Some young pigs were reported killed by hail near Swainsboro, Emanuel County. Some destructive hail occurred May 10 in the vicinity of Fort Valley.

THE WEATHER BY MONTHS

JANUARY.—This was a remarkably warm and rather dry month, with temperatures almost continuously above normal. The period of the 17th to 24th was especially warm, with daily mean temperatures at Atlanta from 15° to 23° above the normal. Vegetation was rapidly advanced during this period, and many flowering shrubs came into full bloom. Before the end of the month pear and plum trees were blooming in the southern part of the State and peach buds were swelling in the principal peach growing area. It was a favorable month for winter truck growing, and a good deal of asparagus was shipped to market from southern sections.

FEBRUARY.—While the month averaged a little above normal in temperature, it contained a remarkably cold period with hard freezing on the 9th in every part of the State. In Atlanta the minimum temperature was the lowest for 5 years. There was much injury to truck in the southern part of the State and some damage to late varieties of peaches in the northern counties. Rainfall was plentiful and well distributed.

MARCH.—Temperatures averaged very close to the normal, and there were no unusual extremes. Precipitation was somewhat above the normal in the southwestern counties, but in other sections there was a general deficiency that increased toward the east side of the State.

APRIL.—There was a moderate deficiency in temperature and a slight excess in rainfall as compared with April averages. At the end of the month cotton planting was well advanced except in northern sections, but stands were only fair and some replanting had been found necessary. Chopping had been started in southern counties. Oats were heading well in most places, but there were some outbreaks of rust. Truck and minor crops generally were doing well.

MAY.—This was the warmest May on record since the establishment of the Climatological Service in Georgia, and was slightly warmer than June in 9 of the past 41 years. Rainfall was generally light to moderate, though quite irregularly distributed. Most of the rain occurred on the 7th or 8th and on the 27th or 28th, with a dry period between. However, the later rains were in time to prevent conditions of serious drought.

[Continued on page 53]

COPY

Climatological Data for the Year 1933

Stations	Counties	Elevation, feet	Temperature (degrees Fahrenheit)						Precipitation (inches)								Sky			Prevailing direction of wind
			Length of record, years	Annual mean	Highest	Date	Lowest	Date	Length of record, years	Total for the year	Greatest monthly	Month	Least monthly	Month	Total snowfall	Number rainy days	Number clear days	Number partly cloudy days	Number cloudy days	
Northern division																				
Athens	Clarke	830	51	65.6	105	June 20	11	Feb. 9	56	35.36	6.29	Feb.	1.45	Oct.	0.0	98	156	128	81	w.
Atlanta	Fulton	1,173	67	63.2	99	June 19	6	Feb. 9	67	35.83	5.66	Feb.	0.80	Nov.	T.	113	132	112	121	w.
Blairsville	Union	1,938	1	......	[illegible]	Aug. 7	0	Feb. 9	1	......	11.10	May	0.40	Nov.	0.0	......	......	......	......	......
Blue Ridge	Fannin	1,737	11	......	......	......	......	......	11	......	......	......	......	......	......	......	......	......	......	......
Canton	Cherokee	894	......	......	......	......	......	......	42	39.34	6.55	Aug.	0.92	Sept.	0.0	85	......	......	......	......
Carlton Bridge	Elbert	557	34	64.0	105	June 20	10	Feb. 10	33	38.10	5.86	Feb.	0.80	Nov.	0.0	98	......	......	......	......
Clayton	Rabun	2,[illegible]	38	......	......	......	5	Feb. 9	38	54.05	7.39	May	2.20	Oct.	0.0	59	268	24	73	......
Cornelia	Habersham	1,500	14	60.7	102	June 19	6	Feb. 9	14	44.29	6.84	July	1.22	Oct	0.0	116	165	71	129	w.
Dahlonega	Lumpkin	1,519	41	60.6	99	June	5	Feb. 9	43	46.52	6.32	Aug.	1.52	Sept.	T.	124	187	149	29	nw.
Double Branches	Lincoln	......	......	......	......	......	......	......	8	25.95	4.47	Feb.	0.46	Nov.	0.0	57				
Gainesville	Hall	1,251	54	61.7	102	June 19[1]	7	Feb. 9	56	35.25	4.95	July	1.20	Aug.	0.0	99	......	......	......	w.
Gillsville	do	1,052	......	......	......	......	......	......	42	37.86	5.36	Feb.	1.42	Sept.	0.0	74	......	......	......	......
Hartwell	Hart	838	23	63.7	104	June 19	11	Feb. 9	23	41.13	10.38	July	0.94	Oct.	T.	61	......	......	......	w.
Resaca	Gordon	657	......	......	......	......	......	......	39	39.50	5.67	Feb.	1.19	Sept.	0.0	119	......	......	......	n.
Rome	Floyd	617	71	63.3	103	June 8[1]	6	Feb. 9	77	39.48	5.86	Feb.	0.87	Sept.	T.	112	......	......	......	nw.
Tallapoosa	Haralson	1,150	31	......	104	June 19[1]	4	Feb. 9	34	44.97	5.96	Feb.	0.73	Sept.	0.0	88	......	......	......	......
Toccoa	Stephens	1,050	47	......	101	June 19[1]	7	Feb. 9	48	46.63	5.22	Feb.	2.74	Jan.	0.0	107	163	89	122	w.
Washington	Wilkes	630	42	66.0	101	June 7[1]	12	Feb. 9	45	33.62	5.37	Feb.	0.47	Nov.	0.0	95	200	76	89	w.
Division means and extremes		......	......	62.0	105	June 20	0	Feb. 9	......	39.60	11.10	May	0.40	Nov.	T.	94	180	95	90	w.
Middle division																				
Augusta	Richmond	182	87	66.9	103	June 19	18	Feb. 9	66	28.05	4.82	July	0.52	Nov.	0.0	95	130	135	100	nw.
Brooklet	Bulloch	253	33	68.6	103	June 28[1]	20	Feb. 9	33	41.42	12.06	Sept.	0.56	Dec.	0.0	74	216	127	22	......
Butler	Taylor	650	......	......	......	......	......	......	32	......	......	......	......	......	......	......	......	......	......	......
Columbus	Muscogee	262	45	67.7	105	June 19	14	Feb. 9	45	42.25	8.09	July	0.40	Nov.	0.0	96	......	......	......	se.
Concord	Pike	850	......	......	......	......	......	......	21	39.48	6.22	Feb.	0.76	Nov.	0.0	104	208	70	87	......
Covington	Newton	747	41	64.5	103	June 20	10	Feb. 9	41	32.69	5.89	Feb.	1.10	Sept.	0.0	63	......	......	......	......
Dover	Screven	......	......	......	......	......	......	......	3	50.21	13.65	Sept.	0.42	Dec.	0.0	88	......	......	......	......
Dublin	Laurens	234	21	......	101	June 7	15	Feb. 9	39	46.07	7.02	July	0.72	Nov.	0.0	99	155	118	92	w.
Fair View	Lamar	......	17	64.9	103	June 7[1]	10	Feb. 9	17	41.36	6.89	July	0.94	Dec.	0.0	102	......	......	......	......
Fort Valley	Peach	526	12	66.3	101	June 19	12	Feb. 9	12	40.48	7.50	Feb.	1.01	Nov.	0.0	102	176	101	88	w.
Goat Rock	Muscogee	415	19	......	......	......	......	......	19	34.67	6.57	July	0.49	June	0.0	88	......	......	......	......
Greensboro	Greene	605	31	63.7	102	June 20[1]	9	Feb. 9	31	32.45	4.59	Feb.	0.52	Nov.	0.0	85	232	41	89	w.
Griffin	Spalding	975	43	64.2	99	June 19	6	Feb. 9	43	39.03	5.22	Feb.	0.99	Nov.	0.0	89	180	99	86	w.
Louisville	Jefferson	259	35	67.0	103	June 20	15	Feb. 9	35	38.93	7.33	Feb.	0.66	Nov.	0.0	87	......	......	......	......
Macon	Bibb	370	52	65.9	100	June 7	13	Feb. 9	55	34.89	6.50	Feb.	1.06	Nov.	0.0	113	125	114	126	nw.
Marshallville	Macon	500	39	66.5	103	June 19	14	Feb. 9	40	43.21	6.84	Feb.	0.59	Nov.	0.0	75	......	......	......	w.
Midville	Burke	......	......	......	......	......	......	......	3	44.02	8.03	July	1.01	Dec.	0.0	93	......	......	......	......
Milledgeville	Baldwin	276	45	65.5	102	June 7[1]	11	Feb. 9	44	42.65	6.03	Feb.	0.90	Nov.	0.0	89	173	146	46	sw.
Millen	Jenkins	158	45	68.5	104	June 20[1]	18	Feb. 9	46	40.15	6.70	Feb.	0.53	Nov.	0.0	89	......	......	......	nw.
Monticello	Jasper	800	38	65.5	102	June 7[1]	11	Feb. 9	37	36.21	5.05	Feb.	1.67	Nov.	0.0	84	198	93	74	......
Newnan	Coweta	959	44	......	101	June 19[1]	8	Feb. 9	44	38.32	7.28	Feb.	0.03	Nov.	0.0	104	228	33	104	nw.
Sparta	Hancock	......	......	......	......	......	......	......	3	33.91	5.84	Feb.	0.82	Nov.	0.0	75	......	......	......	......
Stillmore	Emanuel	257	8	......	100	July 2	17	Feb. 9	8	......	......	......	0.57	Dec.	0.0	......	......	......	......	......
Talbotton	Talbot	750	39	......	103	June 20	11	Feb. 9	39	......	7.53	Apr.	1.08	Dec.	0.0	......	......	......	......	sw.
Warrenton	Warren	560	18	65.7	103	June 7	13	Feb. 9	18	35.80	6.17	Feb.	0.53	Nov.	0.0	89	177	150	38	sw.
West Point	Troup	620	43	65.2	104	June 19[1]	11	Feb. 9	44	42.86	6.24	Apr.	0.68	May	0.0	114	147	44	174	n.
Woodbury	Meriwether	611	......	......	......	......	......	......	32	42.90	6.52	Sept.	0.87	Dec.	0.0	91	......	......	......	......
Division means and extremes		......	......	66.1	105	June 19	6	Feb. 9	......	40.12	13.65	Sept.	0.03	Nov.	0.0	90	176	103	86	w.
Southern division																				
Abbeville	Wilcox	180	......	......	......	......	......	......	30	42.48	12.89	July	0.30	Oct.	0.0	91	......	......	......	nw.
Alapaha	Berrien	293	44	69.0	100	June 19[1]	18	Feb. 9	44	37.88	6.85	Feb.	0.75	Nov.	0.0	96	278	33	54	sw.
Albany	Dougherty	230	46	69.1	102	June 19[1]	17	Feb. 9	47	39.75	6.29	July	0.55	Oct.	0.0	98	186	60	119	sw.
Americus	Sumter	362	48	68.0	102	June 8[1]	14	Feb. 9	49	43.58	6.63	Feb.	0.34	Nov.	0.0	83	256	72	37	e.
Bainbridge	Decatur	119	41	68.7	106	June 19[1]	19	Feb. 9	41	44.74	8.98	Apr.	0.07	Oct.	0.0	111	......	......	......	sw.
Blakely	Early	305	37	68.4	107	June 19	13	Feb. 9	39	45.13	8.24	Apr.	0.24	Oct.	0.0	112	145	129	91	sw.
Brunswick	Glynn	14	28	69.5	98	June 5[1]	23	Feb. 9	31	53.89	10.73	Sept.	0.51	Dec.	0.0	105	222	69	74	se.
Darien	McIntosh	......	2	......	......	......	......	......	2	......	......	......	......	......	0.0	......	......	......	......	......
Eastman	Dodge	361	41	68.3	108	June 20	15	Feb. 9	41	48.40	14.37	July	0.68	Nov.	0.0	87	248	74	43	s.
Fargo	Clinch	116	5	68.3	109	June 20[1]	21	Feb. 9	5	41.19	6.40	Feb.	0.19	Oct.	0.0	99	......	......	......	nw.
Fitzgerald	Ben Hill	515	16	68.7	100	June 19[1]	15	Feb. 9	17	41.19	6.80	Sept.	0.85	Oct.	0.0	71	......	......	......	......
Fort Gaines	Clay	166	45	......	100	June 18	15	Feb. 9	45	45.98	8.33	Apr.	0.40	Oct.	0.0	85	......	......	......	ne.
Glennville	Tattnall	175	25	......	......	......	19	Feb. 9	28	44.80	9.27	Sept.	0.60	Nov.	0.0	94	123	180	62	s.
Hawkinsville	Pulaski	235	37	67.6	106	June 20	15	Feb. 9	38	40.75	8.85	July	0.58	Nov.	0.0	103	184	47	134	w.
Hazlehurst	Jeff Davis	261	14	69.6	105	July 3	18	Feb. 9	14	45.59	9.18	Sept.	0.57	Oct.	0.0	102	212	110	43	sw.
Lumber City	Telfair	150	23	......	......	......	......	......	23	44.82	8.16	July	0.87	Dec.	0.0	79	......	......	......	......
Meldrim	Bryan	......	......	......	......	......	......	......	3	57.11	13.09	Sept.	0.57	Nov.	0.0	94	......	......	......	......
Montezuma	Macon	292	28	......	......	......	......	......	28	38.75	6.05	Feb.	0.20	Nov.	0.0	88	......	......	......	nw.
Moultrie	Colquitt	337	6	69.8	101	June 20	18	Feb. 9	6	37.81	6.61	Feb.	0.07	Oct.	0.0	100	......	......	......	......
Quitman	Brooks	173	47	......	104	June 20	19	Feb. 9	39	50.36	8.62	July	0.12	Oct.	0.0	91	......	......	......	se.
Savannah, No. 1	Chatham	65	83	69.0	99	June 20	22	Feb. 9	83	48.63	8.81	Sept.	0.36	Nov.	0.0	108	161	84	120	sw.
Savannah, No. 2	do	22	5	67.1	98	June 5[1]	21	Feb. 9	5	65.08	12.69	Sept.	0.83	Dec.	0.0	99	175	134	56	sw.
Thomasville	Thomas	273	51	69.3	100	June 19	18	Feb. 9	51	46.31	8.18	Apr.	0.07	Oct.	0.0	111	......	......	......	sw.
Tifton	Tift	350	12	68.0	102	June 20	15	Feb. 9	11	44.72	9.32	July	0.14	Oct.	0.0	95	203	67	95	......
Waycross	Ware	131	41	......	100	June 5	20	Feb. 9	42	37.80	9.16	Feb.	0.57	Nov.	0.0	106	......	......	......	se.
Division means and extremes		......	......	68.7	108	June 20	13	Feb. 9	......	45.43	14.37	July	0.07	Oct.	0.0	96	194	86	85	sw.
State means and extremes		......	......	66.1	108	June 20	0	Feb. 9	......	41.91	14.37	July	0.03	Nov.	T.	94	184	95	86	sw.

[1] On other dates also.

COPY

Monthly and Annual Precipitation for the Year 1933, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure
Northern division																										
Athens	2.47	[illegible]	6.29	+1.16	2.93	-2.28	3.08	-0.50	2.87	-0.81	2.24	-1.86	1.85	-3.11	4.93	+0.25	2.05	-1.45	1.45	-1.46	1.47	-1.42	3.73	-0.65	35.36	-14.49
Atlanta	[illegible]	[illegible]	[illegible]	+0.87	4.32	-0.88	2.47	-1.14	3.22	-0.25	5.65	+1.91	3.22	-1.43	1.81	-2.64	1.25	-1.74	2.44	-0.15	0.86	-2.23	[illegible]	-2.24	35.83	-12.44
Blairsville	[illegible]	[illegible]	[illegible]	......	2.65	......	2.08	......	11.10	......	0.70	......	3.76	......	4.96	......	1.40	......	1.40	......	0.40	......	[illegible]	......	......	......
Blue Ridge	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	1.94	-1.05	0.85	-1.91	0.37	-4.38	4.62	-2.26	......	......
Canton	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-1.43	3.39	-0.81	3.82	+0.12	2.20	-1.71	[illegible]	-1.41	6.55	+1.81	0.92	-1.97	1.11	-2.13	1.20	-2.06	3.32	-1.91	39.34	-12.99
Carlton Bridge	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-2.34	2.95	-0.37	2.67	-0.94	2.50	-1.58	4.04	-0.65	3.25	-1.18	4.32	+0.59	2.98	+0.24	0.80	-1.81	5.81	-0.67	28.16	-9.43
Clayton	2.86	[illegible]	[illegible]	[illegible]	[illegible]	-3.92	5.30	-0.40	7.33	+2.39	6.62	+1.18	1.20	-3.11	5.22	-1.10	3.46	-1.75	2.20	-2.33	2.30	-1.91	[illegible]	-2.25	54.05	-16.02
Cornelia	3.11	-2.66	5.36	-0.13	5.15	-2.52	5.57	+0.78	4.36	-0.89	2.28	-1.18	6.81	+1.14	3.93	-0.11	1.70	-2.67	1.22	-1.76	2.73	-0.95	4.04	-2.05	44.29	-12.94
Dahlonega	[illegible]	-2.77	5.52	-0.25	[illegible]	-2.87	4.29	-0.19	5.29	+0.37	2.91	-2.12	5.04	-0.92	6.52	+1.01	1.52	-2.84	2.76	-0.95	1.53	-2.18	5.11	-1.08	46.52	-14.73
Double Branches	[illegible]	......	4.47	......	[illegible]	......	1.47	......	1.52	......	1.24	......	2.96	......	3.60	......	3.61	......	1.11	......	0.46	......	1.09	......	25.95	......
Gainesville	3.07	-2.17	4.88	-0.71	2.93	-3.09	4.28	+0.31	2.95	-0.90	2.65	-1.72	4.95	-0.41	1.20	-4.05	1.93	-2.02	1.33	-1.64	1.96	-1.40	3.14	-1.87	35.25	19.67
Gillsville	3.35	-1.35	[illegible]	-0.02	3.20	-2.12	4.54	+0.72	4.37	+0.54	1.93	-1.81	4.74	-0.45	2.00	-2.67	1.42	-2.15	1.60	-1.57	1.98	-0.94	3.47	-1.27	37.86	-13.39
Hartwell	2.90	-1.67	4.45	-0.54	2.79	-1.91	2.83	-0.77	2.07	-1.70	5.46	+1.60	10.58	+5.78	3.15	[illegible]	2.26	-1.13	0.94	-1.79	1.41	-1.22	2.49	-2.24	41.13	-6.64
Norcross	2.91	-2.29	5.11	+0.15	3.61	-1.62	3.35	-0.66	3.26	-0.82	1.82	-2.23	......	......	......	......	......	......	......	......	......	......	......	......	......	......
Resaca	2.38	[illegible]	5.67	+0.28	4.25	-1.57	3.43	-1.16	5.13	+1.42	1.47	-2.70	5.25	+0.12	4.17	[illegible]	[illegible]	-1.80	2.42	-0.49	1.40	-2.00	2.74	-2.50	39.50	-13.04
Rome	2.89	-1.98	5.86	+1.05	4.44	-1.22	3.38	-0.96	3.73	+0.06	2.68	-1.48	3.29	-0.96	5.56	+1.56	0.87	-1.81	2.76	-0.01	1.14	-2.22	2.88	-1.91	39.48	-9.88
Tallapoosa	2.80	-1.66	5.96	+0.82	5.70	+0.20	4.25	-0.13	5.70	+2.04	4.57	+0.56	5.06	-0.10	5.47	+0.92	0.73	-2.77	1.65	-1.29	1.40	-2.74	1.68	-3.23	44.97	-6.68
Toccoa	2.74	-2.31	5.22	-0.32	2.96	-2.84	4.11	-0.47	4.31	+0.27	3.31	-1.23	4.74	-0.98	3.92	-2.07	5.18	+0.91	2.97	-0.61	2.85	-0.41	4.32	-1.26	46.63	-11.35
Washington	3.19	-0.92	5.37	+0.24	1.75	-3.05	1.90	-1.50	1.36	-2.15	4.24	+0.13	4.16	-1.23	4.07	-0.67	3.02	-1.08	2.38	-0.58	0.47	-2.32	1.71	-2.34	33.62	-15.47
Middle division																										
Augusta	1.86	-2.07	4.20	[illegible]	[illegible]	-1.51	[illegible]	[illegible]	2.08	-0.96	0.90	-3.78	4.82	-0.57	3.89	-1.14	3.57	+0.21	1.80	-0.66	0.52	-1.88	0.83	-2.42	[illegible]	-16.85
Brooklet	3.82	+0.72	5.74	+2.03	4.10	-2.85	[illegible]	[illegible]	1.99	-1.91	3.65	-2.63	6.31	-0.75	2.58	-3.81	12.66	+7.28	2.73	-0.18	1.21	-1.01	0.56	-2.69	44.42	-4.12
Butler	2.93	-1.21	6.03	+0.98	4.12	-0.96	4.78	+0.52	1.22	-2.60	4.39	[illegible]	5.24	-1.15	......	......	......	......	......	......	......	......	......	......	......	......
Columbus	3.50	-0.46	6.44	+1.62	5.18	-0.50	4.70	+1.13	1.72	-1.47	1.16	-2.73	8.09	+2.09	4.96	+0.23	2.29	-0.63	2.20	-0.52	0.40	-2.43	1.61	-3.06	42.25	-7.53
Concord	3.09	[illegible]	6.22	+1.42	4.74	-2.26	3.29	-0.10	2.68	-0.84	1.14	-3.00	5.63	-0.97	7.76	+3.72	1.14	-2.15	2.15	-0.43	0.76	-2.22	0.88	-3.77	[illegible]	-12.40
Covington	2.76	-1.59	5.89	+0.87	3.07	-2.32	4.84	+0.91	2.19	-1.30	1.74	-2.29	4.01	-0.96	2.58	-2.29	1.10	-1.99	1.53	-1.51	1.22	-1.74	1.76	-2.90	32.69	-17.11
Dover	4.47	......	4.81	......	1.64	......	3.90	......	1.92	......	2.89	......	6.75	......	5.44	......	13.65	......	2.40	......	1.92	......	0.42	......	50.21	......
Dublin	3.63	-0.41	6.00	+1.29	2.82	-2.06	2.34	-0.76	3.17	-0.27	6.00	+1.18	7.02	+1.18	2.96	-2.29	6.10	+2.25	3.50	+1.13	0.72	-1.94	0.84	-3.00	45.07	-2.79
Fair View	3.36	-1.58	6.13	+1.49	3.72	-1.80	4.04	+0.45	2.84	-0.82	4.98	+1.53	6.89	+1.08	2.63	-1.32	2.32	-1.04	2.18	-0.40	1.27	-1.49	0.94	-3.31	41.36	-7.21
Fort Valley	3.00	-1.89	7.50	[illegible]	3.43	-2.39	3.57	-0.13	3.50	-0.46	3.05	-1.91	3.44	-2.67	3.16	-1.64	4.05	+0.43	3.01	+0.23	1.01	-1.61	1.43	-2.85	40.48	-10.84
Goat Rock	2.41	-1.83	5.54	+1.47	5.29	+0.11	2.67	-0.83	2.73	-0.24	0.49	-2.53	6.57	+0.74	3.71	+0.03	0.88	-1.56	2.56	+0.12	0.77	-2.27	1.05	-3.47	34.67	-10.26
Greensboro	3.93	-0.19	4.59	-0.22	2.08	-2.62	2.85	-0.50	2.05	-1.33	2.76	-1.38	3.17	-2.09	3.31	-1.62	2.14	-1.61	1.86	-1.21	0.52	-2.25	3.19	-0.98	32.45	-16.60
Griffin	2.90	-1.26	5.22	-0.13	4.53	-1.03	4.62	+0.93	4.36	+1.08	4.26	+0.14	4.36	-1.07	2.07	-3.03	2.10	-1.00	2.38	-0.26	0.99	-1.79	1.24	-3.27	39.02	-16.69
Louisville	2.76	-0.68	7.33	+2.84	2.51	-1.81	2.31	-0.85	3.25	-0.21	1.14	-3.29	6.50	+0.78	2.91	[illegible]	5.09	+1.78	3.39	+0.73	0.66	-1.83	1.08	-2.16	38.93	-6.72
Macon	3.02	-1.15	6.50	+2.67	3.17	-1.80	2.42	-0.73	1.98	-0.98	1.62	-2.42	4.85	+0.11	3.70	-0.64	2.79	-0.40	1.68	-0.66	1.06	-1.46	2.10	-1.89	34.89	-9.95
Marshallville	4.28	-0.57	6.84	+1.26	3.98	-1.59	3.82	-0.16	3.31	-0.23	1.90	-2.44	6.58	+0.49	3.50	-1.28	4.35	+1.20	2.56	-0.20	0.59	-2.59	1.50	-2.90	43.21	-9.01
Midville	3.78	......	5.90	......	2.16	......	2.27	......	1.83	......	3.34	......	8.03	......	4.21	......	6.97	......	3.98	......	[illegible]	......	1.04	......	44.02	......
Milledgeville	2.64	-1.67	6.03	+1.38	2.52	-2.76	3.35	+0.29	3.35	+0.04	3.53	-0.62	5.65	-0.28	5.35	+0.45	2.89	-1.04	4.73	+2.06	0.90	-1.63	1.71	-2.68	42.65	-5.86
Millen	3.29	-0.16	6.70	+2.56	3.37	-0.59	2.29	-0.61	3.69	+0.54	3.50	-1.64	5.55	-0.76	2.66	-2.31	5.93	+1.89	1.88	-0.62	0.53	-1.62	0.85	-2.51	40.15	-5.83
Monticello	3.61	-0.87	5.05	-0.39	3.00	-2.78	4.05	+0.49	2.59	-0.87	2.69	-2.05	4.02	-1.31	3.26	-1.81	2.26	-1.33	1.90	-1.21	1.07	-1.05	2.77	-1.35	36.21	-15.13
Newnan	2.61	-2.00	7.28	[illegible]	4.64	-1.39	4.38	+0.43	4.54	+0.87	4.57	+0.56	3.01	-2.06	3.13	-1.74	0.61	-2.56	1.69	-1.04	0.03	-2.94	1.83	-2.93	38.32	-12.80
Sparta	[illegible]	......	5.84	......	1.84	......	2.31	......	1.57	......	2.79	......	4.23	......	4.40	......	3.33	......	2.51	......	0.82	......	2.05	......	33.91	......
Stillmore	[illegible]	......	5.34	......	2.48	......	3.35	......	4.67	......	7.89	......	10.97	......	......	......	......	......	2.85	......	0.76	......	0.57	......	......	......
Talbotton	4.43	+0.11	6.95	+1.44	4.38	-1.52	7.53	+3.52	......	......	2.32	-1.73	7.35	+1.86	2.76	-2.02	3.89	+0.70	2.45	-0.49	1.35	-1.75	1.08	-3.51	......	......
Warrenton	2.46	-1.49	6.17	+1.28	2.14	-2.49	2.36	-0.58	3.14	-0.13	1.79	-2.44	4.96	-0.57	4.00	-0.53	3.54	-0.76	3.39	+0.52	0.53	-2.17	1.32	-2.43	35.80	-11.79
West Point	2.66	-1.73	5.26	-0.14	5.88	0.00	6.24	+2.07	0.68	-2.82	2.54	-1.94	5.96	+0.83	4.25	-0.73	3.59	+0.59	2.20	-0.48	1.65	-2.40	1.95	-3.17	42.86	-8.92
Woodbury	2.63	-1.40	6.28	[illegible]	1.52	-1.27	4.46	+0.29	1.74	-1.84	3.50	-0.72	5.68	-0.25	3.94	-0.06	6.52	+3.32	1.73	-0.89	1.03	-1.66	0.87	-3.69	42.90	-6.50
Southern division																										
Abbeville	5.47	+1.50	4.30	[illegible]	3.46	-0.58	3.39	-0.02	0.70	-2.67	[illegible]	-1.47	12.89	+6.26	3.22	-1.52	4.73	+0.40	0.30	-1.77	0.99	-1.45	0.66	-2.88	42.48	-4.23
Alapaha	3.62	-0.09	6.80	+2.38	3.22	-1.03	4.13	+1.45	1.02	-2.27	2.45	-2.62	5.73	-0.65	4.29	-1.20	3.29	-0.87	0.76	-1.58	0.75	-1.34	1.27	-2.55	37.88	-9.75
Albany	5.15	+0.91	4.63	-0.54	4.61	-0.30	4.25	+0.51	3.30	-0.46	0.86	-2.68	6.29	+0.18	6.03	+0.43	2.06	-1.49	0.55	-1.85	0.58	-1.78	1.44	-2.47	39.75	-10.45
Americus	4.79	+0.40	6.63	+1.72	5.40	+0.15	4.30	[illegible]	4.24	+0.75	2.48	-1.83	5.20	-0.17	3.31	-1.95	2.80	-0.57	2.16	-0.26	0.34	-2.45	1.87	-1.58	43.58	-5.39
Bainbridge	3.29	-0.56	6.82	+2.17	5.31	+1.01	8.58	+5.20	2.01	-1.10	0.82	-4.09	6.55	-0.03	6.62	+0.89	2.82	-1.29	0.07	-2.34	0.13	-2.15	1.29	-2.81	44.74	-5.07
Blakely	4.09	-0.35	5.11	-0.61	7.35	+1.97	8.24	+4.26	1.62	-1.72	2.58	-2.03	4.29	-2.93	6.36	+0.64	2.19	-1.67	0.24	-2.55	0.47	-2.37	2.49	-2.01	45.13	-9.37
Brunswick	2.76	-0.31	6.29	+2.10	2.52	-0.65	5.45	+2.27	2.86	-0.60	4.77	-0.95	6.48	-0.68	5.91	+0.15	10.73	+4.06	5.90	+2.49	0.71	-1.24	0.51	-2.51	53.89	+4.13
Darien	3.06	......	5.71	......	......	......	4.15	......	2.93	......	5.27	......	......	......	......	......	......	......	......	......	1.80	......	0.45	......	......	......
Eastman	3.78	[illegible]	[illegible]	+0.35	3.47	-1.55	3.57	+0.45	2.46	-0.79	1.52	-2.81	14.37	+8.11	1.47	-3.45	7.53	+3.55	3.19	+0.68	0.68	-1.90	1.20	-2.46	48.40	-0.21
Fargo	6.20	......	6.40	......	2.77	......	[illegible]	......	4.21	......	4.02	......	3.55	......	4.45	......	5.50	......	0.19	......	1.05	......	0.67	......	44.19	......
Fitzgerald	5.55	[illegible]	3.86	-0.26	6.21	+1.63	[illegible]	+0.82	2.36	-1.04	2.10	-1.84	3.94	-2.24	2.28	-2.56	6.80	+2.64	0.85	-1.39	0.96	-1.44	1.94	-1.60	41.19	-4.98
Fort Gaines	5.91	[illegible]	5.18	-0.21	6.58	+1.48	[illegible]	+4.62	1.64	-1.87	3.28	-1.15	3.96	-2.29	6.13	+0.75	1.75	-1.46	0.40	-2.10	0.88	-2.04	2.00	-2.52	45.98	-5.41
Glennville	3.86	+0.94	4.75	-1.20	0.94	-2.62	[illegible]	+0.49	2.30	-1.17	3.06	-2.01	8.90	+2.78	3.58	-2.61	9.27	+3.90	2.77	+0.50	0.60	-1.63	1.48	-1.86	44.80	-2.09
Hawkinsville	[illegible]	-0.04	7.34	+2.70	3.57	-1.39	[illegible]	+1.46	0.91	-2.11	2.51	-1.88	8.85	+3.06	0.86	-4.22	4.42	+1.01	1.60	-0.98	0.58	-1.91	1.43	-2.06	40.75	-6.36
Hazlehurst	[illegible]	+0.48	4.55	+0.33	1.83	-2.96	[illegible]	+0.56	1.44	-2.28	1.72	-4.48	7.41	+0.34	8.40	+2.79	9.18	+4.02	0.57	-1.39	1.03	-1.27	1.12	-2.76	45.59	-6.68
Lumber City	4.58	+0.56	5.22	+1.25	2.57	-1.66	5.65	+2.67	1.28	-1.64	1.89	-5.28	8.16	+2.15	4.51	-0.76	7.80	+3.86	1.05	-0.92	1.21	-1.28	0.87	-2.45	44.82	-1.54
Meldrim	6.57	......	5.88	......	0.96	......	3.49	......	1.01	......	2.35	......	11.52	......	1.97	......	13.09	......	5.89	......	0.57	......	0.81	......	57.11	......
Montezuma	3.77	-0.53	6.05	+1.35	3.71	-1.00	4.98	+1.05	1.71	-1.98	1.68	-2.21	5.81	+0.25	4.14	-0.61	3.18	-0.26	2.17	-0.14	0.20	-2.69	1.32	-2.83	38.75	-9.60
Moultrie	3.26	......	6.61	......	3.94	......	5.28	......	0.68	......	1.49	......	5.34	......	5.26	......	3.13	......	0.07	......	0.57	......	2.21	......	37.84	......
Quitman	5.67	+1.82	[illegible]	[illegible]	4.76	[illegible]	7.97	[illegible]	2.05	-1.44	2.37	-3.57	8.62	+1.34	5.72	-0.87	3.85	-1.09	0.12	-2.17	0.99	-1.24	1.00	-3.33	50.36	-2.69
Savannah	4.74	+1.56	6.05	[illegible]	0.91	-2.15	2.12	-0.45	0.86	-2.16	4.15	-1.14	6.78	+0.14	5.49	-1.82	8.81	+3.40	7.50	+4.52	0.36	-1.74	0.86	-2.07	48.63	+1.40
Savannah, No. 2	3.81	......	7.12	......	1.63	......	4.36	......	1.10	......	9.05	......	6.55	......	8.98	......	12.69	......	6.39	......	1.54	......	0.83	......	65.08	......
Thomasville	4.46	+0.36	[illegible]	[illegible]	5.55	+1.46	8.18	+4.84	0.82	-2.81	1.96	-3.49	7.82	+1.12	4.82	-0.93	2.80	-2.08	0.07	-2.89	0.25	-2.43	1.42	-2.89	46.31	-6.04
Tifton	[illegible]	-1.10	6.14	+2.29	5.26	+0.12	4.44	+0.33	2.08	-1.09	4.33	-1.28	9.32	+3.76	2.74	-3.10	3.98	-0.11	0.14	-2.12	0.78	-1.27	1.32	-2.63	44.72	-4.87
Waycross	3.71	+0.40	9.16	+5.01	3.75	+0.52	3.36	[illegible]	1.06	-2.41	2.23	-3.62	2.99	-3.81	3.25	-2.87	3.80	-0.76	2.36	-0.15	0.57	-1.56	1.56	-1.64	37.80	-10.45

COPY

Monthly and Annual Average Temperatures for the Year 1933, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
Northern division																										
Athens	51.8	+8.9	47.4	+2.0	55.2	+2.4	61.8	+0.6	76.2	+6.3	81.1	+5.6	80.7	+1.3	81.0	+2.7	80.0	+6.5	66.2	+3.9	53.8	+1.9	52.6	+8.2	65.6	+4.0
Atlanta	50.2	+7.6	41.3	−1.0	52.4	+0.4	59.6	−1.4	74.1	+4.2	78.0	+2.0	77.4	−0.7	77.4	+0.4	77.6	+5.2	63.8	+0.8	51.6	−0.5	51.9	+7.2	63.2	+2.0
[illegible]	......	......	40.0	......	45.7	......	53.7	......	......	......	71.7	......	72.6	......	73.0	......	70.5	......	58.5	......	45.9	......	47.6	......	......	......
Blue Ridge	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	73.2	+3.1	59.4	+1.2	46.3	−1.2	47.6	+4.9	......	......
Carlton [illegible]	50.0	+6.3	46.5	+1.3	53.1	−0.1	60.6	−0.2	75.2	+5.2	79.3	+2.5	78.8	−0.3	79.8	+1.8	77.0	+3.6	64.3	+2.0	50.8	−1.2	51.8	+7.0	64.0	+2.4
Clayton	44.1	[illegible]	38.8	−2.6	45.2	−4.1	52.5	−4.2	65.1	+0.3	......	......	70.4	−3.9	70.6	−2.9	68.2	−0.4	57.8	−0.2	44.1	−2.9	44.9	+4.1	......	......
Cornelia	46.5	+2.6	42.2	−3.3	49.2	−0.7	57.2	−2.4	70.8	+4.3	76.2	+1.5	75.8	−1.2	75.4	−0.1	74.7	+2.3	61.2	+0.6	50.0	−0.3	48.8	+4.2	60.7	+0.7
Dahlonega	47.1	+5.9	43.5	+0.8	50.6	−0.2	57.3	−1.3	70.0	+3.7	75.6	+2.3	75.2	−0.6	75.0	+0.1	74.3	+3.8	59.8	+0.1	49.0	−0.7	49.7	+7.5	60.6	+1.8
Gainesville	48.4	+7.0	43.7	+0.5	51.2	−0.2	57.6	−1.8	71.4	+3.5	77.2	+2.4	76.2	−1.5	76.9	+0.6	75.7	+4.2	61.8	+1.1	50.0	−0.2	50.5	+7.8	61.7	+1.9
Hartwell	49.7	+6.1	46.4	+1.0	53.0	−0.2	59.6	−1.3	[a]73.6	+4.0	79.4	+2.6	78.3	−1.0	78.9	+0.5	77.0	+3.1	64.0	+1.4	52.8	+0.9	51.2	+6.9	63.7	+2.0
Rome	49.3	+7.1	44.4	−0.3	52.3	−0.4	60.4	+0.3	73.6	+4.0	78.4	+1.7	79.7	+0.2	78.8	+0.2	78.2	+4.6	62.8	+0.5	50.5	−0.2	51.6	+8.4	63.3	+2.1
Tallapoosa	45.2	+5.6	44.0	+0.1	51.8	−1.1	57.7	−2.3	71.4	+2.8	75.8	+0.1	76.8	−1.3	78.2	+0.8	74.5	+1.1	......	......	49.4	−1.6	51.4	+8.2	......	......
Toccoa	46.7	+4.3	43.0	−0.9	49.8	−2.2	56.4	−3.9	......	......	77.7	+2.2	76.8	−1.3	76.8	−0.1	74.6	+2.6	61.2	+0.1	51.6	+0.7	......	......	......	......
Washington	52.5	+7.5	48.6	+2.3	55.6	+0.4	62.0	−0.2	76.8	+5.4	80.4	+2.4	80.2	0.0	81.0	+1.7	79.8	+5.1	66.6	+3.2	54.4	−0.3	53.9	+8.6	66.0	+3.0
Middle division																										
Augusta	53.8	+6.8	50.4	+0.5	57.6	+1.6	63.9	−0.3	77.8	+5.4	81.0	+2.3	80.4	−0.9	81.5	+1.1	79.8	+4.5	66.6	+1.3	54.1	−0.4	55.4	+7.3	66.9	+2.5
Brooklet	56.1	+6.5	55.0	+3.3	59.6	+0.2	65.4	−0.7	79.6	+5.6	80.8	+0.8	81.1	−0.8	82.4	+1.1	80.0	+2.7	68.5	+0.8	56.5	−1.0	58.2	+7.6	68.6	+2.2
Columbus	53.8	[illegible]	[illegible]	+0.9	58.6	+0.4	64.3	−2.2	79.5	+6.2	81.9	+2.0	80.9	−0.6	83.0	+1.9	80.5	+3.2	68.4	+1.7	54.7	−1.1	56.3	+7.2	67.7	+2.2
Covington	[illegible]	+7.6	[illegible]	+4.4	54.2	−0.8	60.8	−0.1	75.3	+4.8	79.0	+1.7	78.7	−1.2	79.8	+1.2	78.2	+4.0	65.0	+2.8	52.0	−0.7	52.6	+7.8	64.5	+2.6
Dublin	54.0	+5.6	51.9	+0.7	56.6	−0.5	64.1	−1.3	78.0	+5.4	79.6	+0.5	80.2	−0.9	80.9	+0.6	79.0	+2.4	67.6	+1.3	......	......	57.0	+7.1	......	......
Fair View	52.2	+5.4	48.4	−1.3	55.7	+0.1	61.0	−2.4	75.1	+4.7	78.2	+0.6	77.8	−1.6	79.0	+0.5	77.4	+2.5	65.7	+1.2	53.4	−1.0	55.0	+7.7	64.9	+1.4
Fort Valley	52.4	+4.6	49.6	−2.6	57.0	−0.2	63.2	−2.5	78.0	+6.0	80.0	+1.2	79.5	−1.1	80.8	+0.7	78.6	+0.8	67.0	+1.0	53.8	−2.4	55.8	+5.4	66.3	+1.0
Greensboro	49.4	+4.5	46.0	−0.9	53.0	−1.8	59.2	−3.0	74.2	+3.7	79.1	+1.6	78.4	−1.4	79.0	+0.2	77.2	+2.5	64.4	+1.1	51.4	−1.8	52.6	+6.9	63.7	+1.1
Griffin	51.6	+6.4	47.5	−0.1	54.8	−0.2	60.6	−2.7	74.0	+2.9	77.6	−0.2	77.2	−2.7	78.3	+0.7	77.0	+2.0	64.5	+0.3	52.6	−1.5	54.6	+8.0	64.2	+0.9
Louisville	54.2	+6.9	51.5	+2.5	57.5	+0.5	63.8	−0.1	77.4	+4.6	80.2	+1.3	80.4	−0.1	81.2	+1.2	79.0	+3.4	67.2	+4.2	54.6	−1.6	56.4	+8.5	67.0	+2.7
Macon	53.4	+6.6	49.2	−0.1	56.8	+0.1	63.0	−0.9	76.9	+4.6	79.2	+0.3	78.8	−2.4	80.1	+0.2	78.4	+3.6	66.4	+1.9	53.6	−0.6	55.5	+8.0	65.9	+1.8
Marshallville	52.9	+4.8	50.9	+0.9	[a]56.9	−1.2	63.2	−1.8	78.0	+4.8	80.0	+0.7	79.4	−1.5	[a]80.6	+0.1	78.0	+1.2	[f]68.0	+2.0	54.1	−1.6	56.2	+7.5	66.5	+1.3
Milledgeville	51.4	+5.4	48.4	−0.1	55.6	−0.3	61.7	−2.2	[d]77.4	+5.1	80.2	+1.4	79.8	−1.2	80.8	+0.6	78.8	+3.0	66.0	+1.5	52.1	−2.0	53.6	+6.5	65.5	+1.5
Millen	55.2	+6.8	51.6	+3.9	59.3	+1.3	65.4	+0.3	79.0	+5.8	81.2	+1.7	82.0	+0.5	83.6	+2.7	81.4	+4.9	68.1	+2.2	55.4	−0.3	57.6	+8.7	68.5	+3.2
Monticello	[illegible]	+7.0	47.3	+0.1	55.6	+0.5	61.8	−1.2	76.2	+4.7	79.2	+0.9	79.4	−0.7	80.7	+1.3	79.4	+4.2	66.6	+2.9	53.6	+0.2	54.2	+8.1	65.5	+2.3
Newnan	51.8	+7.3	45.6	−0.5	54.0	−0.7	61.6	−0.3	......	......	78.8	+1.1	78.7	−1.0	79.2	+0.4	77.1	+2.9	......	......	......	......	52.3	+7.1	......	......
Stillmore	55.6	......	54.2	......	58.0	......	64.4	......	77.8	......	79.6	......	80.6	......	......	......	......	......	66.8	......	......	......	58.2	......	......	......
Talbotton	54.2	+7.2	50.0	+1.3	55.7	−1.1	63.8	+0.3	......	......	......	......	80.8	+0.6	80.6	+1.0	......	......	66.8	+1.8	53.4	−1.3	[b]53.5	+5.8	......	......
Warrenton	52.4	+6.2	49.2	+1.6	56.2	+0.3	62.4	−0.6	76.1	+4.5	79.8	+1.6	79.8	−0.6	80.4	+0.8	78.4	+3.4	65.1	+1.2	53.4	−0.6	55.0	+8.3	65.7	+2.2
West Point	51.4	+6.2	47.6	+0.4	55.4	−0.3	61.9	−1.2	76.4	+5.0	79.2	+0.7	79.2	−1.3	80.6	+0.6	78.6	+3.5	65.4	+1.4	53.1	−0.3	53.0	+7.2	65.2	+1.9
Southern division																										
Alapaha	58.6	+7.1	55.6	+2.7	60.6	+0.5	65.6	[illegible]	78.7	+4.7	79.6	−0.2	80.3	−1.1	31.0	0.0	80.3	+2.9	69.8	+2.3	57.4	−1.4	60.8	+9.5	69.0	+2.3
Albany	[illegible]	+6.8	51.2	+1.8	60.2	0.0	65.8	−1.2	79.6	+5.1	80.8	+0.1	81.4	−0.7	82.0	+0.4	81.0	+3.0	70.6	+0.7	57.0	−0.9	59.6	+8.5	69.1	+2.1
Americus	[illegible]	+6.3	52.4	[illegible]	58.6	+0.3	64.6	−0.7	79.4	+6.0	80.4	+0.5	80.2	−1.2	[illegible]	+1.0	81.2	+4.3	70.4	+3.7	56.0	−0.1	56.2	+7.0	68.0	+2.4
Bainbridge	[illegible]	+4.7	54.6	[illegible]	60.0	−1.4	65.8	−2.0	78.8	+4.1	80.4	−0.1	81.6	−0.2	81.1	−0.4	79.9	+1.6	70.1	+2.1	56.8	−1.7	58.8	+6.9	68.7	+1.2
Blakely	[illegible]	[illegible]	52.8	+0.2	59.2	−0.9	65.1	−1.3	78.8	+5.0	79.5	−0.5	80.0	−1.2	81.0	0.0	81.3	+3.5	70.6	+3.3	57.8	+0.3	59.2	+8.1	68.4	+1.8
Brunswick	57.7	+4.2	57.6	+2.2	60.4	−0.8	66.4	−1.3	78.5	+4.1	79.1	−1.7	80.8	−0.8	81.9	+0.2	81.6	+3.2	70.6	+0.3	59.0	−1.6	60.8	+5.8	69.5	+1.1
Darien	58.4	......	57.8	......	......	......	64.8	......	77.6	......	78.6	......	......	......	......	......	......	......	......	......	59.0	......	......	......	......	......
Eastman	55.7	+5.7	52.7	+1.2	58.5	−0.9	64.5	−1.8	79.4	+5.5	81.8	+1.7	81.0	−0.8	82.5	+1.5	80.6	+3.3	[a]68.4	+1.4	56.8	−0.3	58.0	+7.7	68.5	+2.0
argo	58.3	......	[b]58.5	......	60.2	......	[d]64.2	......	77.0	......	78.1	......	80.4	......	81.0	......	79.8	......	70.4	......	52.5	......	59.2	......	68.3	......
Fitzgerald	56.8	+7.0	54.0	+3.3	59.9	−1.5	[a]65.6	+0.5	79.2	+5.0	80.5	+0.8	80.8	−1.1	81.2	+0.2	80.6	+3.3	69.1	+2.2	57.5	−0.2	59.6	+7.5	68.7	+2.1
ort Gaines	56.6	+6.6	......	......	59.4	+0.3	65.4	−0.4	78.2	+4.6	80.5	+0.7	79.8	−1.5	79.4	−1.2	78.6	+1.5	68.2	+1.3	56.0	−1.0	58.0	+7.5	......	......
lennville	56.0	+4.2	54.8	+0.9	58.6	−1.5	64.0	−2.9	77.0	+2.9	......	......	......	......	79.9	−1.2	[a]79.4	+1.7	68.9	+0.7	57.8	−0.5	59.2	+7.2	......	......
awkinsville	55.0	+6.7	52.0	+1.6	58.4	−0.2	64.0	−1.2	78.1	+4.7	81.0	+1.4	80.6	−0.7	81.8	+0.9	80.0	+2.6	68.6	+2.0	55.2	−1.2	56.7	+7.2	67.6	+2.0
azlehurst	57.4	+5.7	55.8	+2.6	60.6	+0.9	65.6	−1.4	79.8	+6.7	81.0	+1.3	81.9	+0.5	82.6	+1.7	81.6	+3.2	70.5	+1.8	58.0	−0.6	59.8	+6.5	69.6	+2.3
oultrie	59.8	......	56.4	......	[b]61.6	......	66.6	......	79.2	......	80.4	......	80.8	......	82.6	......	80.7	......	70.4	......	58.5	......	60.2	......	69.8	......
uitman	59.4	+6.9	59.6	+4.1	62.4	+1.1	67.3	−0.3	79.1	+4.3	80.6	+0.3	81.5	−0.1	81.7	+0.4	81.3	+3.1	72.5	+3.8	......	......	......	......	......	......
avannah	57.4	+6.0	55.3	+1.3	60.1	+1.1	65.7	−0.3	78.2	+4.8	79.7	+0.7	80.3	−1.2	82.2	+1.5	81.6	+5.4	69.5	+1.6	58.4	−0.1	59.6	+7.2	69.0	+2.3
avannah, No. 2	56.3	......	55.6	......	58.3	......	63.0	......	76.0	......	77.4	......	79.4	......	80.2	......	[a]79.6	......	67.5	......	54.0	......	57.6	......	67.1	......
homasville	57.8	+6.8	55.8	+0.7	60.6	[illegible]	66.0	−0.7	78.6	+4.6	79.8	+0.3	80.4	−1.4	80.6	−0.4	80.8	+4.0	70.8	+2.6	59.6	+1.1	60.8	+8.3	69.3	+2.2
ifton	55.2	+4.1	52.6	−1.3	58.2	+0.6	65.0	−1.7	[b]78.4	+5.5	79.2	+0.8	80.2	−0.5	81.1	+0.9	[a]80.7	+2.6	69.4	+1.8	[a]56.9	−0.5	58.6	+5.1	68.0	+1.5
aycross	58.0	+5.5	55.7	+4.5	61.8	+0.5	66.4	−0.8	79.6	+5.2	79.2	−0.8	80.7	−1.1	81.0	−0.4	79.6	+1.8	71.1	+2.4	......	......	60.6	+8.3	......	......

Reference letters, [a], [b], [c], appearing in the table indicate number of days missing; for example, [b] represents two days, etc.

COPY

[Continued from page 49]

the end of the month the condition of the principal crops generally good, and owing to the unusually warm weather h of the oats, wheat, and other cereals had already been vested.

NE.—There were no features of special interest aside from fact that the month was moderately warm with a consider- deficiency in rainfall.

LY.—It was just a little cooler than most Julys, and the unt of rainfall was quite near normal, except in the north- division where there was a moderate deficiency.

GUST.—Temperature averaged slightly higher than in Au- in most years throughout the State, while the rainfall was le below the normal at a great majority of stations. Some ral and northern counties were adversely affected by hav- too little rain, while other sections had showers of such ency as to make conditions favorable for boll weevil ac- y during the first and third weeks.

PTEMBER.—The outstanding features were the excessive of the 5th and 6th in the southeastern counties and the st constant excess in temperature. The storm of the 5th th was of tropical origin and produced remarkably heavy in southeastern Georgia. More than 5 inches of rain oc- d within 24 hours at 10 stations, with a maximum of inches at Meldrim between 8 a.m. of the 5th and 2 a.m. e next day. In the region of heavy rainfall much dam- o crops and soil resulted, but a prolonged period of dry her followed closely after this heavy storm, affecting most State, especially the southwestern portion.

OBER.—This month was warm and dry. So far as could rned, it was free from destructive winds and severe local s throughout the State. Drought became serious in the western counties, where the total rainfall was less than nch.

EMBER.—The most important feature was the very serious ht in southwestern Georgia. Dry weather had set in about nber 9 or 10, after which most parts of the State had few of any consequence until December 6. Conditions became lly worse in the southwestern counties through a period re than 12 weeks. From September 10 to December 5, ve, a period of 87 days, the total rainfall at Thomasville ly 0.33 inch and only 0.64 inch at Moultrie; it was less .50 inches at Abbeville, Albany, Bainbridge, Blakely, Fort Gaines, Quitman, and Tifton. Early in Novem- rming conditions had developed over an area of about 8,000 square miles in the southwestern section. Pastures dried up; gardens and truck crops withered; fall seeding was useless; farmers were forced to pump or haul water for their livestock; fires broke out and spread over great areas in the forests.

DECEMBER.—December was very warm as well as very dry. It was the warmest December during a period of 43 years with the single exception of 1931. The average rainfall was the least for any December in Georgia since 1917. Rivers remained at low stages throughout the month.

MONTHLY STATE DATA FOR 1933

Months	Temperature				Precipitation				
	Mean	Departure from normal	Maximum	Minimum	Average	Departure from normal	Greatest	Least	No. days with 0.01 inch or more
ary	[illegible]	+6.5	[illegible]	14	3.59	−0.61	[illegible]	1.86	8
[illegible]	[illegible]	+1.7	[illegible]	0	5.87	+0.95	[illegible]	3.86	12
[illegible]	[illegible]	+0.1	[illegible]	15	3.49	−1.39	7.35	0.91	6
[illegible]	[illegible]	−0.5	[illegible]	[illegible]	4.09	+0.51	8.98	1.01	10
[illegible]	[illegible]	+5.0	[illegible]	32	[illegible]	−0.66	11.10	0.68	7
[illegible]	[illegible]	[illegible]	[illegible]	31	[illegible]	−1.47	9.05	[illegible]	7
[illegible]	[illegible]	[illegible]	[illegible]	45	5.95	+0.24	14.37	1.85	13
[illegible]	[illegible]	[illegible]	[illegible]	52	4.19	−0.97	8.98	0.86	10
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4.15	+0.47	13.65	0.61	6
[illegible]	[illegible]	[illegible]	[illegible]	26	[illegible]	−0.56	7.50	0.07	4
[illegible]	[illegible]	[illegible]	85	9	[illegible]	−1.74	2.85	0.03	4
[illegible]	[illegible]	+7.2	[illegible]	11	[illegible]	−2.51	5.11	0.42	7
[illegible]	66.1	+2.1	[illegible]	0	41.91	−7.82	65.08	25.95	94

KILLING FROSTS

Stations	Last in spring	First in autumn	Stations	Last in spring	First in autumn
Northern division			*Middle division*—Con.		
Athens	Mar. 11*	Nov. 10	Monticello	Mar. 11*	Nov. 9†
Atlanta	Mar. 5	do 9	Newnan	Mar. 5	....
Blairsville	Apr. 13*	Oct. 8†	Stillmore	Mar. 5*	Nov. 9†
Blue Ridge	....	Oct. 28†	Talbotton	Mar. 6	do 9
Carlton Bridge	Mar. 29*	Nov. 9	Warrenton	Mar. 11*	do 9†
Clayton	Apr. 28*	Oct. 9†	West Point	Mar. 11*	do 9
Cornelia	Mar. 27	Nov. 10†	*Southern division*		
Dahlonega	Mar. 27*	do 8	Alapaha	Mar. 5*	Nov. 9†
Gainesville	Mar. 27*	do 8†	Albany	Mar. 5	do 9†
Hartwell	Mar. 22*	do 9	Americus	Mar. 5	do 9†
Rome	Mar. 22*	do 9	Bainbridge	Mar. 5*	do 9
Tallapoosa	Apr. 4*	do 9	Blakely	Mar. 4*	do 9†
Toccoa	Mar. 27*	do 8	Brunswick	Feb. 9*	None
Washington	Mar. 11*	do 9	Darien	Feb. 9*	Nov. 16
Middle division			Eastman	Mar. 4*	do 9†
Augusta	Mar. 6	Nov. 11	Fargo	Mar. 3*	do 9†
Brooklet	Mar. 4*	do 11	Fitzgerald	Feb. 12*	do 9†
Columbus	Mar. 5	do 9	Fort Gaines	Mar. 5	do 9†
Covington	Mar. 27*	do 9	Glennville	Feb. 12*	do 16†
Dublin	Mar. 11*	do 9†	Hawkinsville	Mar. 11*	do 9†
Fair View	Mar. 11*	do 9	Hazlehurst	Mar. 5*	do 9†
Fort Valley	Mar. 11*	do 9	Moultrie	Feb. 12*	do 17†
Greensboro	Mar. 22*	do 9	Quitman	Feb. 12*	do 9
Griffin	Mar. 11*	do 9†	Savannah, No. 1	Feb. 12	None
Louisville	Mar. 11	do 9	Savannah, No. 2	Mar. 6	Nov. 9
Macon	Mar. 11	do 11	Thomasville	Feb. 12	None
Marshallville	Mar. 11*	do 9	Tifton	Mar. 5	Nov. 9†
Milledgeville	Mar. 11*	do 9†	Waycross	Mar. 5	do 9†
Millen	Mar. 6*	do 9†			

* Latest date with temperature 32° or below.
† Earliest date with temperature 32° or below.

ANNUAL CLIMATOLOGICAL DATA FOR THE STATE

Year	Temperature				Precipitation					Number of days			
	Mean	Departure	Highest	Lowest	Average	Departure	Greatest annual	Least annual	Average snowfall	Precip. .01 or more	Clear	Pt. cloudy	Cloudy
1892	62.8	−1.2	102	9	51.12	+1.39	68.56	39.27	.....	96	152	104	110
1893	63.3	−0.7	108	−1	40.29	−9.44	65.10	35.43	.....	86	169	107	89
1894	64.0	0.0	104	0	49.75	+0.62	61.65	35.14	.....	94	157	123	85
1895	62.2	−1.8	102	−5	49.57	−0.16	72.32	42.47	.....	96	154	117	94
1896	64.5	+0.5	108	−3	45.15	−4.58	64.91	34.12	1.1	81	176	113	77
1897	64.0	0.0	107	−6	49.23	−0.50	67.31	39.26	0.4	84	154	115	96
1898	63.9	−0.1	103	7	53.14	+3.41	87.86	31.80	0.4	99	152	122	91
1899	63.6	−0.4	106	−12	44.20	−5.53	65.09	33.57	6.5	91	171	110	84
1900	63.7	−0.3	107	0	57.33	+7.60	77.32	45.08	0.4	115	141	130	94
1901	61.6	−2.4	106	3	57.58	+7.85	80.68	35.83	3.4	113	152	123	90
1902	63.6	−0.4	108	7	49.99	+0.26	67.79	38.00	1.3	100	136	128	101
1903	62.6	−1.4	104	9	53.84	+4.11	75.18	36.95	0.3	100	140	116	109
1904	62.6	−1.4	104	4	37.17	−12.56	49.82	28.54	1.7	87	183	107	76
1905	63.2	−0.8	106	−8	51.03	+1.30	72.85	39.49	1.5	100	155	106	104
1906	63.4	−0.6	103	11	54.60	+4.87	91.55	25.72	1.9	102	163	108	94
1907	64.2	+0.2	106	14	48.73	−1.00	71.94	36.29	0.3	97	159	126	80
1908	64.3	+0.3	105	9	50.03	+0.30	77.32	25.73	0.7	89	169	113	84
1909	64.0	0.0	104	5	48.31	−1.42	83.34	30.12	0.3	91	178	112	75
1910	63.0	−1.0	105	8	43.60	−6.13	57.65	32.04	0.6	91	184	86	95
1911	65.7	+1.7	108	9	48.23	−1.50	73.62	36.17	0.1	98	167	75	123
1912	62.9	−1.1	103	0	63.02	+13.29	78.87	48.80	5.2	115	152	83	131
1913	64.0	0.0	110	12	46.47	−3.26	68.84	37.23	T.	97	183	79	103
1914	63.4	−0.6	109	5	45.58	−4.15	61.72	34.23	5.1	93	130	109	126
1915	64.0	0.0	108	16	49.63	−0.10	72.41	36.73	0.5	89	196	83	86
1916	64.3	+0.3	103	10	43.50	−6.23	62.65	33.68	0.4	93	180	95	91
1917	62.6	−1.4	103	0	47.41	−2.32	63.12	28.77	1.9	99	181	92	92
1918	64.5	+0.5	106	−3	48.73	−1.00	73.23	35.80	1.6	101	163	88	116
1919	65.2	+1.2	103	2	54.91	+5.18	71.96	40.32	0.4	103	167	87	111
1920	63.0	−1.0	105	4	59.73	+10.00	84.91	43.03	T.	107	166	86	114
1921	66.1	+2.1	104	20	40.94	−8.79	58.99	29.84	1.0	94	173	100	92
1922	65.7	+1.7	104	12	55.38	+5.65	82.63	42.31	0.3	113	158	94	113
1923	64.5	+0.5	105	0	52.76	+3.03	75.80	32.62	T.	108	159	88	118
1924	63.1	−0.9	107	−9	54.27	+4.51	77.95	41.36	1.9	99	187	72	107
1925	65.8	+1.8	111	0	41.00	−8.73	54.05	29.37	T.	89	186	75	104
1926	63.9	−0.1	110	6	50.44	+0.71	70.17	38.03	0.8	101	181	78	106
1927	66.2	+2.2	108	4	40.65	−9.08	51.85	29.65	1.0	92	177	100	88
1928	63.6	−0.4	105	−5	59.92	+10.19	78.43	39.57	0.3	114	167	101	98
1929	64.6	+0.6	103	7	69.83	+20.10	97.80	50.77	1.6	122	156	101	108
1930	63.9	−0.1	109	8	46.13	−3.60	57.88	30.53	3.3	99	175	93	97
1931	65.4	+1.4	109	11	36.75	−12.98	64.45	22.00	0.2	87	194	91	80
1932	65.7	+1.7	108	10	56.80	+7.07	89.71	39.80	0.7	115	162	93	111
1933	66.1	+2.1	108	0	41.91	−7.82	65.08	25.95	T.	94	181	95	86
Period	64.0	.....	111	−12	49.73	....	97.80	22.00	1.2	98	166	101	98

COPY


GEORGIA
SCALE OF MILES
0 10 20 30 40 50 60
85
84
83
82
81
35
34
33
32
31
DADE
CATOOSA
WALKER
WHITFIELD
MURRAY
FANNIN
Blue Ridge
UNION
TOWNS
RABUN
Clayton
GILMER
HABERSHAM
WHITE
LUMPKIN
Dahlonega
Toccoa
Cornelia
STEPHENS
CHATTOOGA
Resaca
GORDON
PICKENS
DAWSON
HALL
BANKS
Gillsville
FRANKLIN
HART
Hartwell
FLOYD
Rome
Adairsville
BARTOW
CHEROKEE
Canton
FORSYTH
Gainesville
JACKSON
MADISON
ELBERT
Carlton
POLK
MILTON
Marietta
GWINNETT
Norcross
BARROW
CLARKE
Athens
Point Peter
Lisbon
Savannah
PAULDING
COBB
FULTON
HARALSON
Tallapoosa
DOUGLAS
Atlanta
DEKALB
WALTON
OCONEE
OGLETHORPE
WILKES
Washington
LINCOLN
CARROLL
CAMPBELL
CLAYTON
ROCKDALE
Covington
NEWTON
MORGAN
Greensboro
GREENE
TALIAFERRO
McDUFFIE
COLUMBIA
Augusta
Newman
COWETA
FAYETTE
HENRY
JASPER
Monticello
PUTNAM
Eatonton
Warrenton
WARREN
RICHMOND
HEARD
Griffin
SPALDING
BUTTS
HANCOCK
GLASCOCK
TROUP
MERIWETHER
PIKE
Concord
LAMAR
MONROE
JONES
Milledgeville
BALDWIN
JEFFERSON
Louisville
BURKE
River
West Point
Woodbury
UPSON
Fair View
WASHINGTON
Macon
BIBB
WILKINSON
JENKINS
Millen
SCREVEN
HARRIS
TALBOT
Talbotton
Goat Rock
CRAWFORD
TWIGGS
JOHNSON
EMANUEL
TAYLOR
Butler
Ft. Valley
MUSCOGEE
Columbus
Marshallville
HOUSTON
Dublin
CANDLER
Statesboro
BULLOCH
EFFINGHAM
CHATTAHOOCHEE
MARION
SCHLEY
MACON
Montezuma
BLECKLEY
LAURENS
TREUTLEN
Hawkinsville
PULASKI
River
STEWART
WEBSTER
Americus
SUMTER
DOOLY
DODGE
Eastman
WHEELER
MONTGOMERY
TOOMBS
TATTNALL
EVANS
Savannah
CHATHAM
BRYAN
QUITMAN
WILCOX
Abbeville
CRISP
TELFAIR
Lumber City
Hazlehurst
Glenville
LIBERTY
RANDOLPH
TERRELL
LEE
BEN HILL
JEFF DAVIS
APPLING
LONG
CLAY
TURNER
Ft. Gaines
Albany
IRWIN
COFFEE
BACON
WAYNE
McINTOSH
Chattahoochee
CALHOUN
DOUGHERTY
WORTH
TIFT
Blakely
EARLY
BAKER
Alapaha
ATKINSON
PIERCE
GLYNN
Waycross
MILLER
MITCHELL
COLQUITT
COOK
BERRIEN
WARE
BRANTLEY
Brunswick
LANIER
CAMDEN
SEMINOLE
DECATURE
Bainbridge
GRADY
THOMAS
Thomasville
BROOKS
Quitman
LOWNDES
Valdosta
CLINCH
ECHOLS
CHARLTON
St. George

COPY

STATION FILE

U. S. DEPARTMENT OF AGRICULTURE, WEATHER BUREAU

CLIMATOLOGICAL DATA

GEORGIA SECTION

G. W. MINDLING

XXXVIII   Atlanta, Ga., Year 1934   No. 13

GENERAL SUMMARY

he year was quite close to normal in both temperature and fall. The extended cold periods in February, March, and ember were fully compensated for in other months, and the mer season of June, July, and August gave the highest aver- for any summer on record in Georgia with the single excep- the summer of 1925. Still, the highest temperatures re- d during the year at the different stations were by no ns unusual, not reaching 100° at many places in the mid- and southern sections of the State.

e average rainfall for the State was 47.60 inches, which is y more than 2 inches below the 43-year mean. Locally rainfall of the year ranged from a total of 75.16 inches at on to 34.21 inches at Alapaha. Some sections were ad- ly affected by excessive rains in April, May, or June, and suffered drought in the latter half of the year, as indi- elsewhere in this report. But, considering the State as a , the year can not be regarded as being much out of the ary with respect to harmful weather conditions.

occurrence of river floods, damaging hail, and destruc- cal storms has been summarized in separate paragraphs the appropriate months.

THE WEATHER BY MONTHS

uary.—This month was rather dry and warm on the , though it closed with a cold wave of unusual severity t a new low temperature record for the State for January reading of —10° at Blairsville on the 30th. There was reezing on at least two mornings in all parts of Georgia, nperature reaching 26° even at Brunswick. Consider- jury resulted to oats and wheat in the northern part of ate, owing to the lack of snow cover during the time of l wave, and to the truck crops in the southern counties.

uary.—The greatest monthly temperature deficiency of occurred in February, when the State average was 4° below normal. It was the coldest February in Geor- e 1912 and the coldest month in the State since Decem- 0. The low average temperature resulted from unusu- olonged steady cold rather than from any exceptionally . The precipitation was slightly below normal. occurred extensively in north Georgia on the 10th, n leaving a cover of 4 inches at Resaca, Atlanta, and ille, 7.5 inches at Canton, and 8 inches at Athens. f snow were observed as far south as Brunswick and . Severe tornadoes and destructive winds occurred on rnoon of the 25th at several places in western Georgia. 0 houses were reported demolished at Bowdon, Carroll ty; 2 persons were killed in a tornado a few miles farther t; similar or more violent destruction occurred near n, Henry County.

March.—There was a well marked warm period extending from the 2d through the 8th. The coldest weather came on the 11th or 12th, when freezing temperatures occurred at all stations in the State. The precipitation was above the normal at a great majority of the stations, and more than half of it came in the storm of the 2d–4th. This storm produced from 2 to 5 inches of rain over most of the State. Rivers rose rapidly in consequence, but stopped short of flood stages at most places because they had been comparatively low just before these heavy rains fell. However, flood stages were exceeded by about 1 to 6 feet at Canton, Resaca, Rome, Milledgeville, Abbeville, Dover, and Everett City.

April.—During the first two weeks there was little rain, and farm work made good progress. Later on there were frequent heavy rains which delayed planting in large areas in the northern and central sections. Besides, there were cool spells, which, together with an excess of moisture in the soil, caused poor germination and slow growth of many crops. Much corn and cotton and some peanuts had to be replanted.

May.—Again there was comparatively light rainfall during the first two weeks, followed by heavy and more frequent precipitation. May had a greater average rainfall than any other month of the year. Damaging washouts occurred in many places. The prevalence of so much cloudy and damp, showery weather, even where excessive rainfall did not occur, promoted the rapid growth of weeds and favored the activity of some insect pests, hindered the digging of potatoes, and was otherwise unfavorable to farmers. In southern counties tobacco plants were badly beaten down and damaged by heavy rains, and extended areas of crops on low ground were flooded. Destructive hail occurred on the 22d in or near Fort Valley, Bainbridge, and Albany.

June.—Frequent and heavy showers continued through the first week, especially in the northern and middle divisions of the State. From about 4 to 9 inches of rain occurred within 2 days in many places. Large tracts of cotton and corn on low ground were completely ruined because the soil was flooded and remained saturated with water so long. Damaging hail occurred at many places on the 1st, especially near Macon and in the counties of Hall, Hancock, Lumpkin, and Habersham. Peach orchards near Macon were badly damaged, while in other sections there was extensive cutting down of cotton, corn, wheat, and vegetables. The loss in Hall County alone from hail and washouts was estimated at about $100,000.

July.—The greater part of the State had as much rain as was needed, but there was a large area in eastern Georgia where it had become too dry even for cotton by the 20th. The region affected extended from a little north of Augusta southward to about Brunswick and westward as far as Macon. However, this condition was somewhat relieved after the 28th. A few severe local storms were reported, one near Dublin which wrecked a church building on the 15th imprisoning a group of 35 people so that the roof had to be raised to release them.

(Continued on page 53.)

COPY

Climatological Data for the Year 1934

Stations	Counties	Elevation, feet	Temperature (degrees Fahrenheit): Length of record, years	Annual mean	Highest	Date	Lowest	Date	Precipitation (inches): Length of record, years	Total for the year	Greatest monthly	Month	Least monthly	Month	Total snowfall	Number rainy days	Sky: Number clear days	Number partly cloudy days	Number cloudy days	Prevailing direction of wind
Northern division																				
Athens	Clarke	775	52	62.4	100	July 25	10	Jan. 30	47	50.68	6.52	June	1.33	Sept.	8.2	121	171	96	98	w.
Atlanta	Fulton	1,1[illegible]	68	61.2	96	July 17	7	Jan. 30	68	44.88	5.49	July	1.66	Nov.	4.6	123	135	108	122	nw.
Atlanta, No. 2	De Kalb	998																		
Blairsville	Union	1,938	2		100	July 23†	−10	Jan. 30	2											
Blue Ridge	Fannin	1,737	11				−1	Jan. 30	11											
Canton	Cherokee	894							43	51.12	8.16	June	2.61	Dec.	7.6	104				
Carlton Bridge	Elbert	557	35	62.2	102	July 21	8	Jan. 31	34	50.05	7.23	July	2.04	Sept.	1.6	104				
Clayton	Rabun	2,100	34	56.6	96	July 24†	−4	Jan. 30	39	75.16	11.20	June	2.65	May	1.5	74	250	24	91	
Cornelia	Habersham	1,500	15	59.5	99	July 21	5	Jan. 30	15	63.88	9.27	Oct.	3.26	Sept.	1.0	136	133	108	124	w.
Dahlonega	Lumpkin	1,519	42	59.2	95	July 22	4	Jan. 30	44	56.17	7.91	Mar.	2.09	Sept.	3.5	148	157	166	42	sw.
Double Branches	Lincoln								9		7.11	Oct.	0.91	Nov.						
Gainesville	Hall	1,254	55	59.9	100	July 21	6	Jan. 30	57	50.61	6.89	Oct.	2.55	June	4.0	126				w.
Gillsville	do	1,052							43	71.38	11.71	May	3.86	Sept.	5.0	168				
Hartwell (near)	Hart	858	24	61.6	101	July 21	9	Jan. 30	24	51.22	6.42	May	1.72	Sept.	1.8	98	111	207	47	w.
Lafayette	Walker								4											
Resaca	Gordon	657							40	49.87	7.10	Oct.	1.36	Sept	6.3	129				s.
Rome	Floyd	617	75	62.1	103	July 23	7	Jan. 30	78	55.61	8.30	June	2.21	Nov.	0.6	125				nw.
Tallapoosa	Haralson	1,150	35		98	July 17†	7	Jan. 30	55	50.65	7.49	Oct.	1.88	Nov.	0.2	86				
Toccoa	Stephens	1,050	48		100	July 21	11	Jan. 30	49	63.83	8.47	May	2.35	Nov.	0.2	118	176	88	101	w.
Washington	Wilkes	630	43		105	July 21	12	Jan. 30	16	46.97	7.19	June	0.95	Nov.	0.2	122	183	84	98	w.
Division means and extremes				60.6	105	July 21	−10	Jan. 30		54.61	14.20	June	0.91	Nov.	2.7	111	171	100	94	w.
Middle division																				
Augusta	Richmond	182	88	64.8	104	July 25	15	Jan. 30	67	37.55	5.74	Apr.	0.53	Nov.	T.	112	136	122	107	nw.
Brooklet	Bulloch	253	34	67.0	104	July 17	17	Jan. 31	34	43.19	7.36	Aug.	1.36	Nov.	0.0	91	174	141	50	
Columbus	Muscogee	262	46	65.7	101	July 18†	17	Jan. 30	46	39.94	6.10	Mar.	0.40	Sept.	0.0	133				ne.
Concord	Pike	850							22	51.99	7.50	June	1.55	Nov.	0.0	122	226	55	84	
Covington	Newton	747	42	62.2	103	July 25	10	Jan. 30	42	48.58	7.53	June	1.77	Nov.	3.0	94				
Dover	Screven								4	41.88	6.47	June	1.30	Nov.	0.0	100				
Dublin	Laurens	234	22	65.5	100	July 15†	16	Jan. 31	40	43.79	5.36	May	1.56	Nov.	T.	105	154	119	92	w.
Fair View	Lamar		18	63.2	100	June 29	11	Jan. 30	18	48.86	7.12	Sept.	1.82	Nov.	2.5	108				
Fort Valley	Peach	526	13	64.5	101	July 21	11	Jan. 30	13	43.80	7.00	Mar.	1.45	Nov.	T.	123	179	86	100	sw.
Goat Rock	Muscogee	415							20	39.21	5.02	Aug.	0.44	Sept.	0.0	97				
Greensboro	Greene	598	32		101	July 21	11	Jan. 30	32	53.80	9.04	Apr.	1.82	Nov.	T.	98	178	91	96	w.
Griffin	Spalding	975	44	63.0	99	July 17†	5	Jan. 30	44	45.85	5.78	Apr.	1.27	Nov.	1.0	168	191	94	77	w.
Louisville	Jefferson	259	36	65.4	103	July 21†	15	Jan. 31†	36	39.53	8.37	May	0.85	Nov.	0.0	100				
Macon	Bibb	370	5[illegible]	64.3	101	July 25	14	Jan. 30	56	41.89	6.39	Mar.	1.19	Nov.	T.	117	145	115	105	s.
Marshallville	Macon	500	41	64.7	100	July 17†	15	Jan. 30	41	44.08	6.73	Mar.	1.22	Nov.	T.	85				w.
Midville	Burke								4	36.03	5.48	May	0.57	Nov.	0.0	91				
Milledgeville	Baldwin	276	36	64.0	103	July 16†	14	Jan. 30†	45	42.85	8.29	Apr.	0.65	Nov.	0.0	110	167	124	74	ne.
Millen	Jenkins	158	46	66.8	105	July 17	16	Jan. 31	47	47.95	8.71	May	0.96	Nov.	0.0	90				nw.
Monticello	Jasper	800	39		103	July 17†	10	Jan. 30	38	56.34	8.14	Apr.	1.71	Nov.	T.	120	204	63	98	
Newnan	Coweta	959	45	62.6	99	July 18†	9	Jan. 30	45	53.72	8.69	June	1.76	Sept.	2.2	116	215	58	92	nw.
Sparta	Hancock	557							4	51.44	9.81	Apr.	1.50	Nov.	T.	106				
Stillmore	Emanuel	257	9	66.5	104	July 21	15	Dec. 12	9	36.22	8.41	May	0.56	Nov.	0.0	93				
Talbotton	Talbot	750	40		100	June 27†	†12	Jan. 3[illegible]	40		8.65	June	1.38	Nov.	T.					sw.
Warrenton	Warren	500	19	63.9	101	June 28†	13	Jan. 30	19	46.36	8.71	Apr.	1.08	Nov.	0.0	99	185	109	71	sw.
West Point	Troup	620	44	62.8	99	July 25	13	Jan. 30†	45	57.18	7.78	Aug.	1.83	Jan.	0.0	125	161	32	172	n.
Woodbury	Meriwether	641							33	52.07	9.78	June	1.25	Nov.	1.0	115				
Division means and extremes				64.3	105	July 17	5	Jan. 30		46.24	9.81	Apr.	0.40	Sept.	0.4	106	179	91	92	nw.
Southern division																				
Abbeville	Wilcox	180							31	45.96	7.28	June	1.44	Jan.	0.0	105				nw.
Alapaha	Berrien	263	45		100	July 17	18	Dec. 12	45	34.21	6.26	May	0.45	Sept.	0.0	94	286	26	53	sw.
Albany	Dougherty	230	47	66.8	100	July 18†	19	Jan. 30†	48	41.73	6.43	Mar.	1.38	Oct.	0.0	114	213	33	119	ne.
Americus	Sumter	362	49	66.5	103	July 21	16	Jan. 30†	50	51.53	6.60	May	1.96	Oct.	0.0	113	232	77	56	ne.
Bainbridge	Decatur	119	42	66.8	98	July 21	18	Dec. 12	42	45.41	6.71	Aug.	0.94	Oct.	0.0	138				s.
Blakely	Early	300	38	66.7	100	July 25	16	Dec. 12	40	46.82	7.87	Mar.	1.48	Oct.	T.	122	143	124	98	nw.
Brunswick	Glynn	14	29	68.2	98	July 14†	24	Dec. 12	32	50.18	12.30	Aug.	1.06	Nov.	T.	97	217	84	64	ne.
Cairo	Grady	264	1	67.0	96	July 16†	19	Dec. 12	1	42.58	7.72	July	0.55	Sept.	0.0	107	175	133	57	nw.
Cordele	Crisp	336																		
Darien	McIntosh		3		99	July 1[illegible]†			3		8.19	May	1.28	Nov.	T.					ne.
Eastman	Dodge	361	42	66.9	103	July 17	17	Jan. 30	42	48.88	6.42	July	1.83	Dec.	T.	101	259	57	49	ne.
Fargo	Clinch	116	6		100	July 14	13	Jan. 31	6		11.58	June			T.					sw.
Fitzgerald	Ben Hill	515	17	67.6	99	June 23†	18	Jan. 30	18	39.09	6.37	May	1.35	Nov.	0.0	68				
Fort Gaines	Clay	166	46	66.3	100	June 25	16	Dec. 12	56	56.52	10.88	Aug.	1.44	Oct.	0.0	98				ne.
Glennville	Tattnall	177	29	66.9	102	July 17	18	Dec. 12	29	35.36	7.20	May	0.90	Apr.	0.0	93	110	168	87	se.
Hawkinsville	Pulaski	235		66.0	102	July 21	14	Jan. 31	39	48.37	6.86	Mar.	0.83	Nov.	T.	119	199	30	136	nw.
Hazlehurst	Jeff Davis	261	1[illegible]				17	Dec. 12	15	42.27	8.90	May	0.76	Nov.	T.	111				ne.
[illegible]	[illegible]	[illegible]							21	59.52	11.23	Aug.	1.24	Nov.	0.0	97				
[illegible]	[illegible]	[illegible]							29	43.37	6.50	Mar.	1.92	Nov.	T.	102				nw.
[illegible]	Colquitt	337	7	68.0	99	July 21	19	Dec. 12	7	43.22	8.02	July	1.30	Nov.*	0.0	103				
[illegible]	Brooks	173	48		99	June 23	17	Dec. 12	40	39.81	[illegible].71	July	0.90	Dec.	0.0	102				ne.
Savannah, No. 1	Chatham	65	84	67.6	101	July 14	22	Dec. 12	84	42.31	10.40	Aug.	1.06	Mar.	0.0	99	145	113	107	sw.
Savannah, No. 2	do	22	6	66.0	100	July 16†	14	Jan. 31	6	37.00	9.70	May	1.02	Apr.	0.0	99	140	157	68	sw.
Thomasville	Thomas	273	52	67.6	96	July 21†	20	Dec. 12	52	40.26	8.17	May	0.75	Oct.	0.0	125	107	114	144	sw.
Tifton	Tift	370	13	66.6	101	July 17*	16	Dec. 12	12	45.26	12.42	May	0.80	Nov.	2.2	95	198	70	97	
Waycross	Ware	131	45	69.3	103	July 16†	18	Feb. 10	43	38.09	8.22	May	0.88	Dec.	T.	108	139	98	128	ne.
Division means and extremes				67.2	101	July 17	13	Jan. 31		44.24	12.42	May	0.45	Sept.	0.1	103	182	91	92	ne.
State means and extremes				64.6	105	July 17†	−10	Jan. 30		47.60	14.20	June	0.40	Sept.	0.8	105	179	95	91	nw.

† On other dates also.

* In December also.

COPY

Monthly and Annual Precipitation for the Year 1934, with Departures from the Normal

Stations	January Precipitation	January Departure	February Precipitation	February Departure	March Precipitation	March Departure	April Precipitation	April Departure	May Precipitation	May Departure	June Precipitation	June Departure	July Precipitation	July Departure	August Precipitation	August Departure	September Precipitation	September Departure	October Precipitation	October Departure	November Precipitation	November Departure	December Precipitation	December Departure	Annual Precipitation	Annual Departure
[illegible] division																										
[illegible]	[illegible]	−2.16	[illegible]	−0.33	5.31	+0.12	5.40	+1.82	4.32	+0.64	6.52	+2.42	6.02	+1.06	4.20	−0.48	1.33	−2.17	5.69	+2.58	1.67	−1.22	3.26	−1.12	50.65	+0.83
[illegible]	[illegible]	−2.21	3.65	−0.17	4.07	−1.23	3.05	−0.53	3.26	−0.21	4.19	+0.45	5.49	+0.84	3.52	−1.13	4.68	+1.69	5.54	+2.75	1.66	−1.37	2.42	−2.28	44.88	−3.39
[illegible]	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	3.11	......	5.79	......	1.77	......	3.06	......	......	......
[illegible]	[illegible]	......	......	......	......	......	3.37	......	2.8[illegible]	......	4.91	......	6.00	......	......	......	5.43	......	7.55	......	1.45	......	......	......	......	......
[illegible]	[illegible]	−2.38	3.72	−1.51	8.31	+1.34	......	......	3.43	[illegible]1.42	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......
[illegible]	3.2[illegible]	−1.78	[illegible]	−1.70	6.01	+0.62	3.03	−1.17	4.39	+0.63	8.10	+4.19	5.37	+0.06	5.17	+0.43	3.02	+0.13	4.05	+0.84	[illegible]	−0.27	2.01	−3.22	51.12	−1.21
ot'n Bridge	2.22	−1.55	4.07	−1.19	1.80	−0.05	4.46	+0.84	4.80	+1.19	6.29	+2.12	7.23	+2.54	4.80	+0.37	2.04	−1.65	4.71	+1.97	2.22	−0.39	2.86	−1.62	50.05	+2.52
[illegible]ta	4.[illegible]	−1.2[illegible]	[illegible]	−0.89	10.75	+3.68	4.15	−1.55	2.65	−2.35	14.20	+8.76	7.85	−1.16	4.89	−1.43	6.66	+1.51	6.28	+3.75	6.78	[illegible]2.37	2.95	−4.07	75.16	+5.09
[illegible]lia	[illegible]	−2.24	[illegible]	−0.21	6.55	+0.88	4.65	−0.11	5.94	+0.69	4.66	+1.20	6.48	+0.78	5.52	+1.48	3.26	−1.11	9.27	+6.29	4.61	+0.96	4.16	−1.93	63.88	+6.65
[illegible]oga	4.32	−4.6[illegible]	[illegible]	+0.25	7.94	+1.88	4.02	−0.46	5.09	+0.17	3.91	−1.12	6.29	+0.33	5.16	−0.15	2.09	−2.27	5.90	+2.59	3.15	−0.56	2.50	−3.69	56.17	−5.68
[illegible] Branches	1.[illegible]8	......	1.39	......	4.23	......	4.39	......	3.90	......	3.[illegible]5	......	5.47	......	......	......	2.63	......	7.13	......	0.94	......	4.05	......	......	......
[illegible]esville	2.70	−2.[illegible]1	5.55	[illegible]0.24	5.60	−0.12	3.37	0.00	5.02	+1.13	2.55	−1.82	5.22	−0.11	3.70	−1.55	2.86	−1.09	6.89	+3.92	3.28	−0.03	3.47	−1.54	50.[illegible]	−4.31
[illegible]ille	4.39	+0.29	4.74	−0.64	7.38	+2.06	5.43	+1.81	11.74	+7.91	4.50	+0.76	6.20	+1.04	5.62	+0.35	3.86	−0.01	7.49	+4.32	3.94	+1.07	5.8[illegible]	+1.15	71.48	+20.13
[illegible]ell (near)	2.63	[illegible]1.25		−1.57	5.35	+0.65	3.53	−0.07	6.42	+2.65	5.74	[illegible]1.88	5.78	+1.18	4.21	−0.55	1.72	−1.71	6.17	+3.44	2.20	−0.43	3.90	−0.74	51.22	−3.47
[illegible]yette	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	4.15	......	......	......	......	......	......	......
[illegible]	5.06	+0.[illegible]	5.21	−0.18	6.96	+0.44	1.96	−2.63	2.80	[illegible]0.91	1.22	+0.05	5.97	+0.84	5.09	+0.79	1.36	−1.6[illegible]	7.10	+4.19	2.36	−1.04	2.49	−2.75	49.87	−2.67
[illegible]me	[illegible]	[illegible]1.77	4.78	−0.35	6.29	+0.63	2.27	−2.07	2.28	−1.39	5.39	+1.14	2.58	−1.67	8.10	+4.10	3.71	+1.06	5.80	+3.03	2.21	−1.15	3.12	−1.67	55.61	+6.25
[illegible]ahoosa	3.6[illegible]	−0.77	6.3[illegible]	+1.25	3.72	−1.78	3.69	−0.69	2.99	−0.67	4.59	+0.58	3.46	−2.00	7.43	+2.88	2.01	−1.49	7.49	+4.55	1.88	−1.26	3.31	−1.60	50.65	−1.00
[illegible]	3.7[illegible]	−1.36	4.85	−0.69	7.22	+1.42	3.94	−0.64	8.47	+4.43	5.16	[illegible]0.62	5.49	−0.23	4.81	−1.15	5.17	+0.90	7.65	+4.07	2.95	−0.31	4.37	−1.24	63.85	+5.85
[illegible]ington	2.78	−1.93	3.58	−1.55	1.98	+0.18	5.30	+1.90	4.06	+0.55	7.19	+3.08	5.83	+0.41	2.17	−2.57	2.57	−1.53	5.30	+2.34	0.95	−1.84	2.86	[illegible]1.19	46.97	−2.12
Middle division																										
[illegible]gusta	1.83	−2.10	3.84	[illegible]0.27	4.48	+0.37	5.71	+2.60	5.72	+2.68	1.68	−3.00	2.16	−3.23	3.41	−1.62	2.04	−1.32	3.73	+1.27	0.53	−1.87	2.39	−0.86	37.55	−7.25
[illegible]okirt	1.81	−1.26	3.76	+0.05	3.72	−0.23	5.12	+2.00	6.26	+2.36	2.58	−4.70	3.02	−3.07	7.36	+0.97	3.39	−1.09	2.89	[illegible]0.61	1.36	−0.86	1.59	−1.66	43.19	−5.85
[illegible]mbus	3.27	−0.89	3.78	−1.61	6.10	+0.48	4.21	+0.64	2.40	[illegible]0.79	4.24	[illegible]0.35	4.29	−1.71	4.25	−0.48	0.40	−2.52	3.20	−0.48	1.53	−1.56	2.47	−2.20	39.93	−9.84
[illegible]ford	2.60	−2.25	4.95	−0.75	5.09	−1.91	5.66	+2.27	5.87	+2.35	7.59	+3.36	5.75	−0.85	7.25	+3.21	2.31	−0.98	4.54	+1.96	1.55	−1.43	2.82	−1.83	54.99	+3.11
[illegible]ington	2.43	−1.86	4.39	−0.63	4.70	−0.69	4.03	+0.10	4.3[illegible]	+0.88	7.53	+3.50	3.12	−1.85	3.22	−1.65	2.13	[illegible]0.96	7.44	+4.40	1.77	−1.19	3.39	−1.27	48.58	−1.22
[illegible]er	1.61	......	4.44	......	4.22	......	3.94	......	6.09	......	6.47	......	2.12	......	4.07	......	1.86	......	4.35	......	1.50	......	1.11	......	41.88	......
[illegible]din	3.09	−0.97	1.91	+0.11	5.28	+0.40	2.98	−0.09	5.36	+1.92	3.12	−1.76	4.28	−1.56	3.23	−2.02	2.92	−0.93	3.94	+1.57	1.56	−1.10	3.12	−0.72	43.79	−5.07
[illegible]r View	2.39	−2.45	3.53	−1.11	5.79	+0.21	3.72	+0.13	2.56	−1.10	5.60	+2.15	4.95	[illegible]0.88	3.89	−0.06	7.12	+3.76	4.57	+1.90	1.82	[illegible]0.91	2.81	[illegible]1.41	48.86	+0.29
[illegible]t Valley	2.41	−2.64	3.79	−0.22	7.00	+1.58	4.55	+1.08	4.07	+0.01	3.69	−1.23	3.58	−2.53	3.71	−1.26	2.81	−0.81	4.43	+1.62	1.45	−1.17	2.37	−1.15	42.80	−7.52
[illegible]t Rock	2.51	[illegible]1.74	3.79	−0.28	4.81	−0.37	4.20	+0.70	3.02	+0.05	1.59	−1.50	3.60	−2.23	5.62	−1.34	0.44	−2.00	4.53	+2.09	1.04	−2.00	1.74	−2.78	39.21	−5.79
[illegible]nsboro	2.63	−1.49	4.14	−0.67	5.54	+0.84	9.04	+5.69	3.61	+0.23	6.94	+2.80	5.83	+0.57	5.39	+0.46	2.34	−1.41	3.06	−0.05	1.82	−0.95	3.52	−0.65	53.81	+5.37
[illegible]an	3.48	−0.68	4.37	−1.04	5.25	[illegible]0.28	5.78	+2.09	2.74	−0.51	5.57	+1.45	4.21	[illegible]1.22	3.83	−1.27	2.10	−1.09	3.86	[illegible]1.16	1.27	−1.51	3.48	−1.03	45.85	[illegible]3.87
[illegible]isville	3.12	−0.32	3.93	−0.56	4.34	[illegible]0.02	5.87	+2.71	8.37	+4.91	1.23	−3.20	2.33	−3.39	2.68	−2.25	1.80	−1.51	3.69	+1.03	0.85	−1.64	1.32	−1.92	39.53	−6.12
[illegible]on	2.57	−1.60	3.57	−0.92	6.39	+1.42	5.71	+2.56	4.85	+1.89	1.96	−2.11	3.84	−0.90	5.08	+0.74	2.14	−1.65	3.12	+0.78	1.19	−1.33	1.56	−2.43	41.89	[illegible]2.95
[illegible]shallville	2.09	−2.76	3.90	−1.68	6.73	+1.16	3.27	−0.71	4.14	+0.60	4.61	+0.27	1.52	−1.57	2.80	−1.98	4.28	+1.13	4.06	+1.30	1.22	−1.96	2.46	−1.94	44.08	−8.14
[illegible]ille	2.83	......	4.17	......	3.40	......	4.24	......	5.48	......	2.67	......	2.77	......	3.84	......	2.03	......	2.15	......	0.57	......	1.91	......	36.03	......
[illegible]dgeville	3.17	−1.14	3.89	−0.76	5.23	−0.05	8.29	+5.23	2.8[illegible]	−0.45	4.41	+0.26	3.29	−2.64	4.62	−0.28	1.84	−2.08	1.91	−0.73	0.65	−1.88	2.66	−1.15	42.85	−5.66
[illegible]a	3.01	−0.32	1.73	+0.59	3.42	−0.54	3.79	+0.89	8.7[illegible]	[illegible]5.56	8.62	+3.48	4.53	−1.78	2.77	−2.20	1.07	−2.97	3.92	+1.42	0.96	−1.19	2.39	−0.97	47.95	+1.97
[illegible]ticello	4.22	−0.23	4.5[illegible]	−0.93	5.43	−0.35	8.14	+4.58	[illegible]	[illegible]0.29	6.67	+1.93	5.44	+0.11	6.99	+1.92	2.11	−1.42	4.31	+1.20	1.71	−1.01	3.63	−0.48	56.34	+5.00
[illegible]nan	2.09	−2.52	4.27	−1.01	5.95	−0.08	5.07	+1.12	2.[illegible]5	−0.74	8.69	+4.68	5.69	+0.62	4.29	−0.58	1.76	−1.41	6.88	+4.15	2.61	−0.36	3.49	−1.27	53.72	+2.00
[illegible]ta	3.01	......	4.11	......	5.57	......	9.81	......	6.10	......	2.60	......	3.31	......	5.90	......	4.45	......	4.67	......	1.50	......	3.11	......	54.14	......
[illegible]ace	1.87	......	3.63	......	5.41	......	4.19	......	8.11	......	2.13	......	3.35	......	1.55	......	0.81	......	2.45	......	0.56	......	1.82	......	36.22	......
[illegible]ton	[illegible].55	−1.77	4.19	−1.32	7.36	+1.46	6.23	+2.29	4.15	+0.75	8.65	+1.00	4.66	−0.83	......	......	1.53	−1.66	3.19	+0.25	1.38	−1.72	3.38	−1.21	......	......
[illegible]	[illegible]	−3.54	4.07	−0.82	5.26	+0.63	8.71	+5.77	3.71	+0.49	3.56	−0.67	4.25	−1.28	2.75	−1.78	1.83	−2.47	5.08	+2.21	1.18	−1.62	3.40	−0.35	46.36	−1.23
[illegible]	[illegible]	[illegible]	4.86	−0.54	4.83	−1.05	6.02	+1.85	3.43	+0.13	6.95	+2.47	6.30	+1.17	7.7[illegible]	+2.80	4.15	+1.15	6.32	+3.64	1.84	−1.21	2.67	−2.45	57.18	+5.40
[illegible]	3.47	−0.86	4.71	−0.46	4.78	−1.01	5.57	+1.96	2.4[illegible]	−1.14	9.78	+5.56	3.64	−2.29	5.48	+1.48	4.67	+1.47	3.84	+1.22	1.25	−1.44	2.74	−1.82	52.07	+2.67
Southern division																										
[illegible]ville	1.43	−2.53	4.65	−0.3[illegible]	[illegible]	−1.1[illegible]	2.19	−1.22	6.76	+3.39	7.28	+3.44	4.98	−1.65	5.98	+1.24	2.09	−2.21	1.73	−0.34	2.10	−0.34	2.18	−1.36	45.96	−0.75
[illegible]	1.68	−2.05	3.1[illegible]	[illegible]	[illegible]	[illegible]	1.77	−2.01	8.26	[illegible]2.97	3.58	−1.49	2.73	−3.65	6.10	+0.61	0.45	−3.71	2.60	+0.26	1.00	−1.09	1.22	−2.58	34.21	−13.42
[illegible]y	1.83	−2.41	3.87	[illegible]	[illegible]	[illegible]	[illegible].77	+0.03	4.47	+0.71	1.83	[illegible].29	3.05	−3.06	4.08	−1.52	2.77	−0.69	1.08	−1.32	2.42	+0.06	3.13	−0.78	41.73	−8.49
[illegible]is	2.05	−2.31	5.[illegible]	[illegible]	[illegible]	[illegible]1.26	3.50	−0.16	6.60	+3.13	5.25	+0.94	5.41	+0.04	5.59	+0.33	2.77	−0.60	1.96	−0.46	1.99	−0.80	4.35	+0.60	51.53	+2.56
[illegible]ridge	1.86	−1.39	[illegible]	[illegible]	5.46	+0.86	3.68	−0.10	5.33	+2.22	6.38	+1.47	5.15	−1.43	6.71	+0.98	3.62	−0.49	0.94	−1.47	1.56	−0.72	1.84	−2.26	45.41	−4.40
[illegible]ly	2.28	−2.[illegible]	[illegible]	[illegible].52	7.87	+2.49	3.35	−0.63	5.52	+2.18	4.30	[illegible]0.41	6.16	−1.06	5.72	−1.00	1.60	−2.26	1.48	−1.31	2.50	−0.34	2.54	−1.96	46.52	−7.98
[illegible]swick	1.37	−1.70	2.92	−0.27	1.98	−1.19	1.90	−1.28	10.82	+7.[illegible]	[illegible]	−1.03	2.16	−5.00	12.30	+6.54	1.62	−5.05	7.18	+3.77	1.06	−0.89	2.18	−0.84	50.18	+0.42
[illegible]	1.39	......	3.59	......	5.24	......	3.26	......	6.47	......	[illegible]	......	7.72	......	3.06	......	0.55	......	1.89	......	2.86	......	1.51	......	42.58	......
[illegible]le	......	......	......	......	......	......	......	......	......	......	......	......	6.61	......	3.51	......	2.71	......	3.19	......	1.87	......	2.39	......	......	......
[illegible]	1.59	......	2.61	......	1.49	......	1.79	......	8.19	......	3.58	......	4.19	......	7.25	......	3.59	......	4.13	......	1.28	......	......	......	......	......
[illegible]an	2.40	−1.77	5.27	+0.16	5.86	+0.84	3.50	+0.38	5.84	+1.53	3.78	[illegible]0.55	6.42	+0.16	5.21	+0.29	2.48	−1.50	4.37	+1.86	1.92	−0.46	1.83	−1.83	48.88	+0.27
[illegible]	0.92	......	2.76	......	1.88	......	1.92	......	4.41	......	11.58	......	5.13	......	6.09	......	1.95	......	2.69	......	1.29	......	......	......	......	......
[illegible]rald	2.95	−0.31	3.63	−0.49	5.69	+1.11	2.11	−1.41	6.37	+2.97	3.45	[illegible]0.79	5.25	[illegible]0.93	3.28	[illegible]1.56	2.12	−2.04	1.69	−0.55	1.35	−1.05	1.50	−2.04	39.09	−7.08
[illegible]aines	2.13	−2.40	5.71	+0.32	7.07	+1.97	4.25	+0.54	3.10	−0.41	4.42	−0.01	6.50	+0.37	10.88	+5.50	2.52	−0.69	1.44	−1.06	2.42	−0.50	6.02	+1.50	56.52	+5.13
[illegible]ville	2.64	−0.22	3.24	−0.31	2.29	−1.27	0.90	−1.96	7.20	+3.74	4.13	−0.96	3.31	−2.81	5.0[illegible]	−1.16	1.99	−3.38	2.33	+0.06	1.26	−0.97	1.66	−2.28	35.36	−11.53
[illegible]	2.09	−2.11	4.56	+0.32	6.86	+1.90	3.65	+0.62	4.00	+0.98	6.12	+1.73	2.[illegible]6	−2.83	[illegible]	[illegible]0.86	3.56	+0.15	5.28	+2.70	0.83	−1.66	3.84	+0.35	48.37	+1.26
[illegible]	2.83	−1.33	4.5[illegible]	[illegible]	7.11	+0.32	1.77	−1.63	8.90	+5.18	3.1[illegible]	[illegible]3.62	4.69	−2.58	[illegible]	[illegible]2.20	3.22	−1.94	2.71	+0.75	0.76	−1.54	1.17	−2.71	42.27	−10.00
[illegible]	3.2[illegible]	−0.79	4.87	[illegible]	7.31	+3.08	2.05	−0.93	11.10	+8.18	5.[illegible]	[illegible]0.18	3.28	−2.73	11.23	+5.93	2.26	−1.74	5.52	+3.35	1.24	−1.25	2.28	−1.02	59.52	+13.16
[illegible]	[illegible]	−1.97	4.42	−0.28	6.50	+1.76	3.65	−0.28	4.77	+1.08	2.98	−0.91	3.94	−1.62	4.63	−0.12	2.25	−1.19	3.19	+0.88	1.92	−0.97	2.79	−1.36	43.37	−4.98
[illegible]le	1.79	......	2.71	......	4.79	......	2.13	......	4.31	......	4.14	......	8.02	......	6.10	......	1.47	......	5.13	......	1.30	......	1.30	......	43.22	......
[illegible]tman	1.10	−2.75	3.76	−0.91	3.42	−0.61	2.31	−1.17	3.69	+0.20	6.44	+0.50	7.71	+0.43	3.09	−3.50	1.29	−2.65	4.30	+2.01	1.83	−0.40	0.90	−3.43	39.81	−13.21
[illegible]ah	2.16	−0.62	2.75	−0.39	1.06	−2.00	1.73	−0.84	9.02	+6.00	2.19	−3.10	1.06	−2.58	10.40	+3.09	4.29	−1.21	2.19	−0.79	1.12	−0.98	1.46	−1.47	42.34	−4.89
[illegible]ah, No. 2	2.32	......	2.83	......	1.64	......	1.02	......	9.70	......	2.82	......	3.65	......	6.45	......	2.68	......	1.21	......	1.10	......	1.58	......	37.00	......
[illegible]asville	1.3[illegible]	−2.71	3.12	−1.3[illegible]	3.85	−0.24	1.78	−1.56	8.17	+4.54	5.2[illegible]	[illegible]0.16	7.70	[illegible]1.00	3.32	−2.43	1.61	−3.27	0.75	−2.21	1.67	−1.01	1.61	−2.70	40.26	−12.09
[illegible]ton	2.09	−3.0[illegible]	[illegible]	[illegible]	6.17	[illegible]1.39	1.71	−2.15	12.42	+9.21	3.[illegible]	−1.75	3.23	−2.33	6.21	+0.37	1.51	−2.58	2.39	+0.13	0.80	−1.25	1.92	−2.03	45.26	−4.33
[illegible]oss	1.35	−1.96	3.77	[illegible]	2.2[illegible]	[illegible]	1.8[illegible]	[illegible]1.08	8.22	+4.75	5.4[illegible]	[illegible]0.39	4.53	−2.27	4.68	−2.04	1.01	−3.55	2.82	+0.31	1.89	−0.24	0.88	−2.32	38.09	−10.16

Monthly and Annual Average Temperatures for the Year 1934, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
Northern division																										
Athens	[illegible]	[illegible].5	4[illegible]	−3.8	51.6	−[illegible]	[illegible]	+0.8	70.2	+0.3	79.2	+2.3	81.6	2.2	79.6	+1.3	74.2	+0.7	63.0	+0.7	51.8	+2.9	43.8	−0.6	62.4	+0.8
Atlanta	[illegible].2	+2.6	40.0	−5.3	50.4	−1.6	60.6	−0.4	69.0	−0.9	78.0	+2.0	80.0	+1.9	78.4	+1.4	73.8	+1.4	64.1	+1.1	51.0	+1.9	41.4	−3.3	61.2	0.0
Blairsville	41.8	.....	.....	.....	.....	.....	55.0	.....	64.7	.....	73.6	.....	76.2	.....	.....	.....	68.2	.....	60.4	.....	50.4	.....	.....	.....	.....	.....
Blue Ridge	.....	.....	38.2	−5.6	.....	.....	.....	.....	67.0	+3.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Canton Bridge	40.2	+2.5	38.7	−6.5	50.3	−2.9	62.2	+1.4	68.9	−1.1	79.8	+3.0	82.0	+3.5	81.4	+3.4	76.4	+3.0	62.8	+0.5	53.8	+1.8	42.8	−2.0	62.2	+0.6
Clayton	35.1	[illegible].5	[illegible]	−8.6	41.4	−4.6	51.2	−2.4	63.7	−1.1	72.2	+0.7	76.7	+2.4	74.2	+0.7	68.2	−0.4	59.0	+1.0	49.6	+1.6	40.4	−0.4	56.0	−1.2
Cornelia	43.3	−0.6	38.5	−7.2	48.0	−1.9	59.0	−0.6	67.5	+1.0	75.6	+0.9	79.8	+2.8	77.6	+2.1	72.1	−0.3	60.7	+0.1	51.5	+1.2	40.8	−3.8	59.5	−0.5
Dahlonega	45.3	2.7	38.0	−5.7	48.6	−2.0	58.8	+0.3	67.5	+1.2	71.7	+1.4	78.6	+2.8	[illegible]	+1.5	71.6	+0.5	60.2	+0.5	51.6	+1.9	40.6	−1.6	59.2	+0.4
Gainesville	47.0	2.4	38.6	−4.8	48.6	−2.6	58.6	−0.8	67.6	−0.2	76.5	+1.6	80.2	+2.5		+1.5	72.6	+1.1	61.6	+0.9	51.6	+1.4	41.0	−1.7	59.9	+0.1
Hartwell (near)	45.7	+1.8	40.3	−5.3	49.6	−3.3	61.0	+0.1	68.4	−1.6	78.4	+1.5	80.9	+1.6	[illegible]	+0.5	75.4	+1.5	62.4	−0.2	55.0	+3.1	43.4	−0.9	61.6	−0.1
Lafayette	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rome	45.6	+3.4	39.6	−5.4	50.8	−1.9	61.8	+1.7	71.2	+1.6	78.0	+2.2	82.[illegible]	+2.6	80.6	+2.0	74.2	+0.6	64.0	+1.7	51.4	+3.7	42.7	−0.5	62.1	+0.9
Tallapoosa	45.6	+3.0	39.8	−4.1	49.4	−3.5	60.2	+0.2	67.4	−1.2	76.4	+0.7	79.4	+1.3	78.8	+1.4	.....	.....	61.1	−0.6	52.0	+1.0	41.[illegible]	−2.2	.....	.....
Toccoa	.....	.....	.....	.....	51.3	−0.7	61.2	+0.9	68.4	+1.8	77.6	+2.1	81.0	+2.9	78.6	+1.7	72.8	+0.8	61.3	+0.2	53.6	+2.7	43.8	+0.4	.....	.....
Washington	48.0	+3.0	42.6	−3.7	52.7	−2.5	63.6	+1.4	71.0	−0.4	80.4	+2.4	83.2	+3.0	82.4	+3.1	.....	.....	66.2	+2.8	57.3	+2.6	45.8	+0.5	.....	.....
Middle division																										
Augusta	49.7	+2.7	43.9	−6.0	54.3	−1.7	64.6	+0.4	70.8	−1.6	80.8	+2.1	83.6	+2.3	81.7	+1.3	78.0	+2.7	66.0	+0.7	57.6	+3.1	46.6	−1.5	64.8	+0.4
Brooklet	53.6	+4.0	47.8	−2.9	57.8	−1.5	67.0	+1.0	72.5	−1.5	81.7	+1.7	84.6	+2.7	82.0	+0.7	78.1	+0.8	68.2	+0.9	60.0	+2.5	50.2	−0.4	67.0	+0.6
Columbus	50.3	+2.7	46.0	−3.9	56.0	−2.2	65.9	+0.5	73.6	+0.4	82.2	+2.3	83.8	+2.3	81.8	+0.7	77.2	−0.1	67.4	+0.7	57.3	+1.5	46.7	−2.4	65.7	+0.2
Covington	47.0	+3.4	41.6	−2.5	51.2	−3.5	62.1	+1.2	69.0	−1.4	78.0	+0.6	81.9	+2.0	80.5	+1.9	75.4	+1.2	63.6	+1.4	54.9	+2.2	42.4	−2.4	62.2	+0.3
Dublin	54.5	+3.[illegible]	45.6	−5.6	56.2	−0.7	66.0	+0.7	71.2	−1.3	80.2	+1.0	83.0	+1.9	82.0	+1.7	77.4	+0.8	66.8	+0.5	58.0	+2.3	48.1	−1.8	65.5	+0.2
Fair View	48.[illegible]	+1.3	43.1	−6.2	52.7	−2.8	63.2	0.0	69.7	−0.7	78.6	+1.0	81.5	+2.1	79.6	+1.1	75.0	+0.1	65.0	+0.5	56.6	+2.2	45.4	−1.9	63.2	−0.3
Fort Valley	49.0	+0.8	41.0	−8.5	55.3	−0.9	65.5	+0.2	71.6	−0.1	80.2	+1.2	83.1	+2.5	81.3	+1.2	76.0	−1.8	65.6	−0.4	57.0	+0.8	45.4	−5.0	64.5	−0.8
Greensboro	46.4	+1.4	40.0	−6.5	.....	.....	61.6	−0.5	69.2	−1.2	79.1	+1.6	81.8	+2.0	79.6	+0.8	75.3	+0.6	63.4	+0.1	54.0	+0.8	42.5	−3.2	.....	.....
Griffin	46.6	+0.8	42.2	−5.8	51.8	−3.7	61.4	−1.8	68.4	−2.6	78.6	+0.8	81.2	+1.3	80.0	+1.0	76.0	+1.0	66.2	+2.0	57.8	+3.7	45.2	−1.4	63.0	−0.3
Louisville	49.8	+2.5	44.4	−4.6	55.5	−1.5	65.8	+1.9	70.4	−2.4	80.6	+1.7	84.0	+3.5	82.0	+2.0	77.8	+2.2	66.4	+3.4	58.1	+1.9	46.9	−1.0	65.1	+0.8
Macon	49.8	+3.0	44.0	−5.3	51.0	−2.7	64.3	+0.1	70.9	−1.4	79.8	+0.9	83.6	+1.8	80.9	+1.0	76.0	+1.2	66.1	+1.6	57.2	+3.0	45.8	−1.7	64.3	+0.1
Marshallville	49.1	+1.0	44.1	−5.9	56.9	−2.1	65.2	+0.2	71.4	−1.8	80.6	+1.5	82.3	+1.4	ᶠ81.0	+0.5	76.4	−0.4	66.9	+0.9	57.3	+1.6	46.5	−2.2	64.7	−0.5
Milledgeville	47.6	+1.6	43.1	−5.4	52.8	−3.1	63.6	−0.3	71.0	−1.3	80.6	+1.8	81.0	+3.0	81.6	+1.4	76.6	+0.8	65.0	+0.5	56.2	+2.1	45.4	−1.7	64.0	0.0
Millen	[illegible].8	+3.4	46.8	−3.3	56.6	−1.4	67.0	+1.[illegible]	7[illegible].4	−1.8	81.5	+2.0	85.2	+3.7	84.0	+3.1	80.0	+3.5	68.4	+2.5	59.6	+1.9	49.2	+0.3	66.8	+1.5
Monticello	47.0	+2.2	42.3	−4.9	52.9	−2.2	63.3	+0.5	7[illegible].4	−0.1	80.8	+2.5	82.8	+2.7	82.0	+2.6	.....	.....	65.2	+1.5	55.8	+2.4	43.9	−2.2	.....	.....
Newnan	45.8	+1.5	[illegible].7	−4.4	53.0	−1.7	63.5	−1.4	69.2	−1.5	78.0	+0.3	81.1	+1.4	79.8	+1.0	73.2	−1.3	63.8	+0.2	54.6	+1.3	43.0	−2.2	62.0	−0.6
Stillmore	51.1	.....	[illegible]7.2	.....	57.7	.....	67.0	.....	71.6	.....	80.6	.....	84.0	.....	82.6	.....	ᵃ78.8	.....	68.2	.....	58.8	.....	50.0	.....	66.5	.....
Talbotton	ᵇ48.4	+1.4	44.5	−4.2	51.8	−5.0	ᶜ65.1	+1.6	71.7	−0.2	81.2	+2.8	83.0	+2.8	.....	.....	75.4	−0.2	66.6	+1.6	57.2	+2.5	45.5	−2.2	.....	.....
Warrenton	49.0	+2.8	43.4	−4.2	53.4	−2.5	63.8	+0.8	70.2	−1.4	80.2	+2.0	82.9	+2.5	81.2	+1.6	76.8	+1.8	64.9	+1.0	56.4	+2.4	44.6	−2.1	63.9	+0.4
West Point	46.2	[illegible]	42.0	−5.2	52.2	−3.5	62.4	−0.7	70.4	−1.0	79.6	+1.1	81.9	+1.4	80.6	+0.6	74.9	−0.2	64.8	+0.8	54.7	+1.3	44.2	−1.6	62.8	−0.5
Southern division					57.4				75.[illegible]																	
Alapaha	51.0	+3.1	49.4	−3.6	57.5	2.3	66.0	−0.6	71.2	−2.8	.....	.....	82.8	+1.4	81.2	+0.2	78.5	+1.1	70.4	+2.9	60.6	+2.8	ᵇ52.2	+0.9	.....	.....
Albany	52.2	+2.0	47.6	−4.8	58.3	−1.9	67.2	+0.2	73.1	−1.5	81.6	+0.9	83.2	+1.1	82.2	+0.6	78.0	0.0	69.7	+1.8	58.6	+0.7	49.6	−1.5	66.8	−0.2
Americus	[illegible].1	+2.8	45.8	−5.0	56.8	−1.5	67.6	+2.3	73.0	−0.3	84.1	+1.2	82.8	+1.4	83.0	+2.2	78.4	+1.5	70.2	+3.5	59.8	+3.7	48.6	−0.6	66.5	+0.9
Bainbridge	[illegible].6	+0.7	48.6	−5.4	59.1	−2.3	67.7	−6.1	74.2	−0.7	80.8	+0.3	81.7	−0.1	80.9	−0.6	77.4	−0.9	70.2	+2.2	58.8	+0.3	49.8	−2.1	66.8	−0.7
Blakely	53.3	+2.8	48.6	−4.0	58.0	−2.5	66.4	0.0	73.6	−0.2	80.8	+0.8	81.8	+0.6	80.8	−0.2	77.4	−0.4	70.5	+3.2	59.8	+2.3	49.8	−1.3	66.7	+0.1
Brunswick	55.3	+1.7	51.4	−4.0	59.4	−1.8	68.6	+0.8	72.7	−1.7	80.0	−0.8	83.4	+1.8	81.8	+0.1	79.1	+0.7	71.0	+0.7	62.7	+2.1	53.6	−1.4	68.2	−0.2
Cairo	53.5	.....	49.9	.....	58.8	.....	67.0	.....	72.7	.....	80.6	.....	79.8	.....	79.6	.....	77.6	.....	72.[illegible]	.....	ᵃ60.9	.....	51.4	.....	67.0	.....
Darien	5[illegible]	.....	50.8	.....	66.2	.....	67.8	.....	72.5	.....	79.4	.....	.....	.....	82.0	.....	78.8	.....	70.1	.....	60.0	.....	.....	.....	.....	.....
Eastman	52.[illegible]	[illegible].6	46.8	−4.8	57.8	−1.4	67.6	+1.4	73.6	−0.3	82.4	+2.2	[illegible]	+2.3	82.2	+1.2	78.2	+0.9	68.1	+1.1	59.8	+2.7	50.0	−0.3	66.9	+0.6
Fargo	55.[illegible]	.....	51.[illegible]	.....	58.2	.....	66.8	.....	73.2	.....	80.0	.....	85.2	.....	80.9	.....	77.4	.....	71.0	.....	ᶜ60.0	.....	.....	.....	.....	.....
Fitzgerald	53.8	+3.0	ᵈ48.[illegible]	−3.4	58.8	−1.8	68.6	+3.3	73.2	−1.3	81.6	+1.7	83.4	+1.5	82.2	+1.2	78.7	+1.4	ᵃ69.9	+3.0	60.8	+3.1	ᵇ51.2	−0.9	67.6	+1.0
Fort Gaines 49.2	53.0	+3.7	46.1	−4.3	ᵇ57.2	−1.8	67.2	+1.4	72.6	−0.9	81.2	+1.4	82.2	+0.9	79.8	−0.8	76.0	−1.1	70.6	+3.7	59.5	+2.5	49.6	−0.9	66.3	+0.3
Glennville	51.2	+2.2	47.6	−5.9	57.7	−2.1	67.6	+0.7	70.8	−3.2	79.4	−0.5	83.1	+1.6	81.6	+0.5	78.5	+0.8	69.7	+1.5	61.1	+2.8	51.0	−1.0	66.9	−0.2
Hawkinsville	51.[illegible]	+3.1	45.7	−4.9	56.6	−1.5	65.8	+0.6	72.1	−1.2	80.4	+0.8	83.1	+1.8	83.0	+2.1	77.5	+0.1	68.0	+1.4	59.0	[illegible].6	48.6	−0.9	66.0	+0.4
Hazelhurst	51.2	+2.8	49.0	−6.1	58.8	−0.8	68.5	+1.8	72.4	−0.8	79.4	−0.6	.....	.....	82.0	+1.1	78.6	+0.2	69.6	+0.9	60.8	+2.2	ᵃ50.6	−2.7	.....	.....
McRae	51.8	.....	50.4	.....	60.3	.....	68.0	.....	73.8	.....	81.2	.....	82.0	.....	81.4	.....	78.4	.....	71.2	.....	61.6	.....	52.7	.....	68.0	.....
Quitman	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	80.4	+0.1	81.8	+0.2	81.0	−0.3	78.2	0.0	71.4	+2.7	61.4	+2.2	52.4	−0.6	.....	.....
Savannah	51.9	3.5	48.6	−5.4	58.3	−0.7	67.4	+1.1	72.7	−0.7	80.7	+1.7	83.8	+2.3	81.8	+1.1	79.4	+3.2	70.6	+2.7	61.6	+3.1	52.0	−0.4	67.6	+0.9
Savannah, No. 2	53.8	.....	48.5	.....	57.5	.....	66.4	.....	71.2	.....	78.8	.....	82.5	.....	80.8	.....	76.9	.....	68.0	.....	59.0	.....	49.0	.....	66.0	.....
Thomasville	54.8	+3.8	50.6	−4.4	59.5	−0.7	68.0	+1.3	73.0	−1.0	80.3	+0.8	81.2	−0.6	80.6	−0.4	78.0	+1.2	71.6	+3.4	61.4	+2.9	52.8	+0.3	67.6	+0.5
Tifton	5[illegible].8	+1.6	47.5	−6.8	57.6	+0.6	66.4	+0.1	72.4	−0.8	80.2	+1.4	[illegible]	+1.6	ᵃ81.6	+1.4	78.2	+0.1	70.2	+2.6	60.4	+3.0	50.6	−3.5	66.6	0.0
Waycross	5[illegible].2	+3.7	52.4	−1.8	61.1	−0.2	69.6	+2.4	74.5	+0.1	81.6	+1.6	81.8	+3.0	83.4	+2.0	80.4	+2.6	72.8	+4.1	62.2	+3.4	52.7	+0.4	69.3	+1.8

Reference letters, ᵃ, ᵇ, ᶜ, appearing in the table indicate number of days missing; for example, ᵇ represents two days, etc.

COPY

(Continued from page 49.)

the 18th near Swainsboro a young woman was struck and d by lightning.

UGUST.—Like June and July, August also showed considerexcess in the average temperature. The rainfall average almost normal, but there were extensive areas in the southern and east-central counties that experienced quite a dry th. Truck, corn, and other crops were badly affected, and h cotton opened prematurely with a poor yield.

EPTEMBER.—Only 10 stations had more than normal unts of rainfall. Extensive areas in the southern part of State had less than half the September normal. While e conditions were favorable for harvesting the cotton crop, weather was much too dry in many middle and southern ties for unmatured vegetation, especially truck crops, pass, and sugar cane.

CTOBER.—This was a warm October, with widespread heavy s early in the month followed by almost unbroken dry ther after the 12th. There was widespread killing frost on 29th even within a few miles of Savannah. Beans, pota, tomatoes, and other truck were severely injured where ving, but in most places staple crops subject to frost damhad been gathered and the injury was generally limited to er beds. Sharp rises in the rivers followed the heavy rains the 5th to 11th, but the only river station reporting a rise e flood stage was Abbeville on the Ocmulgee.

OVEMBER.—This was the driest month of the year, and the conditions that in some counties were becoming serious by end of October became still more acute. The lack of rain ted in much delay in fall seeding, and in some southern ities necessitated hauling water for cattle. This condition somewhat relieved before the end of the month.

ECEMBER.—Again the rainfall was light, especially during rst 17 days, and farmers in some places found it useless to h oats or wheat until the latter half of the month. This he coldest December in Georgia since 1930, but the avermperature was only a little more than 1° below normal.

MONTHLY STATE DATA FOR 1934

Months	Tem				Precipitation				
	Mean	Departure from normal	Maximum	Minimum	Average	Departure from normal	Greatest	Least	No. days with 0.01 inch or more
an	49.8	+2.6	82	−10	2.61	−1.55	6.44	0.92	9
	44.5	−3.9	84	7	[illegible]	−0.76	6.39	2.61	8
h	54.8	−1.5	88	1[illegible]	[illegible]	[illegible]	10.75	1.06	8
	64.4	+0.9	94	[illegible]	3.99	[illegible]	9.81	0.90	8
	70.9	−0.8	96	[illegible]	[illegible]	[illegible]	12.42	2.28	10
	79.6	+1.5	103	[illegible]	5.68	+0.61	14.20	1.23	10
	82.4	+2.3	105	[illegible]	4.60	−1.00	8.02	2.12	12
st	[illegible]	+1.4	102	55	[illegible]	−0.02	12.30	1.55	12
r	[illegible]	+0.8	99	43	2.57	−1.10	7.12	0.40	7
	[illegible]	+1.9	93	26	4.21	+1.50	9.27	0.75	6
r	[illegible]	[illegible]		19	1.77	−0.90	6.58	0.53	6
r	[illegible]	[illegible]		10	2.64	−1.62	6.02	0.88	9
ea	64.6	+0.6	105	−10	47.60	−2.08	75.16	34.21	105

KILLING FROSTS

Stations	Last in spring	First in autumn
Northern division		
Athens	Mar. 16*	Nov. 12*
Atlanta	Mar. 20*	Oct. 25
Blairsville	Apr. 25*	Oct. 29
Blue Ridge	......	......
Carlton Bridge	Apr. 14*	Oct. 29†
Clayton	Apr. 22*	Oct. 28
Cornelia	Apr. 21	Oct. 28
Dahlonega	Apr. 22*	Oct. 29
Gainesville	Apr. 15*	Oct. 29
Hartwell (near)	Mar. 16	Oct. 29
Lafayette	......	Oct. 29†
Rome	Mar. 20*	Oct. 29
Tallapoosa	Apr. 22*	Oct. 29
Toccoa	Apr. 13	Oct. 29
Washington	Mar. 16	Nov. 12
Middle division		
Augusta	Mar. 13*	Nov. 13
Brooklet	Mar. 16	do 13
Columbus	Mar. 15	do 13
Covington	Apr. 13*	do 12†
Dublin	Mar. 16	Oct. 29†
Fair View	Apr. 13*	Nov. 12†
Fort Valley	Apr. 13	do 12†
Greensboro	Apr. 13	Oct. 29
Griffin	Apr. 21*	Nov. 12†
Louisville	Mar. 15*	Oct. 29
Macon	Mar. 13	Nov. 13
Marshallville	Mar. 20*	do 12
Milledgeville	Mar. 16*	Oct. 29†
Millen	Mar. 16*	Nov. 12†
Middle division—Con.		
Monticello	Mar. 15*	Nov. 12*
Newnan	Apr. 13*	do 12*
Stillmore	Mar. 12*	do 12
Talbotton	Mar. 20*	do 11†
Warrenton	Mar. 15*	do 12†
West Point	Mar. 20	do 12†
Southern division		
Alapaha	Mar. 21*	Nov. 13*
Albany	Mar. 11	do 12
Americus	Mar. 21*	do 12†
Bainbridge	Mar. 13*	do 1[illegible]
Blakely	Mar. 20*	do 12
Brunswick	Mar. 11*	Dec. 10
Cairo	Mar. 12*	Nov. 13
Darien	Mar. 15*	do 13*
Eastman	Mar. 15*	do 12*
Fargo	Apr. 13*	do ..
Fitzgerald	Mar. 12*	do 13†
Fort Gaines	Mar. 20	do 12†
Glennville	Mar. 12*	do 13†
Hawkinsville	Mar. 16*	do 12*
Hazlehurst	Mar. 13	do 13†
Moultrie	Mar. 12*	do 13*
Quitman	Mar. 16*	do 13†
Savannah, No. 1	Mar. 12	do 16
Savannah, No. 2	Apr. 13	Oct. 29†
Thomasville	Mar. 11	Nov. 13†
Tifton	Mar. 12	do 13†
Waycross	Mar. 16	do 13†

* Latest date with temperature 32° or below.
† Earliest date with temperature 32° or below.

ANNUAL CLIMATOLOGICAL DATA FOR THE STATE

Year	Temperature				Precipitation					Number of days			
	Mean	Departure	Highest	Lowest	Average	Departure	Greatest annual	Least annual	Average snowfall	Precip., .01 or more	Clear	Pt. cloudy	Cloudy
1892	62.8	−1.2	102	9	51.12	+1.44	68.56	39.27	.....	96	152	104	110
1893	63.3	−0.7	108	−1	40.29	−9.39	65.10	35.43	.....	86	169	107	89
1894	64.0	0.0	101	0	49.75	+0.07	61.65	35.14	.....	94	157	123	85
1895	62.2	−1.8	102	−5	49.57	−0.11	72.32	42.47	.....	96	154	117	94
1896	64.5	+0.5	108	−3	45.15	−1.53	64.91	31.12	1.1	81	176	113	77
1897	64.0	0.0	107	−6	49.23	−0.45	67.31	39.26	0.4	84	154	115	96
1898	63.9	−0.1	103	7	53.11	+3.16	87.86	31.80	0.4	99	152	122	91
1899	63.6	−0.4	106	−12	44.20	−5.48	65.40	33.57	6.5	91	171	110	84
1900	63.7	−0.3	107	0	57.33	+7.65	77.32	45.08	0.4	115	141	130	94
1901	61.6	−2.4	106	3	57.58	+7.90	80.68	35.81	3.4	113	152	123	90
1902	63.6	−0.4	108	7	49.99	+0.31	67.79	38.00	1.3	100	136	128	101
1903	62.6	−1.4	101	9	53.81	+4.16	75.18	36.95	0.3	100	140	116	109
1904	62.6	−1.4	104	4	37.17	−12.51	49.82	28.54	1.7	87	183	107	76
1905	63.2	−0.8	106	−8	51.03	+1.35	72.85	39.49	1.5	100	155	106	104
1906	63.4	−0.6	103	11	54.60	+4.92	91.55	25.72	1.9	102	163	108	94
1907	64.2	+0.2	106	14	48.73	−0.95	71.94	36.29	0.3	97	159	126	80
1908	64.3	+0.3	105	9	50.03	+0.35	77.32	35.73	0.7	89	169	113	84
1909	64.0	0.0	104	5	48.31	−1.37	83.34	30.12	0.3	91	178	112	75
1910	63.0	−1.0	105	8	43.60	−6.08	57.65	32.04	0.6	91	184	86	95
1911	65.7	+1.7	108	9	48.23	−1.45	73.62	36.17	0.1	98	167	75	123
1912	62.9	−1.1	103	0	63.02	+13.34	78.87	48.80	5.2	115	152	83	131
1913	64.0	0.0	110	12	46.47	−3.21	68.84	37.23	T.	97	183	79	103
1914	63.4	−0.6	109	5	45.58	−4.10	61.72	34.23	5.1	93	130	109	126
1915	64.0	0.0	108	16	49.63	−0.05	72.41	36.73	0.5	89	196	83	86
1916	64.3	+0.3	103	10	43.50	−6.18	62.65	33.08	0.4	93	180	95	91
1917	62.6	−1.4	103	0	47.41	−2.27	63.72	28.77	1.9	99	181	92	92
1918	64.5	+0.5	106	−3	48.73	−0.95	73.24	35.80	1.6	101	163	88	116
1919	65.2	+1.2	103	2	54.91	+5.23	71.96	40.52	0.4	103	167	87	111
1920	63.0	−1.0	105	4	59.73	+10.05	84.91	43.03	T.	107	166	86	114
1921	66.1	+2.1	104	20	40.94	−8.74	58.99	29.84	1.0	94	173	100	92
1922	65.7	+1.7	104	12	55.38	+5.70	82.63	42.31	0.3	115	158	94	113
1923	63.5	+0.5	105	0	52.76	−3.08	75.80	32.62	T.	108	159	88	118
1924	63.1	−0.9	107	−9	54.27	+4.59	77.95	41.36	1.9	99	187	72	107
1925	65.8	+1.8	111	0	41.00	−8.68	54.05	29.37	T.	89	186	75	104
1926	63.9	−0.1	110	6	50.44	+0.76	70.17	38.03	0.8	104	181	78	106
1927	66.2	+2.2	108	4	40.65	−9.03	54.85	29.65	1.0	92	177	100	88
1928	63.6	−0.4	105	−5	59.92	+10.24	78.43	39.57	0.3	111	167	101	98
1929	64.6	+0.6	103	7	69.83	+20.15	97.80	50.77	1.6	122	156	101	108
1930	63.9	−0.1	109	8	46.13	−3.55	57.88	30.53	3.3	99	175	93	97
1931	65.4	+1.4	109	11	36.75	−12.93	64.45	22.00	0.2	87	194	91	80
1932	65.7	+1.7	108	10	56.80	+7.12	89.71	39.80	0.7	115	162	93	111
1933	66.1	+2.1	108	0	41.91	−7.77	65.08	25.95	T.	94	184	95	86
1934	64.6	+0.6	105	−10	47.60	−2.08	75.16	34.21	0.8	105	179	95	91
Period	64.0	......	111	−12	49.68	....	97.80	22.00	1.2	99	167	100	98

(WBO, Atlanta, 1-31-35—1075)

COPY



GEORGIA
SCALE OF MILES
0 10 20 30 40 50 60
83
82
81
84
35
34
33
32
31
DADE
FANNIN
Blue Ridge
TOWNS
RABUN
Clayton
UNION
MURRAY
GILMER
LUMPKIN
WHITE
HABERSHAM
Toccoa
STEPHENS
Cornelia
CHATTOOGA
GORDON
PICKENS
DAWSON
HALL
BANKS
FRANKLIN
HART
Hartwell
FLOYD
Rome
BARTOW
Adairsville
CHEROKEE
Canton
FORSYTH
Gainesville
Commerce
JACKSON
MADISON
ELBERT
Carlton
POLK
MILTON
GWINNETT
Norcross
BARROW
CLARKE
Athens
Point Peter
Lisbon
Savannah
PAULDING
COBB
HARALSON
Tallapoosa
FULTON
Atlanta
DEKALB
WALTON
OCONEE
OGLETHORPE
WILKES
Washington
LINCOLN
DOUGLAS
CARROLL
CAMPBELL
ROCKDALE
Covington
NEWTON
CLAYTON
HENRY
MORGAN
Greensboro
GREENE
TALIAFERRO
McDUFFIE
COLUMBIA
Augusta
Warrenton
WARREN
RICHMOND
HEARD
Newnan
COWETA
FAYETTE
Griffin
SPALDING
BUTTS
JASPER
Monticello
PUTNAM
Eatonton
HANCOCK
GLASCOCK
TROUP
MERIWETHER
PIKE
Concord
LAMAR
MONROE
JONES
Milledgeville
BALDWIN
JEFFERSON
Louisville
BURKE
River
West Point
Woodbury
UPSON
Fair View
Macon
BIBB
WASHINGTON
HARRIS
Goat Rock
TALBOT
Talbotton
CRAWFORD
WILKINSON
JOHNSON
JENKINS
Millen
SCREVEN
TAYLOR
Butler
MUSCOGEE
Columbus
Fort Valley
TWIGGS
Marshallville
HOUSTON
EMANUEL
CHATTAHOOCHEE
MARION
SCHLEY
MACON
Montezuma
BLECKLEY
Dublin
LAURENS
TREUTLEN
CANDLER
Statesboro
BULLOCH
EFFINGHAM
Hawkinsville
PULASKI
DODGE
STEWART
WEBSTER
Americus
SUMTER
DOOLY
Eastman
WHEELER
MONTGOMERY
TOOMBS
TATTNALL
EVANS
Savannah
BRYAN
CHATHAM
QUITMAN
WILCOX
Abbeville
CRISP
TELFAIR
Lumber City
Hazlehurst
Glenville
LIBERTY
RANDOLPH
TERRELL
LEE
TURNER
BEN HILL
JEFF DAVIS
APPLING
LONG
CALHOUN
Albany
DOUGHERTY
WORTH
IRWIN
COFFEE
BACON
WAYNE
McINTOSH
Chattahoochee
Blakely
EARLY
BAKER
TIFT
Alapaha
ATKINSON
PIERCE
MITCHELL
COLQUITT
COOK
BERRIEN
Waycross
WARE
BRANTLEY
GLYNN
Brunswick
SEMINOLE
DECATUR
Bainbridge
LANIER
CAMDEN
GRADY
THOMAS
Thomasville
BROOKS
Quitman
LOWNDES
Valdosta
CLINCH
ECHOLS
CHARLTON
St. George
L.S.

U. S. DEPARTMENT OF AGRICULTURE, WEATHER BUREAU

CLIMATOLOGICAL DATA

7 GEORGIA SECTION

G. W. MINDLING

Vol. XXXIX Atlanta, Ga., Year 1935 No. 13

GENERAL SUMMARY

This was a rather warm year with an excess in temperature in each month except July, September, and December. Spring was early with unusually warm weather in March. Freezing temperatures were not recorded in the southern half of the State except at a few places after March 2, and at only a few northern stations after March 13. However, frosts on April 14 caused local injury to sweet potatoes and beans southward to within a few miles from Savannah.

Some parts of the State suffered from insufficient rainfall in May, June, and October, while many sections experienced excessive rainfall in July, August, or September. Locally the precipitation for the year ranged from a minimum of 31.51 inches at Macon to 65.92 inches at Flat Top.

The only important storms with destructive effects were the tornadoes of March 6 and 12, the excessive rains of September 4 and 5, and the ice storm of December 28-29.

THE WEATHER BY MONTHS

January.—There was a well sustained period of mild weather from about the 7th through the 21st, which brought jasmine into pretty full bloom in Atlanta. Rainfall was light, especially after the 9th. In some southern counties the ground became too dry for plowing. Rivers were low throughout the month except in the northeastern section, where sharp rises followed the heavy rains of the 5th to 9th.

February.—This was a moderately mild month with no unusual extremes in temperature nor unduly prolonged periods of abnormal warmth or cold. There was sufficient rainfall in southwestern counties, but a deficiency was experienced in other parts of the State.

March.—This was the warmest March since 1921. The rainfall was again less than normal, though greater than in either January or February. There were several tornadoes and destructive local storms on the 6th and 12th. The localities affected were in Oglethorpe, Wilkes, Lincoln, Richmond, Johnson, and Lowndes Counties. Eight people were injured near Lincolnton, and property losses in that locality amounted to about $25,000.

April.—A discouraging period of cold weather prevailed from the 7th to the 17th, which was especially hard on cotton and corn. Frosts on the 14th caused local injury to sweet potatoes and beans even within a few miles from Savannah. Wheat and other crops were damaged by heavy hail near Barnesville on the 4th. Destructive hail also fell in Atlanta and Athens.

May.—Although the average temperature was above the normal, the month contained cool periods that interfered with the growth of cotton and corn. Some replanting of cotton was necessary. Rainfall was rather light in most sections and quite insufficient from about Milledgeville and Sparta southeastward to Savannah and almost to Brunswick.

June.—This was another dry month, especially so in eastern and south-central sections. About one tenth of the State had less than half an inch of rain after the 10th. Toward the close of the month in the drier sections truck crops, tobacco, corn, and pastures were badly seared, watermelons were almost a failure, peaches were reduced in size, and there was a scarcity of water for cattle.

July.—The dry condition that developed during the latter part of June was well relieved in July, the heaviest rainfall coming in the southern part of the State. The average amount for the southern division was slightly over 10 inches, while in the central and northern divisions it was between 5 and 6 inches.

August.—As in July, there were frequent showers. The rainfall was quite unevenly distributed, ranging from 1.28 to 11.59 inches. The driest region was between Athens and Washington. In most sections the month was considered too wet for cotton and for peanuts where chiefly grown, though conditions were generally favorable for other crops.

September.—Again there was great variation in the amount of rainfall from less than 0.50 inch at some northern stations to over 18 inches at Brunswick and over 10 inches at several other southern stations. The most widespread occurrence of heavy rain came as the well-known Florida Keys hurricane passed over southern Georgia on the 4th and 5th. While the winds were no longer destructive at that time, a good deal of cotton was blown from the stalks and most of the remaining open cotton in southern counties was badly spoiled by these rains.

October.—This was a very dry month, with only two stations in the State having more than the normal rainfall. In the southern division the average was only 0.15 inch, a new record. In many places in central and southern Georgia the ground became too hard for digging potatoes, fall seeding was greatly delayed, water supplies fell off seriously, and some rivers fell lower than any previous record. Stations from Americus to Hazlehurst reported no rain at all during the month, and much of the middle and southern divisions had less than 1 inch of rain during the seven weeks ending October 31.

November.—The first two weeks were decidedly warm, after which the weather was much colder. Both the highest and lowest temperatures recorded at most stations during this month closely approached the greatest known November extremes. Rainfall was again below normal at most places in the middle and southern divisions. The first injurious frosts or freezing temperatures did not occur until November 19 or later except at most places in the northern division where the first freeze came on the 6th or 7th of October.

December.—This was the coldest December on record in Georgia with the single exception of that of 1917, when the average temperature for the State was only about 1° lower. Average daily minimum temperatures were below 32° as far south as Dublin and nearly to Albany. Winter plowing was greatly hindered by the frozen condition of the ground that prevailed

[Continued on page 53]

Climatological Data for the Year 1935

Stations	Counties	Elevation, feet	Temperature (degrees Fahrenheit)						Precipitation (inches)							Number rainy days	Sky			Prevailing direction of wind
			Length of record, years	Annual mean	Highest	Date	Lowest	Date	Length of record, years	Total for the year	Greatest monthly	Month	Least monthly	Month	Total snowfall		Number clear days	Number partly cloudy days	Number cloudy days	
Northern division																				
Athens, No. 1	Clarke	775	53	62.8	99	Aug. 7	11	Dec. 27	48	45.95	8.16	Apr.	1.66	Oct.	3.6	108	178	89	107	w.
Athens, No. 2	do																			
Atlanta Airport	Fulton	975	69	61.8	101	Aug. 7	12	Dec. 26	69	42.41	5.61	Nov.	1.93	Jan.	0.8	121	103	118	144	nw.
Atlanta, No. 2	De Kalb	998							1	48.01	7.43	Nov.	2.12	June	6.6	114				
Blairsville	Union	1,938	3		94	Aug. 2†	0	Dec. 31	3		5.20	Nov.	0.67	Sept.						
Canton	Cherokee	894							44	51.44	8.23	Apr.	0.62	Sept.	2.2	105				
Carlton Bridge	Elbert	557	36	62.1	100	Aug. 4†	11	Dec. 26	35	41.33	6.30	Apr.	1.56	June	0.9	112				
Clayton	Rabun	2,100	40	57.4	97	Aug. 7	6	Dec. 26	40		11.59	Aug.	1.21	Sept.	14.0		246	13	106	
Cornelia	Habersham	1,500	16	60.1	96	Aug. 6†	8	Dec. 21	16	52.35	7.26	Apr.‡	1.70	Sept.	10.3	105	189	76	100	w.
Dahlonega	Lumpkin	1,519	43	59.7	100	Aug. 7	9	Dec. 26	45	50.99	8.34	Nov.	0.96	Sept.	10.5	117	143	171	51	w.
Dalton	Whitfield						10	Dec. 26												
Double Branches	Lincoln								10	44.36	9.97	July	0.27	Oct.	2.0					
Gainesville	Hall	1,254	56	59.9	98	Aug. 7	11	Feb. 11‡	58	57.84	9.08	July	1.85	Sept.	5.0	135				w.
Gillsville	do	1,052							41	45.66	7.60	Apr.	1.55	June	4.4	77				
Hartwell [near]	Hart	838	25	62.0	99	Aug. 3†	12	Dec. 31	25	47.82	10.76	July	1.50	Sept.	6.0	79	112	188	65	w.
Lafayette	Walker	871			104	Aug. 7†	8	Dec. 26	5	45.82	7.97	Mar.	0.30	Sept.	3.0	82				
Resaca	Gordon	657							41	52.59	7.02	Apr.	0.83	Sept.	1.5	119				s.
Rome	Floyd	617	76	63.0	103	Aug. 7	11	Dec. 26	79	51.53	7.44	Apr.	1.08	Sept.	1.0	111				nw.
Tallapoosa	Haralson	1,150	36	60.4	103	Aug. 8	6	Dec. 27	36	51.61	8.16	Aug.	1.40	Oct.	T.	73				
Toccoa	Stephens	1,050	49	61.5	100	Aug. 7	10	Dec. 31	50	55.73	8.28	Aug.	1.30	Sept.	9.0	113	160	95	110	ne.
Washington	Wilkes	630	44	64.0	100	June 13†	15	Dec. 26	47	36.20	9.34	July	0.90	Oct.	4.0	102	170	106	89	n.
Division means and extremes				60.8	103	Aug. 7†	0	Dec. 31		48.94	11.59	Aug.	0.27	Oct.	4.5	102	163	102	100	w.
Middle division																				
Augusta	Richmond	134	89	64.9	101	Aug. 4	18	Dec. 27	68	39.04	7.18	Aug.	0.09	Oct.	3.1	100	114	121	130	nw.
Brooklet	Bulloch	253	35	67.0	103	June 21	18	Dec. 27	35	40.90	9.20	July	0.18	Oct.	T.	84	147	167	51	
Columbus	Muscogee	262	47	65.7	100	Aug. 8	19	Jan. 23†	47	38.36	6.13	Mar.	1.03	Oct.	0.2	90				e.
Concord	Pike	850							23	43.00	7.35	July	1.30	Oct.	2.2	96	231	60	74	
Covington	Newton	747	43	62.8	102	Aug. 5	11	Dec. 21	43	42.97	5.77	Mar.	1.87	Oct.	1.6	97				
Dover	Screven	92							5	37.35	7.80	July	0.14	Oct.	0.0	94				
Dublin	Laurens	234	23	65.8	99	June 13†	19	Jan. 29‡	41	38.51	7.90	July	0.06	Oct.	0.2	102	157	111	97	w.
Experiment	Spalding	946		63.5	100	Aug. 6†	13	Dec. 26		37.42	6.79	Mar.	1.41	Jan.	1.5	92				
Fair View	Lamar		19	63.7	102	Aug. 8	15	Dec. 26	19	39.02	7.30	Mar.	1.10	Oct.	2.0	103				
Fort Valley	Peach	526	14	64.5	100	Aug. 7	16	Dec. 27	14	35.66	5.83	July	0.10	Oct.	3.0	111	175	86	104	nw.
Goat Rock	Muscogee	415							21	36.60	6.39	Mar.	0.61	Oct.	0.0	98				
Greensboro	Greene	598	33	62.4	101	Aug. 7	13	Dec. 27	33	39.36	6.19	July	1.41	Oct.	3.1	78	192	83	90	w.
Griffin	Spalding	975	45	64.1	98	Aug. 4†	11	Dec. 21	45	41.33	8.11	July	1.33	Nov.	T.	90	188	99	78	w.
Hogansville	Troup	590								39.67	5.63	Mar.	1.28	Oct.	0.2	71				
Lagrange	do	740								42.65	6.07	Mar.	1.32	Oct.	0.6	100				
Louisville	Jefferson	337	37	65.3	102	Aug. 4	15	Dec. 27	37	32.73	5.17	Apr.	0.07	Oct.	4.0	94				
Macon	Bibb	330	54	64.8	98	Aug. 4	19	Dec. 26	57	31.51	6.77	July	0.36	Oct.	1.5	108	137	112	116	nw.
Marshallville	Macon	500	41						42											
Midville	Burke	186							5	33.83	6.54	July	T.	Oct.	1.8	84				
Milledgeville	Baldwin	276	47	64.4	102	Aug. 7	17	Dec. 26	46	33.33	5.57	Aug.	0.05	Oct.	2.4	113	140	129	96	ne.
Millen	Jenkins	158	47	66.9	105	Aug. 4	15	Dec. 27	48	39.54	8.78	Aug.	0.09	Oct.	T.	91				se.
Monticello	Jasper	800	40	63.7	102	Aug. 7	14	Feb. 28‡	39	38.45	6.08	July	1.16	Oct.	2.0	107	220	78	67	
Newnan	Coweta	959	46	62.4	102	Aug. 8	11	Dec. 26	46	43.63	6.60	Mar.	1.62	Oct.	0.5	99	233	46	86	nw.
Sparta	Hancock	557							5						1.1					
Stillmore	Emanuel	257	16		102	June 13	16	Dec. 27	10						T.					
Warrenton	Warren	500	20	64.0	100	Aug. 4	16	Dec. 26	20	39.29	6.17	Aug.	0.54	Oct.	2.0	91	185	114	66	sw.
West Point	Troup	573	45	63.9	103	Aug. 8	11	Dec. 27	46	48.67	7.13	July	1.02	Oct.	1.0	105	148	40	177	n.
Woodbury	Meriwether	641							34	40.97	6.72	Mar.	0.95	Oct.	1.1	101				
Division means and extremes				64.6	105	Aug. 4	11	Dec. 21‡		38.98	9.20	July	T.	Oct.	1.4	94	173	100	92	nw.
Southern division																				
Abbeville	Wilcox	180							32	43.45	10.80	July	0.07	Oct.	0.0	87				nw.
Alapaha	Berrien	293	46		97	Aug. 4†	19	Dec. 27	46	41.62	8.10	July	0.10	Oct.	0.0	93	273	21	68	sw.
Albany	Dougherty	230	48	67.7	101	Aug. 5	20	Jan. 23	49	40.31	7.41	Aug.	0.07	Oct.	1.0	108	201	49	115	sw.
Americus	Sumter	362	50	66.6	102	Aug. 5	14	Dec. 27	51	45.79	7.56	Aug.	0.00	Oct.	T.	106	232	64	69	sw.
Bainbridge	Decatur	119	43	66.8	101	Aug. 5	19	Dec. 27	43	52.20	7.92	July	0.26	Oct.	T.	116				sw.
Blakely	Early	300	39	66.9	101	Aug. 5	18	Dec. 27	41	46.29	10.47	July	0.14	Oct.	T.	118	152	118	95	sw.
Brunswick	Glynn	14	30	68.9	99	Aug. 4	24	Dec. 27	33	58.20	18.40	Sept.	0.52	Nov.	T.	113	214	79	72	se.
Cairo	Grady	265	2	67.0	97	Aug. 5	19	Dec. 27	2	58.19	14.65	July	0.11	Oct.	T.	118				nw.
Cordele	Crisp	336							1	39.31	4.90	Nov.	0.00	Oct.	0.8	86				
Eastman	Dodge	361	43	67.1	101	June 13‡	17	Dec. 27	43	36.35	7.54	July	0.00	Oct.	0.3	90	245	65	55	s.
Fargo	Clinch	116	7		102	Aug. 5	17	Dec. 27	7	47.15	13.24	July	0.39	Oct.	0.0	83				sw.
Fitzgerald	Ben Hill	515	18	67.7	100	June 12†	19	Dec. 27	19	42.73	8.97	July	0.14	Oct.	T.	76				
Fort Gaines	Clay	166	47		100	June 13	14	Dec. 27	47	41.21	8.13	July	0.25	Oct.	T.					ne.
Glennville	Tattnall	175	39	67.4	103	June 13	19	Dec. 27	30	46.01	13.35	July	0.32	Oct.	0.2	96	117	153	95	sw.
Hawkinsville	Pulaski	235	39	65.8	99	July 8	18	Dec. 27	40	31.53	6.79	July	0.00	Oct.	0.3	108	173	31	161	w.
Hazlehurst	Jeff Davis	261	16		98	Aug. 5	18	Dec. 27	16	47.38	11.15	July	T.	Oct.	T.	100	188	124	53	sw.
Lumber City	Telfair	150							25	49.54	16.91	July	0.00	Oct.	T.	80				
Montezuma	Macon	292							30	37.75	7.51	July	0.07	Oct.	T.	98				sw.
Moultrie	Colquitt	397	8	67.8	101	Aug. 5	20	Dec. 27	8	52.52	10.20	July	0.42	Oct.	0.0	123				
Quitman	Brooks	173	49	68.1	100	June 14†	20	Dec. 27	41	60.08	12.44	July	0.04	Oct.	0.0	102				nw.
Satilla Forest	Camden																			
Savannah, No. 1	Chatham	42	85	68.0	99	Aug. 4	20	Dec. 27	85	43.89	11.67	Sept.	0.30	Nov.	T.	112	134	105	126	sw.
Savannah, No. 2	do	22	7	66.0	100	June 13	17	Jan. 29	7	47.70	11.72	Sept.	0.10	Oct.	T.	123	121	175	69	w.
Thomasville	Thomas	276	53	67.2	98	Aug. 5	20	Dec. 27	53	57.68	12.13	July	0.01	Oct.	T.	119	119	98	157	sw.
Tifton	Tift	370	14	66.7	101	Aug. 5	19	Dec. 27	13	42.31	11.58	July	0.04	Oct.	T.	89	185	75	105	
Waycross	Ware	131	46	63.7	104	Aug. 5	20	Dec. 27	44	41.57	11.13	July	0.27	Oct.	T.	121	132	96	137	ne.
Division means and extremes				67.4	104	Aug. 5	14	Dec. 27		46.29	18.40	Sept.	0.00	Oct.	0.1	101	174	93	98	sw.
State means and extremes				64.6	105	Aug. 4	0	Dec. 31		44.97	18.40	Sept.	0.00	Oct.	1.8	99	170	96	99	sw.

† On other dates also.

‡ In November also.

Monthly and Annual Precipitation for the Year 1935, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure
Northern division																										
Athens, No. 1	3.10	−1.64	5.15	+0.03	4.81	−0.28	8.16	+4.54	3.58	−0.10	2.29	−1.82	5.72	+0.80	1.69	−2.90	1.96	−1.41	1.66	−1.28	3.93	+1.10	3.87	−0.69	45.95	−3.65
Athens, No. 2																			1.67		2.80					
Atlanta Airport	1.93	−3.02	4.37	−0.42	5.23	−0.07	4.27	+0.66	3.30	−0.17	2.33	−1.41	4.00	−0.65	3.37	−1.08	2.68	−0.31	2.26	−0.33	5.61	+2.58	3.06	−1.64	42.41	−5.86
Atlanta, No. 2	3.67		4.18		5.27		4.81		3.45		2.12		6.88		3.44		2.33		2.21		7.43		2.82		48.01	
Blairsville			3.20		5.05		4.40		3.52		2.16		4.45		4.69		0.67		2.12		5.20		1.79			
Blue Ridge			2.59	−2.34	6.25	−0.76	7.11	+1.54	5.22	+0.70	2.50	−1.85	2.22	−2.99												
Canton	3.59	−1.35	3.13	−2.25	6.40	+1.05	8.23	+4.11	5.27	+1.60	2.06	−1.92	5.32	−0.03	6.41	+1.64	0.62	−2.24	1.55	−1.70	6.05	+2.81	2.81	−2.78	51.44	−1.06
Carlton Bridge	3.32	−0.40	4.14	−0.96	3.57	−1.15	6.30	+2.98	2.85	−0.73	1.56	−2.62	4.18	−0.45	3.21	−1.13	2.68	−0.94	1.66	−1.20	4.27	+1.77	3.59	−1.17	41.33	−6.00
Clayton	7.25	+1.21			6.55	−0.56	6.92	+1.25	4.01	−0.41	2.28	−3.44	7.78	+0.73	11.59	+5.33	1.21	−3.93	1.75	−2.84	6.55	+2.34	2.05	−5.23		
Cornelia	3.45	−1.85	2.97	−2.31	4.64	−0.80	7.26	+2.35	4.32	−0.72	1.81	−1.50	6.58	+0.92	5.61	+1.48	1.70	−2.21	2.95	−0.39	7.26	+3.12	3.80	−2.99	52.35	−4.90
Dahlonega	3.28	−2.37	3.56	−2.19	4.73	−1.28	7.07	+2.63	4.70	−0.19	2.65	−2.22	3.98	−1.93	6.61	+1.33	0.96	−3.22	2.26	−1.48	8.34	+4.64	2.85	−3.80	50.99	−10.08
Dalton																			2.61		5.86		3.14			
Double Branches	2.72		1.99		3.76		3.67		1.32		2.78		9.97		7.40		4.84		0.27		2.03		3.61		44.36	
Gainesville	4.13	−1.02	3.12	−2.44	5.42	−0.50	8.65	+4.70	3.40	−0.48	3.79	−0.50	9.08	+3.77	6.89	+1.77	1.85	−2.02	2.52	−0.52	5.43	+2.11	3.56	−1.73	57.84	+3.15
Gillsville	2.93	−1.72	3.85	−1.48	4.12	−1.17	7.60	+3.73	3.50	−0.49	1.55	−2.24	6.49	+1.45	3.67	−0.97	2.11	−1.63	2.73	−0.53	5.00	+2.08	2.11	−3.06	45.66	−6.07
Hartwell (near)	4.62	+0.73	4.32	−0.53	3.48	−1.11	6.21	+2.69	1.51	−2.23	2.19	−1.76	10.76	+6.13	4.00	−0.75	1.50	−1.85	1.78	−1.20	4.54	+1.93	2.91	−2.14	47.82	−0.09
Lafayette	2.70		4.68		7.97		7.71		5.07		0.94		1.46		3.79		0.30		2.27		5.40		3.53		45.82	
Resaca	5.62	+0.77	3.95	−1.41	6.57	+0.65	7.02	+2.51	3.50	−0.23	2.54	−1.51	5.68	+0.56	5.74	+1.44	0.83	−2.05	3.40	+0.32	4.70	+1.34	3.24	−2.25	52.59	+0.14
Rome	4.38	−0.50	4.20	−0.64	6.16	+0.54	7.44	+3.17	4.14	+0.47	4.26	+0.10	5.30	+1.03	4.52	+0.45	1.08	−1.56	3.82	+0.96	2.71	−0.63	3.52	−1.42	51.53	+1.97
Tallapoosa	3.17	−1.21	3.82	1.36	5.85	+0.46	5.64	+1.34	2.62	−1.14	2.03	−2.12	5.67	+0.31	8.16	+3.57	4.41	+1.02	1.40	−1.67	3.66	+0.54	5.18	−0.08	51.61	−0.37
Toccoa	5.23	+0.19	3.10	−2.37	4.59	−1.16	6.38	+1.84	4.30	+0.14	2.00	−2.52	7.24	+1.62	8.28	+2.39	1.30	−2.92	2.56	−1.13	7.39	+4.09	3.36	−2.61	55.73	−2.44
Washington	3.14	−0.95	2.43	−2.66	3.46	−1.19	4.26	+0.88	1.34	−2.15	1.76	−2.42	9.34	+4.04	1.28	−3.42	3.41	−0.53	0.90	−2.08	2.75	+0.07	2.13	−1.98	36.20	−12.39
Middle division																										
Augusta	2.94	−0.99	1.13	−2.98	2.07	−2.04	2.31	−0.83	2.93	−0.11	2.71	−1.97	5.85	+0.46	7.18	+2.15	5.46	+2.10	0.09	−2.37	3.10	+0.70	3.27	+0.02	39.04	−5.86
Brooklet	1.57	−1.49	2.39	−1.46	3.01	−0.78	1.57	−1.51	1.21	−2.63	3.51	−2.61	9.20	+3.18	6.10	−0.32	8.24	+3.42	0.18	−2.08	1.90	−0.34	2.02	−1.68	40.90	−7.73
Columbus	1.83	−2.31	2.61	−2.71	6.13	+0.56	4.15	+0.57	2.30	−0.84	2.63	−1.20	4.63	−1.25	5.05	+0.28	2.30	−0.49	1.03	−1.66	1.68	−1.03	4.02	−0.63	38.36	−10.71
Concord	1.73	−2.85	3.02	−1.69	6.84	+0.36	4.02	+0.66	2.15	−1.32	2.59	−1.46	7.35	+1.13	7.01	+2.74	1.91	−1.03	1.30	−1.43	1.48	−1.22	3.57	−1.04	45.00	−7.15
Covington	1.95	−2.32	4.41	−0.58	5.77	+0.52	3.96	+0.02	4.55	+1.09	2.59	−1.44	4.97	+0.06	2.99	−1.67	2.85	−0.09	1.87	−1.24	3.66	+0.79	3.40	−1.34	42.97	−6.20
Dover	1.58		2.53		2.11		1.80		0.86		2.20		7.80		6.97		7.07		0.14		1.73		2.56		37.35	
Dublin	1.88	−2.15	2.91	−1.85	2.44	−2.33	3.87	+0.85	1.15	−2.34	5.52	+0.77	7.90	+2.11	3.01	−2.15	5.41	+1.61	0.06	−2.39	1.61	−0.95	2.75	−0.96	38.51	−9.75
Experiment	1.41	−1.28	3.66	−1.97	6.79	+1.85	2.68	−0.51	1.88	−1.17	2.12	−2.03	5.47	+1.94	4.27	−0.29	2.14	−0.82	1.47	−0.66	1.77	−0.31	3.76	−0.52	37.42	−5.77
Fair View	1.41	−3.08	2.39	−2.09	7.30	+1.85	2.95	−0.48	1.47	−1.98	5.43	+1.66	4.66	−0.86	5.20	+1.22	2.52	−0.75	1.10	−1.59	1.57	−0.93	3.02	−1.07	39.02	−8.10
Fort Valley	1.20	−3.22	1.97	−2.12	3.66	−1.61	4.86	+1.23	1.64	−2.22	2.68	−1.89	5.83	+0.06	5.03	+0.20	2.33	−1.18	0.10	−2.65	3.07	+0.59	3.29	−0.64	35.66	−13.45
Goat Rock	1.08	−2.95	2.49	−1.52	6.39	+1.44	3.93	+0.47	1.93	−0.93	3.97	+1.11	4.17	−1.30	4.79	+1.02	2.52	+0.34	0.61	−1.89	1.90	−0.89	2.82	−1.62	36.60	−6.72
Greensboro	2.71	−1.37	2.27	−2.50	4.00	−0.57	4.59	+1.12	2.32	−1.12	3.81	−0.23	6.19	+1.04	4.69	−0.20	2.51	−0.97	1.41	−1.58	2.50	−0.11	2.33	−1.97	39.36	−8.46
Griffin	2.06	−2.03	3.15	−2.13	6.02	+0.59	3.77	+0.03	2.53	−0.70	2.03	−2.06	8.11	+2.79	5.16	+0.25	2.45	−0.64	1.71	−0.98	1.33	−1.33	3.01	−1.52	41.33	−7.73
Hogansville	2.50		4.66		5.63		3.04		1.41		2.50		2.53		4.55		2.60		1.28		4.90		4.07		39.67	
Lagrange	2.00	−2.76	5.13	+0.52	6.07	−0.32	2.79	−0.58	3.35	+0.41	2.28	−2.15	3.86	−1.29	5.59	+0.84	2.97	+0.05	1.32	−1.18	2.92	−0.19	4.37	−0.18	42.65	−6.83
Louisville	2.42	−1.05	2.56	−1.92	2.51	−1.74	5.17	+2.08	2.20	−1.58	2.17	−2.05	4.57	−1.04	3.10	−1.76	3.32	+0.08	0.07	−2.69	1.62	−0.75	3.02	−0.16	32.73	−12.58
Macon	1.12	−3.05	1.91	−2.52	3.14	−1.83	3.17	+0.02	1.25	−1.71	2.04	−2.00	6.77	+2.03	3.94	−0.40	2.41	−0.78	0.36	−1.98	2.09	−0.43	3.31	−0.68	31.51	−13.33
Marshallville	1.59	−3.18	2.62	−2.80	3.60	−1.83	4.18	+0.30	1.35	−2.20	2.64	−1.65	4.17	−1.79	5.81	+0.98	5.08	+1.87								
Midville	0.92		1.90		2.54		3.22		3.33		2.05		6.54		6.28		3.12		T.		1.62		2.22		33.83	
Milledgeville	2.31	−1.77	1.77	−2.85	3.93	1.21	3.72	+0.62	0.89	−2.48	2.48	−1.58	4.98	−0.84	5.57	+0.73	1.56	−2.23	0.05	−2.63	2.51	+0.09	3.56	−0.22	33.33	−14.37
Millen	1.82	−1.59	3.19	−0.96	2.26	−1.65	2.79	−0.08	2.33	−0.93	1.84	−3.27	7.01	+0.79	8.78	+3.90	3.58	−0.37	0.09	−2.39	2.41	+0.30	3.44	+0.15	39.54	−6.01
Monticello	2.01	−2.42	3.08	−2.28	1.90	−0.70	3.81	+0.16	2.40	−1.08	1.53	−3.18	6.08	+0.60	4.11	−0.89	2.28	−1.14	1.16	−1.93	2.76	+0.13	4.33	+0.15	38.45	−12.58
Newnan	2.21	−2.32	5.78	+0.47	6.60	+0.71	3.81	−0.13	2.13	−1.47	2.05	−2.45	2.16	−2.86	4.89	+0.08	3.20	+0.15	1.62	−1.17	5.90	+3.00	3.28	−1.72	43.63	−7.71
Sparta	2.91		1.95		4.41		3.65		0.61				5.28		4.60		2.92		0.34		2.86		3.52			
Stillmore	1.18		2.53				2.78		0.93		2.00		8.53		6.67		6.42		0.69		1.57		2.34			
Talbotton	1.73	−2.59	2.54	−2.90	7.85	+2.03	3.07	−1.00	3.37	−0.08	3.12	−1.20														
Warrenton	3.19	−0.76	1.92	−2.92	3.61	−0.91	5.81	+2.77	1.48	−1.80	2.41	−1.71	5.48	+0.07	6.17	+1.74	2.09	−2.03	0.54	−2.35	3.07	+0.48	3.52	−0.25	39.29	−7.67
West Point	2.22	−2.06	4.09	−1.22	6.84	+1.05	3.76	−0.48	3.61	+0.16	4.17	−0.25	7.13	+1.96	6.78	+1.80	1.79	−1.16	1.02	−1.70	2.49	−0.50	4.77	−0.34	48.67	−2.74
Woodbury	1.96	−2.00	2.49	−2.51	6.72	+1.14	2.92	−0.69	2.42	−0.97	3.95	−0.36	6.24	+0.37	6.41	+2.42	1.64	−1.57	0.95	−1.69	1.87	−0.71	3.40	−1.13	40.97	−7.80
Southern division																										
Abbeville	1.73	−2.22	3.90	−0.34	3.85	−0.17	3.18	−0.10	1.74	−1.88	1.87	−2.07	10.80	+1.11	4.61	−0.16	3.90	−0.25	0.01	−2.03	5.48	+3.08	2.38	−0.95	43.45	−2.98
Alapaha	3.27	−0.44	4.47	+0.08	2.04	−2.16	2.98	−0.13	4.28	+0.98	2.42	−2.54	8.10	+2.31	5.11	−0.48	6.20	+2.20	0.10	−2.20	0.95	−1.08	1.70	−1.90	41.62	−5.36
Albany	1.65	−2.57	6.14	+1.15	3.36	−1.50	2.70	−0.99	3.70	−0.12	0.80	−3.65	5.67	−0.45	7.41	+1.72	3.68	+0.33	0.07	−2.23	3.17	+0.85	1.96	−1.83	40.31	−9.29
Americus	1.67	−2.74	3.43	−1.44	5.06	−0.19	5.64	+2.10	3.15	−0.40	4.02	−0.23	7.38	+1.96	7.56	+2.34	2.94	−0.29	0.00	−2.42	2.35	−0.32	2.59	−1.19	45.79	−2.82
Bainbridge	1.99	−1.90	5.70	+1.13	3.65	−0.70	3.95	+0.17	4.51	+1.31	3.65	−1.19	7.92	+1.39	6.48	+0.74	7.09	+3.00	0.26	−2.06	3.91	+1.68	3.09	−0.91	52.20	+2.66
Blakely	1.90	−2.65	5.81	+0.59	3.75	−1.57	3.67	−0.56	2.13	−1.31	1.20	−3.43	10.47	+3.79	7.69	+2.17	4.47	+0.80	0.14	−2.76	2.37	−0.65	2.69	−1.67	46.29	−7.25
Brunswick	2.48	−0.45	3.54	+0.41	1.51	−1.67	3.23	+0.13	3.51	−0.04	2.97	−2.70	12.49	+5.49	7.19	+1.16	18.40	*11.68	0.60	−2.98	0.52	−1.41	1.76	−1.08	58.20	+8.54
Cairo	2.51		4.90		3.65		3.43		3.41		5.80		14.65		7.52		6.00		0.11		3.67		2.51		58.19	
Cordele	1.38		3.81		4.77		4.17		3.17		4.26		3.39		2.77		3.86		0.00		4.90		2.80		39.31	
Eastman	2.07	−2.06	3.49	−1.23	3.57	−1.36	3.47	+0.38	2.49	−0.83	1.22	−2.98	7.54	+1.17	3.83	−1.13	3.91	−0.06	0.00	−2.61	2.47	−0.06	2.29	−1.23	36.35	−12.00
Fargo	1.10		4.43		0.83		1.29		4.17		3.22		13.24		7.40		7.74		0.39		1.17		1.87		47.15	
Fitzgerald	1.82	−1.49	4.65	+0.74	3.79	−0.76	2.59	−0.64	1.58	−1.74	2.32	−1.42	8.97	+3.08	7.02	+1.84	6.01	+1.83	0.14	−1.96	1.91	−0.26	1.93	−1.27	42.73	−2.05
Fort Gaines	1.45	−3.06	4.00	−1.27	‖4.00	−1.08	4.18	+0.44	2.60	−0.98	2.60	−1.81	8.13	+2.03	7.75	+2.14	3.75	+0.59	0.25	−2.19	2.45	−0.36	3.05	−1.55	44.21	−7.10
Glennville	1.36	−1.50	3.14	−0.32	2.14	−1.20	3.31	−0.59	1.26	−2.13	3.34	−1.73	13.35	+7.37	2.95	−3.12	11.94	+6.66	0.32	−1.93	1.18	−0.96	1.72	−1.35	46.01	+0.38
Hawkinsville	2.15	−2.08	2.92	−1.70	3.26	−1.62	3.40	+0.40	2.09	−1.00	1.38	−2.95	6.79	+1.07	3.16	−1.85	4.08	+0.70	0.00	−2.65	3.15	+0.75	2.15	−1.28	34.53	−12.21
Hazlehurst	1.73	−1.94	4.28	+0.21	2.53	−1.81	2.43	−0.62	1.96	−1.67	5.36	−0.36	11.15	+3.99	8.71	+2.55	6.71	+1.67	T.	−1.91	1.02	−1.02	1.50	−1.72	47.38	−2.60
Lumber City	2.17	−1.88	3.65	−0.28	3.05	−1.16	2.98	−0.02	2.68	−0.49	6.55	+1.16	16.91	*10.86	4.12	−1.83	4.36	+0.32	0.00	−2.14	1.25	−1.10	1.82	−1.26	49.54	+2.48
Montezuma	1.61	−2.68	2.57	−2.01	4.11	−0.56	5.05	+1.20	1.03	−2.68	2.53	−1.30	7.51	+2.11	5.87	+1.11	2.82	−0.51	0.07	−2.35	2.12	−0.57	2.46	−1.65	37.75	−9.89
Moultrie	3.33		3.81		1.86		3.37		3.72		3.99		10.20		9.72		7.30		0.42		2.17		2.63		52.52	
Quitman	3.55	−0.31	5.63	+1.14	3.78	−0.30	3.02	−0.45	4.87	+1.33	5.00	−0.86	12.44	+5.15	8.10	+1.52	9.50	+4.61	0.04	−2.20	2.45	+0.20	1.70	−2.39	60.08	+7.44
Satilla Forest																					0.47		1.63			
Savannah, No. 1	2.98	+0.20	2.12	−1.02	1.91	−1.15	3.29	+0.72	1.89	−1.13	1.50	−3.79	8.08	+1.44	8.15	+0.84	11.67	+6.26	0.31	−2.67	0.30	−1.80	1.69	−1.24	43.89	−3.34
Savannah, No. 2	2.56		2.65		2.36		4.16		1.12		2.71		11.00		5.32		11.72		0.10		1.38		2.62		47.70	
Thomasville	3.09	−1.01	4.88	+0.42	3.28	−0.81	4.31	+0.97	5.21	+1.58	1.58	−3.87	12.13	+5.43	10.34	+4.59	8.52	+3.64	0.01	−2.95	1.64	−1.04	2.69	−1.62	57.68	+5.33
Tifton	2.41	−2.31	5.15	+1.27	2.61	−2.15	2.53	−1.16	2.78	−0.91	0.13	−4.54	11.58	+5.52	4.69	−0.89	6.01	+0.97	0.04	−1.94	2.36	+0.46	2.02	−1.46	42.31	−7.14
Waycross	1.51	−1.68	3.55	−0.58	1.63	−1.84	2.65	−0.15	2.83	−0.71	2.84	−2.98	11.13	+4.51	4.47	−1.58	7.55	+3.16	0.27	−2.20	0.75	−1.35	2.36	−0.64	41.57	−6.04

* Plus (+). ‖ Estimated.

Monthly and Annual Average Temperatures for the Year 1935, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
Northern division																										
Athens, No. 1	46.2	+2.7	47.0	+1.4	59.1	+6.4	62.7	+1.4	71.3	+1.3	76.8	−0.3	79.5	−0.1	79.3	+0.9	73.1	−0.7	64.0	+1.5	56.0	+3.9	38.0	−6.8	62.8	+1.0
Athens, No. 2																			63.6		56.[illegible]					
Atlanta	41.0	+1.4	45.0	−0.3	57.6	+5.6	61.2	+0.2	70.4	+0.5	76.3	+0.3	79.7	+1.6	79.8	+2.8	73.4	+1.0	63.8	+0.8	53.8	+1.7	36.2	−8.5	61.8	+0.6
Blairsville					52.3		56.3		63.3		68.6		74.1		73.9		67.8		57.0		50.2		31.0			
Blue Ridge			41.6	−1.6	53.1	+3.6	57.6	+4.3	63.7	−0.3	71.2	0.0	75.0	+1.0												
Carlton Bridge	45.4	+1.3	45.6	+0.3	58.0	+5.1	62.6	+1.7	70.6	+0.6	77.4	+0.4	79.4	+0.2	79.1	+0.9	73.4	−0.1	62.8	+0.4	54.4	+2.3	36.6	−8.5	62.1	+0.4
Clayton	43.6	+3.2	40.8	−0.4	53.7	+5.0	56.6	+0.4	63.0	−1.5	69.4	−2.0	74.6	+0.3	74.3	+1.0	68.6	+0.1	57.6	−0.3	51.6	+3.7	34.6	−6.4	57.4	+0.3
Cornelia	43.9	+0.9	43.8	+1.2	56.5	+6.3	60.1	+0.5	67.6	+1.0	74.0	−0.7	77.4	+0.2	76.4	+0.7	71.4	−0.9	61.8	+1.1	53.4	+2.8	34.5	−9.3	60.1	+0.1
Dahlonega	44.2	+2.7	43.6	+0.8	55.4	+4.9	59.5	+1.0	67.2	+0.8	73.0	−0.5	77.0	+1.1	76.9	+1.9	71.0	+0.5	60.8	+1.1	52.8	+3.2	35.2	−7.2	59.7	+0.8
Dalton																			63.4		53.6		36.0			
Gainesville	44.7	+2.9	43.6	+0.3	55.2	+4.0	60.0	+0.7	67.4	−0.4	72.8	−2.2	77.4	−0.3	76.8	+0.5	70.8	−0.8	61.5	+0.8	53.2	+3.0	35.2	−7.6	59.9	+0.1
Hartwell (near)	46.0	+1.9	46.2	+0.8	57.6	+4.8	62.0	+1.2	69.6	+0.1	76.6	−0.4	79.0	−0.5	78.2	−0.2	73.0	−1.1	63.8	+1.2	55.2	+3.3	37.2	−7.4	62.0	+0.3
Lafayette	42.2		44.2		56.2		60.6		68.6		74.1		79.5		79.0		71.7		61.4		53.4					
Rome	45.8	+3.3	47.6	+2.8	59.2	+6.7	62.4	+1.3	71.0	+1.3	76.2	−0.7	80.8	+1.2	81.2	+2.6	74.6	+0.8	65.2	+2.8	54.9	+4.1	37.2	−5.3	63.0	+1.6
Tallapoosa	44.4	+1.5	44.8	+0.8	57.0	+4.6	60.5	+0.7	68.6	+0.2	72.9	−2.9	77.9	−0.3	78.0	+0.6	70.6	−2.5	60.9	−0.7	53.2	+2.2	35.4	−8.2	60.4	−0.3
Toccoa	45.8	+3.1	46.2	+2.0	58.4	+6.6	62.0	+1.7	69.0	+0.5	75.6	0.0	78.0	−0.2	76.8	−0.1	72.0	−0.1	62.3	+1.2	54.4	+3.4	37.2	−6.4	61.5	+1.0
Washington	46.6	+1.1	48.1	+1.6	60.2	+5.3	63.2	+0.7	72.6	+1.2	79.0	+0.9	80.8	+0.4	80.8	+1.4	74.8	−0.2	66.4	+2.8	57.0	+2.1	39.1	−6.8	64.0	+0.8
Middle division																										
Augusta	48.4	+1.4	48.4	−1.5	62.4	+6.4	64.6	+0.4	73.7	+1.3	79.9	+1.2	81.0	−0.3	81.4	+1.0	75.2	−0.1	66.0	+0.7	57.7	+3.2	40.6	−7.5	64.9	+0.5
Brooklet	50.8	+0.8	52.6	+0.7	65.2	+6.0	68.6	+2.7	75.2	+1.1	81.6	+1.6	81.2	−0.8	81.0	−0.4	75.2	−2.2	68.6	+1.2	60.2	+2.9	43.4	−7.5	67.0	+0.5
Columbus	49.2	+1.0	50.1	0.0	62.7	+4.8	66.2	+0.8	75.3	+2.0	80.0	−0.1	81.4	−0.3	81.3	+0.1	75.1	−2.3	67.7	+1.0	58.5	+2.5	41.0	−8.4	65.7	+0.1
Covington	46.5	+2.0	46.7	+2.5	58.9	+4.6	61.8	+0.8	71.4	+0.9	76.4	−1.1	79.9	−0.1	80.8	+2.0	74.0	−0.4	63.9	+1.6	55.6	+3.0	37.7	−7.5	62.8	+0.7
Dublin	50.2	+1.2	51.3	0.0	63.3	+6.5	66.4	+1.1	74.2	+1.6	79.6	+0.3	80.4	−0.8	80.9	+0.5	75.0	−1.8	66.8	+0.5	58.8	+3.1	42.4	−7.9	65.8	+0.4
Experiment	46.0	+1.0	46.1	+1.0	59.6	+3.2	64.6	+2.8	73.0	+2.1	77.7	+1.0	79.0	−0.4	80.2	+1.3	74.8	+0.4	67.3	+3.3	56.3	+3.4	37.8	−6.6	63.5	+0.9
Fair View	47.4	0.0	48.0	−1.3	60.4	+5.2	64.0	+0.9	72.4	+1.9	77.2	−0.4	80.1	+0.6	80.2	+1.6	73.6	−1.4	65.2	+0.7	57.2	+2.9	39.2	−8.5	63.7	+0.1
Fort Valley	48.1	−0.4	48.3	−3.1	61.6	+5.0	65.0	−0.1	73.7	+1.5	79.0	−0.1	81.1	+0.3	80.3	+0.1	73.8	−3.5	66.6	+0.6	57.0	+1.2	39.3	−10.5	64.5	−0.7
Greensboro	45.4	+0.3	45.0	−1.6	59.0	+4.7	62.2	+0.2	70.8	+0.4	77.1	−0.5	80.2	+0.4	79.8	+1.0	73.2	−1.6	64.5	+1.2	55.6	+2.6	36.4	−9.5	62.4	−0.2
Griffin	47.6	+1.6	48.6	+0.8	60.8	+5.5	64.1	+1.0	72.4	+1.4	77.6	−0.2	79.0	−0.9	79.3	+0.3	74.2	−0.8	67.1	+2.9	58.0	+3.9	40.0	−6.9	64.1	+0.8
Louisville	49.4	+1.6	50.0	+0.6	62.8	+5.9	65.0	+1.1	73.4	+0.7	79.1	0.0	81.2	+0.4	82.1	+2.0	75.0	−0.8	66.3	+1.2	58.2	+3.3	40.6	−7.9	65.3	+0.7
Macon	49.0	+2.2	48.7	−0.6	62.0	+5.3	64.8	+0.9	73.4	+1.1	78.7	−0.2	80.8	−0.4	80.8	+0.9	74.6	−0.2	66.4	+1.9	57.8	+3.6	40.4	−7.1	64.8	+0.6
Marshallville	49.4	+1.1	^{a}49.5	−0.6	62.6	+4.8	65.8	+0.9	74.8	+1.7	80.0	+0.6			81.2	+0.7	74.8	−2.0								
Milledgeville	47.6	+1.3	47.2	−1.3	61.8	+6.2	64.8	+1.0	73.6	+1.3	79.1	+0.1	81.4	+0.2	81.4	+1.1	74.2	−1.7	66.0	+1.5	57.2	+3.1	38.8	−8.6	64.4	+0.3
Millen	51.2	+2.4	51.4	+1.1	64.8	+7.0	67.0	+1.9	75.4	+2.2	82.0	+2.3	82.2	+0.5	82.4	+1.4	76.6	−0.1	68.3	+2.3	59.6	+3.7	42.2	−7.2	66.9	+1.4
Monticello	46.0	+0.7	46.6	−0.7	^{a}59.0	+4.2	63.4	+0.4	73.0	+1.5	78.6	+0.1	81.3	+1.1	80.9	+1.4	74.6	−0.8	66.4	+2.5	57.2	+3.6	37.7	−8.8	63.7	+0.4
Newnan	45.2	+0.3	45.2	−1.0	58.6	+4.2	62.0	+0.2	71.5	+0.9	76.6	−1.2	79.8	0.0	79.8	+0.9	73.7	−0.9	64.0	+0.3	56.0	+2.7	35.9	−9.8	62.4	−0.2
Stillmore	51.4		52.2				67.1		75.2		80.8		81.2		81.0		75.6		68.2		59.5		42.6			
Talbotton	47.3	−0.1	49.0	+0.1	61.4	+5.0	64.2	+0.7	72.9	+1.0	^{b}78.0	−0.7														
Warrenton	47.2	+0.5	47.2	−0.6	61.0	+5.4	64.0	+1.0	72.8	+1.2	78.7	+0.4	80.7	+0.2	80.4	+0.8	74.2	−1.0	65.6	+1.6	56.8	+2.7	39.8	−7.4	64.0	+0.4
West Point	46.9	+1.4	47.6	+0.3	59.2	+4.0	64.2	+1.2	73.2	+1.8	77.4	−1.2	81.0	+0.4	80.9	+1.3	74.4	−0.9	65.6	+1.5	57.0	+3.5	39.0	−7.4	63.9	+0.8
Southern division																										
Alapaha	54.2	+3.0	54.0	+0.8			67.9	+1.3	74.8	+0.8	80.4	+0.6	80.8	−0.7	81.0	+0.1	76.2	−1.3	70.4	+2.7	60.4	+2.4	45.8	−6.7		
Albany	51.4	+0.9	52.5	−0.1	65.4	+5.5	67.8	+0.9	76.2	+1.6	82.2	+1.5	82.8	+0.6	82.6	+1.0	76.6	−1.5	70.6	+2.6	60.7	+2.8	44.0	−7.6	67.7	+0.6
Americus	50.1	+1.5	50.5	−0.4	63.2	+5.2	67.0	+1.7	75.6	+2.2	80.4	+0.5	81.0	−0.5	81.9	+1.0	76.6	−0.5	70.4	+3.5	60.2	+4.0	42.2	−7.5	66.7	+0.9
Bainbridge	51.9	−0.2	52.6	−1.5	64.9	+4.1	67.4	−0.2	75.2	+0.4	79.9	−0.7	81.0	−0.9	81.4	−0.1	75.8	−2.5	69.4	+1.3	58.6	+0.1	44.1	−8.5	66.8	−0.8
Blakely	51.7	0.0	51.9	−1.7	63.8	+4.0	66.6	0.0	74.2	+0.5	80.6	+0.8	81.7	+0.3	81.2	+0.2	76.2	−1.7	70.8	+2.9	60.3	+2.3	44.3	−7.6	66.9	0.0
Brunswick	55.7	+1.7	55.0	−0.6	66.2	+5.4	69.8	+2.1	76.2	+1.8	81.0	+0.3	80.9	−0.9	82.2	+0.5	77.6	−0.9	71.0	+0.6	62.6	+1.9	48.2	−7.5	68.9	+0.4
Cairo	52.8		53.4		64.7		67.2		74.8		79.4		80.2		86.4		76.2		69.6		59.7		46.1		67.0	
Eastman	51.5	+1.2	52.4	+0.7	65.0	+5.9	67.6	+1.4	75.8	+1.8	81.8	+1.5	81.8	−0.1	81.8	+0.7	75.4	−1.9	68.8	+1.8	60.0	+2.9	43.4	−7.3	67.1	+0.7
Fargo			54.7		67.8				76.0		80.0		80.8		83.2		78.0		70.9		62.0		48.1			
Fitzgerald	52.6	+1.5	54.1	+2.3	65.6	+4.9	68.5	+3.0	76.2	+1.7	81.4	+1.3	81.2	−0.8	81.6	+0.5	75.8	−1.5	69.6	+2.4	60.4	+2.4	45.1	−6.6	67.7	+0.9
Fort Gaines	52.8	+3.1	52.0	+0.4			67.8	+2.0	75.4	+1.8	80.1	+0.3	80.6	−0.7	80.8	+0.2	76.6	−0.5	70.5	+3.6	59.6	+2.6	42.6	−8.3		
Glennville	52.8	+0.6	53.5	+0.2	65.2	+5.6	68.2	+1.4	75.6	+1.7	81.2	+1.3	80.3	−1.3	81.6	+0.6	75.8	−1.9	69.2	+1.0	60.5	+2.2	45.2	−7.2	67.4	+0.3
Hawkinsville	50.6	+1.9	51.2	+0.7	63.0	+4.9	66.2	+1.0	73.8	+0.5	79.8	+0.1	81.0	−0.4	80.8	−0.2	74.8	−2.6	67.2	+0.5	58.8	+2.4	42.0	−7.8	65.8	+0.1
Hazlehurst	52.5	+0.5	^{a}51.5	−0.3	65.2	+5.3	67.6	+0.8	74.4	+0.8			80.7	−0.9	81.2	+0.4	76.0	−2.4	69.0	+0.2	60.1	+1.5	44.3	−9.0		
Moultrie	54.2		54.0		65.3		68.3		75.4		80.2		81.0		81.4		76.4		71.2		60.3		46.5		67.8	
Quitman	54.1	+1.4	53.8	−1.6	66.7	+5.7	69.0	+1.4	75.5	+0.6	80.6	+0.3	80.4	−1.3	81.4	+0.2	77.2	−1.1	71.2	+2.3	60.6	+1.3	46.9	−6.5	68.1	+0.2
Savannah	53.8	+2.4	53.6	−0.4	65.9	+6.9	68.2	+2.2	75.5	+2.1	81.4	+2.4	81.1	−0.4	82.1	+1.4	76.7	+0.5	70.3	+2.4	61.8	+3.3	46.2	−6.2	68.0	+1.3
Savannah, No. 2	51.9		51.2		63.8		65.9		73.8		79.8		79.6		81.2		75.6		67.4		58.3		44.0		66.0	
Thomasville	53.4	+2.4	54.0	−1.1	64.6	+4.4	67.3	+0.6	74.0	0.0	79.6	+0.1	79.8	−2.0	80.8	−0.2	76.1	−0.7	70.4	+2.2	60.2	+1.7	46.4	−6.1	67.2	+0.1
Tifton	51.3	−0.6	52.4	−1.2	64.0	+6.4	67.2	+0.8	74.8	+1.5	80.4	+1.4	80.5	−0.3	81.4	+1.1	76.0	−2.0	70.2	+2.2	59.1	+1.6	43.4	−9.1	66.7	+0.1
Waycross	55.4	+2.5	55.6	+1.1	67.5	+6.4	70.2	+3.0	77.2	+2.7	82.6	+2.5	81.8	−0.1	84.1	+2.6	78.2	+0.2	72.6	+3.6	63.0	+4.0	48.2	−4.8	69.7	+2.0

Reference letters, ^{a}, ^{b}, ^{c}, appearing in the table indicate number of days missing; for example, ^{b} represents two days, etc.

[Continued from page 49]

long in the northern half of the State. The great ice storm the 28–29th in a score of counties was regarded as the worst ch storm in 30 years. This storm produced heavy snowfall thward as far as Gainesville. Beyond Gainesville and southrd as far as Newnan, Griffin, and Greensboro rain froze as it l, causing severe destruction to trees and wiring systems. mage to the latter was not fully repaired for more than a nth afterward. The losses sustained by telephone and wer interests centered in Atlanta amounted to no less than ,000,000.

NNESSEE VALLEY AUTHORITY—PRECIPITATION TOTALS YEAR 1935

Stations	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	An'l
sstown Bald...	6.97	3.12	5.24	5.81	4.53	3.57	2.98	7.37	1.98	2.01	7.20	1.28	52.06
t Top..........	7.85	5.22	8.74	8.72	5.50	2.90	5.15	3.61	0.46	2.96	10.95	2.86	65.92
mptown Gap...	4.28	3.81	6.03	6.02	4.14	2.56	3.00	4.97	0.30	0.94	5.91	1.65	43.61
awassee.........	2.50	3.13	6.33	4.50	2.31	1.14	5.29	2.62	0.22	1.55	4.85	2.75	37.22
Log...........	4.28	3.27	6.53	5.36	2.74	3.37	2.88	2.93	0.56	1.14	5.40	1.61	40.07
tle Hightower..	5.88	2.73	5.47	4.81	3.54	3.02	.....	6.91	1.14	2.24	6.72	2.51	.....
rgret..........	5.41	3.27	5.63	6.69	3.60	1.98	3.81	3.99	0.82	1.76	6.39	2.42	45.77
iky Gap........	.....	.....	.....	.....	.....	.....	.....	.....	.....	1.97	6.52	2.74	.....
al Gap..........	6.79	3.23	5.65	6.18	.....	5.15	4.15	8.37	1.46	1.97	9.27	2.96	.....
ontootly Creek.	5.66	3.30	6.15	5.64	3.42	1.45	2.17	4.86	1.09	2.04	6.99	2.39	45.16
nley Gap.......	5.56	3.61	5.11	.....	4.01	2.13	4.01	4.02	0.33	1.89	6.47	2.72	.....
hes.............	6.87	3.80	6.73	6.79	4.61	3.02	8.06	6.39	1.28	3.05	10.70	3.59	64.89
eet Gum........	3.59	3.84	6.84	6.33	3.38	3.32	2.88	3.58	0.53	1.99	6.30	2.38	44.96
ay Mountain....	6.66	3.13	4.97	6.14	5.98	2.23	5.01	9.06	2.42	1.64	6.52	1.65	55.41
arne........ ...	3.25	3.27	6.01	5.75	2.87	2.19	3.96	2.96	0.78	1.64	5.14	1.65	39.50

KILLING FROSTS

Stations	Last in spring	First in autumn	Stations	Last in spring	First in autumn
Northern division			*Middle division*—Con.		
hens, No. 1...........	Mar. 13*	Nov. 23†	Milledgeville.........	Mar. 2*	Nov. 22
hens, No. 2...........	....	Nov. 23†	Millen,...............	Mar. 1*	Nov. 22†
tlanta................	Mar. 13	Nov. 3	Monticello............	Mar. 14*	Nov. 23†
airsville.............	Apr. 17*	Oct. 7†	Newnan................	Mar. 13*	Nov. 22†
rlton Bridge..........	Apr. 17*	Oct. 7	Stillmore.............	....	Nov. 24†
ayton.................	Mar. 18*	Oct. 6	Warrenton.............	Mar. 1*	Nov. 23†
ornelia...............	Mar. 13*	Oct. 7	West Point............	Mar. 13*	Nov. 21†
ahlonega..............	Mar. 13*	Oct. 7			
alton.................	....	Oct. 7†	*Southern division*		
ainesville............	Apr. 17*	Oct. 7†	Alapaha..............	Mar. 1*	Nov. 23†
artwell (near)........	Mar. 13*	Oct. 7	Albany................	Mar. 1*	Nov. 23
afayette..............	Mar. 13*	Oct. 7†	Americus..............	Mar. 13*	Nov. 23†
ome...................	Mar. 13*	Nov. 21	Bainbridge............	Mar. 2*	Nov. 23†
allapoosa.............	Mar. 15*	Oct. 3†	Blakely...............	Mar. 1*	Nov. 23
occoa.................	Mar. 13*	Oct. 7†	Brunswick.............	Mar. 1	Nov. 24†
ashington.............	Mar. 13*	Nov. 21	Cairo.................	Mar. 1*	Nov. 23
			Eastman...............	Mar. 1*	Nov. 23†
Middle division			Fargo.................	Mar. 2*	Nov. 22
ugusta................	Mar. 1	Nov. 24	Fitzgerald............	Mar. 1*	Nov. 23†
rooklet...............	Mar. 1*	Nov. 24	Fort Gaines...........	Mar. 1*	Nov. 19†
olumbus...............	Mar. 1	Nov. 24	Glennville............	Mar. 1*	Nov. 24
ovington..............	Mar. 13*	Nov. 21†	Hawkinsville..........	Mar. 2*	Nov. 23
ublin.................	Mar. 2*	Nov. 22†	Hazlehurst............	Mar. 2*	Nov. 23†
xperiment.............	Mar. 13*	Nov. 22†	Moultrie..............	Mar. 1*	Nov. 23†
air View..............	Mar. 13*	Nov. 23†	Quitman...............	Mar. 2*	Nov. 23†
ort Valley............	Mar. 13	Nov. 23†	Savannah, No. 1.......	Mar. 1	Nov. 25
reensboro.............	Mar. 13	Nov. 21	Savannah, No. 2.......	Mar. 2*	Nov. 23†
riffin................	Mar. 13*	Nov. 21	Thomasville...........	Mar. 1	Nov. 24
ouisville.............	Mar. 1*	Nov. 20	Tifton................	Mar. 2*	Nov. 23†
acon..................	Mar. 1	Nov. 24	Waycross..............	Mar. 1*	Nov. 24
arshallville..........	Mar. 1*	....			

* Latest date with temperature 32° or below.
† Earliest date with temperature 32° or below.

MONTHLY STATE DATA FOR 1935

Months	Temperature				Precipitation				
	Mean	Departure from normal	Maximum	Minimum	Average	Departure from normal	Greatest	Least	No. days with 0.01 inch or more
January....................	49.0	+1.8	84	13	2.97	−1.15	7.85	0.92	8
February...................	49.4	+0.6	83	10	3.50	−1.37	6.22	1.13	8
March......................	61.4	+5.0	95	10	4.59	−0.29	8.74	0.83	9
April......................	64.8	+1.2	91	26	4.58	+0.97	8.72	1.57	10
May........................	72.7	+1.0	98	33	2.91	−0.55	5.98	0.61	7
June.......................	78.3	+0.2	103	44	2.72	−1.68	6.55	0.13	7
July.......................	80.0	−0.1	100	51	6.87	+1.15	16.91	1.46	15
August.....................	80.4	+0.9	105	46	5.59	+0.42	11.59	1.28	12
September..................	74.6	−1.0	98	39	3.61	−0.03	18.40	0.22	8
October....................	66.6	+1.6	92	21	1.10	−1.57	3.82	0.00	2
November...................	57.6	+2.9	92	10	3.75	+1.05	10.95	0.30	7
December...................	40.8	−7.1	77	0	2.75	−1.48	5.18	1.50	6
Year.......................	64.6	+0.6	105	0	44.97	−4.60	65.92	31.51	99

ANNUAL CLIMATOLOGICAL DATA FOR THE STATE

Year	Temperature				Precipitation					Number of days			
	Mean	Departure	Highest	Lowest	Average	Departure	Greatest annual	Least annual	Average snowfall	Precip., .01 or more	Clear	Pt. cloudy	Cloudy
1892......	62.8	−1.2	102	9	51.12	+1.55	63.56	39.27	.....	96	152	104	110
1893......	63.3	−0.7	108	−1	40.29	−9.28	65.10	38.43	.....	86	169	107	89
1894......	64.0	0.0	104	0	49.75	+0.18	61.65	35.14	.....	94	157	123	85
1895......	62.2	−1.8	102	−5	49.57	0.00	72.32	42.47	.....	96	154	117	94
1896......	64.5	+0.5	108	−3	45.15	−4.42	64.91	34.12	1.1	81	176	113	77
1897......	64.0	0.0	107	−6	49.23	−0.34	67.31	39.26	0.4	84	154	115	96
1898......	63.9	−0.1	103	7	53.14	+3.57	87.86	31.80	0.4	99	152	122	91
1899......	63.6	−0.4	106	−12	44.20	−5.37	65.09	33.57	6.5	91	171	110	84
1900......	63.7	−0.3	107	0	57.33	+7.76	77.32	45.08	0.4	115	141	130	94
1901......	61.6	−2.4	106	3	57.58	+8.01	80.68	36.84	3.4	113	152	123	90
1902......	63.6	−0.4	108	7	49.99	+0.42	67.79	38.00	1.3	100	136	128	101
1903......	62.6	−1.4	104	9	53.84	+4.27	75.18	36.95	0.3	100	140	116	109
1904......	62.6	−1.4	104	4	37.17	−12.40	49.82	28.54	1.7	87	183	107	76
1905......	63.2	−0.8	106	−8	51.03	+1.46	72.85	39.49	1.5	100	155	106	104
1906......	63.4	−0.6	103	11	54.60	+5.03	91.55	25.72	1.9	102	163	108	94
1907......	64.2	+0.2	106	14	48.73	−0.84	71.94	36.29	0.3	97	159	126	80
1908......	64.3	+0.3	105	9	50.03	+0.46	77.32	35.73	0.7	89	169	113	84
1909......	64.0	0.0	104	5	48.31	−1.26	83.34	30.12	0.3	91	178	112	75
1910......	63.0	−1.0	105	8	43.60	−5.97	57.65	32.04	0.6	91	184	86	95
1911......	65.7	+1.7	108	9	48.23	−1.34	73.62	36.17	0.1	98	167	75	123
1912......	62.9	−1.1	103	0	63.02	+13.45	78.87	48.80	5.2	115	152	83	131
1913......	64.0	0.0	110	12	46.47	−3.10	68.84	37.23	T.	97	183	79	103
1914......	63.4	−0.6	109	5	45.58	−3.99	61.72	34.23	5.1	93	130	109	126
1915......	64.0	0.0	108	16	49.63	+0.06	72.41	36.73	0.5	89	196	83	86
1916......	64.3	+0.3	103	10	43.50	−6.07	62.65	33.08	0.4	93	180	95	91
1917......	62.6	−1.4	103	0	47.41	−2.16	63.12	28.77	1.9	99	181	92	92
1918......	64.5	+0.5	106	−3	48.73	−0.84	73.24	35.80	1.6	101	163	88	116
1919......	65.2	+1.2	103	2	54.91	+5.34	71.96	40.32	0.4	103	167	87	111
1920......	63.0	−1.0	105	4	59.73	+10.16	84.91	43.03	T.	107	166	86	114
1921......	66.1	+2.1	104	20	40.94	−8.63	58.99	29.84	1.0	94	173	100	92
1922......	65.7	+1.7	104	12	55.38	+5.81	82.63	42.31	0.3	113	158	94	113
1923......	64.5	+0.5	105	0	52.76	+3.19	75.80	32.62	T.	108	159	88	118
1924......	63.1	−0.9	107	−9	54.27	+4.70	77.95	41.36	1.9	99	187	72	107
1925......	65.8	+1.8	111	0	41.00	−8.57	54.05	29.37	T.	89	186	75	104
1926......	63.9	−0.1	110	6	50.44	+0.87	70.17	38.03	0.8	104	181	78	106
1927......	66.2	+2.2	108	4	40.65	−8.92	54.85	29.65	1.0	92	177	100	88
1928......	63.6	−0.4	105	−5	59.92	+10.35	78.43	39.57	0.3	114	167	101	98
1929......	64.6	+0.6	103	7	69.83	+20.26	97.80	50.77	1.6	122	156	101	108
1930......	63.9	−0.1	109	8	46.13	−3.44	57.88	30.53	3.3	99	175	93	97
1931......	65.4	+1.4	109	11	36.75	−12.82	64.45	22.00	0.2	87	194	91	80
1932......	65.7	+1.7	108	10	56.80	+7.23	89.71	39.80	0.7	115	162	93	111
1933......	66.1	+2.1	108	0	41.91	−7.66	65.08	25.95	T.	94	184	95	86
1934......	64.6	+0.6	105	−10	47.60	−1.97	75.16	34.21	0.8	105	179	95	91
1935......	64.6	+0.6	105	0	44.97	−4.60	65.92	31.51	1.8	99	170	96	99
Period.	64.0	......	111	−12	49.57	....	97.80	22.00	1.1	99	167	100	98

(WBO, Atlanta, 3-5-36—1075)


GEORGIA
SCALE OF MILES
0 10 20 30 40 50 60
85
84
83
82
81
35
34
33
32
31
DADE
WALKER
CATOOSA
WHITFIELD
MURRAY
FANNIN
Blue Ridge
UNION
TOWNS
RABUN
Clayton
GILMER
HABERSHAM
WHITE
LUMPKIN
Dahlonega
Cornelia
Toccoa
STEPHENS
CHATTOOGA
Resaca
GORDON
PICKENS
DAWSON
HALL
Gainesville
BANKS
Gillsville
FRANKLIN
HART
Hartwell
FLOYD
Rome
Adairsville
BARTOW
CHEROKEE
Canton
FORSYTH
JACKSON
MADISON
ELBERT
Carlton
MILTON
POLK
PAULDING
Marietta
COBB
GWINNETT
Norcross
BARROW
CLARKE
Athens
Point Peter
OGLETHORPE
Lisbon
Savannah
HARALSON
Tallapoosa
DOUGLAS
FULTON
Atlanta
DEKALB
WALTON
OCONEE
WILKES
Washington
LINCOLN
CARROLL
CAMPBELL
CLAYTON
ROCKDALE
Covington
NEWTON
MORGAN
Greensboro
GREENE
TALIAFERRO
MCDUFFIE
COLUMBIA
Augusta
Newman
COWETA
FAYETTE
HENRY
Warrenton
WARREN
RICHMOND
HEARD
Griffen
SPALDING
BUTTS
JASPER
Monticello
PUTNAM
Eatonton
HANCOCK
GLASCOCK
TROUP
MERIWETHER
PIKE
Concord
LAMAR
MONROE
JONES
Milledgeville
BALDWIN
JEFFERSON
Louisville
BURKE
River
West Point
Woodbury
Fair View
UPSON
WASHINGTON
HARRIS
TALBOT
Talbotton
Macon
BIBB
CRAWFORD
WILKINSON
JOHNSON
JENKINS
Millen
SCREVEN
Goat Rock
MUSCOGEE
Columbus
TAYLOR
Butler
Ft. Valley
TWIGGS
EMANUEL
Marshallville
MACON
Montezuma
HOUSTON
BLECKLEY
Dublin
LAURENS
TREUTLEN
CANDLER
Statesboro
BULLOCH
EFFINGHAM
CHATTAHOOCHEE
MARION
SCHLEY
Hawkinsville
PULASKI
DODGE
Eastman
MONTGOMERY
STEWART
WEBSTER
Americus
SUMTER
DOOLY
WHEELER
TOOMBS
TATTNALL
EVANS
Savannah
BRYAN
CHATHAM
QUITMAN
CRISP
WILCOX
Abbeville
TELFAIR
Lumber City
Hazlehurst
Glenville
LIBERTY
RANDOLPH
TERRELL
LEE
CLAY
TURNER
BEN HILL
JEFF DAVIS
APPLING
LONG
Ft. Gaines
CALHOUN
Albany
DOUGHERTY
WORTH
IRWIN
COFFEE
BACON
WAYNE
MCINTOSH
Chattahoochee
Blakely
EARLY
BAKER
TIFT
Alapaha
ATKINSON
PIERCE
GLYNN
MILLER
MITCHELL
COLQUITT
COOK
BERRIEN
Waycross
WARE
BRANTLEY
Brunswick
SEMINOLE
DECATURE
Bainbridge
GRADY
THOMAS
Thomasville
BROOKS
LOWNDES
Valdosta
Quitman
LANIER
CLINCH
ECHOLS
CHARLTON
CAMDEN
St. George
L.S.

U. S. DEPARTMENT OF AGRICULTURE, WEATHER BUREAU

CLIMATOLOGICAL DATA

7

GEORGIA SECTION

G. W. MINDLING

Price: 5 cents a copy; 25 cents a year (not stamps).
Remittance payable to Superintendent of Documents, Washington, D. C.

Vol. XL Atlanta, Ga., Year 1936 No. 13

GENERAL SUMMARY

A series of remarkable features followed each other in rapid succession, making this an outstanding year in the climatological history of the State. January and February contained the major part of a winter with the lowest average temperature since that of 1904-05. April brought river floods of unusual magnitude and tornadoes of the greatest destructiveness ever known in Georgia. Closely following these disasters there began the most serious drought known in the State since 1925, which was not well relieved until July. The months of June, July, and August taken together produced the highest summer average temperature since 1925.

The last occurrence of freezing in spring was unusually late, being delayed until April 19 at many places as far south as Covington and Greensboro. On the other hand, the fall season was quite favorable for ripening and harvesting late crops, and frosts did not come early enough to cause material damage.

THE WEATHER BY MONTHS

January.—This was the coldest January since 1924 and the wettest since 1925. Precipitation was above 10 inches across the northern section and over western counties southward beyond Blakely. The Flint and Chattahoochee Rivers rose to the highest stages since 1929. Destructive local storms occurred in many places, a tornado near Edison on the 18th causing the death of 7 persons and property damage estimated at not less than $10,000. One of the most notable snowstorms ever known in Georgia occurred on the 29th and 30th. This produced a depth of 4 inches or more southward as far as Newnan, Griffin, Monticello, Greensboro, and Washington. In Atlanta the snowfall was 8 inches, the most ever measured in a single storm.

February.—This was the coldest February since 1912. There was hard freezing over most of the State as late as the 19th, when temperatures of 27° were recorded at Eastman, Hawkinsville, and Fitzgerald. Rapid warming up occurred after the 22d, and temperatures reached 80° in many southern counties. This was enough to encourage preparations for planting, but the farmers could not make much headway because the ground in most places remained too wet for working until March.

March.—The weather was quite mild through the first 11 days. The principal cold period extended from about the 17th to the 22d and brought the last injurious frosts and freezing of the winter at most places in the southern division. Destructive winds demolished a number of houses and other buildings in outlying sections of Augusta on the 16th and 20th. Ten persons were taken to a hospital, but eight of them were found to have only minor injuries.

April.—The outstanding features of the month were the numerous destructive tornadoes and the unusual river floods.

The greatest of all tornadoes ever known in Georgia struck Gainesville on the morning of April 6. A week later a Red Cross representative gave out the following information relating to this disaster: Number of houses demolished, 750; houses badly damaged, 254; persons killed, 203, of whom 80 were heads of families; persons injured, 934, not including over 700 that required only first-aid treatment; number of families registered for Red Cross aid, 1,662. The property losses were believed to be about $13,000,000.

On April 2 there was an exceedingly destructive tornado in Cordele, where 23 persons were killed and hundreds injured. Property damage was estimated at $3,000,000. This tornado demolished 287 buildings, according to a Red Cross report, of which 276 were dwellings. Of the dwellings over 100 were among the best in the city.

Other tornadoes caused the death of 7 people and injuries to more than 60 others. Most of the destruction occurred from the vicinity of Tignall to that of Lincolnton, in which area the property damage amounted to about $100,000. Tornadoes also occurred near Sasser, Leesburg, and Acworth.

The heavy rains at the beginning of the month brought rivers up to stages higher than any since the remarkable floods of 1929. The highest previous records were approached within a foot at Macon and Abbeville on the Ocmulgee, and at Charlotte on the Altamaha. Flood losses for the places of leading importance were estimated as follows: Augusta, $300,000; Rome, $150,000; Macon, $30,000.

May.—Average temperatures were considerably above normal with the greatest excess in the northern division. After April 10 very little rain occurred in the northern and middle sections. The State average rainfall was the least for May in 22 years, and this resulted in one of the most disastrous droughts ever known in the State. Large areas were without pastures before the end of the month, while white potatoes and other vegetables were practically a failure. Ground was so dry that a good deal of seed never sprouted, and stands of cotton toward the end of the month were said to be less than 20 percent in some central counties.

June.—There was a well-marked excess in temperature and a large deficiency in rainfall. Some sections had substantial relief from the preceding drought, but over large areas conditions became worse during the month instead of better. The month closed with cotton and corn still small, poor, and very late with bad stands in the driest sections. On the 19th violent winds resulted in injuries to 8 people and the death of 3 negroes. Property damage was estimated at $60,000 or more, including $30,000 worth of peaches.

July.—The percentage of normal rainfall for three months ending with July 11 was closely estimated for stations through-

[Continued on page 57]

Climatological Data for the Year 1936

Stations	Counties	Elevation, feet	Temperature (degrees Fahrenheit)						Precipitation (inches)							Number rainy days	Sky			Prevailing direction of wind
			Length of record, years	Annual mean	Highest	Date	Lowest	Date	Length of record, years	Total for the year	Greatest monthly	Month	Least monthly	Month	Total snowfall		Number clear days	Number partly cloudy days	Number cloudy days	
Northern division																				
Athens, No. 1	Clarke	775	54		103	June 29	8	Jan. 31	49	66.71	12.83	Jan.	0.21	May	9.0	119	172	103	91	w.
Athens, No. 2	....do		1	62.6	104	June 29†	8	Jan. 31	1	66.87	15.10	Jan.	0.39	May	10.5	99				
Atlanta Airport	Fulton	975	70	62.2	102	June 17	5	Jan. 31	70	66.15	10.82	Jan.	0.32	May	10.5	124	105	122	139	nw.
Atlanta, No. 2	De Kalb	998							2	69.28	12.18	Jan.	0.10	May	10.2	116				
Blairsville	Union	1,938	4	57.1	100	June 29	−5	Feb. 1	4		11.44	Jan.	0.75	May	11.0					
Canton	Cherokee	891							45	61.63	11.50	Jan.	0.59	May	10.5	107				
Carlton Bridge	Elbert	557	37		104	June 29	4	Feb. 1	36	59.42	12.43	Jan.	0.33	May	8.5	112				
Cedartown	Polk																			
Clayton	Rabun	2,200	41	57.5	97	June 29†	5	Jan. 28†	41	83.74	13.30	Jan.	1.57	May	19.0	85				
Cornelia	Habersham	1,500	17	60.5	102	July 26†	6	Jan. 31	17	87.42	13.37	Jan.	2.50	May	17.6	126	216	79	71	w.
Dahlonega	Lumpkin	1,519	44	59.9	100	June 29	8	Jan. 31	46	70.40	13.00	Jan.	1.72	Nov.	11.0	130				nw.
Dalton	Whitfield		1	61.5	103	June 29	−6	Jan. 31	1	63.60	12.08	Jan.	1.35	May	15.7	95	155	88	123	n.
Double Branches	Lincoln								11		13.80	Apr.	0.08	May						
Gainesville	Hall	1,254	57				3	Jan. 31†	59		11.70	Jan.	0.74	May	8.0					w.
Gillsville	....do	1,052							45	73.03	10.77	Aug.	0.48	May	10.5	77				
Hartwell [near]	Hart	838	26	62.0	104	June 29	6	Jan. 31	26	68.50	11.49	Jan.	0.12	May	7.1	100	105	199	62	w.
Lafayette	Walker	871	1	62.3	103	July 13†	−5	Feb. 1	6		9.66	Jan.	0.00	May						
Resaca	Gordon	657							42	68.71	12.62	Jan.	1.32	Nov.	15.6	116				n.
Rome	Floyd	617	77	63.0	103	June 29	3	Feb. 1	80	61.10	11.12	Jan.	1.14	May	14.5	125				nw.
Tallapoosa	Haralson	1,150	37	60.4	101	June 29	−8	Feb. 1	37	58.37	11.08	Apr.	0.42	May		86				
Toccoa	Stephens	1,050	50	61.6	104	June 29	7	Jan. 31	51	71.84	13.13	Jan.	0.29	May	9.7	118	162	102	102	ne.
Washington	Wilkes	630	45	64.0	105	June 29	10	Feb. 1	48	61.90	15.21	Apr.	0.28	May	5.9	122	165	121	80	sw.
Division means and extremes				61.2	105	June 29	−8	Feb. 1		66.12	15.21	Apr.	0.00	May	11.1	106	167	107	92	w.
Middle division																				
Augusta	Richmond	134	90	65.4	105	June 29	17	Feb. 1	69	50.89	8.31	Aug.	0.92	May	2.9	123	114	123	129	nw.
Brooklet	Bulloch	150	36	67.0	103	July 12	18	Jan. 28	36	43.18	7.91	June	0.49	Nov.	0.0	92	157	150	59	
Columbus	Muscogee	262	48	66.4	104	July 10†	18	Jan. 28†	48	66.72	13.37	Jan.	0.30	May	0.3	100				ne.
Concord	Pike	850							24	61.17	11.25	Jan.	0.30	May	5.0	113	203	77	86	
Covington	Newton	747	44	63.0	103	June 29†	8	Jan. 31†	44	65.80	11.67	Jan.	0.59	July		89				
Crawfordville	Taliaferro																			
Dover	Screven	92							6	41.28	5.94	Aug.	0.49	May	0.0	93				
Dublin	Laurens	234	24		103	June 29	17	Jan. 28	42	59.97	8.93	Aug.	1.34	Nov.	T.	113	167	104	95	w.
Experiment	Spalding	946	16		103	July 10	8	Jan. 31	15	66.19	10.98	Jan.	0.14	May	5.5	94				
Fair View	Lamar		20		104	July 12	12	Jan. 31	20				0.59	May	3.0					
Fort Valley	Peach	526	15	64.5	103	June 29	15	Jan. 28	15	58.59	9.89	Jan.	0.43	May	0.2	117	175	82	109	w.
Goat Rock	Muscogee	415							22	56.26	10.10	Jan.	0.75	May	1.5	103				
Greensboro	Greene	598	34	62.9	104	June 29	8	Jan. 31†	34	58.45	14.09	Apr.	0.39	May	8.0	90	190	81	95	w.
Griffin	Spalding	975	46	64.1	101	June 29†	9	Jan. 31	46	68.43	12.50	Aug.	0.03	May	5.6	95	168	108	90	w.
Hogansville	Troup	690							1	66.48	11.81	Jan.	0.00	May	5.0	86				
Lagrange	....do	740							26	62.39	11.12	Jan.	0.37	May	2.0	119				
Louisville	Jefferson	337	38	65.4	105	June 29	11	Jan. 28	38		8.48	Apr.	T.	May	2.0					
Macon	Bibb	330	55	65.0	102	June 29	16	Jan. 31	58	53.07	9.19	Jan.	0.30	May	3.1	112	131	120	115	nw.
Marshallville	Macon	500	42		104	June 29	17	Jan. 28	43		9.72	July	0.11	May	0.2					
Midville	Burke	186							6	46.06	7.52	Apr.	0.25	May	T.	87				
Milledgeville	Baldwin	276	48	65.1	106	June 29	15	Jan. 28†	47	51.33	9.27	Jan.	0.62	May	4.0	115	146	125	95	ne.
Millen	Jenkins	158	48	66.4	106	June 29	17	Jan. 28	49	47.22	7.20	Apr.	0.45	Nov.	T.	95				se.
Monticello	Jasper	800	41	63.7	104	July 10†	8	Jan. 31	40	64.46	12.28	Apr.	0.46	May	5.0	116	218	74	74	
Newnan	Coweta	959	47	62.2	102	June 17	6	Jan. 31	47	67.04	12.74	Jan.	0.53	May	7.2	121	207	61	98	ne.
Sparta	Hancock	557							6	47.94	7.36	Apr.	1.09	Oct.	4.0	99				
Stillmore	Emanuel	257	11	66.5	104	June 29	15	Jan. 28	11	44.16	7.23	Aug.	0.26	May	0.0	85				
Talbotton	Talbot	750	41						41											
Warrenton	Warren	500	21	64.3	103	June 29	13	Jan. 31†	21	58.81	10.68	Apr.	0.03	May	4.9	115	199	91	76	ne.
West Point	Troup	573	46	64.0	102	June 16	9	Jan. 31†	47	61.10	11.52	Jan.	0.91	May	1.8	121	126	54	186	
Woodbury	Meriwether	611							35	58.73	11.32	Jan.	0.17	May	3.5	103				
Division means and extremes				64.7	106	June 29	6	Jan. 31		57.14	14.09	Apr.	0.00	May	2.9	101	168	97	101	ne.
Southern division																				
Abbeville	Wilcox	180							33	44.78	6.12	Aug.	0.43	Nov.	0.0	93				nw.
Alapaha	Berrien	293	47	68.8	103	July 4	20	Jan. 28	47	52.19	9.45	Apr.	0.03	Nov.	0.0	98				sw.
Albany	Dougherty	230	49	68.2	104	June 29	20	Jan. 28	50	56.83	10.24	Aug.	0.71	May	0.0	121	197	47	122	ne.
Americus	Sumter	362	51	66.5	105	June 29	15	Jan. 28	52	72.06	11.76	Aug.	0.72	May	0.0	107				
Bainbridge	Decatur	119	44	67.3	102	July 7†	18	Feb. 1	44	57.26	8.70	Sept.	0.38	Nov.	0.0	127				s.
Blakely	Early	300	40	67.6	106	July 11	18	Jan. 28	42	60.29	12.16	Jan.	0.98	Nov.	0.0	118	147	122	97	ne.
Brunswick	Glynn	14	31	68.1	99	July 28†	23	Jan. 28	34	48.80	8.65	Oct.	0.59	Nov.	0.0	107	206	78	82	ne.
Cairo	Grady	265	3	67.4	97	June 29†	19	Feb. 1	3	53.17	7.44	July	0.19	Nov.	0.0	106	168	123	75	sw.
Cordele	Crisp	336							2	54.18	9.02	Jan.	0.26	May	0.0	97	217	98	51	
Douglas	Coffee				100	June 29	19	Jan. 28		53.59	15.07	July	0.45	Nov.	0.0	103	192	128	46	nw.
Eastman	Dodge	361	44	66.9	105	June 29	17	Jan. 28	44	55.16	7.88	Apr.	0.55	Nov.	0.0	109	232	65	69	nw.
Fargo	Clinch	116	8		100	July 5†	17	Jan. 31	8	50.39	8.36	July	0.02	Nov.	0.0					
Fitzgerald	Ben Hill	515	19	67.5	102	June 29	18	Jan. 28	20	50.29	8.77	Aug.	0.14	Nov.	T.	74				
Fort Gaines	Clay	166	48		103	July 10†	16	Jan. 28	48	59.86	10.03	Jan.	0.70	May	0.0	97				ne.
Glennville	Tattnall	175	31	66.7	103	June 29	17	Jan. 28	31	49.57	8.52	Aug.	0.33	Nov.	0.0	103	113	144	109	se.
Hawkinsville	Pulaski	235	40	66.3	105	June 29	17	Jan. 28	41	64.83	11.38	Jan.	1.20	Nov.	T.	122	173	43	150	e.
Hazlehurst	Jeff Davis	261	17		100	June 29†	18	Jan. 28†	17		7.32	Aug.			0.0					se.
Lumber City	Telfair	150							26	47.30	8.77	Sept	0.00	Nov.	0.0	75				
Montezuma	Macon	292							31	60.53	9.45	Apr.	0.23	May	1.0	105				sw.
Moultrie	Colquitt	397	9	69.1	101	June 29†	20	Jan. 28	9	49.80	6.92	July	0.28	Nov.	0.0	134				
Quitman	Brooks	173	50		103	July 3	20	Feb. 1	42	52.13	12.20	Aug.	0.05	Nov.	0.0	93				se.
Satilla Forest	Camden								1	49.96	8.30	July	0.98	Nov.	0.0	128				
Savannah, No. 1	Chatham	42	86	67.9	100	June 29	22	Jan. 28	86	39.75	6.68	July	1.25	Nov.	0.0	128	140	102	124	e.
Savannah, No. 2	....do	22	8	65.6	100	June 29†	16	Jan. 29†	8	50.20	7.50	July	0.98	Nov.	0.0	119				
Thomasville	Thomas	276	54	67.7	98	July 11	20	Jan. 28	54	58.48	7.95	Aug.	0.08	Nov.	T.	116	110	117	139	sw.
Tifton	Tift	370	15	67.0	100	June 29	18	Jan. 28	14	46.46	8.93	Aug.	0.20	Nov.	0.0	98	181	67	118	
Waycross	Ware	131	47	68.3	102	June 19	20	Jan. 28	45	51.14	7.47	Oct.	0.02	Nov.	0.0	137	135	95	136	se.
Division means and extremes				67.4	106	July 11	15	Jan. 28		53.33	15.07	July	0.00	Nov.	T.	108	176	92	98	ne.
State means and extremes				61.4	106	June 29†	−8	Feb. 1		58.87	15.21	Apr.	0.00	May‡	4.7	104	170	98	98	nw.

† On other dates also.

‡ In November also.

Monthly and Annual Precipitation for the Year 1936, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure
Northern division																										
Athens, No. 1	12.83	+8.57	6.50	+1.42	5.88	+0.88	11.60	+7.87	0.21	−3.38	2.98	−0.93	2.14	−2.99	7.16	+2.49	3.81	+0.35	5.41	+2.18	1.71	−0.90	6.48	+1.40	66.71	+16.96
Athens, No. 2	15.10	......	6.21	......	7.01	......	12.28	......	0.39	......	2.44	......	1.61	......	5.86	......	3.93	......	4.73	......	1.60	......	5.71	......	66.87	......
Atlanta Airport	10.82	+5.87	8.42	+3.48	4.22	−1.08	9.86	+6.25	0.32	−3.15	3.17	−0.57	4.03	−0.62	5.95	+1.50	5.44	+2.45	3.61	+1.02	2.33	−0.70	7.98	+3.28	66.15	+17.73
Atlanta, No. 2	12.18	......	8.67	......	4.78	......	10.73	......	0.10	......	2.55	......	2.20	......	7.40	......	5.75	......	4.29	......	2.27	......	8.36	......	69.28	......
Blairsville	11.44	......	6.94	......	2.44	......	......	......	0.75	......	0.91	......	4.91	......	2.27	......	6.20	......	4.27	......	0.91	......	7.05	......	......	......
Canton	11.50	+6.71	4.72	−0.77	5.49	0.00	8.45	+4.26	0.59	−3.29	3.44	−0.49	5.18	−0.31	6.06	+1.38	5.20	+2.14	1.73	−1.82	1.21	−2.00	8.06	+1.92	61.63	+7.73
Carlton Bridge	12.43	+8.55	5.91	+0.84	4.57	−0.20	11.39	+8.02	0.33	−3.15	2.21	−1.89	2.83	−1.94	5.21	+0.73	3.55	−0.07	3.66	+0.68	1.43	−1.24	5.90	+1.09	59.42	+11.42
Cedartown	......	......	......	......	......	......	......	......	......	......	......	......	......	......	3.35	......	4.05	......	1.15	......	1.61	......	11.90	......	......	......
Clayton	13.30	+7.22	7.55	+1.21	3.60	−3.52	11.79	+6.24	1.57	−3.55	4.39	−1.19	5.28	−1.77	5.69	−0.80	10.58	+5.15	5.94	+1.02	2.23	−1.95	11.82	+3.97	83.74	+12.03
Cornelia	13.37	+8.44	8.42	+2.77	4.96	−0.82	11.03	+6.47	2.50	−1.86	4.45	+0.47	4.59	−1.31	6.30	+1.58	12.05	+7.53	4.88	+1.00	2.87	−0.49	12.00	+5.38	87.42	+29.16
Dahlonega	13.00	+7.49	7.37	+1.51	4.74	−1.27	10.80	+6.26	1.98	−2.91	2.64	−2.08	3.13	−2.50	5.63	+0.58	4.96	+0.59	4.46	+0.57	1.72	−1.90	9.97	+2.78	70.40	+9.12
Dalton	12.08	......	5.86	......	5.56	......	9.30	......	1.35	......	1.79	......	5.78	......	4.44	......	5.61	......	2.31	......	1.62	......	7.90	......	63.60	......
Double Branches	10.10	+5.50	4.80	+0.60	5.11	+1.03	13.80	*10.03	0.08	−2.36	3.34	−0.04	3.57	−0.94	7.10	+3.06	......	......	2.75	−0.31	1.94	−0.30	5.27	+1.52	......	......
Gainesville	11.70	+6.96	7.36	+1.98	5.14	−0.49	......	......	0.71	−3.26	3.03	−1.10	4.58	−0.77	7.01	+2.40	8.57	+4.88	4.64	+1.39	2.20	−0.86	8.05	+2.59	......	......
Gillsville	10.17	+5.60	7.20	+1.71	5.05	−0.30	9.81	+5.88	0.48	−3.43	2.35	−1.47	4.87	+0.13	10.77	+6.09	6.58	+2.81	4.88	+1.46	1.98	−1.00	8.89	+3.24	73.03	+20.72
Hartwell (near)	11.49	+7.52	5.65	+0.61	5.15	+0.47	10.71	+7.13	0.12	−3.53	2.68	−1.33	2.80	−1.66	6.70	+1.88	8.31	+4.90	6.49	+3.32	1.62	−1.08	6.78	+1.73	68.50	+19.96
Lafayette	9.66	......	......	......	5.16	......	8.39	......	0.00	......	4.30	......	4.60	......	5.14	......	......	......	2.12	......	0.60	......	5.46	......	......	......
Resaca	12.62	+7.82	7.29	+1.79	5.48	−0.37	8.28	+3.65	2.20	−1.64	1.58	−2.70	9.11	+4.12	4.99	+0.71	2.86	−0.15	3.03	−0.29	1.32	−2.15	9.95	+3.98	68.71	+14.77
Rome	11.12	+6.30	7.38	+1.80	6.45	+0.62	8.46	+4.03	1.14	−3.00	2.05	−2.40	4.61	−0.42	2.56	−2.01	4.13	+1.10	2.31	−0.94	1.37	−2.08	9.52	+3.68	61.10	+6.68
Tallapoosa	11.03	+6.53	7.38	+2.29	4.06	−1.29	11.08	+6.73	0.42	−3.40	0.60	−3.61	3.59	−1.81	5.59	+1.09	2.97	−0.63	1.30	−1.73	1.39	−1.83	8.96	+3.42	58.37	+5.76
Toccoa	13.13	+8.13	6.35	+0.79	4.38	−1.54	8.89	+4.45	0.29	−3.70	1.29	−3.23	3.65	−1.75	7.06	+1.36	10.83	+6.71	5.02	+0.87	2.49	−0.75	8.46	+2.02	71.84	+13.36
Washington	10.73	+6.60	5.16	+0.04	5.01	+0.29	15.21	*11.62	0.28	−3.11	3.48	−0.76	2.97	−2.36	6.32	+1.66	3.67	−0.42	1.80	−1.33	1.22	−1.53	6.05	+1.66	61.90	+12.36
Middle division																										
Augusta	6.00	+2.07	4.91	+0.69	4.37	+0.26	7.99	+4.85	0.92	−2.12	1.92	−2.76	2.98	−2.41	8.31	+3.28	1.92	−1.44	3.11	+0.65	2.64	+0.24	5.82	+2.57	50.89	+5.88
Brooklet	3.33	+0.35	3.86	+0.24	2.82	−0.96	5.57	+2.48	1.43	−2.31	7.91	+1.73	5.48	−0.58	3.22	−2.92	2.16	−2.51	3.07	+0.67	0.49	−1.96	3.84	+0.64	43.18	−5.13
Columbus	13.37	+9.17	11.68	+6.45	5.43	+0.13	6.13	+2.28	0.30	−3.01	1.11	−2.64	4.49	−1.24	6.72	+2.22	3.97	+1.31	4.94	+2.06	1.24	−1.59	7.34	+2.37	66.72	+17.51
Concord	11.25	+7.21	8.65	+3.41	4.56	−1.44	9.44	+5.87	0.30	−3.00	4.93	+0.06	3.74	−2.06	4.88	+0.44	4.33	+1.33	3.40	+0.61	1.30	−1.50	7.39	+2.47	64.17	+13.40
Covington	11.67	+7.31	8.02	+2.65	4.11	−1.06	11.35	+7.56	0.76	−3.07	4.62	+0.49	0.59	−4.65	8.15	+3.68	5.03	+1.89	2.37	−0.79	1.60	−1.22	7.53	+2.43	65.80	+12.78
Crawfordville	......	......	......	......	......	......	......	......	0.25	......	3.03	......	3.41	......	5.99	......	3.47	......	2.30	......	1.63	......	4.39	......	......	......
Dover	4.01	......	4.45	......	3.30	......	5.77	......	0.49	......	2.86	......	2.09	......	5.94	......	3.36	......	4.25	......	0.81	......	3.95	......	41.28	......
Dublin	8.49	+4.41	6.41	+2.04	3.01	−1.62	7.79	+4.55	1.58	−1.98	3.39	−1.49	2.66	−3.01	8.93	+3.90	4.35	+0.37	6.92	+4.41	1.34	−1.38	5.07	+1.14	59.97	+11.34
Experiment	10.98	+7.35	8.11	+2.97	4.33	−0.57	7.26	+3.96	0.14	−2.84	2.61	−0.79	6.36	+2.37	8.71	+4.63	5.95	+3.23	3.29	+0.83	1.18	−1.51	7.27	+2.84	66.19	+22.47
Fair View	......	......	6.41	+1.58	2.92	−2.64	10.30	+6.50	0.59	−2.62	2.51	−0.74	4.25	−0.60	9.41	+5.62	2.14	−0.88	2.44	−0.14	1.29	−1.39	7.62	+3.11	......	......
Fort Valley	9.89	+5.65	6.84	+1.87	4.97	−0.27	8.14	+3.93	0.43	−3.15	1.92	−2.58	3.97	−1.58	4.48	−0.20	3.52	+0.33	6.52	+3.17	2.90	−0.10	5.01	+0.46	58.59	+7.53
Goat Rock	10.10	+6.40	8.20	+4.17	2.56	−2.48	9.75	+5.75	0.75	−2.13	1.12	−1.80	5.57	−0.05	4.32	+0.63	3.79	+1.13	2.46	−0.16	1.69	−1.17	5.95	+1.03	56.26	+11.32
Greensboro	9.15	+5.10	2.95	−2.12	4.07	−0.57	14.09	*10.56	0.39	−3.06	2.13	−2.09	3.58	−1.62	5.65	+0.53	6.82	+3.26	2.82	−0.28	1.57	−1.16	5.23	+0.80	58.45	+9.35
Griffin	11.31	+7.17	7.85	+2.50	4.21	−1.24	7.93	+4.09	0.03	−3.11	1.39	−2.43	3.94	−1.19	12.50	+7.92	6.31	+3.18	3.75	+0.96	1.27	−1.53	7.91	+2.99	68.43	+19.31
Hoganville	11.81	......	7.50	......	4.62	......	8.55	......	0.00	......	3.23	......	6.05	......	5.42	......	4.76	......	4.33	......	1.55	......	8.66	......	66.48	......
Lagrange	11.12	+6.36	8.49	+3.88	4.30	−2.09	8.61	+5.24	0.37	−2.57	1.57	−2.86	4.84	−0.31	6.90	+2.15	4.04	+1.12	3.52	+1.02	1.17	−1.94	7.46	+2.91	62.39	+12.91
Louisville	7.31	+3.73	5.57	+1.30	3.16	−1.07	8.48	+5.27	T.	−3.42	3.33	−1.24	3.27	−2.25	8.24	+3.56	......	......	4.12	+1.24	1.80	−0.69	5.07	+1.57	......	......
Macon	9.19	+5.02	7.02	+2.44	3.66	−1.91	7.20	+4.05	0.30	−2.66	2.56	−1.48	7.48	+2.74	5.25	+0.91	1.40	−1.79	2.33	−0.01	2.68	+0.16	4.60	+0.61	53.07	+8.08
Marshallville	8.60	+3.84	6.53	+1.30	5.13	−0.01	7.58	+3.37	0.11	−3.54	2.51	−2.04	9.72	+3.82	3.62	−1.58	3.93	+0.54	3.31	+0.32	3.06	−0.07	......	......	......	......
Midville	6.28	......	5.48	......	3.47	......	7.52	......	0.25	......	2.70	......	3.47	......	4.60	......	4.14	......	4.00	......	0.63	......	3.52	......	46.06	......
Milledgeville	9.27	+5.24	5.94	+1.29	3.14	−1.59	9.09	+5.68	0.62	−2.59	2.31	−1.78	5.59	−0.35	4.35	−0.26	2.61	−1.03	1.64	−1.24	2.19	−0.39	4.58	+0.53	51.33	+3.51
Millen	6.69	+3.38	6.96	+3.12	3.08	−0.81	7.20	+4.08	0.64	−2.43	2.90	−1.87	2.50	−4.03	4.22	−0.49	4.40	+0.51	3.52	+1.05	0.45	−1.75	4.66	+1.17	47.22	+1.93
Monticello	10.20	+5.86	7.71	+2.27	4.82	−0.46	12.28	+8.50	0.46	−3.14	3.49	−1.46	1.22	−4.30	8.41	+3.51	5.41	+1.83	2.24	−1.18	1.68	−1.06	6.54	+1.85	64.46	+12.22
Newnan	12.74	+8.08	7.46	+2.09	3.90	−1.99	9.79	+6.02	0.53	−3.19	1.91	−2.24	4.23	−0.68	6.52	+1.74	5.50	+2.60	3.86	+0.89	1.41	−1.66	9.19	+3.84	67.04	+15.50
Sparta	7.08	......	5.01	......	4.50	......	7.36	......	1.12	......	2.93	......	2.76	......	5.08	......	4.32	......	1.09	......	1.92	......	4.77	......	47.94	......
Stillmore	4.66	+1.36	4.55	+0.87	3.23	−1.54	5.70	+2.04	0.26	−3.52	3.84	−0.98	3.49	−5.01	7.23	+2.21	2.83	−2.22	4.54	+2.24	0.51	−1.59	3.32	+0.38	44.16	−5.76
Talbotton	......	......	......	......	......	......	......	......	......	......	......	......	6.15	+0.80	2.44	−2.05	4.69	+1.47	5.58	+2.58	2.03	−1.06	6.87	+1.93	......	......
Warrenton	10.32	+6.32	4.98	+0.18	3.81	−0.73	10.68	+7.47	0.03	−3.07	4.02	−0.08	4.34	−0.77	7.69	+3.35	2.33	−1.67	2.47	−0.51	2.35	−0.35	5.79	+1.85	58.81	+11.99
West Point	11.52	+7.15	8.16	+2.93	4.64	−1.12	7.09	+2.91	0.91	−2.84	0.94	−3.46	3.44	−1.75	7.92	+3.15	4.28	+1.39	2.87	+0.14	1.47	−1.59	7.86	+2.35	61.10	+9.26
Woodbury	11.32	+7.34	7.83	+2.68	4.10	−1.36	9.84	+6.29	0.17	−3.08	2.03	−2.19	0.96	−4.92	5.72	+1.62	3.10	+0.14	4.25	+1.45	1.41	−1.32	8.00	+3.32	58.73	+9.97
Southern division																										
Abbeville	4.92	+1.09	6.00	+1.55	5.10	+0.90	5.07	+1.73	0.72	−2.87	3.82	+0.04	2.46	−4.03	6.12	+1.16	0.93	−3.20	5.03	+2.60	0.43	−2.19	4.18	+0.67	44.78	−2.55
Alapaha	4.83	+1.01	5.24	+1.04	4.35	+0.27	9.45	+6.22	2.45	−0.94	2.28	−2.78	3.99	−2.03	8.49	+3.10	2.79	−1.36	4.05	+1.81	0.03	−2.08	4.24	+0.54	52.19	+4.80
Albany	8.93	+4.65	6.55	+1.61	2.77	−1.98	7.81	+3.98	0.71	−3.33	3.01	−1.74	5.02	−1.41	10.24	+4.33	2.35	−1.34	3.30	+0.78	0.90	−1.56	5.24	+1.13	56.83	+5.12
Americus	11.02	+6.59	8.58	+3.47	5.95	+0.93	6.06	+2.48	0.72	−2.98	1.61	−2.29	9.76	+4.53	11.76	+6.61	2.37	−1.16	5.19	+2.53	3.35	+0.51	5.69	+1.64	72.06	+22.86
Bainbridge	7.80	+3.85	5.61	+1.21	3.50	−0.68	4.08	+0.55	2.02	−1.59	2.07	−2.89	4.93	−1.34	8.43	+2.55	8.70	+4.34	4.18	+1.80	0.58	−2.03	5.56	+1.27	57.26	+7.04
Blakely	12.16	+7.76	6.39	+1.09	3.70	−1.36	6.34	+2.05	1.41	−2.13	2.58	−1.99	5.23	−1.66	9.38	+3.98	2.90	−1.13	2.61	−0.13	0.98	−2.03	6.61	+1.83	60.29	+6.28
Brunswick	4.02	+1.22	5.81	+2.05	3.20	−0.12	1.33	−1.58	2.80	−0.54	1.77	−3.83	8.15	+0.68	5.32	−0.86	3.15	−3.36	8.65	+5.50	0.59	−1.43	4.01	+1.05	48.80	−1.22
Cairo	6.58	......	5.01	......	3.52	......	4.07	......	3.59	......	4.17	......	7.44	......	5.95	......	4.44	......	4.49	......	0.19	......	3.72	......	53.17	......
Cordele	9.02	......	6.60	......	4.30	......	5.66	......	0.26	......	3.59	......	7.93	......	3.85	......	2.22	......	4.24	......	1.88	......	4.63	......	54.18	......
Douglas	4.59	......	4.63	......	4.64	......	4.20	......	1.65	......	8.52	......	15.07	......	1.69	......	2.37	......	1.60	......	0.45	......	4.18	......	53.59	......
Eastman	6.86	+2.86	7.17	+2.57	5.20	+0.41	7.88	+4.71	0.57	−2.73	4.72	+0.48	0.95	−4.95	7.39	+2.37	2.50	−1.38	6.07	+3.45	0.55	−2.18	5.30	+1.68	55.16	+7.29
Fargo	3.15	......	8.05	......	3.24	......	2.70	......	2.44	......	4.50	......	8.36	......	4.72	......	2.08	......	5.22	......	0.02	......	5.91	......	50.39	......
Fitzgerald	4.31	+0.80	6.09	+2.10	3.01	−1.27	6.38	+2.83	1.29	−2.30	2.78	−1.62	6.55	+0.77	8.77	+3.81	1.68	−2.59	6.49	+4.00	0.14	−2.22	2.80	−0.90	50.29	+3.41
Fort Gaines	10.03	+5.48	7.28	+2.17	2.74	−2.04	7.97	+4.14	0.70	−3.05	5.58	+1.21	5.28	−0.71	6.22	+0.71	3.44	−0.07	4.04	+1.34	1.33	−1.66	5.25	+0.36	59.86	+7.88
Glennville	3.87	+1.13	4.05	+0.50	3.90	+0.42	2.74	+0.02	2.56	−0.73	3.66	−1.35	7.03	+1.09	8.52	+1.52	5.70	+0.75	3.03	+0.61	0.33	−2.00	4.18	+0.88	49.57	+2.84
Hawkinsville	11.35	+7.17	6.52	+2.20	3.37	−1.30	8.19	+5.07	1.43	−1.89	5.31	+1.01	6.23	+0.87	8.31	+3.45	2.59	−0.94	4.69	+2.11	1.20	−1.39	5.61	+2.06	64.83	+18.42
Hazlehurst	3.37	−0.29	5.88	+1.94	3.29	−0.93	4.44	+1.64	1.28	−1.78	3.27	−2.47	3.55	−2.96	7.32	+0.66	6.17	+1.29	3.01	+0.67	......	......	3.40	+0.16	......	......
Lumber City	3.27	−0.41	5.64	+1.55	4.27	−0.04	3.71	+0.79	0.89	−1.91	2.50	−2.12	2.92	−2.98	7.81	+2.14	8.77	+5.08	3.66	+1.54	0.00	−2.46	3.86	+0.57	47.30	+1.75
Montezuma	8.03	+3.89	7.06	+2.41	5.59	+1.07	9.45	+5.62	0.23	−3.24	2.03	−1.88	6.67	+1.60	6.71	+1.77	2.90	−0.35	4.01	+1.41	2.90	+0.02	4.95	+0.72	60.53	+13.04
Moultrie	6.32	......	5.34	......	3.78	......	5.78	......	3.08	......	1.40	......	6.92	......	5.77	......	3.28	......	4.28	......	0.28	......	3.57	......	49.80	......
Quitman	5.90	+2.10	5.88	+1.63	2.15	−1.93	2.70	−0.72	4.41	+0.60	1.67	−4.23	4.94	−2.13	12.20	+5.49	2.33	−3.00	3.95	+1.60	0.05	−2.23	5.95	+1.55	52.13	−1.27
Satilla Forest	3.68	......	5.70	......	3.40	......	1.55	......	4.78	......	7.76	......	8.30	......	3.65	......	1.75	......	5.30	......	0.98	......	3.11	......	49.96	......
Savannah, No. 1	3.27	+0.49	3.74	+0.48	3.67	+0.61	1.67	−0.90	1.85	−1.17	3.57	−1.72	6.68	+0.04	3.23	−4.08	5.05	−0.36	2.43	−0.55	1.25	−0.85	3.34	+0.41	39.75	−7.60
Savannah, No. 2	3.93	......	4.25	......	3.57	......	2.03	......	2.90	......	7.14	......	7.50	......	3.78	......	6.77	......	2.98	......	0.98	......	4.37	......	50.20	......
Thomasville	6.47	+2.37	7.18	+2.72	3.15	−0.94	4.99	+1.65	3.66	+0.03	2.95	−2.50	7.31	+0.61	7.95	+2.20	5.39	+0.51	5.25	+2.29	0.08	−2.60	4.10	−0.21	58.48	+6.13
Tifton	5.27	+0.51	5.18	+0.98	3.17	−1.50	7.87	+3.95	1.40	−2.15	2.84	−1.72	2.35	−3.47	8.93	+3.14	0.80	−3.02	4.03	+1.92	0.20	−1.60	4.42	+0.88	46.46	−2.08
Waycross	4.96	+1.85	7.30	+3.47	3.08	−0.32	3.64	+0.85	2.94	−0.90	4.91	−1.43	5.34	−1.81	4.19	−1.87	3.29	−1.25	7.47	+4.94	0.02	−2.22	4.00	+0.93	51.14	+2.24

* Plus (+).

Monthly and Annual Average Temperatures for the Year 1936, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
Northern division																										
Athens, No. 1	40.0	−3.5	43.4	−2.2	56.9	+4.2	59.5	−1.8	73.1	+3.1	78.8	+1.7	81.6	+2.0	.....	.....	74.9	+1.1	64.8	+2.3	51.7	−0.4	47.2	+2.4	.....	.....
Athens, No. 2	37.2	.....	41.9	.....	57.0	.....	59.7	.....	73.6	.....	79.1	.....	83.0	.....	80.6	.....	77.4	.....	65.1	.....	49.6	.....	46.2	.....	62.6	.....
Atlanta	39.0	−3.6	41.6	−3.7	56.5	+4.5	58.8	−2.2	73.0	+3.1	79.4	+3.4	81.2	+3.1	79.5	+2.8	76.0	+3.6	64.4	+1.4	50.1	−2.0	46.6	+1.9	62.2	+1.0
Blairsville	34.6	.....	37.7	.....	49.1	.....	54.9	.....	65.0	.....	72.4	.....	75.7	.....	73.9	.....	70.2	.....	60.1	.....	46.0	.....	45.6	.....	57.1	.....
Carlton Bridge	39.0	−5.1	43.2	−2.1	56.3	+3.4	59.0	−1.9	72.2	+2.2	79.0	+2.0	.....	.....	79.8	+1.6	75.6	+2.1	64.8	+2.4	.....	.....	46.8	+1.7	.....	.....
Cedartown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	[a]78.0	.....	76.4	.....	[g]61.8	.....	50.2	.....	46.2	.....	.....	.....
Clayton	35.9	−4.5	38.8	−2.4	50.9	+2.2	54.8	−1.4	66.0	+1.5	72.6	+1.2	75.6	+1.3	73.1	−0.2	71.0	+2.5	60.2	+2.3	47.2	−0.7	43.9	+2.9	57.5	+0.4
Cornelia	37.5	−5.5	40.4	−4.6	54.2	+4.0	57.0	−2.6	69.9	+3.3	76.2	+1.5	79.9	+2.6	78.1	+2.4	74.6	+2.3	62.8	+2.1	49.6	−1.0	45.4	+1.6	60.5	+0.5
Dahlonega	36.8	−4.7	40.4	−2.4	54.2	+3.7	57.5	−1.0	70.2	+3.8	75.7	+2.2	78.8	+2.9	76.1	+1.1	72.4	+1.9	62.0	+2.3	48.9	−0.7	45.9	+3.5	59.9	+1.0
Dalton	38.2	.....	41.0	.....	55.6	.....	58.8	.....	70.9	.....	79.0	.....	80.4	.....	78.9	.....	75.4	.....	63.7	.....	49.4	.....	47.0	.....	61.5	.....
Gainesville	[a]36.6	−5.2	40.3	−3.0	53.4	+2.2	.....	.....	[a]70.7	+2.9	[b]76.0	+1.0	79.1	+1.4	76.8	+0.5	72.9	+1.3	62.8	+2.1	49.2	−1.0	45.4	+2.6	.....	.....
Hartwell (near)	38.8	−5.3	42.2	−3.2	55.7	+2.9	58.2	−2.6	72.2	+2.7	78.4	+1.4	82.0	+2.5	78.8	+0.4	75.0	+0.9	65.0	+2.4	51.9	0.0	45.8	+1.2	62.0	+0.3
Lafayette	38.2	.....	39.4	.....	54.8	.....	58.6	.....	73.6	.....	81.0	.....	81.8	.....	[a]82.1	.....	77.2	.....	64.8	.....	48.0	.....	48.2	.....	62.3	.....
Rome	39.8	−2.7	42.4	−2.1	57.8	+5.3	60.2	−0.9	73.0	+3.3	80.2	+3.3	81.6	+2.0	80.8	+2.2	77.2	+3.4	65.0	+2.6	51.0	+0.2	47.2	+3.7	63.0	+1.6
Tallapoosa	38.2	−4.7	41.2	−2.8	53.6	+1.2	56.6	−3.2	69.0	+0.6	76.8	+1.0	78.2	0.0	78.3	+0.9	74.5	+1.4	62.8	+1.2	48.4	−2.6	46.8	+3.2	60.4	−0.3
Toccoa	38.8	−3.9	42.2	−2.0	55.5	+3.7	58.6	−1.7	72.6	+4.1	78.0	+2.4	81.3	+3.1	78.0	+1.1	73.6	+1.5	63.4	+2.3	51.2	+0.2	46.4	+2.8	61.6	+1.1
Washington	41.6	−3.9	44.5	−2.0	59.2	+4.3	61.2	−1.3	73.8	+2.4	79.1	+1.0	82.9	+2.5	80.9	+1.5	77.0	+2.0	67.2	+3.6	52.8	−2.1	48.4	+2.5	64.0	+0.8
Middle division																										
Augusta	44.4	−2.6	45.9	−4.0	60.0	+4.0	62.2	−2.0	74.6	+2.2	79.8	+1.1	83.4	+2.1	82.0	+1.6	78.2	+2.9	69.0	+3.7	54.2	−0.3	50.6	+2.5	65.4	+1.0
Brooklet	47.4	−2.5	49.2	−2.7	61.8	+2.6	66.0	+0.1	75.2	+1.1	79.9	−0.1	83.6	+1.6	82.3	+0.9	79.2	+1.8	70.9	+3.5	56.9	−0.4	52.2	+1.3	67.0	+0.5
Columbus	45.6	−2.6	46.8	−3.3	60.7	+2.8	63.8	−1.6	76.2	+2.9	83.2	+3.1	83.3	+1.6	82.6	+1.4	79.8	+2.4	68.8	+2.1	54.6	−1.4	50.8	+1.4	66.4	+0.8
Covington	39.7	−4.8	42.6	−1.6	56.8	+2.5	60.2	−0.8	72.5	+2.0	78.6	+1.1	82.7	+2.7	[d]80.4	+1.6	[d]76.4	+2.0	65.6	+3.3	52.2	−0.4	48.3	+3.1	63.0	+0.9
Dublin	46.2	−2.8	47.8	−3.5	61.0	+4.2	64.6	−0.7	74.6	+2.0	79.9	+0.6	83.4	+2.2	81.9	+1.5	78.4	+1.6	.....	.....	.....	.....	51.8	+1.5	.....	.....
Experiment	41.2	−3.8	43.8	−1.3	.....	.....	60.4	−1.4	73.4	+2.5	79.6	+2.9	80.7	+1.3	80.2	+1.3	76.6	+2.2	[f]63.5	−0.5	50.8	−2.8	47.2	+2.8	.....	.....
Fair View	.....	.....	44.1	−5.2	58.8	+3.6	60.8	−2.3	72.7	+2.2	79.0	+1.4	81.4	+1.9	80.0	+1.4	76.7	+1.7	66.2	+1.7	52.4	−1.9	49.1	+1.4	.....	.....
Fort Valley	43.1	−5.4	45.1	−6.3	59.0	+2.4	62.0	−3.1	73.6	+1.4	80.1	+1.0	81.6	+0.8	80.8	+0.6	78.0	+0.7	67.0	+1.0	53.3	−2.5	50.0	+0.2	64.5	−0.7
Greensboro	39.6	−5.5	42.7	−3.9	57.2	+2.9	60.2	−1.8	72.9	+2.5	79.4	+1.8	82.4	+2.6	80.0	+1.2	75.6	+0.8	65.8	+2.5	51.2	−1.8	47.7	+1.8	62.9	+0.3
Griffin	42.7	−3.3	44.6	−3.2	59.0	+3.7	61.6	−1.5	73.8	+2.8	79.6	+1.8	81.6	+1.7	80.1	+1.1	77.3	+2.3	66.7	+2.5	53.4	−0.7	49.2	+2.3	64.1	+0.8
Louisville	44.8	−3.0	46.2	−3.2	61.0	+4.1	62.8	−1.1	73.5	+0.8	79.7	+0.6	83.6	+2.8	81.4	+1.3	76.8	+1.0	68.6	+3.5	55.2	+0.3	51.5	+3.0	65.4	+0.8
Macon	44.4	−2.4	46.0	−3.3	59.9	+3.2	62.6	−1.3	74.2	+1.9	79.4	+0.5	82.4	+1.2	81.2	+1.3	77.8	+3.0	67.9	+3.4	53.8	−0.4	50.9	+3.4	65.0	+0.8
Marshallville	45.6	−2.7	47.0	−3.1	.....	.....	63.0	−1.9	75.2	+2.1	80.2	+0.8	82.6	+1.6	.....	.....	78.2	+1.4	.....	.....	53.7	−2.1	.....	.....	.....	.....
Milledgeville	43.0	−3.3	45.0	−3.5	58.7	+3.1	62.8	−1.0	74.8	+2.5	80.8	+1.8	84.0	+2.8	82.3	+2.0	79.0	+3.1	68.2	+3.7	53.6	−0.5	49.4	+2.0	65.1	+1.0
Millen	[d]45.0	−3.8	47.7	−2.6	62.0	+4.2	64.2	−0.9	74.8	+1.6	81.2	+1.5	84.6	+2.9	83.3	+2.3	78.1	+1.4	69.2	+3.2	55.2	−0.7	50.9	+1.5	66.4	+0.9
Monticello	40.5	−4.8	43.3	−4.0	57.6	+2.8	61.0	−2.0	74.2	+2.7	80.0	+1.5	83.0	+2.8	81.6	+2.1	77.6	+2.2	66.6	+2.7	51.8	−1.8	47.7	+1.2	63.7	+0.4
Newnan	40.2	−4.7	43.0	−3.2	57.8	+3.4	59.6	−2.2	72.4	+1.8	78.2	+0.4	79.8	0.0	78.4	−0.5	75.2	+0.6	64.1	+0.4	51.2	−2.1	46.6	+0.9	62.2	−0.4
Stillmore	47.6	−3.4	46.8	−6.0	61.5	+3.3	65.1	0.0	74.5	+1.1	79.9	+1.1	83.4	+2.0	81.4	+0.9	78.6	+1.4	70.4	+2.9	56.5	−1.2	52.8	+1.1	66.5	+0.2
Talbotton	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	76.4	+0.7	67.0	+1.8	54.6	−0.2	50.7	+2.6	.....	.....
Warrenton	42.8	−3.9	44.8	−3.0	59.3	+3.7	61.6	−1.4	74.3	+2.7	79.1	+0.8	82.5	+2.0	80.4	+0.8	76.4	+1.2	67.2	+3.2	52.9	−1.2	50.0	+2.8	64.3	+0.7
West Point	43.9	−1.6	44.3	−3.0	56.8	+1.6	61.6	−1.4	73.6	+2.2	81.0	+2.4	81.3	+0.7	80.4	+0.8	77.4	+2.1	66.4	+2.3	52.2	−1.3	48.9	+2.5	64.0	+0.9
Southern division																										
Alapaha	51.6	+0.4	[a]52.2	−1.0	[b]64.6	+4.8	67.2	+0.6	75.7	+1.7	81.8	+2.0	84.0	+2.5	82.2	+1.3	80.6	+3.1	72.0	+4.3	58.2	+0.2	55.0	+3.0	68.8	+2.0
Albany	50.0	−0.5	48.8	−3.8	63.6	+3.7	66.0	−0.9	76.4	+1.8	82.8	+2.1	84.6	+2.4	82.9	+1.3	81.3	+3.2	71.3	+3.3	56.2	−1.7	54.1	+2.4	68.2	+1.1
Americus	47.3	−1.3	47.9	−3.0	[a]61.6	+3.6	63.4	−1.9	75.4	+2.0	80.7	+0.8	82.6	+1.1	81.4	+0.5	79.6	+2.5	69.7	+2.8	56.6	+0.4	52.2	+2.5	66.5	+0.8
Bainbridge	50.2	−1.9	49.8	−4.3	61.8	+1.0	65.9	−1.7	75.6	+0.8	81.6	+1.0	83.2	+1.3	81.0	−0.5	79.1	+0.8	70.1	+2.0	55.6	−2.9	54.1	+1.5	67.3	−0.3
Blakely	50.6	−1.1	50.3	−3.3	61.9	+2.1	64.9	−1.7	76.0	+2.3	81.6	+1.8	82.8	+1.4	81.5	+0.5	79.6	+1.7	70.8	+2.9	56.9	−1.1	53.8	+1.9	67.6	+0.7
Brunswick	52.3	−1.7	51.3	−4.3	62.7	+1.9	67.1	−0.6	74.4	0.0	79.2	−1.5	82.6	+0.8	82.0	+0.3	80.0	+1.5	72.1	+1.7	59.0	−1.7	54.8	−0.9	68.1	−0.4
Cairo	51.4	.....	50.1	.....	62.6	.....	66.1	.....	75.0	.....	79.9	.....	81.9	.....	80.2	.....	79.5	.....	71.2	.....	57.0	.....	54.4	.....	67.4	.....
Douglas	.....	.....	48.8	.....	61.8	.....	65.9	.....	74.7	.....	80.0	.....	82.6	.....	81.9	.....	79.9	.....	71.2	.....	56.4	.....	52.4	.....	.....	.....
Eastman	47.8	−2.5	48.2	−3.5	61.6	+2.5	64.7	−1.5	75.0	+1.0	80.6	+0.3	84.4	+2.5	82.0	+0.9	79.9	+2.6	69.5	+2.5	55.8	−1.3	53.2	+2.5	66.9	+0.5
Fargo	52.5	.....	51.6	.....	62.8	.....	67.2	.....	74.3	.....	.....	.....	81.8	.....	80.8	.....	79.4	.....	.....	.....	.....	.....	55.8	.....	.....	.....
Fitzgerald	50.0	−1.1	50.0	−1.8	63.1	+2.4	65.5	0.0	74.9	+0.4	81.0	+0.9	83.0	+1.0	81.2	+0.1	79.8	+2.5	70.8	+3.6	57.1	−0.9	53.8	+2.1	67.5	+0.7
Fort Gaines	47.1	−2.6	47.2	−4.4	.....	.....	63.6	−2.2	74.8	+1.2	80.2	+0.4	82.0	+0.7	80.0	−0.6	78.8	+1.7	70.8	+3.9	57.8	+0.8	.....	.....	.....	.....
Glennville	49.8	−2.4	49.2	−4.1	61.6	+2.0	65.3	−1.5	73.7	−0.2	79.2	−0.7	82.5	+0.9	81.2	+0.2	78.3	+0.6	70.5	+2.3	56.6	−1.7	52.3	−0.1	66.7	−0.4
Hawkinsville	46.6	−2.1	47.6	−2.9	61.2	+3.1	64.9	−0.3	75.2	+1.9	80.7	+1.0	83.4	+2.0	81.6	+0.6	78.2	+0.8	69.0	+2.3	55.2	−1.2	52.3	+2.5	66.3	+0.6
Hazlehurst	49.8	−2.2	49.6	−5.2	61.4	+1.5	65.2	−1.6	73.2	−0.4	79.2	−0.8	82.0	+0.4	80.8	0.0	78.4	0.0	69.4	+0.6	.....	.....	52.2	−1.1	.....	.....
Moultrie	[c]53.4	.....	51.8	.....	64.6	.....	67.4	.....	76.6	.....	81.9	.....	84.0	.....	82.0	.....	81.0	.....	72.4	.....	58.4	.....	55.4	.....	69.1	.....
Quitman	51.8	−0.9	51.0	−4.4	64.7	+3.7	67.2	−0.4	75.0	+0.1	80.6	+0.3	83.3	+1.6	81.4	+0.2	79.8	+1.5	71.6	+2.7	59.8	+0.5	.....	.....	.....	.....
Savannah, No. 1	50.5	−0.9	50.8	−3.2	62.8	+3.8	66.2	+0.2	74.6	+1.2	80.0	+1.0	82.8	+1.3	83.0	+2.3	80.0	+3.8	71.7	+3.8	58.2	−0.3	53.8	+1.4	67.9	−1.2
Savannah, No. 2	48.0	.....	49.0	.....	60.3	.....	64.4	.....	71.4	.....	77.6	.....	81.6	.....	81.2	.....	77.6	.....	69.2	.....	54.6	.....	52.3	.....	65.6	.....
Thomasville	52.4	+1.4	50.6	−4.4	63.0	+2.8	66.1	−0.6	74.3	+0.3	80.1	+0.6	81.8	0.0	80.6	−0.4	79.2	+2.4	71.2	+3.0	57.7	−0.8	55.1	+2.6	67.7	+0.6
Tifton	49.0	−2.7	48.4	−4.8	60.8	+3.0	64.5	−1.7	74.4	+1.1	80.6	+1.5	82.6	+1.7	81.8	+1.4	80.6	+2.5	70.5	+2.4	56.8	−0.9	53.4	+0.9	67.0	+0.4
Waycross	52.8	−0.1	51.9	−2.6	63.8	+2.7	67.6	+0.4	75.6	+1.1	80.5	+0.4	83.6	+1.7	82.9	+1.4	80.4	+2.4	72.8	+3.8	58.8	−0.2	56.3	+3.3	68.3	+0.6

Reference letters, [a], [b], [c], appearing in the table indicate number of days missing; for example, [b] represents two days, etc.

[Continued from page 53]

but the State. Excepting a few northeastern stations, the percentages were generally below 50 southward nearly to Albany, Dublin, and Statesboro. Extensive relief measures were instituted by the Federal Government for the benefit of impoverished farmers in the area indicated. Severe drought continued in some central counties until the 30th or 31st when heavy rains set in over the whole State.

AUGUST.—This was a moderately warm month. There was a satisfactory amount of rain in all sections during the first half or more of the month, after which several interior counties experienced another dry period.

SEPTEMBER —This was one of the most favorable months of the year with plenty of warm weather and in most sections sufficient moisture to hasten the maturing of the later cotton and corn.

OCTOBER —Truck crops and vegetables in the middle and southern sections were in much need of rain before the end of the month, but the month was otherwise favorable for ripening and harvesting cotton and other late crops.

NOVEMBER.—November was rather cool and dry. There was no freezing weather except at some northern stations until November 16, when freezing extended southward to Fitzgerald. According to the Georgia Crop Reporting Service the favorable weather and lateness of the fall made it possible for the late cotton crop to turn out better than early expectations. At the close of the month it was estimated that the production in north Georgia would be about 1 percent above 1935, in middle Georgia about the same, and in south Georgia about 10 percent more than in 1935.

DECEMBER.—The weather was free from remarkable features of any kind, but there was a moderate excess in both temperature and rainfall.

MONTHLY STATE DATA FOR 1936

Months	Temperature				Precipitation				
	Mean	Departure from normal	Maximum	Minimum	Average	Departure from normal	Greatest	Least	No. days with 0.01 inch or more
January	44.0	−2.9	82	−6	9.10	+4.83	15.10	3.15	13
February	45.5	−3.0	82	−8	6.50	+1.60	11.68	2.95	11
March	58.9	+2.7	92	20	4.20	−0.68	7.01	2.15	9
April	62.1	−1.3	94	21	7.74	+4.02	15.21	1.33	9
May	73.3	+1.7	100	35	1.09	−2.39	4.78	0.00	4
June	79.3	+1.5	106	36	3.06	−1.33	8.52	0.60	7
July	81.9	+1.8	106	55	4.79	−0.96	15.07	0.59	9
August	80.3	+0.8	103	46	6.41	+1.18	12.50	1.69	10
September	77.3	+1.8	101	47	4.50	+0.79	12.05	0.80	8
October	67.2	+2.3	93	28	3.87	+1.10	8.65	1.09	8
November	53.4	−1.2	89	9	1.35	−1.31	3.35	0.00	4
December	49.7	+2.0	83	18	6.26	+1.93	12.00	2.80	12
Year	64.4	+0.5	106	−8	58.87	+8.78	87.42	39.75	104

TENNESSEE VALLEY AUTHORITY–PRECIPITATION TOTALS YEAR 1936

Stations	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	An'l
Brasstown Bald	13.55	5.57	4.87	8.45	1.56	2.61	5.50	4.84	8.92	6.61	2.47	8.85	73.80
Flat Top	17.32	9.53	6.14	11.48	1.16	2.10	7.03	4.23	6.40	5.62	2.80	12.96	86.77
Hemptown Gap	10.24	6.25	5.57	8.77	4.51	1.59	5.62	2.30	4.54	3.79	1.94	7.62	62.77
Hiawassee	7.41	5.39	6.08	8.46	1.96	1.65	5.46	2.45	7.41	4.47	1.42	8.67	60.83
Ivy Log	10.72	6.26	5.75	8.49	1.32	0.98	5.02	2.57	3.39	2.83	1.71	8.65	57.69
Little Hightower	11.29	6.37	6.52	8.55	0.94	3.18	5.57	4.38	8.12	4.88	1.50	9.45	70.75
Margret	12.94	6.84	5.77	10.00	1.88	3.09	7.05	3.76	4.04	2.93	1.60	8.47	68.37
Mulky Gap	14.03	6.10	6.25	8.73	1.73	2.61	4.77	2.67	5.26	3.58	1.62	8.33	65.68
Neal Gap	14.16	7.17	5.00	10.31	0.97	3.62	4.73	4.85	7.52	6.48	2.61	12.50	79.92
Noontootly Creek	12.39	7.11	6.28	9.18	1.35	3.57	7.71	4.53	4.23	3.12	1.73	9.21	70.41
Patterson Gap	14.56	7.19	6.75	10.25	1.71	1.21	6.80	6.25	4.61	4.93	1.87	9.50	75.63
Stanley Gap	12.85	7.20	6.26	10.16	1.15	1.81	5.69	4.72	5.55	3.44	2.50	9.74	71.07
Suches	17.01	8.38	4.88	12.39	1.33	3.04	4.96	5.52	6.52	5.48	2.45	13.14	85.10
Sweet Gum	12.27	6.51	6.23	9.48	1.61	0.82	6.86	2.83	5.21	3.49	1.86	8.51	65.68
Tray Mountain	11.39	6.77	4.75	10.37	2.00	1.82	5.91	5.42	8.74	7.25	2.48	11.34	78.24
Warne	11.75	5.46	5.96	7.56	1.23	1.99	5.03	5.84	6.06	2.95	1.68	7.31	62.82

KILLING FROSTS

Stations	Last in spring	First in autumn
Northern division		
Athens, No. 1	Apr. 18*	Nov. 17†
Athens, No. 2	Apr. 19*	Nov. 16†
Atlanta	Apr. 4*	Nov. 16
Blairsville	Apr. 20*	Nov. 14†
Carlton Bridge	Apr. 20*	Oct. 31†
Cedartown	....	Oct. 31†
Clayton	Apr. 19	Oct. 31
Cornelia	Apr. 19	Nov. 16
Dahlonega	Apr. 19	Nov. 5
Dalton	Apr. 19*	Nov. 11
Gainesville	....	Oct. 31†
Hartwell (near)	Apr. 4*	Nov. 16†
Lafayette	Apr. 8*	Nov. 15†
Rome	Apr. 4*	Nov. 16
Tallapoosa	Apr. 20*	Oct. 31
Toccoa	Apr. 4*	Nov. 17†
Washington	Apr. 4*	Nov. 16†
Middle division		
Augusta	Apr. 4	Nov. 17
Brooklet	Feb. 20*	Nov. 17
Columbus	Apr. 19	Nov. 17
Covington	Apr. 19*	Nov. 16†
Dublin	Feb. 23	Nov. 17
Experiment	Apr. 4*	Nov. 16†
Fair View	Apr. 4*	Nov. 16†
Fort Valley	Apr. 4*	Nov. 16†
Greensboro	Apr. 19	Nov. 16†
Griffin	Apr. 4	Nov. 16†
Louisville	Apr. 4*	Nov. 16†
Macon	Feb. 2 .*	Nov. 23
Marshallville	Feb. 19*	Nov. 17†
Middle division—Con.		
Milledgeville	Feb. 23	Nov. 16†
Millen	Apr. 4*	Nov. 16†
Monticello	Apr. 4*	Nov. 16†
Newnan	Apr. 4*	Nov. 16†
Stillmore	Feb. 23*	Nov. 16†
Talbotton	....	Nov. 16†
Warrenton	Apr. 4*	Nov. 16†
West Point	Apr. 19*	Nov. 16†
Southern division		
Alapaha	Feb. 19*	Nov. 16†
Albany	Feb. 20	Nov. 16
Americus	Apr. 4*	Nov. 17†
Bainbridge	Feb. 20*	Nov. 17
Blakely	Feb. 19*	Nov. 17
Brunswick	Feb. 12	Nov. 17
Cairo	Feb. 19*	Nov. 23†
Douglas	Feb. 20*	Nov. 17
Eastman	Feb. 19*	Nov. 16
Fargo	Feb. 20*	Nov. 27
Fitzgerald	Feb. 19*	Nov. 16†
Fort Gaines	Feb. 23*	Nov. 17†
Glennville	Feb. 19*	Nov. 17†
Hawkinsville	Feb. 23*	Nov. 17
Hazlehurst	Feb. 20*	....
Moultrie	Feb. 19*	Nov. 23†
Quitman	Feb. 19*	Nov. 27†
Savannah, No. 1	Feb. 12	Nov. 28
Savannah, No. 2	Feb. 23*	Nov. 16†
Thomasville	Feb. 12	Nov. 28†
Tifton	Feb. 20*	Nov. 17
Waycross	Feb. 19*	Nov. 16

* Latest date with temperature 32° or below.
† Earliest date with temperature 32° or below.

ANNUAL CLIMATOLOGICAL DATA FOR THE STATE

Year	Temperature			Precipitation					Number of days			
	Mean	Highest	Lowest	Northern division	Middle division	Southern division	Average	Average snowfall	Precip. .01 or more	Clear	Pt. cloudy	Cloudy
1892	62.9	102	9	59.15	47.92	47.13	51.39	.....	95	150	103	113
1893	63.4	103	−1	43.81	46.39	50.25	46.83	.....	85	171	107	87
1894	64.0	104	0	44.92	50.18	53.58	49.55	.....	94	157	123	85
1895	62.0	104	−5	55.04	49.52	50.24	51.60	.....	96	154	117	94
1896	64.4	107	3	42.09	44.33	47.94	44.78	1.4	81	176	113	77
1897	64.2	106	−1	51.00	45.14	51.34	49.15	0.4	84	166	106	93
1898	63.8	104	5	58.62	52.10	52.92	54.54	0.4	96	159	110	96
1899	63.6	105	−12	49.87	42.54	41.87	44.75	6.5	89	167	116	82
1900	63.7	106	0	63.21	55.36	54.09	57.56	0.4	115	141	130	94
1901	61.6	106	3	65.58	53.58	53.49	57.55	4.1	113	152	123	90
1902	63.6	108	10	46.70	48.17	55.48	50.14	1.4	100	136	129	100
1903	62.6	104	9	52.28	51.57	57.51	53.79	0.4	110	140	116	109
1904	62.7	104	4	37.54	33.81	39.19	36.84	1.8	89	158	116	92
1905	63.3	102	−8	52.85	46.04	52.53	50.47	1.6	97	161	99	105
1906	63.6	103	11	63.62	50.61	50.08	54.79	2.2	101	168	104	93
1907	64.2	106	16	47.88	47.94	50.20	48.67	0.3	95	169	114	82
1908	64.4	104	9	54.87	50.14	45.73	50.25	0.7	85	174	110	82
1909	64.0	104	5	58.28	47.94	39.63	48.62	0.3	93	175	113	77
1910	63.0	103	8	45.69	42.29	43.62	43.86	0.7	91	187	79	99
1911	65.6	105	9	48.72	45.69	47.87	47.43	0.1	97	165	83	117
1912	62.9	103	0	62.17	62.39	64.84	63.14	5.1	113	153	83	130
1913	64.1	110	12	49.74	45.50	44.74	46.67	T.	95	184	79	102
1914	63.3	109	5	44.70	42.78	49.61	45.70	5.1	93	179	83	103
1915	63.7	106	17	53.54	48.97	46.23	49.58	0.5	86	196	83	86
1916	64.1	103	10	47.09	41.68	42.23	43.67	0.4	93	180	95	91
1917	62.4	103	0	53.79	45.28	43.55	47.54	1.9	99	181	92	92
1918	64.3	106	−3	55.00	45.07	47.88	49.25	1.6	101	161	88	116
1919	65.0	103	2	57.27	54.59	53.95	55.27	0.4	103	167	87	111
1920	62.9	105	4	67.54	56.63	56.32	60.14	T.	107	166	86	114
1921	66.1	104	20	46.22	38.76	38.23	41.08	1.0	94	173	100	92
1922	65.6	104	12	59.71	54.78	51.27	55.26	0.3	113	158	94	113
1923	64.3	105	0	56.08	54.12	47.90	52.72	T.	108	159	88	118
1924	62.8	107	−9	52.18	52.94	57.37	54.15	1.9	99	187	73	106
1925	65.6	111	0	39.46	38.37	45.14	41.01	T.	89	186	75	104
1926	63.6	110	6	50.72	46.92	53.66	50.43	0.8	104	181	78	106
1927	65.9	108	4	44.89	39.96	37.51	40.79	1.0	92	177	100	88
1928	63.2	105	−5	55.77	57.98	64.95	59.56	0.3	114	167	101	98
1929	64.1	103	7	78.43	71.85	60.83	70.37	1.6	122	156	101	108
1930	63.5	109	8	41.02	47.28	48.75	45.68	3.3	99	175	93	97
1931	64.9	109	11	44.55	33.84	33.79	37.39	0.2	87	194	91	80
1932	65.1	108	10	70.76	49.71	54.50	58.32	0.7	115	162	93	111
1933	65.6	108	0	39.60	40.12	45.43	41.72	T.	94	184	95	86
1934	64.0	105	−10	54.61	46.24	44.24	48.36	0.8	106	179	95	91
1935	64.3	105	0	48.66	38.98	46.29	44.64	1.8	99	170	96	99
1936	64.4	106	−8	66.12	57.14	53.33	58.87	4.7	104	170	98	98
Period	63.9	111	−12	52.92	48.07	49.27	50.09	1.4	99	168	99	98

Note.—On account of having been recomputed in accordance with new instructions, the mean temperatures and average amounts of precipitation differ slightly from the figures published in previous annual summaries.

(WBO, Atlanta, 2-5-37—1075)


GEORGIA
SCALE OF MILES
0 10 20 30 40 50 60
85
84
83
82
81
35
34
33
32
31
DADE
WALKER
CATOOSA
WHITFIELD
MURRAY
FANNIN
Blue Ridge
UNION
TOWNS
RABUN
Clayton
GILMER
HABERSHAM
LUMPKIN
WHITE
Dahlonega
Toccoa
Cornelia
STEPHENS
Resaca
GORDON
CHATTOOGA
PICKENS
DAWSON
HALL
BANKS
FRANKLIN
HART
Hartwell
Adairsville
FLOYD
Rome
BARTOW
CHEROKEE
Canton
FORSYTH
Gainesville
Cillsville
JACKSON
MADISON
ELBERT
Carlton
MILTON
POLK
Marietta
GWINNETT
Norcross
BARROW
CLARKE
Athens
Point Peter
Lisbon
Savannah
PAULDING
COBB
FULTON
OCONEE
OGLETHORPE
HARALSON
Tallapoosa
DOUGLAS
Atlanta
DEKALB
WALTON
WILKES
Washington
LINCOLN
CARROLL
CAMPBELL
ROCKDALE
Covington
NEWTON
MORGAN
Greensboro
GREENE
TALIAFERRO
McDUFFIE
COLUMBIA
Augusta
CLAYTON
HENRY
FAYETTE
Newman
COWETA
Warrenton
WARREN
RICHMOND
HEARD
Griffen
SPALDING
BUTTS
JASPER
Monticello
PUTNAM
Eatonton
HANCOCK
GLASCOCK
MERIWETHER
PIKE
Concord
LAMAR
MONROE
JONES
Milledgeville
BALDWIN
JEFFERSON
Louisville
BURKE
River
TROUP
West Point
Woodbury
UPSON
Fair View
Macon
BIBB
WASHINGTON
HARRIS
TALBOT
Talbotton
CRAWFORD
WILKINSON
JENKINS
Millen
SCREVEN
Coat Rock
TAYLOR
Butler
Ft. Valley
TWIGGS
JOHNSON
EMANUEL
MUSCOGEE
Columbus
Marshallville
HOUSTON
Dublin
BLECKLEY
LAURENS
TREUTLEN
CANDLER
Statesboro
BULLOCH
EFFINGHAM
CHATTAHOOCHEE
MARION
SCHLEY
MACON
Montezuma
Hawkinsville
PULASKI
DODGE
Eastman
WHEELER
MONTGOMERY
TOOMBS
TATTNALL
EVANS
River
STEWART
WEBSTER
Americus
SUMTER
DOOLY
WILCOX
Abbeville
TELFAIR
Lumber City
Hazlehurst
BRYAN
Savannah
CHATHAM
QUITMAN
RANDOLPH
TERRELL
LEE
CRISP
Glenville
LIBERTY
CLAY
JEFF DAVIS
APPLING
TURNER
BEN HILL
LONG
Ft. Gaines
CALHOUN
Albany
DOUGHERTY
WORTH
IRWIN
COFFEE
BACON
WAYNE
McINTOSH
Blakely
EARLY
BAKER
TIFT
Chattahoochee
PIERCE
Alapaha
ATKINSON
MILLER
MITCHELL
COLQUITT
COOK
BERRIEN
Waycross
WARE
BRANTLEY
GLYNN
Brunswick
LANIER
SEMINOLE
DECATURE
Bainbridge
GRADY
THOMAS
Thomasville
BROOKS
Quitman
LOWNDES
Valdosta
ECHOLS
CLINCH
CHARLTON
CAMDEN
St. George
L.S.

U. S. DEPARTMENT OF AGRICULTURE, WEATHER BUREAU

CLIMATOLOGICAL DATA

GEORGIA SECTION

G. W. MINDLING

Price: 5 cents a copy; 25 cents a year (not stamps).
Remittance payable to Superintendent of Documents, Washington, D. C.

Vol. XLI Atlanta, Ga., Year 1937 No. 13

GENERAL SUMMARY

An unusually favorable season for cotton was easily the outstanding feature of the year's weather. Perhaps next in prominence were the very unfavorable conditions for the peach crop, consisting of the warmest January in 46 years, followed by a cold spring season with heavy frost damage late in March.

There were heavy rains in January and April that caused flood stages on most rivers at one time or another, but without great property damage anywhere in the State. There was marked freedom from tornadoes, destructive winds, and apparently less than the usual loss of life resulting from lightning. Severe local hailstorms affected many southern counties on May 5, causing crop damage estimated at $150,000 or more. Less extensive damage resulted from hail in a few central and northern counties on April 15. The fall season was decidedly cool; October's average temperature was the lowest in 46 years with only five exceptions, while that of November was the lowest with but one exception.

THE WEATHER BY MONTHS

January.—This was the warmest January shown in the 46 years for which records are now available in Georgia. The average temperature lacked only 3.9° of being equivalent to the April average in 1937. By the 25th many shrubs and other flowering plants had come into full bloom as far north as Atlanta. Peaches were blooming in central counties at the close of the month. Newnan and Greensboro were the only stations in the middle division that recorded temperatures of 32° or lower, while in the southern division the lowest recorded at any station was 38°. The lowest recorded in the State was 26°.

The month was remarkable also for heavy and frequent rainfall in the northern half of the State. All the northern mountain area appears to have had more than 10 inches of rain, besides most of the area west of Atlanta and southward nearly to Lagrange. The amount of rain diminished rapidly from the piedmont section to the Florida line. River flood stages were reached at Canton, Resaca, Milledgeville, Abbeville, and Everett City.

February.—Mean temperatures were fairly close to normal in all parts of the State. All stations except Savannah and Brunswick had temperatures of 32° or lower, and readings of 20° or lower occurred as far south as Newnan. Young tender shoots and leaves on shrubbery and flowering plants were extensively hurt by the cold weather. Great numbers of peach buds were killed, and the damage to the crop was further augmented by frosts and freezing late in March. The Broad, the Oconee, the Ocmulgee, the Altamaha, and the Ogeechee Rivers reached flood stages at a few places, but no important damage resulted.

March.—This was the coldest March since 1932 and the driest since 1933. The total rainfall was moderate, less than normal at most stations, and the first two weeks were relatively dry. Heavy rains a little later resulted in a rapid rise in the rivers, but flood stages were reached only at a few places on the lower Oconee and Altamaha. Frosts occurred frequently in the northern half of the State, and frost damage extended southward to Bainbridge, Thomasville, and Waycross on the 16th and 17th and beyond Americus and Dublin on the 29th.

April.—April was cool and wet, the wettest April since 1928. Only a few stations had less than 5 inches of rain, the regions of least rainfall being near Savannah and Brunswick. Above the fall line most stations reported from 5 to 7 inches. The heaviest rains caused sharp rises in streams, but no river flood stages were reached except on the lower Oconee and at Canton, Macon, and Milledgeville.

May.—Although the first week was rainy and cold, the month was generally favorable for the development of crops. River flood stages were reached at Rome, Dublin, Abbeville, Dover, and Everett City. Destructive hail occurred over extensive areas in southern counties on the afternoon of the 5th with crop damage aggregating $150,000 or more. The heaviest losses occurred near Jesup, Wayne County, where hailstones were found up to 2 inches in diameter. In addition to damage to pecans, tobacco, fruits, and vegetables, there was considerable loss to live stock, damaged automobiles, and buildings. Losses amounting to about $25,000 were reported near Ocilla.

June.—This was the warmest June in 7 years, but there were no unusual extremes of heat. Rainfall conditions were quite generally satisfactory, and crop growth was good. A tornado a few miles north of Millen on the 28th wrecked or damaged a number of barns. On the same day considerable damage to crops was done by high winds in the southern part of Emanuel County.

July.—This month was moderate in temperature, and it ranged from rather dry in the north to very wet at many southern stations. It was unusually free from destructive winds, washouts, and damage by lightning.

August.—Moderate temperatures prevailed without a record above 100°. Rainfall averaged more than an inch above normal and exceeded 10 inches at some stations, while others had less than 4 inches.

September.—September was compartively cool throughout the State and rather dry over more than three-fourths of it. The average rainfall was the least in any September since 1931, but several southern stations had over 7 inches. The State Crop Reporting Service indicated the cotton crop as of October 1 to be nearly 40 percent greater than that of 1936 with an estimated production of 109,000 bales more than shown in a report made a month earlier.

[Continued on page 53]

Climatological Data for the Year 1937

Stations	Counties	Elevation, feet	Temperature (degrees Fahrenheit)						Precipitation (inches)							Number rainy days	Sky			Prevailing direction of wind
			Length of record, years	Annual mean	Highest	Date	Lowest	Date	Length of record, years	Total for the year	Greatest monthly	Month	Least monthly	Month	Total snowfall		Number clear days	Number partly cloudy days	Number cloudy days	
Northern division																				
Athens, No. 1	Clarke	775	55	62.3	100	July 15	11	Dec. 7	50	57.23	11.23	Oct.	0.75	Sept.	0.5	127	162	94	109	w.
Athens, No. 2	do		2		99	June 13†	9	Dec. 7	2	45.23	10.18	Oct.	0.38	Sept.	0.5	112				
Atlanta Airport	Fulton	975	71	61.5	97	July 16	10	Dec. 7	71	50.54	8.91	Jan.	0.85	Nov.	0.7	123	100	111	154	nw.
Atlanta, No. 2	De Kalb	998							3	51.74	9.06	Apr.	1.00	July	0.2	136				
Blairsville	Union	1,938	5		95	June 25	−3	Dec. 11	5		9.13	Aug.	0.95	Sept.	7.0					
Canton	Cherokee	894							46	55.45	10.40	Jan.	0.66	Nov.	1.0	115				
Carlton Bridge	Elbert	557	38		100	July 15	10	Dec. 7	37	54.62	8.96	Jan.	1.21	Sept.	0.0	135				
Cedartown	Polk	797	1		98	June 25†	8	Dec. 7	1	46.64	9.79	Jan.	0.82	Nov.	1.2					
Clayton	Rabun	2,200	42						42											
Cornelia	Habersham	1,500	18	59.5	100	July 16	7	Dec. 7	18	65.73	11.77	Aug.	0.47	Sept.	1.3	135	194	74	97	w.
Dahlonega	Lumpkin	1,519	45	59.3	96	July 15	6	Dec. 7	47	64.13	11.98	Jan.	1.52	May	3.5	178	109	146	110	sw.
Dalton	Whitfield	1,095	2	61.0	98	June 27†	10	Dec. 7	2	55.98	11.55	Jan.	1.24	Nov.	3.3	122	139	63	163	n.
Double Branches	Lincoln								12	43.30	7.14	Jan.	0.65	Sept.	T.	85				
Gainesville	Hall	1,254	58	59.4	96	July 15	6	Dec. 7	60	53.86	8.29	Jan.	0.76	Sept.	0.2	136				w.
Gillsville	do	1,052							46	68.03	13.17	Jan.	0.96	May	0.5	107				
Hartwell [near]	Hart	838	27	61.4	101	June 28†	10	Dec. 7	27	54.82	10.10	Oct.	0.35	Sept.	T.	103	102	205	58	w.
Lafayette	Walker	871	2				7	Dec. 7	7						1.5					
Resaca	Gordon	657							43	52.05	11.21	Jan.	1.75	Nov.	1.0	134				n.
Rome	Floyd	617	78	62.0	96	July 14†	10	Dec. 7	81	56.36	11.01	Jan.	0.95	Nov.	0.6	143				nw.
Tallapoosa	Haralson	1,150	38	60.1	97	June 27	8	Dec. 7	38	52.94	10.00	Jan.	0.70	Nov.	0.5	97				
Toccoa	Stephens	1,050	51	61.0	98	June 27†	9	Dec. 7	52	61.36	10.37	Jan.	1.06	Sept.	1.0	153	154	109	102	w.
Washington	Wilkes	630	46	63.0	100	June 28	11	Dec. 7	49	45.60	8.66	Apr.	0.64	Sept.	T.	130	148	131	86	sw.
Division means and extremes				60.8	101	June 28†	−3	Dec. 11		54.60	13.17	Jan.	0.35	Sept.	1.3	124	140	113	112	w.
Middle division																				
Augusta	Richmond	134	91	64.8	99	July 14	15	Dec. 7	70	39.71	7.75	Apr.	0.89	Sept.	T.	131	116	123	126	nw.
Brooklet	Bulloch	150	37	66.6	101	July 13	15	Dec. 7	37	53.95	13.16	Aug.	1.01	May	0.0	107	151	160	54	
Columbus	Muscogee	262	49	65.7	100	May 30	16	Dec. 7	49	47.67	5.95	Feb.	1.38	Sept.	T.	109				ne.
Concord	Pike	850							25	53.52	7.75	Oct.	1.33	Nov.	1.0	126	201	74	90	
Covington	Newton	747	45	62.2	99	July 15	10	Dec. 7	45	52.66	9.46	Jan.	0.88	Nov.	0.5	96				
Dover	Screven	92							7	50.63	8.90	Aug.	1.50	May	0.0	117				
Dublin	Laurens	234	25	65.5	99	June 2	14	Dec. 7	43	41.17	5.62	Aug.	1.13	Sept.	0.5	110	128	134	103	sw.
Experiment	Spalding	946	17	61.4	97	June 25†	10	Dec. 7	16	46.07	8.71	Jan.	1.37	Nov.	1.0	115				
Fair View	Lamar		21	62.9	98	June 25	11	Dec. 7	21	48.72	7.45	Apr.	0.49	Sept.	1.0	128				
Fort Valley	Peach	526	16	64.2	97	June 2	13	Dec. 7	16	54.15	7.39	Apr.	0.73	Sept.	2.0	125	168	109	88	nw.
Goat Rock	Muscogee	415							23	44.85	6.45	Jan.	0.84	May	T.	110				
Greensboro	Greene	598	35	62.5	99	June 27†	10	Dec. 7	35	50.45	8.91	Apr.	0.81	Nov.	0.2	98	186	73	106	w.
Griffin	Spalding	975	47	63.6	98	July 13†	11	Dec. 7	47	50.70	9.54	Jan.	1.39	Nov.	T.	113	163	117	85	w.
Hogansville	Troup	690							2		10.72	Jan.								
Lagrange	do	740	1	62.4	100	June 25†	11	Dec. 7	27	50.63	8.52	an.	0.51	Sept.	0.4	122	142	103	120	sw.
Louisville	Jefferson	337	39		99	June 1†	13	Dec. 7	39	39.18	7.19	Apr.	0.44	Sept	T.	96				
Macon	Bibb	330	56	64.5	97	June 1†	15	Dec. 7	59	40.99	6.68	Apr.	0.53	Sept.	0.8	122	113	126	126	nw.
Midville	Burke	186							7	41.47	6.87	Aug.	1.16	Sept.	0.5	96				
Milledgeville	Baldwin	276	49	64.0	99	July 14	13	Dec. 7	48	48.92	7.86	Apr.	1.81	Nov.	0.6	117	152	117	96	nw.
Millen	Jenkins	158	49	65.7	101	June 1	12	Dec. 7	50	47.74	6.55	June	1.65	May	0.0	118				se.
Monticello	Jasper	800	42	63.7	98	June 1†	10	Dec. 7	41	50.74	7.97	Jan.	0.86	Sept.	0.5	137	206	59	100	
Newnan	Coweta	959	48	62.1	98	June 13†	8	Dec. 7	48	55.66	10.94	Jan.	0.64	June	1.0	127	198	48	119	nw.
Sparta	Hancock	557							7		8.34	Apr.	1.49	Nov.	T.					
Stillmore	Emanuel	257	12		100	June 2	13	Dec. 7	12	47.31	7.00	July	1.15	May	0.0	110				
Talbotton	Talbot	750	42	63.5	98	July 16	11	Dec. 7	42	55.80	7.52	July	1.81	Nov.	2.0	86	194	74	97	w.
Warrenton	Warren	500	22	63.7	98	June 28	12	Dec. 7	22	49.02	8.53	Apr.	0.98	Nov.	T.	115	198	102	65	ne.
West Point	Troup	573	47	63.6	100	June 25	10	Dec. 7	48	53.36	8.17	Jan.	0.86	Sept.	1.0	130	152	43	170	
Woodbury	Meriwether	641							36	53.50	7.05	Jan.	1.66	Nov.	1.0	109				
Division means and extremes				64.0	101	June 1†	8	Dec. 7		49.10	13.16	Aug	0.44	Sept.	0.5	111	165	97	103	nw.
Southern division																				
Abbeville	Wilcox	180							34	46.05	9.02	June	0.98	Sept.	0.0	100				nw.
Alapaha	Berrien	293	48	68.1	101	May 29	18	Dec. 7	48	53.55	8.54	Apr.	0.94	May	0.0	100				sw.
Albany	Dougherty	230	50		99	May 29†	17	Dec. 7	51	45.95	7.65	Apr.	1.13	Dec.	0.0	119	176	56	133	sw.
Americus	Sumter	362	52	65.8	98	May 30	14	Dec. 7	53	51.92	6.41	Aug.	2.34	May	T.	102	223	61	71	se.
Bainbridge	Decatur	119	45	67.3	102	May 30	18	Dec. 7	45	67.04	12.77	Aug.	1.39	Dec.	0.0	136				ne.
Blakely	Early	300	41	66.7	101	May 30	15	Dec. 7	43	71.10	11.06	Aug.	2.07	Dec.	0.0	125	130	144	91	sw.
Brunswick	Glynn	14	32	68.2	97	July 14	20	Dec. 7	35	61.71	8.47	July	0.69	Dec.	0.0	118	179	103	83	sw.
Cairo	Grady	265	4	66.8	98	May 29	17	Dec. 7	4	53.78	9.51	Aug.	1.53	Dec.	0.0	123	142	136	87	nw.
Cordele	Crisp	336	1		98	July 11	16	Dec. 7	3	49.44	10.27	July	1.09	Sept.	T	99	195	101	69	w.
Douglas	Coffee	275	1	67.3	99	June 2	17	Dec. 7	2	43.77	5.48	Feb.	1.36	Dec.	0.0	91	157	149	59	se.
Eastman	Dodge	361	45	66.5	100	June 1†	15	Dec. 7	45	53.18	9.04	Aug.	1.15	May	T.	115	228	83	54	nw.
Fargo	Clinch	116	9		98	July 12	17	Dec. 7	9	54.65	9.86	July	1.00	Dec.	0.0					
Fitzgerald	Ben Hill	515	20	66.6	97	July 11	15	Dec. 7	21	49.60	7.50	Aug.	1.24	Sept.	0.0	71				
Fort Gaines	Clay	166	49	66.5	99	May 30	15	Dec. 7	49	64.26	8.58	Apr.	2.90	Dec.	0.0	95				ne.
Glennville	Tattnall	175	32	66.2	99	May 29	15	Dec. 7	32	61.82	13.50	Aug.	1.19	Dec.	0.0	113	99	179	87	se.
Hawkinsville	Pulaski	235	41	66.4	100	Aug. 20	14	Dec. 7	42	49.16	7.86	July	0.80	Sept.	0.1	126	180	40	145	w.
Hazlehurst	Jeff Davis	261	18	65.7	97	May 30	15	Dec. 7	18	49.49	9.08	July	1.24	Nov.	0.0	100	195	103	67	se.
Lumber City	Telfair	150							27	47.19	6.70	July	1.17	Dec.	0.0	97				
McRae	do	239	1		99	June 2	16	Dec. 7	1		5.93	Aug.	0.85	May	T					
Montezuma	Macon	292							32	47.21	6.44	Apr.	1.19	Sept.	T.	103				sw.
Moultrie	Colquitt	397	10		97	May 29	18	Dec. 7	10	53.71	7.21	Sept.	0.79	May	0.0	100				
Quitman	Brooks	173	51		98	June 28	17	Dec. 7	43	59.87	12.92	July	1.41	Dec.	0.0	113				
Savannah, No. 1	Chatham	42	87	67.7	97	July 13	18	Dec. 7	87	51.47	8.91	July	1.09	Dec.	0.0	120	112	128	125	s.
Savannah, No. 2	do	22	9	64.8	98	June 28	16	Dec. 7	9	59.32	10.76	July	1.27	Dec.	0.0	119	142	133	90	ne.
Thomasville	Thomas	276	55	67.5	98	May 29	17	Dec. 7	55	53.57	7.22	Feb.	1.50	Oct.	0.0	122				
Tifton	Tift	370	16	66.8	99	Aug. 20	15	Dec. 7	15	53.90	8.41	Aug.	0.65	May	0.0	103	190	74	101	sw.
Waycross	Ware	131	48	68.5	101	July 14	17	Dec. 7	46	52.88	7.50	July	1.04	Dec.	0.0	132				se.
Division means and extremes				66.8	102	May 30	14	Dec. 7		53.87	13.50	Aug.	0.65	May	T.	110	168	106	91	
State means and extremes				63.9	102	May 30	−3	Dec. 11		52.53	13.50	Aug.	0.35	Sept.	0.6	114	159	104	102	nw.

† On other dates also.

Monthly and Annual Precipitation for the Year 1937, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure
Northern division																										
Athens, No. 1	9.27	+5.01	5.64	+0.56	2.98	−2.02	7.86	+4.13	2.33	−1.26	6.95	+3.04	1.92	−3.21	6.02	+1.35	0.75	−2.71	11.23	+8.00	0.99	−1.62	1.29	−3.79	57.23	+7.48
Athens, No. 2	8.20	......	5.37	......	2.00	......	6.92	......	1.19	......	3.99	......	1.11	......	3.90	......	0.38	......	10.18	......	0.88	......	1.11	......	45.23	......
Atlanta Airport	8.91	+3.96	4.52	−0.27	2.73	−2.57	8.61	+5.00	2.32	−1.15	6.06	+2.32	2.30	−2.35	5.50	+1.05	0.95	−2.04	6.30	+3.71	0.85	−2.18	1.49	−3.21	50.54	+2.27
Atlanta, No. 2	8.57	......	4.65	......	3.12	......	9.06	......	2.52	......	2.74	......	1.00	......	7.54	......	3.46	......	6.55	......	1.02	......	1.51	......	51.74	......
Blairsville	9.12	......	......	......	2.35	......	5.70	......	3.66	......	1.19	......	3.30	......	9.13	......	0.95	......	7.84	......	1.28	......	2 15	......	......	......
Canton	10.40	+5.81	5.84	+0.35	2.88	−2.61	10.23	+6.04	2.29	−1.59	2.99	−0.94	3.68	−1.81	6.55	+1.87	1.68	−1.38	6.20	+2.65	0.66	−2.55	2.05	−4.09	55.45	+1.55
Carlton Bridge	8.96	+5.08	5.38	+0.31	2.78	−1.99	6.80	+3.43	3.13	−0.35	4.55	+0.45	5.54	+0.77	4.49	+0.01	1.21	−2.41	8.09	+5.11	1.65	−1.02	2.04	−2.77	54.62	+6.62
Cedartown	9.79	......	4.59	......	3.30	......	6.48	......	3.41	......	3.54	......	2.40	......	3.94	......	1.33	......	5.34	......	0.82	......	1.70	......	46.64	......
Clayton	13.89	+7.81	4.80	−1.54	4.55	−2.57	7.29	+1.74	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......
Cornelia	11.50	+6.57	6.44	+0.79	3.32	−2.46	7.83	+3.27	2.36	−2.00	1.90	−2.08	3.88	−2.02	11.77	+7.05	0.47	−4.05	10.11	+6.23	2.83	−0.53	3.32	−3.30	65.73	+7.47
Dahlonega	11.98	+6.47	6.09	+0.23	3.45	−2.56	8.01	+3.47	1.52	−3.37	3.57	−1.15	3.62	−2.01	10.61	+5.56	1.71	−2.66	8.58	+4.69	2.01	−1.61	2.98	−4.21	64.13	+2.85
Dalton	11.55	......	3.79	......	2.42	......	7.71	......	3.17	......	3.19	......	3.14	......	7.92	......	2.65	......	6.46	......	1.24	......	2.74	......	55.98	......
Double Branches	7.14	+2.35	4.73	+0.49	3.01	−1.01	6.83	+2.82	1.79	−0.60	3.98	+0.55	2.47	−1.88	4.91	+0.83	0.65	−3.43	3.74	+0.63	1.80	−0.41	2.22	−1.41	43.30	−1.07
Gainesville	8.29	+3.55	5 51	+0.13	2.71	−2.92	7.89	+3.90	2.10	−1.90	4.57	+0.44	3.37	−1.98	6.37	+1.76	0.76	−2.93	8.12	+4.87	1.70	−1.36	2.47	−2.99	53.86	+0.57
Gillsville	13.17	+8.60	6.83	+1.34	3.78	−1.57	8.27	+4.34	0.96	−2.95	2.79	−1.03	1.99	−2.75	10.71	+6.03	1.40	−2.37	11.27	+7.85	3.08	+0.10	3.78	−1.87	68.03	+15.72
Hartwell (near)	9.82	+5.85	5.22	+0.18	2.82	−1.86	8.24	+4.66	1.68	−1.97	2.98	−1.03	3.43	−1.03	6.43	+1.61	0.35	−3.06	10.10	+6.93	1.60	−1.10	2.15	−2.90	54.82	+6.28
Lafayette	11.22	......	4.22	......	2.76	......	5.25	......	......	......	......	......	......	......	......	......	3.50	......	6.00	......	1.51	......	2.95	......	......	......
Resaca	11.21	+6.41	4.67	−0.83	2.52	−3.33	7.69	+3.06	3.33	−0.51	2.92	−1.36	3.52	−1.47	6.12	+1.84	1.86	−1.15	3.85	+0.53	1.75	−1.72	2.61	−3.30	52.05	−1.89
Rome	11.01	+6.19	4.60	−0.98	2.44	−3.39	7.04	+2.61	5.35	+1.21	4.78	+0.33	6.26	+1.23	3.42	−1.15	2.52	−0.51	6.13	+2.88	0.95	−2.50	1.86	−3.98	56.36	+1.94
Tallapoosa	10.00	+5.50	5.71	+0.62	3.47	−1.88	9.85	+5.50	2.80	−1.02	3.16	−1.05	2.26	−3.14	5.27	+0.77	1.12	−2.48	6.78	+3.75	0.70	−2.52	1.82	−3.72	52.94	+0.33
Toccoa	10.37	+5.37	6.90	+1.34	3.35	−2.57	8.10	+3.66	1.21	−2.78	2.26	−2.26	4.59	−0.81	8.64	+2.94	1.06	−3.06	9.98	+5.83	2.68	−0.56	2.22	−4.22	61.36	+2.88
Washington	7.80	+3.67	5.26	+0.14	2.90	−1.82	8.66	+5.07	2.78	−0.61	3.04	−1.20	3.69	−1.64	3.24	−1.42	0.64	−3.45	4.55	+1.42	0.88	−1.87	2.16	−2.23	45.60	−3.94
Middle division																										
Augusta	4.22	+0.29	3.71	−0.40	2.42	−1.69	7.75	+4.61	2.31	−0.73	3.32	−1.36	4.54	−0.85	4.21	−0.82	0.89	−2.47	2.69	+0.23	1.66	−0.74	1.99	−1.26	39.71	−5.19
Brooklet	5.13	+2.15	5.14	+1.52	2.90	−0.88	5.85	+2.76	1.01	−2.73	6.46	+0.28	5.06	−1.00	13.16	+7.02	3.68	−0.99	2.13	−0.27	1.60	−0.85	1.83	−1.37	53.95	+5.64
Columbus	5.16	+0.96	5.95	+0.72	4.80	−0.50	5.91	+2.06	2.64	−0.67	2.84	−0.91	5.28	−0.45	4.87	+0.37	1.38	−1.28	4.30	+1.42	1.79	−1.04	2.75	−2.22	47.67	−1.54
Concord	7.72	+3.68	4.63	−0.61	3.74	−2.26	6.81	+3.24	3.95	+0.65	3.76	−1.11	2.70	−3.10	5.60	+1.16	3.22	+0.22	7.75	+4.96	1.33	−1.47	2.31	−2.61	53.52	+2.75
Covington	9.46	+5.10	5.62	+0.25	2.77	−2.40	8.92	+5.13	1.62	−2.21	6.15	+2.02	4.39	−0.85	4.03	−0.44	1.38	−1.76	5.96	+2.80	0.88	−1.94	1.48	−3.62	52.66	+2.08
Crawfordville	7.52	......	5.57	......	3.27	......	7.83	......	2.97	......	4.64	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......
Dover	4.97	......	4.34	......	2.79	......	5.07	......	1.50	......	5.75	......	6.78	......	8.90	......	4.37	......	2.67	......	1.57	......	1.92	......	50.63	......
Dublin	4.56	+0.48	5.16	+0.76	2.62	−2.01	4.83	+1.59	1.57	−1.99	2.86	−2.02	5.05	−0.62	5.62	+0.59	1.13	−2.85	3.52	+1.01	1.89	−0.83	2.36	−1.57	41.17	−7.47
Experiment	8.71	+5.08	5.13	−0.01	3.17	−1.73	6.98	+3.68	1.96	−1.02	1.85	−1.55	1.91	−2.08	3.93	−0.15	2.38	−0.34	6.76	+4.30	1.37	−1.32	1.92	−2.51	46.07	+2.35
Fair View	6.76	+2.61	4.99	+0.16	4.85	−0.71	7.45	+3.65	2.02	−1.19	3.74	+0.49	3.73	−1.12	5.65	+1.86	0.49	−2.53	4.38	+1.80	2.03	−0.65	2.63	−1.88	48.72	+2.49
Fort Valley	5.04	+0.80	5.45	+0.48	6.23	+0.99	7.39	+3.18	2.28	−1.30	6.55	+2.05	5.62	+0.07	5.95	+1.27	0.73	−2.46	4.12	+0.77	2.21	−0.79	2.58	−1.97	54.15	+3.09
Goat Rock	6.45	+2.75	4.32	−0.33	4.39	−0.65	6.06	+2.06	0.84	−2.04	1.61	−1.31	6.04	+0.42	3.52	−0.17	1.47	−1.19	5.49	+2.87	2.38	−0.48	2.28	−2.64	44.85	−0.71
Greensboro	8.59	+4.54	5.72	+0.65	2.64	−2.00	8.91	+5.38	3.68	+0.23	5.09	+0.87	1.57	−3.63	6.16	+1.04	0.84	−2.72	4.38	+1.28	0.81	−1.92	2.06	−2.37	50.45	+1.35
Griffin	9.54	+5.37	5.68	+0.33	3.68	−1.77	7.07	+3.23	1.95	−1.19	3.10	−0.72	1.79	−3.34	4.80	+0.22	2.48	−0.65	7.24	+4.45	1.39	−1.41	1.98	−2.94	50.70	+1.58
Hogansville	10.72	......	5.03	......	3.58	......	7.53	......	1.85	......	1.42	......	3.74	......	7.95	......	0.46	......	6.50	......	......	......	......	......	......	......
Lagrange	8.52	+3.76	5.44	+0.83	3.78	−2.61	7.38	+4.01	2.10	−0.84	1.14	−3.29	4.70	−0.45	7.49	+2.74	0.51	−2.41	5.76	+3.26	1.97	−1.14	1.84	−2.71	50.63	+1.15
Louisville	2.70	−0.88	4.65	+0.38	2.84	−1.39	7.19	+3.98	1.85	−1.57	3.97	−0.60	3.58	−1.94	5.60	+0.92	0.44	−3.10	3.15	+0.27	0.92	−1.57	2.29	−1.21	39.18	−6.71
Macon	4.21	+0.04	5.08	+0.65	3.92	−1.05	6.68	+3.53	2.38	−0.58	1.81	−2.23	4.71	−0.03	3.17	−1.17	0.53	−2.66	3.96	+1.62	1.77	−0.75	2.77	−1.22	40.99	−3.85
Midville	4.60	......	4.46	......	3.00	......	6.31	......	1.40	......	4.48	......	4.46	......	6.87	......	1.16	......	1.52	......	1.40	......	1.81	......	41.47	......
Milledgeville	5.33	+1.30	5.89	+1.24	3.55	−1.18	7.86	+4.45	2.43	−0.78	3.72	−0.37	3.72	−2.22	4.94	+0.33	2.59	−1.05	4.19	+1.31	1.81	−0.77	2.89	−1.16	48.92	+1.10
Millen	6.23	+2.92	3.86	+0.02	3.41	−0.48	6.43	+3.31	1.65	−1.42	6.55	+1.78	5.16	−1.37	4.78	+0.07	2.76	−1.13	2.49	+0.02	1.87	−0.33	2.55	−0.94	47.74	+2.45
Monticello	7.97	+3.63	5.55	+0.11	4.01	−1.27	7.66	+3.88	3.19	−0.41	3.37	−1.58	2.62	−2.90	6.11	+1.21	0.86	−2.72	4.92	+1.50	1.96	−0.78	2.52	−2.17	50.74	−1.50
Newnan	10.94	+6.28	6.93	+1.56	4.47	−1.42	8.82	+5.05	2.00	−1.72	0.64	−3.51	3.25	−1.66	7.14	+2.36	1.94	−0.96	6.07	+3.10	1.79	−1.28	1.67	−3.68	55.66	+4.12
Sparta	5.92	......	5.20	......	......	......	8.34	......	1.81	......	2.05	......	4.99	......	4.50	......	3.72	......	3.79	......	1.49	......	2.57	......	......	......
Stillmore	4.83	+1.40	4.70	+0.93	3.45	−1.21	1.99	+1.23	1.15	−2.45	5.50	+0.63	7.00	−1.39	6.89	+1.71	1.60	−3.16	4.21	+1.74	1.28	−0.75	1.71	−1.12	47.31	−2.44
Talbotton	5.79	+1.47	5.42	+0.07	5.58	+0.01	7.03	+2.98	2.28	−1.33	5.31	+1.21	7.52	+2.17	5.49	+1.00	2.26	−0.96	4.62	+1.62	1.81	−1.28	2.69	−2.25	55.80	+4.74
Warrenton	6.18	+2.18	5.91	+1.14	2.56	−1.98	8.53	+5.32	1.92	−1.18	6.20	+2.10	3.62	−1.49	4.99	+0.65	1.74	−2.26	4.15	+1.17	0.98	−1.72	2.21	−1.73	49.02	+2.20
West Point	8.17	+3.80	5.73	+0.50	4.46	−1.30	7.08	+2.90	3.50	−0.25	1.83	−2.57	7.13	+1.94	3.43	−1.34	0.86	−2.03	6.00	+3.27	2.84	−0.22	2.33	−3.18	53.36	+1.52
Woodbury	7.05	+3.07	5.33	+0.18	4.73	−0.73	6.04	+2.49	2.59	−0.66	5.09	+0.87	5.27	−0.61	4.83	+0.73	2.46	−0.50	6.13	+3.33	1.66	−1.07	2.32	−2.36	53.50	+4.74
Southern division																										
Abbeville	4.20	+0.37	4.47	+0.02	3.19	−1.01	5.89	+2.55	1.37	−2.22	9.02	+5.24	7.62	+1.13	4.19	−0.77	0.98	−3.15	2.23	−0.20	1.46	−1.16	1.43	−2.08	46.05	−1.28
Alapaha	5.69	+1.87	5.12	+0.92	5.15	+1.07	8.51	+5.31	0.94	−2.45	6.06	+1.00	6.39	+0.37	5.04	−0.35	4.24	+0.09	2.71	+0.47	2.31	+0.20	1.36	−2.34	53.55	+6.16
Albany	2.88	−1.40	4.76	−0.18	3.95	−0.80	7.65	+3.82	2.14	−1.90	3.01	−1.74	5.29	−1.14	5.50	−0.41	2.32	−1.37	4.42	+1.90	2.90	+0.44	1.13	−2.98	45.95	−5.76
Americus	4.73	+0.30	5.61	+0.50	4.28	−0.74	6.12	+2.54	2.34	−1.36	3.44	−0.46	5.84	+0.61	6.41	+1.26	2.47	−1.06	4.30	+1.64	2.90	+0.06	3.48	−0.57	51.92	+2.72
Bainbridge	4.78	+0.83	5.04	+0.64	5.63	+1.45	4.68	+1.15	3.94	+0.33	4.98	+0.02	3.88	−2.39	12.77	+6.89	8.78	+4.42	6.03	+3.65	5.14	+2.73	1.39	−2.90	67.04	+16.82
Blakely	4.89	+0.49	8.14	+2.84	3.87	−1.19	9.76	+5.47	3.25	−0.29	3.25	−1.32	5.70	−1.19	11.06	+5.66	7.11	+3.08	4.41	+1.67	7.59	+4.58	2.07	−2.71	71.10	+17.09
Brunswick	2.74	−0.06	5.64	+1.88	5.42	+2.10	4.25	+1.34	0.98	−2.36	8.09	+2.49	8.47	+1.00	7.74	+1.56	6.27	−0.24	8.31	+5.16	3.11	+1.09	0.69	−2.27	61.71	+11.69
Cairo	2.44	......	5.77	......	4.69	......	5.71	......	2.76	......	3.54	......	3.62	......	9.51	......	6.62	......	3.70	......	3.89	......	1.53	......	53.78	......
Cordele	3.23	......	5.18	......	3.68	......	5.78	......	1.37	......	5.98	......	10.27	......	4.33	......	1.09	......	3.98	......	2.10	......	2.40	......	49.44	......
Douglas	5.40	......	5.48	......	5.22	......	5.18	......	2.12	......	4.89	......	4.05	......	3.00	......	3.23	......	2.22	......	1.62	......	1.36	......	43.77	......
Eastman	4.63	+0.63	4.56	+0.26	4.08	−0.71	5.18	+2.01	1.15	−2.15	6.14	+1.96	6.76	+0.86	9.04	+4.02	2.34	−1.54	4.88	+2.26	2.28	−0.45	1.84	−1.78	53.18	+5.31
Fargo	1.95	......	5.29	......	3.42	......	5.89	......	2.03	......	7.41	......	9.86	......	4.18	......	6.36	......	3.47	......	3.79	......	1.00	......	54.65	......
Fitzgerald	4.95	+1.44	4.46	+0.47	4.82	+0.54	6.04	+2.49	2.41	−1.18	4.27	−0.13	7.12	+1.34	7.50	+2.54	1.24	−3.03	3.17	+0.68	2.05	−0.31	1.57	−2.13	49.60	+2.72
Fort Gaines	5.46	+0.91	8.06	+2.95	3.38	−1.40	8.58	+4 75	4.73	+0.98	6.80	+2.43	3.75	−2.24	4.25	−1.26	7.05	+3.54	3.95	+1.25	5.35	+2.36	2.90	−1.99	64.26	+12.28
Glennville	2.83	+0.09	4.79	+1.24	3.70	+0.22	5.52	+2.80	1.86	−1.43	6.78	+1.77	10.04	+4.10	13.50	+6.50	6.79	+1.84	3.05	+0.63	1.77	−0.56	1.19	−2.11	61.82	+15.09
Hawkinsville	4.51	+0.30	4.87	+0.55	4.32	−0.35	6.35	+3.23	0.97	−2.35	6.18	+1.88	7.86	+2.50	5.22	+0.36	0.80	−2.73	4.38	+1.80	1.67	−0.92	2.03	−1.52	49.16	+2.75
Hazlehurst	6.13	+2.47	4.77	+0.83	4.33	+0.11	6.57	+3.77	2.11	−0.95	4.73	−1.01	9.08	+2.57	3.11	−3.55	2.73	−2.15	2.91	+0.57	1.24	−0.78	1.78	−1.46	49.49	+0.42
Lumber City	4.41	+0.73	5.05	+0.96	5.19	+0.88	5.34	+2.42	1.72	−1.08	5.70	+1.08	6.70	+0.80	4.70	−0.97	2.45	−1.24	3.54	+1.42	1.22	−1.24	1.17	−2.12	47.19	+1.64
McRae	......	......	4.63	......	3.01	......	5.75	......	0.85	......	4.65	......	5.79	......	5.93	......	1.98	......	3.63	......	1.29	......	1.47	......	......	......
Montezuma	4.46	+0.32	5.52	+0.87	5.88	+1.36	6.44	+2.61	1.36	−2.11	3.09	−0.82	5.13	+0.06	4.54	−0.40	1.19	−2.06	4.93	+2.33	2.06	−0.82	2.61	−1.62	47.21	−0.28
Moultrie	3.85	+0.56	5.94	+2.10	7.00	+2.32	6.04	+2.30	0.79	−1.45	3.51	−0.74	6.72	+0.09	2.95	−3.93	7.21	+2.63	2.62	+0.28	4.64	+2.38	2.44	−0.57	53.71	+5.97
Quitman	2.12	−1.68	6.89	+2.64	4.35	+0.27	6.39	+2.97	2.25	−1.56	6.11	+0.21	12.92	+5.85	5.69	−1.02	6.65	+1.32	2.66	+0.31	2.43	+0.15	1.41	−2.99	59.87	+6.47
Satilla Forest	3.05	......	5.49	......	4.83	......	5.21	......	0.45	......	2.14	......	6.49	......	6.94	......	7.83	......	......	......	......	......	......	......	......	......
Savannah, No. 1	1.84	−0.94	4.38	+1.24	2.50	−0.56	4.15	+1.58	1.97	−1.05	7.83	+2.54	8.91	+2.27	7.33	+0.02	4.73	−0.68	3.76	+0.78	2.98	+0.58	1.09	−1.84	51.47	+4.24
Savannah, No. 2	2.07	......	4.92	......	3.22	......	4.96	......	2.28	......	5.98	......	10.76	......	9.84	......	6.56	......	4.23	......	3.23	......	1.27	......	59.32	......
Savannah Airport	......	......	......	......	......	......	......	......	......	......	7.83	......	9.98	......	7.85	......	4.30	......	4.81	......	3.56	......	1.46	......	......	......
Thomasville	4.47	+0.37	7.22	+2.76	3.79	−0.30	6.22	+2.88	2.79	−0.84	6.02	+0.57	5.49	−1.21	5.20	−0.55	5.56	+0.68	1.50	−1.46	3.71	+1.03	1.60	−2.71	53.57	+1.22
Tifton	5.55	+1.39	4.80	+0.56	4.83	+0.26	6.52	+2.87	0.65	−2.77	3.88	−0.93	7.76	+1.26	8.41	+2.91	4.13	+0.48	2.92	+0.79	3.26	+1.07	1.19	−2.33	53.90	+5.56
Waycross	1.35	−1.76	4.35	+0.52	5.30	+1.90	6.43	+3.64	1.75	−2.09	6.07	−0.27	7.50	+0.35	5.86	−0.20	6.21	+1.67	4.64	+2.11	2.38	+0.14	1.04	−2.03	52.88	+3.98

Monthly and Annual Average Temperatures for the Year 1937, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
Northern division																										
Athens, No. 1	53.0	+9.5	46.7	+1.1	52.6	−0.1	59.8	−1.5	71.6	+1.6	79.5	+2.4	80.4	+0.8	79.6	+1.2	71.4	−2.4	59.6	−2.9	49.1	−3.0	44.6	−0.2	62.3	+0.5
Athens, No. 2	52.8	.....	46.2	.....	53.8	.....	61.2	.....	72.2	.....	81.7	.....	82.2	.....	.....	.....	73.8	.....	60.2	.....	.....	.....	44.7	.....	.....	.....
Atlanta	53.0	+10.4	44.4	−0.9	50.5	−1.5	59.7	−1.3	70.9	+1.0	79.6	+3.6	79.6	+1.5	79.5	+2.5	71.2	−1.2	58.8	−4.2	47.4	−4.7	43.1	−1.6	61.5	+0.3
Blairsville	.....	.....	42.2	.....	47.6	.....	55.6	.....	64.2	.....	72.8	.....	71.6	.....	72.9	.....	.....	.....	56.0	.....	45.0	.....	37.8	.....	.....	.....
Carlton Bridge	54.4	+10.3	47.0	+1.7	51.2	−1.7	58.8	−2.1	69.4	−0.6	79.4	+2.4	.....	.....	80.3	+2.1	72.2	−1.3	59.1	−3.3	.....	.....	43.7	−1.4	.....	.....
Cedartown	54.6	.....	45.6	.....	[e]49.3	.....	59.1	.....	70.0	.....	78.4	.....	78.4	.....	79.4	.....	70.5	.....	59.4	.....	.....	.....	43.0	.....	.....	.....
Clayton	51.0	+10.6	40.6	−0.6	46.8	−1.9	55.6	−0.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cornelia	50.2	+7.2	42.3	−2.7	49.4	−0.8	57.0	−2.6	65.6	−1.0	77.0	+2.3	78.4	+1.2	77.9	+2.2	70.4	−1.9	57.4	−3.3	46.4	−4.2	42.0	−1.8	59.5	−0.5
Dahlonega	51.4	+9.9	42.4	−0.4	49.7	−0.8	57.2	−1.3	67.9	+1.5	76.0	+2.5	76.5	+0.6	76.2	+1.2	68.6	−1.9	56.6	−3.1	46.8	−2.8	42.0	−0.4	59.3	+0.4
Dalton	53.6	.....	44.6	.....	50.8	.....	59.4	.....	68.6	.....	78.4	.....	78.2	.....	78.4	.....	71.2	.....	58.7	.....	48.0	.....	42.0	.....	61.0	.....
Gainesville	50.8	+9.0	43.8	+0.5	49.8	−1.4	57.0	−2.3	67.6	−0.2	76.0	+1.0	76.8	−0.9	77.7	+1.4	69.3	−2.3	57.3	−3.4	45.7	−4.5	41.3	−1.5	59.4	−0.4
Hartwell (near)	52.0	+7.9	45.2	−0.2	51.3	−1.5	59.2	−1.6	70.0	+0.5	79.6	+2.6	79.6	+0.1	78.6	+0.2	71.6	−2.5	58.8	−3.8	47.4	−4.5	43.0	−1.6	61.4	−0.3
Lafayette	53.8	.....	44.1	.....	50.4	.....	60.0	.....	70.6	.....	.....	.....	.....	.....	.....	.....	70.8	.....	57.6	.....	47.2	.....	41.2	.....	.....	.....
Rome	54.2	+11.7	46.0	+1.2	51.4	−1.1	61.2	+0.1	70.2	+0.5	78.2	+1.3	78.6	−1.0	79.0	+0.4	71.8	−2.0	60.4	−2.0	49.4	−1.4	43.5	0.0	62.0	+0.6
Tallapoosa	54.8	+11.9	44.1	+0.1	49.4	−3.0	57.4	−2.4	67.9	−0.5	76.5	+0.7	76.4	−1.8	77.0	−0.4	69.0	−4.1	58.6	−3.0	47.2	−5.8	43.4	−0.2	60.1	−0.6
Toccoa	51.7	+9.0	44.4	+0.2	52.0	+0.2	59.6	−0.7	69.6	+1.1	79.0	+3.4	78.6	+0.4	77.8	+0.9	70.3	−1.8	56.4	−4.7	48.2	−2.8	43.8	+0.2	61.0	+0.5
Washington	54.0	+8.5	47.6	+1.1	53.0	−2.9	61.3	−1.2	71.2	−0.2	80.2	+2.1	79.9	−0.5	80.4	+1.0	72.6	−2.4	60.7	−2.9	49.9	−5.0	45.0	−0.9	63.0	−0.2
Middle division																										
Augusta	57.9	+10.9	49.6	−0.3	55.4	−0.6	63.1	−1.1	73.2	+0.8	81.0	+2.3	81.2	−0.1	80.8	+0.4	74.0	−1.3	63.2	−2.1	52.0	−2.5	46.4	−1.7	64.8	+0.4
Brooklet	63.7	+13.7	52.0	+0.1	57.0	−2.2	65.6	−0.3	74.0	−0.1	81.0	+1.0	81.1	−0.9	80.8	−0.6	75.1	−2.3	64.9	−2.5	55.0	−2.3	48.6	−2.3	66.6	+0.1
Columbus	60.0	+11.8	50.0	−0.1	54.6	−3.3	64.2	−1.2	75.2	+1.9	82.4	+2.3	81.5	−0.2	81.8	+0.6	74.7	−2.7	63.6	−3.1	52.3	−3.7	48.5	−0.9	65.7	+0.1
Covington	52.7	+9.2	46.2	+2.0	51.7	−2.6	60.2	−0.8	71.2	+0.7	79.2	+1.7	79.9	−0.1	79.6	+0.8	71.8	−2.6	59.9	−2.4	48.9	−3.7	44.6	−0.6	62.2	+0.1
Dublin	61.6	+12.6	50.6	−0.7	55.4	−1.4	63.0	−2.3	73.0	+0.4	81.2	+1.9	80.4	−0.8	80.4	0.0	73.8	−3.0	64.7	−1.6	53.3	−2.4	48.2	−2.1	65.5	+0.1
Experiment	54.3	+9.3	45.2	+0.1	51.1	−5.3	59.4	−2.4	70.6	−0.3	79.4	+2.7	79.0	−0.4	77.7	−1.2	[d]70.4	−4.0	58.4	−5.6	47.4	−6.2	43.3	−1.1	61.4	−1.2
Fair View	56.4	+9.0	47.5	−1.8	52.7	−2.5	60.8	−2.3	71.6	+1.1	79.8	+2.2	79.4	−0.1	78.7	+0.1	71.4	−3.6	61.4	−3.1	49.4	−4.9	46.1	−1.6	62.9	−0.7
Fort Valley	58.8	+10.3	47.9	−3.5	53.8	−2.8	62.0	−3.1	73.5	+1.3	80.6	+1.5	80.4	−0.4	80.7	+0.5	73.2	−4.1	62.8	−3.2	50.6	−5.2	46.6	−3.2	64.2	−1.0
Greensboro	54.0	+8.9	46.2	−0.4	51.7	−2.6	60.6	−1.4	71.6	+1.2	80.8	+3.2	80.6	+0.8	79.9	+1.1	71.8	−3.0	60.0	−3.3	49.2	−3.8	43.9	−2.0	62.5	−0.1
Griffin	55.8	+9.8	48.0	+0.2	53.6	−1.7	62.0	−1.1	71.8	+0.8	79.9	+2.1	79.8	−0.1	79.4	+0.4	72.6	−2.4	62.5	−1.7	51.0	−3.1	47.4	+0.5	63.6	+0.3
Lagrange	56.4	.....	45.0	.....	51.6	.....	60.0	.....	71.0	.....	80.5	.....	79.4	.....	79.1	.....	71.2	.....	60.5	.....	48.8	.....	44.8	.....	62.4	.....
Louisville	61.3	+13.5	50.2	+0.8	54.9	−2.0	63.0	−0.9	72.6	−0.1	80.7	+1.6	80.8	0.0	.....	.....	74.0	−1.8	64.0	−1.1	52.5	−2.4	48.2	−0.3	.....	.....
Macon	58.8	+12.0	49.0	−0.3	54.4	−2.3	62.6	−1.3	73.0	+0.7	80.7	+1.8	80.4	−0.8	80.2	+0.3	73.2	−1.6	63.5	−1.0	51.0	−3.2	47.2	−0.3	64.5	+0.3
Milledgeville	57.2	+10.9	47.9	−0.6	54.4	−1.2	61.8	−2.0	72.7	+0.4	80.8	+1.8	81.0	−0.2	81.0	+0.7	73.0	−2.9	62.8	−1.7	50.2	−3.9	45.0	−2.4	64.0	−0.1
Millen	61.2	+12.4	50.4	+0.1	55.7	−2.1	64.8	−0.3	74.2	+1.0	81.4	+1.7	80.4	−1.3	81.2	+0.2	74.6	−2.1	63.8	−2.2	53.0	−2.9	47.4	−2.0	65.7	+0.2
Monticello	55.3	+10.0	47.2	−0.1	53.1	−1.7	61.8	−1.2	72.1	+0.6	80.4	+1.9	80.6	+0.4	80.4	+0.9	73.1	−2.3	62.8	−1.1	51.0	−2.6	47.0	+0.5	63.7	+0.4
Newnan	55.2	+10.3	44.8	−1.4	52.5	−1.9	59.9	−1.9	69.8	−0.8	79.0	+1.2	78.6	−1.2	79.3	+0.4	71.2	−3.4	59.4	−4.3	49.6	−3.7	45.4	−0.3	62.1	−0.5
Stillmore	63.0	+11.0	51.7	−1.0	56.1	−1.9	64.6	−0.5	73.2	−0.2	80.4	+1.5	80.3	−1.0	79.6	−0.8	73.6	−3.3	63.8	−3.4	53.4	−3.9	.....	.....	.....	.....
Talbotton	58.7	+11.3	48.2	−0.5	53.3	−3.1	60.8	−2.7	72.2	+0.3	79.0	+0.3	79.0	−1.4	78.9	−0.8	72.6	−3.7	62.2	−3.0	50.3	−4.5	47.5	−0.6	63.5	−0.7
Warrenton	56.4	+9.7	48.7	+0.9	53.7	−1.9	61.8	−1.2	72.6	+1.0	80.4	+2.1	80.3	−0.2	79.6	0.0	72.0	−3.2	61.8	−2.2	50.7	−3.4	46.1	−1.1	65.7	+0.1
West Point	57.2	+11.7	47.6	+0.3	52.8	−2.4	61.0	−2.0	71.4	0.0	81.0	+2.4	80.2	−0.4	80.2	+0.6	72.4	−2.9	62.2	−1.9	50.0	−3.5	46.6	+0.2	63.6	+0.5
Southern division																										
Alapaha	64.9	+13.7	54.6	+1.4	57.5	−2.3	66.2	−0.4	76.0	+2.0	81.4	+1.6	82.0	+0.5	81.5	+0.6	76.6	−0.9	67.1	−0.6	56.4	−1.6	52.5	+0.5	68.1	+1.3
Albany	62.6	+12.1	52.4	−0.2	.....	.....	66.2	−0.7	76.0	+1.4	83.3	+2.6	82.6	+0.4	82.3	+0.7	76.6	−1.5	66.6	−1.	54.6	−3.3	50.0	−1.7	.....	.....
Americus	60.8	+12.2	50.8	−0.1	55.9	−2.1	64.5	−0.8	74.1	+0.7	81.4	+1.5	80.0	−1.5	80.7	−0.2	74.4	−2.7	64.6	−2.3	54.1	−2.1	48.8	−0.9	65.8	+0.1
Bainbridge	64.4	+12.3	53.1	−1.0	57.2	−3.6	65.4	−2.2	75.6	+0.8	81.2	+0.6	82.4	+0.5	80.6	−0.9	75.5	−2.8	66.4	−1.7	55.1	−3.4	50.8	−1.8	67.3	−0.3
Blakely	63.4	+11.7	53.1	−0.5	56.4	−3.4	64.6	−2.0	74.8	+1.1	80.8	+1.0	81.0	−0.4	80.6	−0.4	75.0	−2.9	65.6	−2.3	54.7	−3.3	50.6	−1.3	66.7	−0.2
Brunswick	65.6	+11.6	55.6	0.0	59.0	−1.8	66.2	−1.5	74.7	+0.3	80.6	−0.1	81.4	−0.4	80.8	−0.9	76.5	−2.0	68.2	−2.2	58.0	−2.7	52.3	−3.4	68.2	−0.3
Cairo	63.8	.....	53.2	.....	56.2	.....	64.2	.....	74.6	.....	80.4	.....	81.0	.....	79.6	.....	75.3	.....	66.4	.....	55.5	.....	51.2	.....	66.8	.....
Cordele	.....	.....	51.1	.....	.....	.....	64.6	.....	75.2	.....	81.8	.....	86.9	.....	81.4	.....	75.0	.....	65.6	.....	54.2	.....	49.4	.....	.....	.....
Douglas	63.2	.....	52.3	.....	57.8	.....	66.6	.....	74.8	.....	81.4	.....	82.0	.....	79.8	.....	76.4	.....	66.7	.....	55.4	.....	51.4	.....	67.3	.....
Eastman	62.0	+11.7	52.1	+0.4	56.9	−2.2	64.5	−1.7	75.2	+1.2	81.8	+1.5	81.5	−0.4	81.0	−0.1	74.8	−2.5	65.2	−1.8	54.0	−3.1	49.4	−1.3	66.5	+0.1
Fargo	64.6	.....	54.0	.....	57.8	.....	65.4	.....	72.8	.....	80.4	.....	81.8	.....	81.3	.....	[g]75.4	.....	[e]68.4	.....	56.0	.....	.....	.....	.....	.....
Fitzgerald	63.2	+12.1	52.9	+1.1	56.8	−3.9	64.7	−0.8	74.0	−0.5	80.7	+0.6	81.0	−1.0	80.4	−0.7	74.8	−2.5	66.1	−1.1	54.6	−3.4	50.4	−1.3	66.6	−0.2
Fort Gaines	63.0	+13.3	51.4	−0.2	56.9	−1.9	64.8	−1.0	74.0	+0.4	81.3	+1.5	80.8	−0.5	81.4	+0.8	75.6	−1.5	65.2	−1.7	54.6	−2.4	48.5	−2.4	66.5	+0.4
Glennville	63.2	+11.0	52.6	−0.7	56.8	−2.8	64.6	−2.2	73.4	−0.5	80.5	+0.6	80.4	−1.2	79.6	−1.4	74.8	−2.9	65.0	−3.2	55.0	−3.3	49.4	−3.0	66.2	−0.9
Hawkinsville	62.0	+13.3	51.3	+0.8	55.9	−2.2	64.2	−1.0	74.2	+0.9	81.6	+1.9	81.4	0.0	82.4	+1.4	75.8	−1.6	66.0	−0.7	53.2	−3.2	49.2	−0.6	66.4	+0.7
Hazlehurst	62.4	+10.4	51.4	−3.4	55.4	−4.5	63.1	−3.7	72.8	−0.8	79.4	−0.6	80.2	−1.4	80.2	−0.6	74.4	−4.0	65.3	−3.5	53.8	−4.8	50.0	−3.3	65.7	−1.7
McRae	.....	.....	.....	.....	55.8	.....	64.4	.....	73.3	.....	80.6	.....	80.6	.....	80.6	.....	74.0	.....	64.8	.....	53.6	.....	49.2	.....	.....	.....
Moultrie	65.2	+10.0	55.6	−0.5	.....	.....	.....	.....	74.8	−0.3	81.3	+1.0	81.4	−0.8	81.4	−0.1	76.8	−1.7	67.9	−1.9	56.6	−2.7	52.4	−1.8	.....	.....
Quitman	65.4	+12.7	55.8	+0.4	59.0	−2.0	66.8	−0.8	.....	.....	81.4	+1.1	81.4	−0.3	80.8	−0.4	76.4	−1.9	67.4	−1.5	56.6	−2.7	52.4	−1.0	.....	.....
Satilla Forest	.....	.....	.....	.....	.....	.....	.....	.....	68.7	.....	76.1	.....	76.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Savannah, No. 1	64.0	+12.6	53.8	−0.2	59.0	0.0	66.0	0.0	74.4	+1.0	81.4	+2.4	81.3	−0.2	81.4	+0.7	76.8	+0.6	66.4	−1.5	57.2	−1.3	51.0	−1.4	67.7	+1.0
Savannah, No. 2	63.2	.....	50.9	.....	54.8	.....	62.5	.....	70.8	.....	79.1	.....	78.4	.....	78.8	.....	74.0	.....	63.8	.....	53.8	.....	47.4	.....	64.8	.....
Savannah Airport	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	80.7	.....	81.0	.....	80.0	.....	75.0	.....	65.4	.....	56.0	.....	49.0	.....	.....	.....
Thomasville	64.7	+13.7	54.6	−0.4	57.9	−2.3	65.8	−0.9	75.0	+1.0	80.0	+0.5	80.7	−1.1	80.5	−0.7	75.6	−1.2	67.0	−1.2	56.2	−2.3	51.7	−0.8	67.5	+0.4
Tifton	62.4	+10.0	51.6	−1.5	56.4	−1.3	64.8	−1.3	74.8	+1.4	80.9	+1.7	81.2	+0.2	80.6	+0.2	75.3	−2.7	67.0	−1.1	55.8	−1.8	50.6	−1.8	66.8	+0.2
Waycross	66.0	+13.1	[b]55.6	+1.1	58.8	−2.3	66.6	−0.6	74.8	+0.3	81.6	+1.5	82.2	+0.3	82.0	+0.5	77.4	−0.6	67.0	−2.0	57.4	−1.6	52.2	−0.8	68.5	+0.8

Reference letters, [a], [b], [c], appearing in the table indicate number of days missing; for example, [b] represents two days, etc.

[Continued from page 49]

OCTOBER.—This was an unusually cool October with temperatures almost continuously below normal after the 8th. Temperatures lower than any previous October record occurred at Covington, Fair View, Fort Valley, Glennville, and Hazlehurst. Killing frost occurred at all but a few southern stations on the 24th, and much damage resulted to late vegetables and truck crops. However, leading growers took advantage of frost warnings issued the day before and gathered as much as possible of products subject to injury.

NOVEMBER.—The State average temperature was only 51.0°, the lowest for any November in 46 years except that of 1901. There was about the usual number of rainy days for November, but the average rainfall over the State was considerably less than normal.

DECEMBER.—This was an unusually dry December with a remarkable cold period early in the month, when at many stations the temperature dropped to within 5° of the lowest on record in any December. Continued hard freezing for several days produced damaging effects upon oats that remained evident until January.

MONTHLY STATE DATA FOR 1937

Months	Temperature				Precipitation				
	Mean	Departure from normal	Maximum	Minimum	Average	Departure from normal	Greatest	Least	No. days with 0.01 inch or more
January	58.1	+11.0	87	26	6.85	+2.53	13.89	1.35	16
February	48.6	+0.1	82	11	5.29	+0.37	8.14	3.71	10
March	53.8	−2.4	81	16	3.69	−1.16	7.00	2.00	8
April	62.0	−1.3	93	24	6.96	+3.17	10.23	4.15	9
May	71.9	+0.3	102	36	2.17	−1.28	5.35	0.45	7
June	79.8	+1.6	101	47	4.30	−0.09	9.02	0.64	10
July	79.8	−0.3	101	40	4.97	−0.76	12.92	1.00	11
August	79.7	+0.2	100	57	6.33	+1.07	13.50	2.95	14
September	73.1	−2.4	98	42	2.53	−1.16	8.78	0.35	6
October	62.4	−2.5	96	20	5.38	+2.55	11.27	1.50	10
November	51.0	−3.5	86	3	2.03	−0.61	7.59	0.66	7
December	46.5	−1.2	78	−3	2.03	−2.25	3.78	0.69	6
Year	63.9	0.0	102	−3	52.53	+2.39	71.10	39.18	114

TENNESSEE VALLEY AUTHORITY–PRECIPITATION TOTALS YEAR 1937

Stations	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	An'l
Brasstown Bald	11.55	5.58	2.74	7.57	3.54	3.64	6.22	8.13	2.78	10.34	2.62	3.87	65.59
Flat Top	17.13	6.81	4.90	8.39	3.72	6.16	7.81	9.33	1.86	7.10	3.05	5.59	81.85
Hemptown Gap	8.65	4.55	2.25	6.37	3.06	2.44	3.82	4.57	0.74	5.24	1.15	2.88	45.72
Hiawassee	10.19	4.02	2.63	7.31	2.93	5.21	5.23	7.03	2.72	6.57	0.77	3.10	57.71
Ivylog	9.36	4.59	2.24	6.21	3.17	2.95	4.90	4.77	0.92	4.42	1.08	2.92	47.53
Little Hightower	8.64	5.01	2.32	6.92	2.71	7.16	3.98	7.16	2.27	10.53	1.44	3.76	61.90
Margret	9.68	5.20	3.23	7.41	3.35	3.28	4.31	5.78	1.37	7.34	1.39	3.67	56.01
Mulky Gap	9.35	5.36	2.69	7.56	3.04	1.47	3.84	8.84	1.36	6.89	1.23	3.18	54.81
Neal Gap	13.28	7.37	3.65	7.15	3.03	4.06	4.49	13.52	1.35	10.93	3.36	4.64	76.83
Noontootla Creek	10.02	4.98	3.65	7.73	2.97	3.74	5.17	9.15	1.24	6.89	1.78	3.94	61.26
Patterson Gap	12.56	5.65	3.25	7.38	3.94	3.21	6.20	11.11	0.58	6.97	2.50	4.21	67.56
Stanley Gap	11.05	4.95	2.80	7.81	3.63	2.83	4.63	8.33	0.53	5.62	1.82	3.62	57.62
Suches	13.95	6.88	3.80	7.56	2.69	5.38	2.77	10.20	1.32	11.36	3.86	5.31	75.08
Sweet Gum	9.96	4.78	2.76	6.56	2.97	3.96	3.99	6.79	1.08	3.86	1.26	2.98	50.95
Tray Mountain	12.02	6.23	3.53	7.32	3.58	3.85	4.28	14.65	2.54	14.95	3.03	4.30	80.29
Varne	9.19	4.96	2.44	5.82	2.25	4.39	4.00	4.85	1.22	5.15	0.70	3.30	48.27

(WBO, Atlanta, 2-2-38—1075)

KILLING FROSTS

Stations	Last in spring	First in autumn
Northern division		
Athens, No. 1	Apr. 12*	Oct. 24†
Athens, No. 2	Mar. 29*	Oct. 24†
Atlanta	Mar. 29	Oct. 24
Blairsville	Apr. 13*	Oct. 15†
Carlton Bridge	Apr. 13*	Oct. 16†
Cedartown	Apr. 12*	Oct. 24
Clayton	Apr. 17*	....
Cornelia	Apr. 12*	Oct. 23
Dahlonega	Apr. 12	Oct. 21
Dalton	Apr. 12	Oct. 24
Gainesville	Apr. 13*	Oct. 24†
Hartwell (near)	Apr. 12*	Oct. 24
Lafayette	Mar. 29*	Oct. 24
Resaca	Apr. 11	Oct. 24
Rome	Apr. 12	Oct. 24
Tallapoosa	Apr. 12	Oct. 24
Toccoa	Mar. 29*	Oct. 24
Washington	Mar. 29*	Oct. 24
Middle division		
Augusta	Mar. 2	Nov. 21
Brooklet	Mar. 10*	Nov. 21
Columbus	Apr. 1	Oct. 24
Covington	Apr. 12*	Oct. 24†
Dublin	Mar. 29*	Oct. 24
Experiment	Mar. 29*	Oct. 24†
Fair View	Mar. 29*	Oct. 24†
Fort Valley	Mar. 17	Oct. 24
Greensboro	Mar. 29	Oct. 24
Griffin	Apr. 7	Oct. 24
Lagrange	Apr. 1	Oct. 24
Louisville	Mar. 29*	Oct. 24†
Macon	Mar. 3	Oct. 24
Milledgeville	Mar. 28*	Oct. 24†
Middle division—Con.		
Millen	Mar. 29*	Oct. 24†
Monticello	Apr. 12*	Oct. 24
Newnan	Mar. 28*	Oct. 24
Stillmore	Mar. 29*	Oct. 24†
Talbotton	Mar. 29*	Oct. 24
Warrenton	Mar. 29*	Oct. 24†
West Point	Mar. 29*	Oct. 24
Southern division		
Alapaha	Mar. 17*	Oct. 24†
Albany	Mar. 29	Oct. 24
Americus	Mar. 29*	Oct. 24†
Bainbridge	Mar. 17	Nov. 18
Blakely	Mar. 29	Oct. 24
Brunswick	Mar. 3	Oct. 24
Cairo	Mar. 17	Oct. 24†
Cordele	Mar. 28*	Oct. 24
Douglas	Mar. 2*	Oct. 24
Eastman	Mar. 29*	Oct. 24†
Fargo	Mar. 2	Oct. 24†
Fitzgerald	Mar. 17*	Oct. 24†
Fort Gaines	Mar. 29*	Oct. 24†
Glennville	Mar. 17*	Oct. 24
Hawkinsville	Mar. 29*	Oct. 24
Hazlehurst	Mar. 29*	Oct. 24†
McRae	Mar. 29*	Oct. 24†
Moultrie	Mar. 17*	Nov. 18†
Quitman	Mar. 17*	Oct. 24†
Savannah, No. 1	Mar. 2	Nov. 21
Savannah, No. 2	Mar. 29	Oct. 24
Thomasville	Mar. 16	Nov. 18†
Tifton	Mar. 17	Oct. 24†
Waycross	Mar. 17	Nov. 21†

* Latest date with temperature 32° or below.
† Earliest date with temperature 32° or below.

ANNUAL CLIMATOLOGICAL DATA FOR THE STATE

Year	Temperature			Precipitation					Number of days			
	Mean	Highest	Lowest	Northern division	Middle division	Southern division	Average	Average snowfall	Precip., .01 or more	Clear	Pt. cloudy	Cloudy
1892	62.9	102	9	59.15	47.92	47.12	51.39	.....	95	150	103	113
1893	63.4	103	−1	43.81	46.39	50.25	46.83	.....	85	171	107	87
1894	64.0	104	0	44.92	50.18	53.58	49.55	.....	94	157	123	85
1895	62.0	104	−5	55.04	49.52	50.24	51.60	.....	96	154	117	94
1896	64.4	107	3	42.09	44.33	47.94	44.78	1.4	81	176	113	77
1897	64.2	106	−1	51.00	45.14	51.34	49.15	0.4	84	166	106	93
1898	63.8	104	5	58.62	52.10	52.92	54.51	0.4	96	159	110	96
1899	63.6	105	−12	49.87	42.54	41.87	44.75	6.5	89	167	116	82
1900	63.7	106	0	63.21	55.36	54.09	57.56	0.4	115	141	130	94
1901	61.6	106	3	65.58	53.58	53.49	57.55	4.1	113	152	123	90
1902	63.6	108	10	46.70	48.17	55.48	50.14	1.4	100	136	129	100
1903	62.6	104	9	52.28	51.57	57.51	53.79	0.4	110	140	116	109
1904	62.7	104	4	37.54	33.81	39.19	36.84	1.8	89	158	116	92
1905	63.3	102	−8	52.85	46.04	52.53	50.47	1.6	97	161	99	105
1906	63.6	103	11	63.62	50.61	50.08	54.79	2.2	101	168	104	93
1907	64.2	106	16	47.88	47.94	50.20	48.67	0.3	95	169	114	82
1908	64.4	104	9	54.87	50.14	45.73	50.25	0.7	85	174	110	82
1909	64.0	104	5	58.28	47.94	39.63	48.62	0.3	93	175	113	77
1910	63.0	103	8	45.69	42.29	43.62	43.86	0.7	91	187	79	99
1911	65.6	105	9	48.72	45.69	47.87	47.43	0.1	97	165	83	117
1912	62.9	103	0	62.17	62.39	64.84	63.14	5.1	113	153	83	130
1913	64.1	110	12	49.74	45.50	44.74	46.67	T.	95	184	79	102
1914	63.3	109	5	44.70	42.78	49.61	45.70	5.1	93	179	83	103
1915	63.7	106	17	53.54	48.97	46.23	49.58	0.5	86	196	83	86
1916	64.1	103	10	47.09	41.68	42.23	43.67	0.4	93	180	95	91
1917	62.4	103	0	53.79	45.28	43.55	47.54	1.9	99	181	92	92
1918	64.3	106	−3	55.00	45.07	47.88	49.25	1.6	101	161	88	116
1919	65.0	103	2	57.27	54.59	53.95	55.27	0.4	103	167	87	111
1920	62.9	105	4	67.54	56.63	56.32	60.14	T.	107	166	86	114
1921	66.1	104	20	46.22	38.76	38.23	41.08	1.0	94	173	100	92
1922	65.6	104	12	59.71	54.78	51.27	55.26	0.3	113	158	94	113
1923	64.3	105	0	56.08	54.12	47.90	52.72	T.	108	159	88	118
1924	62.8	107	−9	52.18	52.94	57.37	54.15	1.9	99	187	73	106
1925	65.6	111	0	39.46	38.37	45.14	41.01	T.	89	186	75	104
1926	63.6	110	6	50.72	46.92	53.66	50.43	0.8	104	181	78	106
1927	65.9	108	4	44.89	39.96	37.51	40.79	1.0	92	177	100	88
1928	63.2	105	−5	55.77	57.98	64.95	59.56	0.3	114	167	101	98
1929	64.1	103	7	78.43	71.85	60.83	70.37	1.6	122	156	101	108
1930	63.5	109	8	41.02	47.28	48.75	45.68	3.3	99	175	93	97
1931	64.9	109	11	44.55	33.84	33.79	37.39	0.2	87	194	91	80
1932	65.1	108	10	70.76	49.71	54.50	58.32	0.7	115	162	93	111
1933	65.6	108	0	39.60	40.12	45.43	41.72	T.	94	181	95	86
1934	64.0	105	−10	54.61	46.24	44.24	48.36	0.8	106	179	95	91
1935	64.3	105	0	48.66	38.98	46.29	44.64	1.8	99	170	96	99
1936	64.4	106	−8	66.12	57.14	53.33	58.87	4.7	104	170	98	98
1937	63.9	102	−3	54.60	49.10	53.87	52.53	0.6	114	159	104	102
Period	63.9	111	−12	52.96	48.09	49.37	50.14	1.4	99	168	99	98


GEORGIA
SCALE OF MILES
0 10 20 30 40 50 60
85
84
83
82
81
35
34
33
32
31
DADE
WALKER
CATOOSA
WHITFIELD
MURRAY
FANNIN
Blue Ridge
UNION
TOWNS
RABUN
Clayton
GILMER
LUMPKIN
WHITE
HABERSHAM
Toccoa
STEPHENS
Cornelia
Dahlonega
DAWSON
CHATTOOGA
Resaca
GORDON
PICKENS
HALL
BANKS
FRANKLIN
HART
Hartwell
FLOYD
Rome
Adairsville
BARTOW
CHEROKEE
Canton
FORSYTH
Gainesville
Gillsville
JACKSON
MADISON
ELBERT
Carlton
MILTON
POLK
PAULDING
Marietta
COBB
GWINNETT
Norcross
BARROW
CLARKE
Athens
Point Peter
Lisbon
Savannah
HARALSON
Tallapoosa
FULTON
Atlanta
DEKALB
WALTON
OCONEE
OGLETHORPE
WILKES
Washington
LINCOLN
DOUGLAS
CARROLL
CAMPBELL
CLAYTON
ROCKDALE
Covington
NEWTON
MORGAN
Greensboro
GREENE
TALIAFERRO
McDUFFIE
COLUMBIA
Augusta
RICHMOND
Warrenton
WARREN
HEARD
Newman
COWETA
FAYETTE
HENRY
Griffen
SPALDING
BUTTS
JASPER
Monticello
PUTNAM
Eatonton
HANCOCK
GLASCOCK
TROUP
MERIWETHER
PIKE
Concord
LAMAR
MONROE
JONES
Milledgeville
BALDWIN
JEFFERSON
Louisville
BURKE
River
West Point
Woodbury
Fair View
UPSON
Macon
BIBB
WASHINGTON
HARRIS
TALBOT
Talbotton
Goat Rock
CRAWFORD
WILKINSON
JOHNSON
JENKINS
Millen
SCREVEN
MUSCOGEE
Columbus
TAYLOR
Butler
Ft. Valley
TWIGGS
EMANUEL
Marshallville
HOUSTON
BLECKLEY
Dublin
LAURENS
TREUTLEN
CANDLER
Statesboro
BULLOCH
EFFINGHAM
CHATTAHOOCHEE
MARION
SCHLEY
MACON
Montezuma
Hawkinsville
PULASKI
DODGE
Eastman
WHEELER
MONTGOMERY
EVANS
TATTNALL
Savannah
BRYAN
CHATHAM
STEWART
WEBSTER
Americus
SUMTER
DOOLY
WILCOX
Abbeville
TELFAIR
Lumber City
TOOMBS
Glennville
LIBERTY
QUITMAN
RANDOLPH
TERRELL
LEE
CRISP
BEN HILL
Hazlehurst
JEFF DAVIS
APPLING
LONG
CLAY
Ft. Gaines
CALHOUN
Albany
DOUGHERTY
WORTH
TURNER
IRWIN
COFFEE
BACON
WAYNE
McINTOSH
Chattahoochee
Blakely
EARLY
BAKER
TIFT
Alapaha
ATKINSON
PIERCE
GLYNN
MILLER
MITCHELL
COLQUITT
COOK
BERRIEN
Waycross
WARE
BRANTLEY
Brunswick
SEMINOLE
DECATURE
Bainbridge
GRADY
THOMAS
Thomasville
BROOKS
Quitman
LOWNDES
Valdosta
LANIER
CLINCH
ECHOLS
CHARLTON
CAMDEN
St. George
L.S.

U. S. DEPARTMENT OF AGRICULTURE, WEATHER BUREAU

CLIMATOLOGICAL DATA

7

GEORGIA SECTION

G. W. MINDLING

PRICE: 5 CENTS A COPY: 25 CENTS A YEAR (NOT STAMPS).
REMITTANCE PAYABLE TO SUPERINTENDENT OF DOCUMENTS, WASHINGTON, D. C.

VOL. XLII   ATLANTA, GA., YEAR 1938   No. 13

GENERAL SUMMARY

January and February were unusually dry, like the last two months of 1937. The State average rainfall for the four months amounted to only 7.19 inches, a record that stands unequalled as a dry winter season in Georgia in a period of 47 years for which data are available. February and March were remarkably mild, and while vegetation was far more than normally advanced during these months, no very serious loss resulted from later occurrences of frosts and freezing. It is true that as far south as Thomson garden truck was injured on low ground by frosts on April 10 and 11, but the effect on peaches was to produce but little more than desirable thinning.

Too much rain in July caused an unusually serious boll weevil infestation with much detriment to the cotton crop. Later on rather serious drought developed over much of the State. Some destructive storms occurred, but the resulting loss of life and property was not unusual.

THE WEATHER BY MONTHS

JANUARY.—Although the average temperature was quite close to normal in all parts of the State, there was a decidedly warm period extending from about the 16th to 24th separating two well marked cold periods. There were a few days with maximum temperatures below 40° southward beyond Macon. The coldest weather of the year came at most places on the 28th when readings of 20° or lower were general in the northern half of the State, and readings below 25° occurred at all stations but Brunswick, where the lowest was 27°. The average amount of precipitation for the State was a little less than half the normal, but rains came at rather close intervals so as to keep the ground well enough supplied with moisture except in the southeastern section.

FEBRUARY.—The average temperature was fully 6° above normal and nearly 4° higher than that of the preceding November. Temperatures of 75° or higher were reached at almost all stations except in the mountain area. Vegetation was much advanced and early peaches bloomed freely in the principal producing areas. It was the driest February since 1898, and the third consecutive month in which the State average precipitation was less than 50 percent of normal. It was too dry in many places for good growth of oats, pastures, and young tobacco.

MARCH.—Like February, this month was remarkably warm and dry. Most stations in the southern section did not have a single occurrence of freezing, and freezing was not recorded after the 8th except at a few northern stations. Rainfall was below normal throughout the southern and middle sections and in the eastern part of the northern section. Young tobacco was quite unfavorably affected by the lack of enough rain, and in some places cotton and corn did not sprout well when planted.

APRIL.—After five consecutive months with deficient rainfall, April brought a marked excess, especially in the middle section, in which the average amount was over 9 inches. In the central and western parts of the State rivers rose to higher stages than had been reached for two years or more. Excessive rain on the 7th caused Talona Creek at Whitestone, 9 miles north of Jasper, to rise with frightful rapidity, sweeping away a combination store and dwelling with loss of 15 lives. A few tornadoes occurred on the same day in western counties.

MAY.—There was an acute deficiency in rainfall in southern Georgia before the 24th with unfavorable effects on oats, corn, tobacco, pastures, and truck crops. In the principal peach growing areas the lack of sufficient rain began to affect the size and quality of the fruit before the dryness was relieved. During a period of 30 days ending with May 23, many places in the southern section had less than half an inch of rain. Destructive hail near Cornelia on the 3d caused losses of fruit estimated at $10,000.

JUNE.—June was quite favorable for the development of crops with ample rainfall. Temperatures averaged about 2° below normal. There were no storms of outstanding severity, but lightning caused the loss of two lives. Considerable damage resulted from hail on the 24th a few miles west of Savannah.

JULY.—This was the coolest July in 15 years and the wettest in 19 years. However, the rainfall was comparatively light in the northern section through the first 17 days. The more frequent and heavier showers in the latter part of the month caused a rapid increase in boll weevil infestation. Official crop estimates of August 1 placed the probable cotton crop of the State at more than 200,000 bales below that of 1937. The heavy rains also caused damage to corn, peaches, figs, and truck crops.

AUGUST.—Excessive moisture and lack of sunshine characterized the first week or more after which the greater part of the month was too dry and hot. The average temperature was the highest for any August since 1924, but the average rainfall was less than 60 percent of normal.

SEPTEMBER.—Temperature conditions were near normal in most respects, but the cool period of the 21st to 23d was quite unusual. A new low September record of 32° for the State was established at Blairsville on the 22d, when former September records were exceeded also at several other stations in the northern and central sections. Droughty conditions that developed during the latter part of August became more serious in September over most of the State. Truck crops, vegetables, and pastures suffered most.

OCTOBER.—Mean temperatures were fairly close to normal. Freezing was restricted to rather small areas, including some parts of the Piedmont Region but not including all stations in the mountains. Serious drought prevailed extensively in the northern half of the State, where many streams and some wells dried up. Conditions were widely ruinous to pastures and vegetables and caused much delay in sowing oats and wheat. In the northern division the average rainfall was only 0.15 inch, which is the smallest average ever obtained for any month of any year in that section of the State.

NOVEMBER.—November was warmer than usual with no occurrence of extensive freezing in the southern half of the State before the night of the 24th. Widespread rains on the 4th and 5th relieved the dry conditions in the northern half, but in the southern half of the State there was little or no improvement during the month.

DECEMBER.—This was another month of light rainfall, such that water supplies and rivers were unusually low for the time of the year. There were frequent changes in temperature, but no remarkable extremes nor any prolonged spells of warm or cold weather.

Climatological Data for the Year 1938

Stations	Counties	Elevation, feet	Temperature (degrees Fahrenheit)						Precipitation (inches)							Number rainy days	Sky			Prevailing direction of wind
			Length of record, years	Annual mean	Highest	Date	Lowest	Date	Length of record, years	Total for the year	Greatest monthly	Month	Least monthly	Month	Total snowfall		Number clear days	Number partly cloudy days	Number cloudy days	
Northern division																				
Athens, No. 1	Clarke	775	57	63.7	99	Aug. 24	15	Jan. 28	51	46.50	8.62	June	0.21	Oct.	T.	109	185	91	89	w.
Athens, No. 2	....do	....	3	64.6	101	July 11†	15	Jan. 28	3	43.38	8.60	July	0.23	Oct.	T.	95	....	....	....	....
Atlanta Airport	Fulton	975	73	63.1	99	Aug. 25	16	Jan. 28	72	45.64	8.27	Apr.	0.20	Oct.	0.3	106	109	113	143	nw.
Atlanta, No. 2	De Kalb	998	4	....	....	....	....	....	4	38.73	8.23	Apr.	0.16	Oct.	T.	111	....	....	....	....
Blairsville	Union	1,938	7	56.9	92	Aug. 25	7	Nov. 28	6	54.09	14.91	July	0.20	Oct.	0.2	95	....	....	....	....
Canton	Cherokee	894	49	....	....	....	....	....	47	48.89	8.78	July	0.01	‡Sept.	T.	87	....	....	....	....
Carlton Bridge	Elbert	557	40	61.9	101	Aug. 24	8	Jan. 28	38	43.09	8.99	July	0.21	Oct.	0.1	111	....	....	....	....
Cedartown	Polk	797	2	63.0	102	Aug. 25	13	Jan. 28	2	48.71	9.32	Apr.	T.	Oct.	T.	102	....	....	....	....
Clayton	Rabun	2,200	43	....	95	Aug. 24	....	....	43	60.41	11.61	July	0.01	Oct.	0.4	113	....	....	....	....
Cornelia	Habersham	1,500	19	60.8	97	July 14	15	Jan. 27†	19	57.37	13.49	July	T.	Oct.	T.	130	208	86	71	w.
Dahlonega	Lumpkin	1,519	47	60.8	96	July 13	13	Jan. 28	48	59.55	10.77	July	0.02	Oct.	0.2	132	133	157	75	sw.
Dalton	Whitfield	1,095	3	61.8	99	Aug. 24†	12	Jan. 27	3	57.68	10.05	July	0.60	Oct.	T.	103	141	78	146	n.
Double Branches	Lincoln	....	13	....	....	....	....	....	13	29.72	7.10	Apr.	0.42	Oct.	T.	....	....	....	....	....
Gainesville	Hall	1,254	59	60.3	98	Aug. 25	9	Jan. 28	61	47.08	12.84	July	0.03	Oct.	T	114	....	....	....	w.
Gillsville	....do	1,052	49	....	....	....	....	....	47	46.25	11.23	July	0.00	Oct.	T.	69	....	....	....	....
Hartwell [near]	Hart	838	38	62.8	101	Aug. 24	15	Jan. 28†	28	33.59	7.41	July	0.20	Oct.	T.	80	115	200	50	w.
La Fayette	Walker	871	4	62.4	100	Aug. 26	12	Jan. 28	8	59.55	10.55	June	0.05	Oct.	T.	90	192	67	106	....
Resaca	Gordon	657	47	....	....	....	....	....	41	50.81	8.69	Apr.	0.02	Oct.	T.	106	....	....	....	s.
Rome	Floyd	617	57	63.5	101	Aug. 25	15	Jan. 28	82	52.29	9.45	Apr.	T.	Oct.	0.1	107	....	....	....	....
Tallapoosa	Haralson	1,150	42	61.1	100	Aug. 27	10	Jan. 28†	39	50.90	12.43	Apr.	0.42	Oct.	T.	70	253	46	66	....
Toccoa	Stephens	1,050	52	62.4	98	Aug. 24	14	Jan. 27†	53	46.93	10.90	July	0.01	Oct.	T.	122	185	90	90	w.
Washington	Wilkes	630	48	65.2	100	Aug. 24†	17	Nov. 28	50	36.47	8.30	July	0.35	Oct.	T.	106	161	134	70	s.
Division means and extremes		....	....	62.0	102	Aug. 25	7	Nov. 28	....	47.85	14.91	July	0.00	Oct.	0.1	101	171	103	91	w.
Middle division																				
Augusta	Richmond	134	73	66.1	101	Aug. 24	21	Jan. 28	71	39.74	7.81	Apr.	0.52	Feb.	T.	107	128	117	120	nw.
Brooklet	Bulloch	150	43	67.5	101	May 23†	20	Jan. 27	38	39.58	8.16	June	0.81	Jan.	0.0	87	177	143	45	....
Columbus	Muscogee	262	50	66.9	104	Aug. 27	21	Jan. 28†	50	37.01	9.34	Apr.	0.18	Oct.	0.0	84	....	....	....	ne.
Concord	Pike	850	26	....	....	....	....	....	26	44.02	14.12	Apr.	0.30	Oct.	0.2	101	208	79	78	....
Covington *	Newton	747	26	63.7	103	Aug. 25†	12	Jan. 28	46	40.20	9.01	Apr.	0.16	Sept.	T.	101	....	....	....	....
Dover	Screven	92	8	....	....	....	....	....	8	34.40	5.85	June	0.95	Feb.	0.0	98	....	....	....	....
Dublin	Laurens	234	30	66.3	101	Aug. 25†	18	Jan. 28	44	41.51	8.11	July	0.84	Oct.	0.0	89	140	139	86	nw.
Experiment	Spalding	946	18	....	98	Aug. 25	14	Jan. 28	17	45.01	10.28	Apr.	0.36	Oct.	T.	98	....	....	....	....
Fair View †	Lamar	....	24	64.0	101	Aug. 27	16	Jan. 28	22	41.90	11.41	Apr.	0.26	Oct.	T.	100	....	....	....	....
Fort Valley	Peach	526	18	65.4	101	Aug. 27	18	Jan. 28	17	39.31	8.35	July	0.63	Oct.	0.0	105	185	109	71	nw.
Goat Rock ‡‡	Muscogee	415	25	....	....	....	....	....	24	36.01	11.18	Apr.	0.03	Oct.	0.0	82	....	....	....	....
Greensboro	Greene	598	37	....	101	Aug. 26	13	Jan. 28	36	42.02	10.58	July	0.31	Oct.	T.	84	191	84	90	w.
Griffin	Spalding	975	48	65.0	101	Aug. 25	16	Jan. 28	48	48.83	10.06	Apr.	0.42	Oct.	T.	94	192	87	86	w.
Lagrange	Troup	740	28	....	103	Aug. 27	12	Jan. 28	28	46.26	11.63	Apr.	0.11	Oct.	0.2	95	....	....	....	s.
Louisville	Jefferson	337	40	65.8	100	Aug. 23†	18	Jan. 28	40	37.68	7.66	July	0.64	Aug.	0.0	87	....	....	....	....
Macon	Bibb	330	57	65.6	102	Aug. 26	21	Jan. 28	60	42.98	10.25	Apr.	0.47	Oct	T.	99	122	124	119	nw.
Midville	Burke	186	58	....	....	....	....	....	8	42.88	9.47	July	0.44	Feb.	0.0	78	....	....	....	....
Milledgeville	Baldwin	276	1	65.5	103	Aug. 25	18	Nov. 28	49	39.92	9.30	Apr.	0.64	Oct.	T.	99	161	107	97	nw.
Millen	Jenkins	158	50	66.5	105	Aug. 24	15	Jan. 28	51	43.84	9.23	June	0.66	Feb.	0.0	81	....	....	....	nw.
Monticello	Jasper	800	45	65.7	104	Aug. 25	15	Jan. 28	42	34.53	9.95	Apr.	0.41	Oct.	T	102	223	49	93	....
Newnan	Coweta	959	49	63.5	100	Aug. 25	13	Jan. 28	49	41.64	10.53	Apr.	0.28	Oct.	T	96	....	....	....	sw.
Sparta	Hancock	557	8	....	....	....	....	....	8	46.37	9.62	‡Apr.	0.45	Oct.	0.0	84	....	....	....	....
Stillmore [near]	Emanuel	257	13	67.0	103	Aug. 27	17	Nov. 28	13	35.61	5.98	June	0.97	Feb.	0.0	80	....	....	....	....
Talbotton	Talbot	750	45	64.4	100	Aug. 25†	14	Jan. 28	43	34.45	7.90	Apr.	0.22	Oct.	T.	69	202	89	74	sw.
Warrenton	Warren	500	38	64.7	99	Aug. 24	18	Jan. 28†	23	36.11	8.97	Apr.	0.47	Oct	T.	91	186	112	67	sw.
West Point	Troup	573	48	64.7	103	Aug. 25	14	Jan. 28	49	51.79	11.99	Apr.	0.22	Oct.	0.0	95	174	40	151	....
Woodbury	Meriwether	611	38	....	....	....	....	....	37	45.87	12.89	Apr.	0.15	Oct.	0.0	82	....	....	....	....
Division means and extremes		....	....	65.2	105	Aug. 24	12	Jan. 28	....	41.14	14.12	Apr.	0.03	Oct.	T.	92	177	96	92	sw.
Southern division																				
Abbeville	Wilcox	180	35	....	....	....	....	....	35	35.14	7.01	July	0.78	Oct.	0.0	80	....	....	....	nw.
Alapaha	Berrien	293	49	69.0	105	Aug. 26	21	Jan. 28	49	35.75	6.50	Aug.	1.08	Nov.	0.0	65	260	14	91	sw.
Albany	Dougherty	230	51	68.3	104	Aug. 25†	23	Jan. 28	52	33.35	6.88	June	0.74	Oct.	0.0	103	201	31	135	ne.
Alma	Bacon	....	....	....	100	Aug. 27	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Americus	Sumter	362	54	66.6	103	Aug. 24†	19	Jan. 28	54	36.94	6.47	July	0.77	Feb.	0.0	96	230	72	63	se.
Bainbridge	Decatur	119	46	67.9	102	Aug. 26	17	Nov. 29	46	40.20	6.11	June	0.53	Oct.	0.0	110	....	....	....	s.
Blakely	Early	300	49	67.8	103	Aug. 26	20	Nov. 28	44	38.75	9.04	July	0.54	Oct.	0.0	111	112	136	87	sw.
Brunswick	Glynn	14	38	69.6	102	Aug. 25†	27	Jan. 28†	36	42.20	8.79	Aug.	0.92	Nov.	0.0	99	193	109	72	....
Cairo	Grady	265	5	67.7	101	Aug. 26	21	Jan. 28	5	34.69	6.89	Aug.	1.00	Oct.	0.0	91	165	124	76	nw.
Camilla	Mitchell	177	2	....	105	Aug. 26	17	Nov. 29	....	....	....	....	....	....	....	....	....	....	....	sw.
Cordele	Crisp	336	9	67.3	102	Aug. 25†	22	Jan. 28†	4	33.75	6.43	Apr.	0.71	Oct.	0.0	74	....	....	....	w.
Douglas	Coffee	275	5	67.5	102	Aug. 26†	22	Nov. 28	3	39.67	10.92	July	1.02	Nov.	0.0	98	182	128	55	s.
Eastman	Dodge	361	46	67.5	105	Aug. 25	20	Jan. 28	46	40.38	9.86	July	0.89	Feb.	0.0	81	225	96	44	nw.
Fargo	Clinch	116	10	....	102	May 21	19	Jan. 28	10	38.50	7.68	June	0.33	Feb.	0.0	80	....	....	....	sw.
Fitzgerald	Ben Hill	515	21	67.7	102	Aug. 26†	22	Jan. 28	22	36.00	7.45	July	0.94	Nov.	0.0	62	....	....	....	....
Fort Gaines	Clay	166	50	....	103	Aug. 26	19	Jan. 28	50	....	13.32	July	0.50	Oct.	....	....	....	....	....	ne.
Glennville	Tattnall	175	34	67.5	104	Aug. 26	21	Jan. 28	33	37.83	9.64	July	0.61	Jan.	0.0	86	112	172	81	se.
Hawkinsville	Pulaski	235	46	67.0	105	Aug. 27	18	Jan. 28	43	33.75	5.50	Apr.	0.70	Oct.	0.0	84	198	46	121	w.
Hazlehurst	Jeff Davis	261	20	....	103	Aug. 27	16	Jan. 28	19	....	11.51	July	0.55	Feb.	....	....	....	....	....	se.
Lumber City	Telfair	150	29	....	....	....	....	....	28	35.86	8.75	July	1.03	Nov.	0.0	82	....	....	....	....
Montezuma	Macon	292	34	....	....	....	....	....	33	38.97	8.87	Apr.	0.59	Oct.	0.0	96	....	....	....	....
Moultrie	Colquitt	397	12	68.8	104	Aug. 26	24	Jan. 28†	11	34.59	7.56	June	1.02	Nov.	0.0	87	....	....	....	....
Quitman	Brooks	173	47	68.7	103	Aug. 26	21	Nov. 29	44	42.55	6.99	July	0.75	Feb.	0.0	82	252	12	100	....
Savannah, No. 1	Chatham	42	89	68.7	102	Aug. 27	24	Jan. 28	88	29.81	6.21	May	0.54	Feb.	0.0	104	140	109	116	sw.
Savannah, No. 2 **	....do	22	11	65.7	102	Aug. 26†	18	Jan. 29	10	44.54	9.21	June	0.55	Feb.	0.0	112	168	106	91	e.
Savannah Airport	....do	50	1	67.5	103	Aug. 27	20	Jan. 28	1	33.24	7.20	June	0.45	Nov.	0.0	100	....	....	....	....
Thomasville	Thomas	276	56	68.2	101	Aug. 25†	24	Jan. 27†	56	36.73	5.37	July	1.10	Nov.	0.0	99	....	....	....	....
Tifton	Tift	370	17	67.9	104	Aug. 26	20	Jan. 28	16	26.50	4.22	June	0.58	Nov.	0.0	79	222	40	103	sw.
Waycross	Ware	131	47	69.3	104	Aug. 25†	22	Jan. 28	47	38.69	8.07	June	0.66	Feb	0.0	88	213	87	65	nw.
Division means and extremes		....	....	67.9	105	Aug. 25†	16	Jan. 28	....	37.21	10.92	July	0.33	Feb.	0.0	88	186	91	88	sw.
State means and extremes		....	....	65.0	105	Aug. 24†	7	Nov. 28	....	42.07	14.91	July	0.00	Oct.	T.	95	177	96	92	sw.

† On other dates also. ‡ Also other months.

Monthly and Annual Precipitation for the Year 1938, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure
Northern division																										
Athens, No. 1	2.20	−2.06	0.92	−4.16	3.99	−1.01	7.13	+3.40	3.57	−0.02	8.62	+4.71	8.51	+3.41	2.55	−2.12	1.77	−1.69	0.21	−3.02	3.67	+1.06	3.33	−1.75	46.50	−3.25
Athens, No. 2	2.49	......	0.89	......	3.88	......	7.39	......	3.79	......	5.54	......	8.60	......	2.88	......	0.77	......	0.23	......	3.74	......	3.18	......	43.38	......
Atlanta Airport	1.86	−3.09	1.15	−3.61	5.98	+0.68	8.27	+4.66	1.88	−1.59	7.39	+3.65	3.88	−0.77	1.83	−2.62	3.47	+0.48	0.20	−2.39	4.76	+1.73	2.94	−1.76	43.64	−4.63
Atlanta, No. 2	2.26	......	1.09	......	4.35	......	8.23	......	1.62	......	6.87	......	2.91	......	2.30	......	1.37	......	0.16	......	4.72	......	2.85	......	38.73	......
Blairsville	3.53	......	0.67	......	7.09	......	7.55	......	3.35	......	3.77	......	14.91	......	3.98	......	1.88	......	0.20	......	4.58	......	2.58	......	54.09	......
anton	2.47	−2.32	1.31	−4.18	7.94	+2.45	8.67	+4.48	3.29	−0.59	5.99	+2.06	8.78	+3.29	3.32	−1.36	0.01	−3.05	0.01	−3.54	4.77	+1.56	2.33	−3.81	48.89	−5.01
arlton Bridge	2.27	−1.66	0.86	−4.21	3.64	−1.13	7.35	+3.98	5.04	+1.56	4.19	+0.09	8.99	+4.22	3.06	−1.42	0.88	−2.74	0.21	−2.77	3.69	+0.95	3.03	−1.78	43.09	−4.91
dartown	2.18	......	1.72	......	9.63	......	9.32	......	3.04	......	5.07	......	6.87	......	2.59	......	1.65	......	T.	......	4.57	......	2.37	......	48.71	......
ayton	3.80	−2.28	2.17	−4.27	6.72	−0.40	6.07	+0.52	5.11	−0.01	4.49	−1.09	11.61	+4.56	5.52	−0.97	4.51	−0.92	0.01	−4.91	7.70	+3.52	2.80	−5.05	60.41	−11.30
ornelia	2.95	−1.95	1.23	−4.42	6.32	+0.51	6.77	+2.21	4.40	+0.04	6.20	+2.22	13.49	+7.59	1.53	−3.19	4.14	−0.38	T.	−3.88	7.66	+4.30	2.68	−3.94	57.37	−0.89
Dahlonega	3.07	−2.44	1.94	−3.92	7.12	+1.11	8.20	+3.66	5.44	+0.55	7.90	+3.18	10.77	+5.14	4.64	−0.41	3.43	−0.94	0.02	−3.87	4.21	+0.62	2.78	−4.41	59.55	−1.73
Dalton	3.92	......	2.18	......	6.76	......	9.58	......	4.47	......	9.62	......	10.05	......	2.18	......	0.73	......	0.60	......	5.51	......	2.05	......	57.68	......
ouble Branches	1.27	−3.27	0.81	−3.18	1.85	−1.99	7.16	+2.87	1.67	−0.67	2.59	−0.78	6.14	+1.66	0.82	−3.02	1.50	−2.36	0.42	−2.50	2.50	+0.27	3.02	−0.57	29.72	−13.54
ainesville	2.42	−2.32	1.35	−4.05	6.23	+0.60	5.85	+1.86	4.26	+0.26	5.55	+1.12	12.84	+7.49	1.45	−3.16	0.86	−2.83	0.03	−3.22	3.71	+0.65	2.55	−2.91	47.08	−6.21
illsville	2.80	−1.77	1.03	−4.46	4.78	−0.57	6.31	+2.38	4.19	+0.28	4.57	+0.75	11.23	+6.49	2.57	−2.11	0.81	−2.96	0.00	−3.42	5.39	+2.41	2.57	−3.08	46.25	−6.06
Hartwell (near)	2.18	−1.79	1.08	−3.96	3.87	−0.81	5.56	+1.98	4.61	+0.96	1.08	−2.93	7.41	+2.95	0.99	−3.83	1.35	−2.06	0.20	−2.97	3.00	+0.30	2.26	−2.79	33.59	−14.95
Lafayette	4.03	......	1.54	......	7.23	......	9.19	......	5.03	......	10.55	......	10.37	......	2.84	......	0.72	......	0.05	......	5.75	......	2.25	......	59.55	......
Resaca	3.70	−1.10	1.50	−4.00	7.33	+1.48	8.69	+4.06	4.63	+0.79	6.46	+2.18	7.79	+2.80	2.80	−1.48	0.55	−2.46	0.02	−3.30	5.09	+1.62	2.25	−3.72	50.81	−3.13
Rome	3.36	−1.46	1.51	−4.04	8.07	+2.24	9.45	+5.02	4.80	+0.66	4.61	+0.16	8.05	+3.02	2.82	−1.75	2.27	−0.76	T.	−3.25	4.82	+1.37	2.50	−3.34	52.29	−2.13
Tallapoosa	1.92	−2.58	1.89	−3.20	7.99	+2.64	12.43	+8.08	3.15	−0.67	4.28	+0.07	6.67	+1.27	2.10	−2.40	2.74	−0.86	0.42	−2.61	4.72	+1.50	2.59	−2.95	50.90	−1.71
Toccoa	2.67	−2.33	1.52	−4.04	5.26	−0.66	4.69	+0.25	3.38	−0.61	3.61	−0.91	10.90	+5.50	3.19	−2.51	4.41	+0.29	0.01	−4.14	4.54	+1.30	2.75	−3.69	46.93	−11.55
Washington	1.61	−2.52	0.61	−4.51	3.05	−1.67	7.85	+4.26	3.04	−0.35	3.05	−1.19	8.30	+2.97	0.56	−4.10	2.24	−1.85	0.35	−2.78	2.89	+0.14	2.92	−1.47	36.47	−13.07
Middle division																										
Augusta	1.30	−2.73	0.52	−3.59	1.96	−2.15	7.81	+4.67	4.15	+1.11	5.87	+1.19	6.31	+0.92	1.86	−3.17	1.36	−2.00	0.86	−1.60	3.85	+1.45	3.99	+0.74	39.74	−5.16
Brooklet	0.81	−2.17	1.69	−1.93	1.17	−2.61	3.16	+0.07	1.82	−1.92	8.16	+1.98	7.60	+1.51	5.18	−0.96	5.62	+0.95	1.13	−1.27	1.27	−1.18	1.97	−1.23	39.58	−8.73
olumbus	2.19	−2.01	1.20	−4.03	4.80	−0.50	9.34	+5.49	2.15	−1.16	3.48	−0.29	8.29	+2.56	1.48	−3.02	1.09	−1.57	0.18	−2.70	0.64	−2.19	2.22	−2.75	37.04	−12.17
oncord	2.69	−1.35	0.81	−4.43	3.92	−2.08	14.12	*10.55	1.69	−1.61	5.75	+0.88	6.46	+0.66	2.59	−1.85	0.35	−2.65	0.30	−2.49	3.13	+0.33	2.21	−2.71	44.02	−6.75
ovington	2.31	−2.02	0.92	−4.45	4.52	−0.65	9.01	+5.22	2.83	−1.00	3.88	−0.28	6.07	+0.83	3.15	−1.32	0.16	−2.98	0.29	−2.87	4.28	+1.46	2.78	−2.32	40.20	−10.38
Dover	1.01	......	0.95	......	1.24	......	5.05	......	2.42	......	5.89	......	5.52	......	1.98	......	5.00	......	1.06	......	2.22	......	2.06	......	34.40	......
Dublin	1.10	−2.98	1.03	−3.37	1.71	−2.92	7.65	+4.41	4.97	+1.41	6.85	+1.97	8.11	+2.41	4.64	−0.39	1.32	−2.66	0.84	−1.67	1.89	−0.83	4.43	+0.50	44.54	−4.19
Experiment	2.19	−1.44	0.77	−4.37	4.24	−0.66	10.28	+6.98	3.16	+0.18	9.21	+5.81	6.44	+2.45	2.09	−1.99	0.98	−1.74	0.86	−2.10	3.05	+0.36	2.21	−2.19	45.01	+1.29
air View	2.03	−2.12	0.77	−4.06	3.85	−1.71	11.41	+7.61	4.25	+1.04	5.69	+2.44	5.81	+0.96	2.17	−1.62	1.84	−1.18	0.26	−2.32	1.91	−0.77	1.91	−2.60	41.90	−4.33
ort Valley	1.75	−2.49	1.63	−3.94	3.71	−1.53	7.66	+3.45	1.92	−1.66	3.66	−0.84	8.35	+2.80	4.68	0.00	1.21	−1.98	0.03	−2.72	2.03	−0.97	2.68	−1.87	39.31	−11.75
oat Rock	1.96	−1.74	1.24	−3.41	3.50	−1.54	11.18	+7.48	2.29	−0.59	2.59	−0.33	5.56	−0.06	3.64	−0.05	0.57	−2.29	0.63	−2.59	1.76	−1.10	1.89	−3.03	36.81	−9.25
reensboro	1.72	−2.33	0.88	−4.19	3.38	−1.26	9.26	+5.73	1.76	−1.69	5.29	+1.07	10.58	+5.38	2.23	−2.89	1.46	−2.10	0.31	−2.79	2.82	+0.09	2.33	−2.10	42.02	−7.08
riffin	2.38	−1.79	0.70	−4.65	4.56	−0.89	10.06	+6.22	3.91	+0.77	8.75	+4.93	7.10	+1.97	3.26	−1.32	2.04	−1.09	0.42	−2.37	3.15	+0.35	2.50	−2.42	48.83	−0.29
agrange	2.45	−2.31	1.27	−3.34	5.96	−0.43	11.63	+8.26	2.72	−0.22	5.40	+0.97	6.97	+1.82	3.62	−1.13	1.11	−1.81	0.11	−2.39	2.38	−0.73	2.64	−1.91	46.26	−3.22
ouisville	0.89	−2.69	0.72	−3.55	1.93	−2.32	7.21	+1.00	6.56	+3.14	4.58	+0.01	7.66	+2.14	0.64	−4.04	1.83	−1.71	0.73	−2.15	2.03	−0.46	2.92	−0.58	37.68	−8.21
Macon	1.08	−2.49	0.86	−3.57	4.02	−0.95	10.25	+7.10	5.03	+2.07	3.17	−0.87	8.48	+3.74	3.26	−1.08	0.82	−2.37	0.47	−1.87	2.58	+0.06	2.36	−1.63	42.38	−1.86
Midville	0.89	......	0.44	......	1.54	......	7.76	......	7.86	......	4.28	......	9.47	......	1.23	......	3.32	......	0.89	......	1.57	......	3.63	......	42.88	......
Milledgeville	1.83	−2.20	0.78	−3.87	2.09	−2.64	9.30	+5.89	3.59	+0.38	3.70	−0.39	7.93	+1.99	3.15	−1.46	1.83	−1.81	0.64	−2.24	2.37	−0.21	2.71	−1.34	39.92	−7.90
Millen	1.21	−2.10	0.69	−3.18	1.53	−2.56	5.56	+3.41	3.90	+0.83	9.23	+4.46	5.39	−1.14	2.00	−2.71	6.64	+2.75	1.11	−1.36	2.02	−0.18	3.59	+0.10	43.84	−1.45
Monticello	2.03	−2.51	0.86	−4.58	3.52	−1.76	9.95	+6.17	2.25	−1.35	3.00	−1.95	4.12	−1.40	1.82	−3.08	0.64	−2.94	0.41	−3.01	3.36	+0.62	2.57	−2.12	34.53	−17.71
Newnan	1.58	−3.08	1.46	−3.91	3.01	−2.88	10.53	+6.76	2.97	−0.75	4.32	+0.17	7.18	+2.27	3.48	−1.30	1.25	−1.65	0.28	−2.69	2.50	−0.57	3.08	−2.27	41.64	−9.90
Sparta	1.79	......	0.66	......	3.42	......	9.62	......	2.98	......	5.69	......	9.62	......	2.59	......	1.30	......	0.45	......	3.63	......	4.62	......	46.37	......
Stillmore	0.99	−2.25	0.97	−2.57	1.68	−2.75	5.26	+1.39	2.93	−0.62	5.98	+1.04	5.03	−3.12	3.96	−1.12	3.59	−1.08	1.18	−1.20	1.73	−0.28	2.31	−0.48	35.61	−13.04
albotton	2.25	−2.07	1.11	−4.24	4.14	−1.43	7.90	+3.85	3.89	+0.28	4.04	−0.03	4.22	−1.13	2.98	−1.51	0.67	−2.55	0.22	−2.78	1.24	−1.85	1.79	−3.15	34.45	−16.61
Warrenton	1.32	−2.68	1.17	−3.63	2.13	−2.41	8.97	+5.76	2.95	−0.15	4.34	+0.24	2.89	−2.22	2.46	−1.88	3.64	−0.36	0.47	−2.51	2.59	−0.11	3.18	−0.76	36.11	−10.71
West Point	2.32	−2.05	1.67	−3.56	3.80	−1.96	11.99	+7.81	6.45	+2.70	6.30	+1.90	9.58	+4.39	2.63	−2.14	1.48	−1.41	0.22	−2.51	2.32	−0.74	3.03	−2.48	51.79	−0.05
Woodbury	2.41	−1.57	1.11	−4.04	4.28	−1.18	12.89	+9.34	4.18	+0.93	3.88	−0.34	7.38	+1.50	2.63	−1.47	0.81	−2.15	0.15	−2.65	1.90	−0.83	2.25	−2.43	43.87	−4.89
Southern division																										
Abbeville	1.33	−2.50	0.94	−3.51	1.99	−2.21	3.64	+0.30	4.14	+0.55	4.40	+0.62	7.01	+0.52	3.55	−1.41	4.15	+0.02	0.78	−1.65	1.19	−1.43	3.02	−0.49	36.14	−11.19
lapaha	1.20	−2.62	1.43	−2.77	2.00	−2.08	2.94	−0.29	1.13	−2.26	5.18	+0.12	5.24	−0.78	6.50	+1.11	4.70	+0.55	1.42	−0.82	1.08	−1.03	2.93	−0.77	35.75	−11.64
lbany	1.62	−2.66	1.17	−3.77	2.16	−2.59	4.26	+0.43	2.36	−1.68	6.88	+2.13	3.14	−3.29	2.27	−3.64	3.99	+0.30	0.74	−1.78	1.12	−1.34	3.64	−0.47	33.35	−18.36
lma	......	......	......	......	......	......	......	......	......	......	5.01	......	7.60	......	5.22	......	6.51	......	1.60	......	0.92	......	2.42	......	......	......
mericus	1.61	−2.82	0.77	−4.34	2.82	−2.20	5.61	+2.03	3.08	−0.62	6.40	+2.50	6.47	+1.24	1.86	−3.29	2.87	−0.66	0.80	−1.86	1.73	−1.11	2.92	−1.13	36.94	−12.26
ainbridge	1.58	−2.37	2.03	−2.37	2.98	−1.20	4.67	+1.14	3.58	−0.03	6.11	+1.15	4.98	−1.29	5.64	−0.24	4.23	−0.13	0.53	−1.85	1.01	−1.40	2.86	−1.43	40.20	−10.02
lakely	2.57	−1.82	1.41	−3.89	2.46	−2.60	5.04	+0.75	2.77	−0.77	2.81	−1.76	9.01	+2.15	3.82	−1.58	4.58	+0.55	0.54	−2.20	0.84	−2.17	2.87	−1.91	38.75	−15.26
runswick	1.20	−1.60	1.25	−2.51	1.32	−2.00	2.13	−0.78	4.88	+1.54	3.93	−1.67	5.01	−2.46	8.79	+2.61	4.86	−1.65	5.61	+2.46	0.92	−1.10	2.30	−0.66	42.20	−7.82
airo	2.50	......	1.85	......	2.97	......	2.02	......	2.41	......	2.92	......	5.06	......	6.89	......	2.90	......	1.00	......	1.71	......	2.46	......	34.69	......
amilla	......	......	1.10	......	3.06	......	2.95	......	2.32	......	7.46	......	5.27	......	4.11	......	2.13	......	0.68	......	0.34	......	2.83	......	......	......
ordele	1.75	−1.68	1.13	−3.71	2.58	−0.95	6.43	+1.99	2.46	−0.37	4.46	+0.12	4.06	−2.16	2.23	−3.11	2.76	−0.05	0.71	−1.04	1.31	−1.09	3.87	+0.35	33.75	−11.70
ouglas	1.31	......	1.20	......	1.63	......	1.89	......	3.48	......	4.86	......	10.92	......	2.58	......	7.85	......	1.34	......	1.02	......	1.59	......	39.67	......
astman	1.91	−2.09	0.89	−3.71	1.95	−2.84	6.27	+3.10	3.73	+0.43	4.09	−0.15	9.86	+3.96	2.14	−2.88	2.23	−1.65	1.00	−1.62	1.66	−1.07	4.65	+1.03	40.38	−7.49
argo	2.32	−0.98	0.33	−3.29	1.87	−2.16	1.14	−2.32	2.87	−0.51	7.68	+1.25	4.54	−2.06	5.57	−0.13	5.16	−1.50	4.03	+2.12	0.93	−1.04	2.06	−0.45	38.50	−11.07
itzgerald	1.24	−2.27	1.01	−2.98	2.11	−2.17	4.17	+0.62	3.16	−0.43	5.52	+1.12	7.45	+1.67	3.86	−1.10	3.12	−1.15	1.03	−1.46	0.94	−1.42	2.39	−1.31	36.00	−10.88
ort Gaines	1.92	−2.63	1.20	−3.91	2.41	−2.34	5.82	+1.99	1.50	−2.25	5.70	+1.33	13.32	+7.33	1.24	−4.27	3.40	−0.11	0.50	−2.20	0.54	−2.45	......	......	......	......
lennville	0.61	−2.13	0.97	−2.58	1.24	−2.24	0.70	−2.02	1.73	−1.56	8.76	+3.75	9.64	+3.70	3.60	−3.40	5.51	+0.56	1.30	−1.12	1.72	−0.61	2.05	−1.25	37.83	−8.90
awkinsville	1.30	−2.91	0.79	−3.53	2.16	−2.51	5.50	+2.38	5.28	+1.96	4.90	+0.60	3.23	−2.13	3.10	−1.76	2.35	−1.18	0.70	−1.88	1.43	−1.16	3.01	−0.54	33.75	−12.66
azlehurst	1.50	−2.16	0.55	−3.39	1.49	−2.73	1.91	−0.89	3.49	+0.43	4.26	−1.48	11.51	+5.03	5.16	−1.50	6.32	+1.36	1.29	−1.05	1.60	−0.42	......	......	......	......
umber City	1.45	−2.23	1.15	−2.94	1.74	−2.57	3.24	+0.32	3.09	+0.29	5.81	+1.19	8.78	+2.88	3.22	−2.45	3.15	−0.54	1.09	−1.03	1.03	−1.43	2.11	−1.18	35.86	−9.69
cRae	1.56	......	1.30	......	1.80	......	7.01	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......	......
ontezuma	1.82	−2.32	1.19	−3.46	2.97	−1.55	8.87	+5.04	2.96	−0.51	5.30	+1.39	6.84	+1.77	2.39	−2.55	1.26	−1.99	0.59	−2.01	1.56	−1.32	3.22	−1.01	38.97	−8.52
oultrie	2.90	−0.36	1.27	−2.36	2.00	−2.46	2.41	−1.23	2.85	+0.56	7.56	+3.06	4.33	−2.12	2.66	−3.89	3.94	−0.59	1.20	−1.05	1.02	−1.15	2.45	−0.51	34.59	−12.10
itman	1.57	−2.23	0.75	−3.50	2.73	−1.35	1.75	−1.67	5.97	+2.16	5.47	−0.43	6.99	−0.08	5.60	−1.11	5.05	−0.28	2.35	0.00	1.34	−0.94	2.98	−1.42	42.55	−10.85
avannah, No. 1	0.68	−2.10	0.54	−2.60	1.25	−1.81	2.30	−0.27	6.21	+3.19	4.57	−0.72	3.84	−2.80	1.81	−5.50	4.25	−1.16	1.67	−1.31	1.09	−1.01	1.60	−1.33	29.81	−17.42
avannah, No. 2	0.79	−2.12	0.55	−2.70	1.92	−1.12	5.06	+1.77	5.25	+2.14	9.21	+3.03	6.08	−1.26	2.32	−2.98	8.46	+0.20	1.85	−0.80	1.11	−0.74	1.94	−0.22	44.54	−4.75
avannah Airport	0.68	......	0.61	......	1.88	......	3.44	......	6.45	......	7.20	......	3.18	......	1.23	......	4.91	......	1.55	......	0.45	......	1.66	......	33.24	......
homasville	2.24	−1.86	1.23	−3.23	2.22	−1.87	3.43	+0.09	3.82	+0.19	4.63	−0.82	5.37	−1.33	3.03	−2.72	5.30	+0.42	1.61	−1.35	1.10	−1.58	2.75	−1.56	36.73	−15.62
ifton	2.52	−1.61	1.21	−3.03	1.95	−2.62	2.43	−1.22	2.39	−1.03	4.22	−0.59	2.92	−3.58	2.27	−3.23	2.46	−1.19	1.01	−1.12	0.58	−1.61	2.51	−1.01	26.50	−21.84
aycross	1.31	[illegible]	0.66	−3.17	1.46	−1.91	1.30	−1.49	1.40	−2.44	8.07	+1.73	6.53	−0.62	4.50	−1.56	7.32	+2.78	2.58	+0.05	1.66	−0.58	1.90	−1.17	38.69	−10.21

*-Plus.

Monthly and Annual Average Temperatures for the Year 1938, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
Northern division																										
Athens, No. 1	45.4	+1.9	52.6	+7.0	59.8	+7.1	62.2	+0.9	71.7	+1.7	74.8	-2.3	78.8	-0.8	81.0	+2.6	74.6	+0.8	61.0	+1.5	55.0	+2.9	44.2	-0.6	63.7	+1.
Athens, No. 2	41.6	.....	53.2	.....	59.9	.....	62.6	.....	72.2	.....	76.9	.....	81.2	.....	82.8	.....	76.0	.....	65.0	.....	56.6	.....	44.5	.....	61.6	.....
Atlanta	43.0	+0.4	51.4	+6.1	58.4	+6.4	61.4	+0.4	71.2	+1.3	75.2	-0.8	79.2	+1.1	81.2	+4.2	73.8	+1.4	64.2	+1.2	54.0	+1.9	43.7	-1.0	63.1	+1.
Blairsville	39.0	.....	46.0	.....	52.2	.....	55.4	.....	63.6	.....	68.2	.....	72.2	.....	74.2	.....	66.6	.....	56.4	.....	49.4	.....	39.4	.....	56.9	.....
Carlton Bridge	44.3	+0.2	51.5	+6.2	58.0	+5.1	60.2	-0.7	70.0	0.0	74.6	-2.4	76.6	-2.6	79.2	+1.0	72.4	-1.1	60.6	-1.8	52.6	+0.5	43.2	-1.9	61.9	-5.
Cedartown	44.2	.....	51.4	.....	58.6	.....	61.2	.....	71.0	.....	75.2	.....	79.2	.....	81.2	.....	73.4	.....	63.2	.....	53.6	.....	44.4	.....	63.0	.....
Clayton	.....	.....	47.6	+6.4	52.8	+4.1	56.4	+0.2	65.5	+1.0	70.5	-0.9	74.0	-0.3	[b]76.2	+2.9	69.0	+0.5	58.2	+0.3	51.6	+3.7	41.6	+6.6	.....	.....
Cornelia	42.2	-0.8	49.8	+4.8	56.9	+6.7	59.9	+0.3	67.4	+0.8	72.2	-2.5	76.1	-1.1	78.2	+2.5	71.0	-1.3	61.4	+0.7	52.2	+1.6	42.0	-1.8	60.8	+0.
Dahlonega	42.2	+0.7	49.8	+7.0	57.2	+6.7	60.0	+1.5	67.8	+1.4	71.8	-1.7	76.0	+0.1	77.4	+2.4	70.3	-0.2	62.0	+2.3	52.6	+3.0	43.0	+0.6	60.8	+1.
Dalton	43.3	.....	51.3	.....	58.9	.....	60.8	.....	69.6	.....	73.2	.....	77.2	.....	79.2	.....	71.6	.....	62.3	.....	50.8	.....	42.9	.....	61.8	.....
Gainesville	41.8	0.0	49.1	+5.8	56.4	+5.2	59.1	-0.2	67.7	-0.1	72.0	-3.0	76.1	-1.6	78.0	+1.7	70.2	-1.4	60.2	-0.5	51.6	+1.4	41.6	-1.2	60.3	+0.5
Hartwell (near)	43.5	-0.6	51.7	+6.3	57.6	+4.8	60.4	-0.4	70.5	+1.0	75.0	-2.0	78.4	-1.1	80.9	+2.5	74.0	-0.1	63.3	+0.7	54.4	+2.5	44.2	-0.4	62.8	+1.1
Lafayette	42.4	.....	51.6	.....	58.7	.....	60.8	.....	70.1	.....	73.8	.....	79.1	.....	80.8	.....	73.1	.....	63.4	.....	51.8	.....	43.0	.....	62.4	.....
Rome	44.8	+2.3	52.5	+7.7	60.0	+7.5	62.4	+1.3	71.4	+1.7	74.1	-2.8	79.4	-0.2	81.2	+2.6	74.4	+0.6	64.6	+2.2	53.7	+2.9	43.7	+0.2	63.5	+2.1
Tallapoosa	43.6	+0.7	51.0	+7.0	58.2	+5.8	60.0	+0.2	68.9	+0.5	72.2	-3.6	76.5	-1.7	77.6	+0.2	71.0	-2.1	60.1	-1.5	51.0	0.0	42.9	-0.7	61.1	+0.4
Toccoa	44.2	+1.5	51.0	+6.8	58.1	+6.3	60.6	+0.5	70.1	+1.6	74.4	-1.2	77.5	-0.7	79.9	+3.0	72.2	+0.1	62.3	+1.2	54.2	+3.2	44.4	+0.8	62.4	+1.9
Washington	45.6	+0.1	54.8	+8.3	61.8	+6.9	62.9	+0.4	72.6	+1.2	76.3	-1.8	79.0	-1.4	82.6	+3.2	76.0	+1.0	66.1	+2.5	57.8	+2.9	46.8	+0.9	65.2	+2.0
Middle division																										
Augusta	47.6	+0.6	55.4	+5.5	62.6	+6.6	64.0	-0.2	74.4	+2.0	78.2	-0.5	79.8	-1.5	83.2	+2.8	76.4	+1.1	65.2	-0.1	58.0	+3.5	48.0	-0.1	66.1	+1.7
Brooklet	50.2	+0.2	58.5	+6.6	65.8	+6.6	66.4	+0.5	76.2	+2.1	78.2	-1.8	79.5	-2.5	82.3	+0.9	76.7	-0.7	65.8	-1.6	60.2	+2.9	49.8	-1.1	67.5	+1.0
Columbus	48.6	+0.4	55.8	+5.7	63.7	+5.8	65.4	0.0	74.3	+1.0	79.1	-1.0	81.6	-0.1	83.6	+2.4	77.0	-0.4	67.6	+0.3	58.5	+2.5	48.2	-1.2	66.9	+1.3
Covington	44.4	-0.1	53.3	+9.1	59.4	+5.1	61.9	+0.9	71.9	+1.4	75.4	-2.1	[a]78.9	-1.1	81.2	+2.4	74.4	0.0	64.0	+1.7	54.9	+2.3	44.4	-0.8	63.7	+1.6
Dublin	49.6	+0.6	57.4	+6.1	64.2	+7.4	64.6	-0.7	73.6	+1.0	77.0	-2.3	78.3	-2.9	81.4	+1.0	76.0	-0.8	65.6	-0.7	59.0	+3.3	48.5	-1.8	66.3	+0.9
Experiment	43.5	-1.5	51.0	+5.9	57.0	+0.6	.....	.....	69.8	-1.1	73.3	-3.4	77.1	-2.3	[b]79.5	+0.6	72.6	-1.8	64.4	+0.4	54.9	+1.3	45.0	+0.6	.....	.....
Fair View	46.0	-1.4	53.6	+4.3	60.9	+5.7	61.8	-1.3	71.4	+0.9	74.6	-3.0	78.2	-1.3	80.4	+1.8	73.8	-1.2	61.1	-0.4	56.1	+1.8	46.8	-0.9	64.0	+0.4
Fort Valley	46.7	-1.8	54.8	+3.4	62.5	+5.9	63.3	-1.8	73.6	+1.4	77.3	-1.8	79.9	-0.9	81.8	+1.6	75.3	-2.0	65.6	-0.4	56.8	+1.0	47.0	-2.8	65.4	+0.2
Greensboro	44.6	-0.5	52.1	+5.5	59.6	+5.3	.....	.....	71.8	+1.4	76.0	-1.6	78.2	-1.6	81.6	+2.8	74.4	-0.4	61.0	+0.7	55.3	+2.3	45.0	-0.9	.....	.....
Griffin	46.8	+0.8	54.5	+6.7	61.2	+5.9	63.4	+0.3	72.2	+1.2	75.0	-2.8	78.1	-1.8	81.2	+2.2	75.0	0.0	67.0	+2.8	57.8	+3.7	48.0	+1.1	65.0	+1.7
Lagrange	45.3	.....	53.0	.....	60.8	.....	62.4	.....	.....	.....	75.6	.....	78.1	.....	80.4	.....	73.6	.....	63.3	.....	55.0	.....	45.0	.....	.....	.....
Louisville	49.0	+1.2	55.5	+6.1	63.0	+6.1	64.6	+0.7	73.7	+1.0	77.1	-2.0	79.0	-1.8	82.4	+2.3	76.2	+0.4	64.7	-0.4	57.4	+2.5	47.6	-0.9	65.8	+1.2
Macon	47.7	+0.9	55.2	+5.9	62.4	+5.7	63.7	-0.2	73.2	+0.9	77.1	-1.8	79.6	-1.6	82.3	+2.4	75.5	+0.7	65.3	+0.8	57.1	+2.9	47.7	+0.2	65.6	+1.4
Milledgeville	46.9	+0.6	54.2	+5.7	62.0	+6.4	63.4	-0.4	73.2	+0.9	77.0	-2.0	80.1	-1.1	83.2	+2.9	76.3	+0.4	65.4	+0.9	57.5	+3.4	46.8	-0.6	65.5	+1.4
Millen	48.7	-0.1	57.0	+6.7	64.2	+6.4	65.0	-0.1	74.5	+1.3	77.3	-2.4	79.5	-2.2	82.8	+1.8	75.9	-0.8	64.7	-1.3	59.6	+3.7	48.8	-0.6	66.5	+1.0
Monticello	47.3	+2.0	54.8	+7.5	61.9	+7.1	63.6	+0.6	72.9	+1.4	76.8	-1.7	79.5	-0.7	82.5	+3.0	76.7	+1.3	66.6	+2.7	58.4	+4.8	47.4	-0.9	65.7	+2.4
Newnan	44.6	-0.3	52.1	+5.9	60.2	+5.8	61.4	-0.4	71.0	+0.4	75.0	-2.8	78.6	-1.2	80.5	+1.6	73.8	-0.8	64.4	+0.7	54.4	+1.1	45.8	+0.1	63.5	+0.9
Stillmore	50.6	-1.3	58.4	+5.2	65.0	+6.5	65.8	+0.6	75.4	+1.8	77.7	-1.2	78.8	-2.4	82.0	+1.5	76.6	-0.3	65.0	-2.1	59.6	+2.1	49.0	-2.5	67.0	+0.7
Talbotton	47.2	-0.2	54.2	+5.3	61.4	+5.0	62.5	-1.0	71.0	-0.9	75.3	-3.4	78.4	-2.0	80.2	+0.5	74.0	-1.7	64.4	-0.8	56.4	+1.6	47.5	-0.6	64.4	+0.2
Warrenton	47.1	+0.4	54.0	+6.2	61.5	+5.9	63.3	+0.3	72.7	+1.1	76.0	-2.3	78.5	-2.0	81.4	+1.8	74.4	-0.8	64.0	0.0	57.0	+2.9	47.0	-0.2	64.7	+1.1
West Point	47.2	+1.7	54.0	+6.7	60.4	+5.2	62.1	-0.9	72.0	+0.6	76.8	-1.8	79.4	-1.2	81.6	+2.0	74.8	-0.5	65.6	+1.5	56.4	+2.9	46.3	-0.1	64.7	+1.6
Southern division																										
Alapaha	53.0	+1.8	59.6	+6.4	67.5	+7.7	68.2	+1.6	77.3	+3.3	79.5	-0.3	80.5	-1.0	83.8	+2.9	77.7	+0.2	67.2	-0.5	62.2	+4.2	51.2	-0.8	69.0	+2.2
Albany	51.2	+0.7	58.0	+5.4	66.5	+6.6	68.0	+1.1	76.4	+1.8	79.4	-1.3	81.3	-0.9	84.2	+2.6	77.4	-0.7	66.6	-1.4	60.6	+2.7	50.5	-1.2	68.3	+1.2
Alma	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	77.8	.....	79.6	.....	82.8	.....	75.8	.....	65.4	.....	60.6	.....	49.2	.....	.....	.....
Americus	49.0	+0.4	56.0	+5.1	64.3	+6.3	65.6	+0.3	73.6	+0.2	77.0	-2.9	79.6	-1.9	83.0	+2.1	76.8	-0.3	66.6	-0.3	58.6	+2.4	49.4	-0.3	66.6	+0.9
Bainbridge	51.9	-0.2	57.2	+3.1	66.2	+5.4	67.0	-0.6	75.2	+0.4	79.1	-1.5	80.6	-1.3	82.7	+1.2	77.2	-1.1	66.4	-1.7	60.6	+2.1	51.0	-1.6	67.9	+0.3
Blakely	52.1	+0.4	58.3	+4.7	65.6	+5.8	66.6	0.0	75.2	+1.5	79.2	-0.6	80.4	-1.0	82.5	+1.5	76.2	-1.7	67.4	-0.5	60.0	+2.0	50.1	-1.8	67.8	+0.1
Brunswick	54.5	+0.5	60.0	+4.4	67.1	+6.3	68.2	+0.5	77.2	+2.8	79.3	-1.4	80.4	-1.4	83.8	+2.1	78.4	-0.1	68.3	-2.1	64.5	+3.8	53.7	-2.0	69.6	+1.1
Cairo	52.2	.....	58.6	.....	65.8	.....	66.9	.....	75.0	.....	78.0	.....	75.8	.....	81.6	.....	76.4	.....	66.5	.....	60.6	.....	51.2	.....	67.7	.....
Camilla	.....	.....	59.1	.....	66.8	.....	68.4	.....	76.4	.....	79.5	.....	81.5	.....	84.0	.....	78.2	.....	67.0	.....	60.8	.....	50.9	.....	.....	.....
Cordele	50.4	.....	57.4	.....	64.7	.....	66.7	.....	75.4	.....	78.7	.....	[b]79.8	.....	82.9	.....	76.1	.....	66.6	.....	59.9	.....	49.6	.....	67.3	.....
Douglas	53.2	.....	59.6	.....	65.2	.....	67.3	.....	76.0	.....	77.2	.....	78.8	.....	81.9	.....	75.2	.....	65.0	.....	60.5	.....	49.8	.....	67.5	.....
Eastman	50.8	+0.5	57.6	+5.9	65.2	+6.1	65.6	-0.6	75.6	+1.6	78.2	-2.1	79.8	-2.1	83.7	+2.6	77.6	+0.3	66.6	-0.4	59.8	+2.7	49.6	-1.1	67.5	+1.1
Fargo	53.0	-2.8	60.1	+4.2	67.8	+6.9	66.1	-0.1	.....	.....	.....	.....	79.5	-2.9	[b]81.8	+0.7	74.8	-3.0	65.0	-3.8	62.2	+3.4	.....	.....	.....	.....
Fitzgerald	52.0	+6.9	58.4	+6.6	65.7	+5.0	67.0	+1.5	75.9	+1.4	77.9	-2.2	79.4	-2.6	[b]82.5	+1.4	76.9	-0.4	66.1	-1.1	60.4	+2.4	50.4	-1.3	67.7	+0.9
Fort Gaines	59.3	+0.6	58.4	+6.8	66.1	+7.3	67.0	+1.2	75.9	+2.3	79.3	-0.5	79.6	-1.7	83.7	+3.1	77.0	-0.1	67.0	+0.1	61.1	+4.1	.....	.....	.....	.....
Glennville	50.4	-1.8	58.4	+5.1	65.0	+5.4	66.8	0.0	76.5	+2.6	77.4	-2.5	78.6	-3.0	82.2	+1.2	76.1	-1.6	66.4	-1.8	61.4	+3.1	50.8	-1.6	67.5	+0.4
Hawkinsville	50.1	+1.4	55.7	+5.2	63.6	+5.5	65.4	+0.2	74.6	+1.3	77.6	-2.1	80.6	-0.8	83.8	+2.8	77.6	+0.2	66.8	+0.1	59.2	+2.8	49.2	-0.6	67.0	+1.3
Hazlehurst	50.8	-1.2	58.7	+3.9	66.0	+6.1	67.0	+0.2	75.5	+1.9	77.0	-3.0	79.2	-2.4	82.0	+1.2	75.0	-3.4	64.8	-4.0	59.9	+1.3	.....	.....	.....	.....
McRae	50.8	.....	57.8	.....	64.6	.....	65.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Moultrie	53.5	-1.6	59.8	+3.4	67.4	+5.7	68.2	+0.4	76.8	+1.6	78.6	-1.5	80.2	-1.9	82.6	+1.0	76.7	-1.7	67.1	-2.5	62.2	+2.7	52.5	-1.5	68.8	+0.3
Quitman	54.0	+1.3	60.0	+4.6	67.6	+6.6	67.6	0.0	77.2	+2.3	78.8	-1.5	80.2	-1.5	82.2	+1.0	77.0	-1.3	66.0	-2.9	62.0	+2.7	52.2	-1.2	68.7	+0.8
Savannah, No. 1	52.2	+0.8	58.2	+4.2	65.7	+6.7	67.8	+1.8	76.8	+3.4	78.8	-0.2	80.4	-1.1	84.4	+3.7	78.1	+1.9	67.4	-0.5	62.3	+3.8	52.5	+0.1	68.7	+2.0
Savannah, No. 2	49.4	-4.3	56.5	+3.3	63.0	+4.5	64.0	-0.6	74.2	+2.0	76.0	-1.9	78.2	-2.4	81.9	+1.7	75.0	-1.6	62.9	-3.9	58.4	+1.4	48.4	-3.2	65.7	-0.4
Savannah Airport	51.1	.....	57.6	.....	64.2	.....	65.8	.....	76.2	.....	78.2	.....	79.8	.....	83.0	.....	76.7	.....	65.1	.....	60.8	.....	51.0	.....	67.5	.....
Thomasville	53.2	+2.2	59.4	+4.4	66.6	+6.4	67.2	+0.5	75.4	+1.4	78.0	-1.5	79.8	-2.0	82.4	+1.4	76.6	-0.2	66.7	-1.5	61.1	+2.6	52.6	+0.1	68.2	+1.1
Tifton	52.0	-0.4	58.4	+5.0	65.5	+7.3	67.1	+0.9	75.6	+2.0	78.0	-1.2	80.3	-0.6	82.6	+2.0	76.9	+0.3	66.6	-1.4	60.7	+2.9	51.1	-1.2	67.9	+1.2
Waycross	54.0	+1.1	61.5	+7.0	66.8	+5.7	68.7	+1.5	77.4	+2.9	79.0	-1.1	80.4	-1.5	83.6	+2.1	77.1	-0.9	67.0	-2.0	63.4	+4.4	53.2	+0.2	69.3	+1.6

Reference letters, [a], [b], [c], appearing in the table indicate number of days missing; for example, [b] represents two days, etc.

KILLING FROSTS

Stations	Last in spring	First in autumn
Northern division		
Athens, No. 1	Apr. 10*	Nov. 9
Athens, No. 2	Apr. 10*	Nov. 9†
Atlanta	Mar. 7	Nov. 9
Blairsville	Apr. 11*	Sept. 22
Carlton Bridge	Apr. 11*	Oct. 22†
Cedartown	Apr. 11*	Oct. 25†
Clayton	Apr. 12*	Nov. 9†
Cornelia	Apr. 11	Nov. 9
Dahlonega	Apr. 11	Nov. 9
Dalton	Apr. 11	Oct. 25†
Gainesville	Apr. 11*	Oct. 25†
Hartwell (near)	Apr. 10*	Nov. 9†
Lafayette	Apr. 3*	Oct. 25
Resaca	Apr. 4	Oct. 25
Rome	Apr. 3	Oct. 26
Tallapoosa	Apr. 11*	Oct. 25
Toccoa	Apr. 1	Nov. 9
Washington	Apr. 10	Nov. 25
Middle division		
Augusta	Mar. 2	Nov. 25
Brooklet	Feb. 26*	Nov. 25
Columbus	Mar. 7	Nov. 25
Covington	Apr. 10*	Oct. 26†
Dublin	Mar. 8	Nov. 25†
Experiment	Apr. 10*	Nov. 24†
Fair View	Mar. 7*	Nov. 9†
Fort Valley	Mar. 7	Nov. 25
Greensboro	Apr. 10	Nov. 25
Griffin	Apr. 10	Nov. 25
Lagrange	Apr. 10*	Nov. 9†
Louisville	Mar. 8*	Nov. 25
Macon	Mar. 8*	Nov. 25
Milledgeville	Mar. 8*	Nov. 25
Middle division—Con.		
Millen	Apr. 4*	Nov. 25†
Monticello	Apr. 10*	Nov. 9†
Newnan	Apr. 10	Nov. 9†
Stillmore	Mar. 8*	Nov. 25†
Talbotton	Apr. 10	Nov. 9†
Warrenton	Mar. 8*	Nov. 25†
West Point	Apr. 10*	Nov. 9†
Southern division		
Alapaha	Feb. 26*	Nov. 25†
Albany	Mar. 1	Nov. 25
Alma	......	Nov. 25†
Americus	Feb. 26*	Nov. 25†
Bainbridge	Mar. 2*	Nov. 25
Blakely	Feb. 26	Nov. 25†
Brunswick	Feb. 26	Nov. 27
Cairo	Feb. 26	Nov. 25
Camilla	Feb. 26	Nov. 25†
Cordele	Feb. 26	Nov. 25†
Douglas	Feb. 26	Nov. 25†
Eastman	Mar. 1*	Nov. 25
Fargo	Feb. 26*	Nov. 25
Fitzgerald	Feb. 26*	Nov. 25
Fort Gaines	Mar. 2*	Nov. 9
Glennville	Feb. 26*	Nov. 25†
Hawkinsville	Mar. 8*	Nov. 25
Hazlehurst	Mar. 8*	Nov. 25†
Moultrie	Feb. 26	Nov. 25
Quitman	Feb. 26†	Nov. 25†
Savannah, No. 1	Feb 26	Nov. 27
Savannah, No. 2	Mar. 8*	Nov. 25
Thomasville	Feb. 26	Nov. 25†
Tifton	Feb. 26	Nov. 25†
Waycross	Feb. 26	Nov. 25†

* Latest date with temperature 32° or below.
† Earliest date with temperature 32° or below.

MONTHLY STATE DATA FOR 1938

Months	Temperature				Precipitation				
	Mean	Departure from normal	Maximum	Minimum	Average	Departure from normal	Greatest	Least	No. days with 0.01 inch or more
January	47.4	+0.3	82	8	2.01	−2.26	4.03	0.61	9
February	54.7	+6.1	84	17	1.12	−3.71	2.18	0.33	5
March	61.9	+5.6	91	18	3.71	−1.11	9.03	1.17	7
April	63.6	+0.3	95	22	6.88	+3.03	14.12	0.70	8
May	72.8	+1.2	102	38	3.47	+0.02	7.86	1.13	10
June	76.1	−2.0	99	48	5.49	+1.07	10.55	1.08	11
July	78.8	−1.3	102	47	7.57	+1.80	14.91	2.89	13
August	81.3	+1.8	105	53	3.02	−2.19	8.79	0.56	8
September	74.8	−0.6	100	32	2.71	−0.97	8.46	0.01	7
October	64.5	−0.4	95	23	0.70	−2.08	5.61	0.00	2
November	57.1	+2.6	88	7	2.71	+0.06	7.70	0.34	7
December	47.1	−0.6	83	8	2.68	−1.56	4.65	0.92	8
Year	65.0	+1.1	105	7	42.07	−7.90	60.41	26.50	95

TENNESSEE VALLEY AUTHORITY–PRECIPITATION TOTALS YEAR 1938

Stations	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	An'l
Brasstown Bald	3.82	1.86	7.41	7.04	5.13	5.61	15.07	5.63	3.95	0.33	6.07	3.29	65.21
Flat Top	5.61	2.63	10.94	11.82	7.42	7.22	20.83	4.95	3.10	0.03	7.02	4.21	85.78
Hemptown Gap	3.38	1.47	5.56	8.71	6.21	4.20	14.59	3.28	1.32	0.20	3.86	2.04	54.82
Hiawassee	3.44	1.93	6.61	6.39	4.63	4.85	13.60	4.70	1.93	0.04	4.03	2.08	54.23
Ivylog	3.08	1.64	6.86	9.00	5.74	6.32	10.78	4.74	2.24	0.07	4.47	2.25	57.19
Little Hightower	3.80	1.52	6.75	8.07	4.38	5.98	13.78	5.22	3.28	0.13	6.47	2.87	62.25
Margret	4.40	1.48	7.16	9.30	4.99	7.14	11.35	5.18	1.40	0.06	4.86	2.65	59.97
Mulky Gap	3.66	2.04	6.74	8.57	5.14	4.62	14.81	4.14	2.72	0.16	5.53	2.71	60.84
Neal Gap	4.10	2.33	7.32	7.47	4.71	5.61	19.81	6.05	1.29	0.02	5.79	2.87	67.37
Nooutootla Creek	5.02	1.67	7.53	10.44	5.99	6.17	13.49	5.54	0.91	0.02	4.41	2.79	63.98
Patterson Gap	5.56	2.47	9.68	8.41	5.38	9.87	16.03	4.42	2.10	0.05	6.09	3.75	73.81
Stanley Gap	4.14	1.81	6.65	11.82	5.28	6.71	15.48	4.24	1.43	0.14	5.33	2.89	65.92
Suches	5.18	2.07	7.53	9.00	7.36	6.51	15.59	7.57	2.26	0.00	6.87	3.25	73.19
Sweet Gum	2.84	2.06	6.34	10.46	5.69	8.39	13.87	3.99	2.16	0.13	4.75	2.58	63.29
Tray Mountain	3.72	1.80	7.02	7.25	6.11	4.42	17.97	6.28	3.77	0.03	6.88	2.73	67.98
Warne	3.25	1.61	7.00	6.76	5.88	5.85	10.88	4.77	1.36	0.00	3.66	2.06	53.08

ANNUAL CLIMATOLOGICAL DATA FOR THE STATE

Year	Temperature			Precipitation					Number of days			
	Mean	Highest	Lowest	Northern division	Middle division	Southern division	Average	Average snowfall	Precip. .01 or more	Clear	Pt. cloudy	Cloudy
1892	62.9	102	9	59.15	47.92	47.18	51.39	.....	95	150	103	113
1893	63.4	103	−1	43.81	46.39	50.25	46.83	.....	85	171	107	87
1894	64.0	104	0	44.92	50.18	53.55	49.55	.....	94	157	123	85
1895	62.0	104	−5	55.04	49.52	50.24	51.60	.....	96	154	117	94
1896	64.4	107	3	42.09	44.33	47.91	44.78	1.4	81	176	113	77
1897	64.2	105	−1	51.00	45.14	51.34	49.15	0.4	84	166	106	93
1898	63.8	104	5	58.62	52.10	52.92	54.54	0.4	96	159	110	96
1899	63.6	105	−12	49.87	42.54	41.87	44.75	6.5	89	167	116	82
1900	63.7	106	0	63.21	55.36	54.09	57.56	0.1	115	141	130	94
1901	61.6	106	3	65.58	53.58	53.49	57.55	4.1	113	152	123	90
1902	63.6	108	10	46.70	48.17	55.48	50.11	1.4	100	136	129	100
1903	62.6	104	9	52.28	51.57	57.51	53.79	0.4	110	140	116	109
1904	62.7	104	4	37.54	33.81	39.19	36.84	1.8	89	158	116	92
1905	63.3	102	−8	52.85	46.04	52.53	50.47	1.6	97	161	99	105
1906	63.6	103	11	63.62	50.61	50.08	54.79	2.2	101	168	104	93
1907	64.2	106	16	47.88	47.94	50.20	48.67	0.3	95	169	111	82
1908	64.4	104	9	54.87	50.14	45.73	50.25	0.7	85	174	110	82
1909	64.0	104	5	58.28	47.94	39.63	48.62	0.3	93	175	113	77
1910	63.0	103	8	45.69	42.29	43.62	43.86	0.7	91	187	79	99
1911	65.6	105	9	48.72	45.69	47.87	47.43	0.1	97	165	83	117
1912	62.9	103	0	62.17	62.39	64.84	63.14	5.1	113	153	83	130
1913	61.1	110	12	49.74	45.50	44.74	46.67	T.	95	184	79	102
1914	63.3	109	5	44.70	42.78	49.61	45.70	5.1	93	179	83	103
1915	63.7	106	17	53.54	48.97	46.23	49.58	0.5	86	196	83	86
1916	64.1	103	10	47.09	41.68	42.23	43.67	0.4	93	180	95	91
1917	62.4	103	0	53.79	45.28	43.55	47.54	1.9	99	181	92	92
1918	64.3	106	−3	55.00	45.07	47.88	49.25	1.6	101	161	88	116
1919	65.0	103	2	57.27	54.59	53.95	55.27	0.4	103	167	87	111
1920	62.9	105	4	67.54	56.63	56.32	60.14	T.	107	166	86	114
1921	66.1	104	20	46.22	38.76	38.23	41.08	1.0	94	173	100	92
1922	65.6	104	12	59.71	54.78	51.27	55.26	0.3	113	158	94	113
1923	64.3	105	0	56.08	54.12	47.90	52.72	T.	108	159	88	118
1924	62.8	107	−9	52.18	52.94	57.37	54.15	1.9	99	187	73	106
1925	65.6	111	0	39.46	38.37	45.14	41.01	T.	89	186	75	104
1926	63.6	110	6	50.72	46.92	53.66	50.43	0.8	104	181	78	106
1927	65.9	108	4	44.89	39.96	37.51	40.79	1.0	92	177	100	88
1928	63.2	105	−5	55.77	57.98	61.95	59.56	0.3	114	167	101	98
1929	64.1	103	7	78.43	71.85	60.83	70.37	1.6	122	156	101	108
1930	63.5	109	8	41.02	47.28	48.75	45.68	3.3	99	175	93	97
1931	64.9	109	11	44.55	33.84	33.79	37.39	0.2	87	194	91	80
1932	65.1	108	10	70.76	49.71	54.50	58.32	0.7	115	162	93	111
1933	65.6	108	0	39.60	40.12	45.43	41.72	T.	94	184	95	86
1934	64.0	105	−10	54.61	46.24	44.24	48.36	0.8	106	179	95	91
1935	64.3	105	0	48.66	38.98	46.29	44.64	1.8	99	170	96	99
1936	64.4	106	−8	66.12	57.14	53.33	58.87	4.7	104	170	98	98
1937	63.9	102	−3	54.60	49.10	53.87	52.53	0.6	114	159	104	102
1938	65.0	105	7	47.85	41.14	37.21	42.07	T.	95	177	96	92
Period	63.9	111	−12	52.84	47.95	49.13	49.97	1.3	99	168	99	98

(WBO, Atlanta, 3-28-39—1075)


GEORGIA
SCALE OF MILES
0 10 20 30 40 50 60
85
84
83
82
81
35
34
33
32
31
DADE
WALKER
CATOOSA
WHITFIELD
MURRAY
FANNIN
Blue Ridge
UNION
TOWNS
RABUN
Clayton
GILMER
LUMPKIN
WHITE
HABERSHAM
Toccoa
STEPHENS
Cornelia
Dahlonega
DAWSON
CHATTOOGA
Resaca
GORDON
PICKENS
FLOYD
Rome
Adairsville
BARTOW
CHEROKEE
Canton
FORSYTH
HALL
Gainesville
BANKS
Gillsville
FRANKLIN
HART
Hartwell
ELBERT
Carlton
JACKSON
MADISON
MILTON
POLK
PAULDING
Marietta
COBB
FULTON
GWINNETT
Norcross
BARROW
CLARKE
Athens
Point Peter
OGLETHORPE
Lisbon
Savannah
LINCOLN
WILKES
Washington
HARALSON
Tallapoosa
DOUGLAS
Atlanta
DEKALB
ROCKDALE
WALTON
OCONEE
CARROLL
CAMPBELL
CLAYTON
Covington
NEWTON
MORGAN
Greensboro
GREENE
TALIAFERRO
McDUFFIE
COLUMBIA
Augusta
RICHMOND
Warrenton
WARREN
HENRY
FAYETTE
Newnan
COWETA
HEARD
Griffin
SPALDING
BUTTS
JASPER
Monticello
PUTNAM
Eatonton
HANCOCK
GLASCOCK
TROUP
MERIWETHER
PIKE
Concord
LAMAR
MONROE
JONES
Milledgeville
BALDWIN
JEFFERSON
Louisville
BURKE
River
West Point
Woodbury
UPSON
Fair View
Macon
BIBB
WASHINGTON
HARRIS
Goat Rock
TALBOT
Talbotton
CRAWFORD
WILKINSON
JOHNSON
JENKINS
Millen
SCREVEN
TAYLOR
Butler
Ft. Valley
TWIGGS
EMANUEL
MUSCOGEE
Columbus
Marshallville
HOUSTON
BLECKLEY
Dublin
LAURENS
TREUTLEN
CANDLER
Statesboro
BULLOCH
EFFINGHAM
CHATTAHOOCHEE
MARION
SCHLEY
MACON
Montezuma
Hawkinsville
PULASKI
DODGE
Eastman
WHEELER
MONTGOMERY
TOOMBS
TATTNALL
EVANS
Savannah
CHATHAM
BRYAN
STEWART
WEBSTER
Americus
SUMTER
DOOLY
WILCOX
Abbeville
CRISP
TELFAIR
Lumber City
Hazlehurst
Glenville
LIBERTY
QUITMAN
RANDOLPH
TERRELL
LEE
TURNER
BEN HILL
JEFF DAVIS
APPLING
LONG
CLAY
Ft. Gaines
CALHOUN
Albany
DOUGHERTY
WORTH
IRWIN
COFFEE
BACON
WAYNE
McINTOSH
Blakely
EARLY
BAKER
TIFT
PIERCE
Chattahoochee
MITCHELL
Alapaha
ATKINSON
GLYNN
Waycross
MILLER
COLQUITT
COOK
BERRIEN
WARE
BRANTLEY
Brunswick
SEMINOLE
DECATUR
Bainbridge
LANIER
CAMDEN
GRADY
THOMAS
Thomasville
BROOKS
Quitman
LOWNDES
Valdosta
CLINCH
ECHOLS
CHARLTON
St. George
L.S.

COPY

U. S. DEPARTMENT OF AGRICULTURE, WEATHER BUREAU

CLIMATOLOGICAL DATA

7

GEORGIA SECTION

G. W. MINDLING

PRICE: 5 CENTS A COPY 25 CENTS A YEAR (NOT STAMPS).
REMITTANCE PAYABLE TO SUPERINTENDENT OF DOCUMENTS, WASHINGTON, D. C.

VOL. XLIII ATLANTA, GA., YEAR 1939 No. 13

GENERAL SUMMARY

Leading features in the year's weather were the mild temperature of January and February, the widespread excessive rain n August, and the exceptional drought of October and November. For October and November together the State average rainfall was only [illegible] inches, which is by far the least for those months in any of the 48 years for which records are now available.

Tornadoes occurred as follows: Jan. 6, near Brunswick; Feb. 6, at Union City; Feb. 25, near Blakely; Feb. 26, in southern Charlton County; Mar. 6, between Acworth and inesville; Apr. 11, in Haralson and Carroll counties; Apr. 2, in extreme northern Fulton County.

Destructive hail occurred as follows: Mar. 29, near Fort Valley; Apr. 11, near Concord; May 14, from Coffee to Brantley County; June 21, near Lumber City; Aug. 5, in Madison and creven counties; Sept. 14, in Calhoun and Gordon counties.

Lightning killed three men near Augusta on July 19 and ne at Molena on July [illegible]

According to a statement of the Georgia Crop Reporting Service the October 1 indicated production of leading crops was bove the 10-year average of 1928–1937 in corn, oats, wheat, ye, hay, tobacco, Irish and sweet potatoes, apples, pears, pecans, and peanuts; only cotton and peaches were shown to be low the 10-year average.

THE WEATHER BY MONTHS

JANUARY.—This was a rather warm January. Mild weather prevailed during the first two weeks without freezing anywhere northward as far as Columbus and Fort Valley. Rainfall was slightly above normal in the northern division, but was below normal elsewhere. It was somewhat too dry for truck and pastures in the southern half of the State. In some places wells and streams became unusually low and soils were not in good condition for plowing.

FEBRUARY.—February was also unusually warm. There was no hard freezing until after the 21st. But following this no station escaped a drop to 29°. Considerable damage was done to tobacco and tender vegetables. Early peaches suffered heavily. All the State except the southeastern section had frequent heavy rains, which kept the ground wet and seriously delayed preparation for spring planting, especially in the clay regions.

MARCH.—A cold period came from the 17th to the 20th, which brought temperatures slightly lower than 20° in the northernmost part of the State. Killing frosts occurred extensively on the 20th. Precipitation was near normal in the northern and central divisions, but was little more than half the normal in the southern division.

APRIL.—The month was slightly below normal in both temperature and rainfall. Rainfall was well distributed through the month, and the weather may be said to have been quite favorable for agriculture. By the end of the month cotton was being chopped in the southern section, and planting was well under way to the northern counties.

MAY.—It was unfavorably cool for most crops during the first 10 days or more, but no reports were received of plants being killed by frost. There was somewhat more than the usual May rainfall over most of the State. But while much of the northern half of the State was having too much rain, it became somewhat too dry for tobacco, sweet potatoes, and truck crops in many southern counties, between the 18th and 27th. However, this deficiency was made up before the end of the month except in small areas.

JUNE.—Conditions were more than ordinarily favorable for crop growth, in spite of some local exceptions where more rain was needed and the occurrence of too much rain in other areas so that crop cultivation was impeded.

JULY.—July was slightly warmer than usual. Rainfall was mostly below normal and varied locally from less than two to more than ten inches. Most stations had no rain between the 11th and 20th, and the need for rain was keenly felt in some places toward the end of this period.

AUGUST.—This month brought an unusual amount of wet weather with temperatures considerably below normal. The State average rainfall was the greatest for any August since 1928. A decidedly wet period prevailed from about the 12th or 13th to the 19th, during which time many stations had more than seven inches in a period of six days.

SEPTEMBER.—This month was above normal in temperature by an excess of 1.4°. Temperatures above 90° were quite frequent during the first half and in the last few days of the month. Rainfall was irregularly distributed and ranged from less than one to more than five inches.

OCTOBER.—October was exceptionally dry and considerably above normal in temperature. It was the driest October since 1904, when the State average was only 0.33 inch, the same as this year. So low an average rainfall has not occurred in any other month of the year since the beginning of the Climatological Service in 1892. The ground was well supplied with moisture by the late September rainfall and did not become excessively dry until about October 10. Nevertheless, by the end of the month many streams and some wells were dried up, conditions had become ruinous to pastures and vegetables throughout the state, and the sowing of wheat and oats was delayed to an alarming extent.

NOVEMBER.—Drought gradually became more serious over the greater part of the State until brief temporary relief resulted from the rains of the 18th to 21st. This prompted extensive sowing of wheat and oats and fall plowing, which had been long delayed on account of the extreme dryness of the soil.

DECEMBER.—Warm, dry weather prevailed the greater part of the month. There were general complaints of severe drought with soil too dry for germination of grains and winter grasses and too dry for plowing until after the rather heavy rain of the 19th and 20th. This put the soil in satisfactory condition for plowing and improved the condition of vegetation very much.

COPY

Climatological Data for the Year 1939

Stations	Counties	Temperature (degrees Fahrenheit)							Precipitation (inches)								Sky			
		Elevation, feet	Length of record, years	Annual mean	Highest	Date	Lowest	Date	Length of record, years	Total for the year	Greatest monthly	Month	Least monthly	Month	Total snowfall	Number rainy days	Number clear days	Number partly cloudy days	Number cloudy days	Prevailing direction of wind
Northern division																				
Athens, No. 1	Clarke	775	58	63.2	103	July 19	18	Feb. 23	65	43.77	8.43	Feb.	0.62	Nov.	0.0	114	197	81	87	w.
Athens, No. 2	do		4	64.2	103	Sept. 10	19	Feb. 23	4	42.82	8.98	Feb.	0.41	Nov.	0.0	119				
Atlanta Airport	Fulton	975	74	62.8	101	July 19	19	Feb. 23	73	47.08	9.31	Feb.	0.12	Oct.	T.	126	126	89	150	nw.
Atlanta, No. 2	De Kalb	998							5	52.44	10.48	Aug.	0.24	Oct.	T.	129				
Blairsville	Union	1,938	8	56.5	96	July 20	8	Feb. 23	8	48.85	11.05	Feb.	0.39	Oct.		111				
Canton	Cherokee	891							50	50.30	9.32	Feb.	0.63	Nov.	T.	125				
Carlton Bridge	Elbert	557	46	62.5	105	July 19†	14	Feb. 23	41	49.16	8.54	Aug.	0.61	Nov.	0.0	123				
Cartersville	Bartow		1		102	July 19			3	38.42	6.82	Feb.	0.23	Nov.		113				
Cedartown	Polk	797	3	[illegible]	103	July 18	16	Feb. 23	6	46.61	7.15	Feb.	0.01	Oct.	T.	118				
Clayton	Rabun	2,000	44	59.0	96	July 19	9	Feb. 23	45	59.16	13.58	Feb.	0.45	Oct.	1.9	131	186	68	111	
Cornelia	Habersham	1,500	26	[illegible]	99	July 19	13	Feb. 23	21	57.93	12.03	Aug.	[illegible]	Nov.	T.	126	182	109	74	w.
Dahlonega	Lumpkin	1,519	48	60.9	98	July 19	14	Feb. 23	49	53.27	10.87	Feb.	0.50	Oct.	T.	138	138	163	64	w.
Dalton	Whitfield	1,095	4	61.1	99	July 19	16	Feb. 23	4	52.81	11.84	Feb.	0.25	Oct.	T.	102	136	67	162	n.
Gainesville	Hall	1,254	60	60.4	100	July 19	14	Feb. 23	62	54.22	10.76	Feb.	0.47	Nov.	0.0	120				w.
Gillsville	do	1,052							50	57.26	12.90	Feb.	0.32	[illegible]	0.0	75				
Hartwell [near]	Hart	750	39	62.8	103	July 14†	17	Feb. 23	39	43.94	7.86	Feb.	0.41	Oct.	0.0	101	109	217	39	w.
La Fayette	Walker	[illegible]	5	62.0	102	June 24†	14	Feb. 23	9	52.15	12.69	Feb.	0.39	Oct.		104	151	93	121	
Norcross	Gwinnett	1,025							25	50.34	9.93	Feb.	0.38	Nov.	T.	127				
Resaca	Gordon	657							48	51.29	10.23	Feb.	0.42	Oct.		125				s.
Rome	Floyd	647	58	62.7	100	July 18†	18	Feb. 23	83	49.44	8.45	Feb.	0.51	Oct.	T.	121				
Tallapoosa	Haralson	1,000	43	60.0	101	July 19	13	Feb. 23	43	54.16	7.99	Aug.	0.10	Oct.	0.0	85	232	76	57	
Toccoa	Stephens	1,050	53	62.1	104	July 19	13	Feb. 22	54	60.41	14.71	Aug.	0.50	Oct.	0.0	123	162	122	81	w.
Washington	Wilkes	630	49	65.4	105	July 19	19	Feb. 23	51	42.67	7.67	Mar.	0.25	Oct.	0.0	110	163	137	65	ne.
Division means and extremes				61.7	105	July 19†	8	Feb. 23		50.55	14.71	Aug.	0.04	Oct.	0.1	115	166	110	89	w.
Middle division																				
Augusta	Richmond	134	83	66.2	102	July 19	24	Feb. 23	74	40.81	9.61	Feb.	0.14	Oct.	0.0	112	141	105	119	nw.
Brooklet	Bulloch	150	48	67.7	102	July 19	23	Feb. 24	45	40.07	9.99	Feb.	0.08	Oct.	0.0	96	150	133	42	
Carrollton	Carroll	1,095	16		100	July 19			13				0.28	Oct.	0.0					
Columbus	Muscogee	262	51	66.7	103	July 19	26	Feb. 23†	51	55.67	10.87	Feb.	0.24	Oct.	0.0	113				ne.
Concord	Pike	850							27	51.90	9.05	Feb.	T.	Oct.	T.	105	194	86	85	
[illegible]on *	Newton	747	27	63.0	102	July 19	17	Feb. 23	54	49.23	8.36	Feb.	0.15	Oct.	0.0	[illegible]				
[illegible]	Screven	92							9	35.41	9.76	Feb.	0.06	Oct.	0.0	101				
[illegible]	Laurens	234	31	66.8	102	July 19	24	Feb. 23†	48	42.47	9.34	Feb.	0.23	Oct.	0.0	106	123	172	70	sw.
Experiment	Spalding	946	19	62.4	100	July 19	19	Feb. 23	18	46.43	8.84	July	0.13	Oct.	T.	124				
Fair View ‡	Lamar		30	61.1	101	July 19	19	Feb. 23	26	47.49	10.87	Feb.	T.	Oct.	T.	108				
Fort Valley ‡	Peach	526	19	65.1	100	July 19	23	Feb. 23	19	54.54	9.77	Feb.	0.02	Oct.	0.0	120	157	130	78	nw.
Goat Rock ‡‡	Muscogee	415							26	43.11	10.28	Feb.	0.09	Oct.	0.0	108				
Greensboro	Greene	598	38	63.9	102	July 19	18	Feb. 23	37	50.11	8.77	Feb.	0.10	Oct.	0.0	96	205	61	99	w.
Griffin	Spalding	975	49	63.8	99	July 18	18	Feb. 23	49	48.24	9.22	July	0.00	Oct.	T.	96	190	85	90	w.
Lagrange	Troup	740	3	63.3	102	July 19	20	Feb. 23†	29	54.01	9.63	Feb.	0.03	Oct.	T.	114	186	79	100	s.
Louisville	Jefferson	337	43	66.2	105	July 19	22	Feb. 23	44	38.70	9.16	Feb.	0.18	Oct.	0.0	93				
Macon	Bibb	330	58	65.3	100	July 19	24	Feb. 23	61	50.21	11.41	Feb.	T.	Oct.	T.	116	92	132	141	nw.
Milledgeville	Baldwin	320	56	65.7	105	July 19	22	Feb. 23	50	46.72	9.87	Feb.	0.02	Oct.	0.0	110	142	122	101	s.
Millen	Jenkins	480	51	67.0	105	July 19	22	Feb. 24†	52	31.04	8.25	Feb.	0.20	Oct.	0.0	107				nw.
Monticello	Jasper	800	50	65.6	104	July 19	18	Feb. 23	47	52.35	8.87	Feb.	0.19	Oct.	T.	117	259	24	82	
Newnan	Coweta	959	50	63.4	100	July 19	19	Feb. 23	50	57.96	10.92	Feb.	0.07	Oct.	0.0	120	208	54	103	se.
Sparta	Hancock	557							9		8.64	Feb.	0.01	Oct.	0.0					
Swainsboro [near]	Emanuel	257	14	66.9	104	Aug. 10	21	Dec. 15	14	39.25	10.91	Feb.	0.10	Oct.	0.0	98				
Talbotton	Talbot	750	46	61.1	100	July 19	19	Feb. 23	46	53.12	10.65	Feb.	0.38	Oct.	0.0	82	203	72	90	sw.
Warrenton	Warren	500	39	64.6	100	June 21†	20	Feb. 23	46	56.49	11.12	July	0.17	Oct.	0.0	105	190	126	49	sw.
West Point	Troup	573	49	64.6	100	July 19	19	Feb. 23	50	55.91	9.70	Feb.	0.01	Oct.	0.0	118	177	49	139	
Woodbury	Meriwether	800							39	47.58	10.33	Feb.	0.05	Oct.	T.	96				
Division means and extremes				65.1	105	July 19	17	Feb. 23		47.44	11.44	Feb.	0.00	Oct.	T.	106	179	95	92	nw.
Southern division																				
Abbeville	Wilcox	180							36	44.18	9.37	Aug.	0.23	Oct.	0.0	105				nw.
Alapaha	Berrien	293	50	68.0	102	Sept. 11	23	Feb. 24	50	52.24	9.50	Feb.	0.50	Oct.	0.0	90	273	80	84	sw.
Albany	Dougherty	230	52	68.3	101	June 20	27	Feb. 23	53	56.71	11.43	Feb.	0.48	Oct.	0.0	114	188	16	161	sw.
Alma	Bacon		1	67.1	98	June 20	22	Dec. 15	1	34.81	7.94	Aug.	0.77	Oct.	0.0	113	89	124	152	
Americus	Sumter	362	55	66.7	97	June 21†	24	Feb. 23	55	56.22	10.61	Feb.	0.15	Oct.	0.0	123	112	110	143	sw.
Bainbridge	Decatur	119	47	68.0	97	June 21†	23	Feb. 24	47	55.25	9.15	Aug.	0.01	Oct.	0.0	130				s.
Blakely	Early	300	61	67.7	100	June 21†	25	Feb. 23	62	65.59	13.37	Aug.	0.08	Oct.	0.0	126	142	136	87	sw.
Brunswick	Glynn	14	39	69.9	99	June 22	29	Feb. [illegible]	41	46.13	7.99	Sept.	0.84	Mar.	0.0	115	188	114	63	sw.
Cairo	Grady	265	8	67.0	97	Sept. 11	23	Feb. [illegible]	43	44.20	8.24	July	0.10	Oct.	0.0	126	154	120	91	s.
Camilla	Mitchell	177	2	68.5	101	June 21	24	Feb. 25	2	49.35	9.73	June	0.16	Oct.	0.0	102				
Cordele	Crisp	350	10	67.2	99	June 21†	26	Feb. 23	12	50.77	10.36	Feb.	0.08	Oct.	0.0	90	185	100	80	w.
Douglas	Coffee	275	6	67.9	98	June 20†	24	Feb. 24	6	46.35	9.12	May	0.01	Oct.	0.0	117				
Eastman	Dodge	361	47	67.6	104	July 19	24	Feb. 23	47	41.43	9.51	Feb.	0.18	Oct.	0.0	100	240	72	53	s.
Fargo	Clinch	116	11	[illegible]	98	June 20†	17	Feb. 24	11	56.50	12.01	Aug.	0.59	Oct.	0.0	99				sw.
Fitzgerald	Ben Hill	515	22	[illegible]	99	July 17	27	Feb. 23†	23	47.61	10.78	Feb.	T.	Oct.	0.0	85				
Fort Gaines	Clay	166	51		99	July 18	25	Dec. 15	51	63.61	15.61	Aug.	0.02	Oct.	0.0	112				s.
Glennville	Tattnall	175	55	[illegible]	101	Sept. 10	25	Feb. 23†	35	42.17	6.35	Feb.	0.47	Oct.	0.0	105	124	173	68	se.
Hawkinsville	Pulaski	235	48	[illegible]	102	July [illegible]	23	Feb. 23†	48	41.56	10.21	Feb.	0.30	Oct.	0.0	81	229	39	97	w.
Hazlehurst	Jeff Davis	261	21		100	Aug. 10			2[illegible]						0.0					
Lumber City	Telfair	150							30	45.21	9.14	Feb.	0.30	Oct.	0.0	118				
Montezuma	Macon	292							35	51.72	8.28	Feb.	0.00	Oct.	0.0	115				
Moultrie	Colquitt	327	13	68.6	98	June 20†	24	Feb. 24	13	48.14	8.40	June	0.15	Oct.	0.0	121				
Quitman	Brooks	173	54	68.6	100	June 22†	21	Feb. 24	48	52.71	9.54	June	0.05	Oct.	0.0	89	225	38	102	
Savannah, No. 1	Chatham	42	90	69.1	100	Sept. 10	29	Feb. 25	90	35.96	6.00	June	0.67	Nov.	0.0	107	138	121	106	sw.
Savannah, No. 2 **	do	22	12	66.0	99	Sept. 10	17	Feb. 24	12	51.81	12.63	June	0.82	Nov.	0.0	119				
Savannah Beach	[illegible]	50	1	68.9	98	June 8†	29	Feb. 23	1	38.41	6.49	Aug.	0.87	Nov.	0.0	73				
Thomasville	[illegible]	276	67	68.4	97	July 16	26	Feb. 23†	62	49.33	8.35	June	0.05	Oct.	0.0	122	130	135	100	sw.
Tifton	[illegible]	370	18	67.6	99	June 21†	25	Feb. 24	19	52.78	10.86	Feb.	T	Oct.	0.0	110	217	47	101	sw.
Waycross	Wa[illegible]	131	48	68.7	98	June 20†	22	Feb. 24	48	45.74	9.72	Aug.	0.17	Oct.	0.0	109	236	69	60	sw.
Division means and extremes				68.0	104	July 19	17	Feb. 24		48.90	15.51	Aug.	0.00	Oct.	0.0	106	178	91	96	sw.
State means and extremes				64.9	105	July 19†	8	Feb. 23		48.96	15.51	Aug.	0.00	Oct.	T.	109	174	97	94	sw.

† On other dates also. ‡ Also other months.

COPY

Monthly and Annual Precipitation for the Year 1939, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure
division																										
s, No.	4.96	+0.68	[illegible]	+3.35	4.41	−0.59	2.30	−1.43	4.25	+0.66	2.01	−1.90	5.00	−0.13	5.22	+0.55	2.43	−1.03	1.08	−2.15	0.62	−1.99	3.08	−2.00	43.77	−5.96
s, No. 2	5.18	......	[illegible]	......	4.12	......	3.08	......	3.65	......	1.45	......	4.78	......	4.94	......	2.40	......	0.63	......	0.41	......	3.17	......	42.82	......
Airport	4.60	−[illegible]	[illegible]	[illegible]	[illegible]	−0.82	2.36	−1.25	3.82	+0.35	7.52	+3.78	3.55	−1.50	5.91	+1.46	2.62	−0.37	0.12	−2.47	0.41	−2.62	3.10	−1.60	47.08	−1.19
n, No. 2	[illegible]	......	[illegible]	......	[illegible]	......	3.06	......	3.45	......	5.42	......	5.47	......	10.48	......	2.38	......	0.24	......	0.37	......	2.87	......	52.41	......
[illegible]	[illegible]	......	11.65	......	[illegible]	......	3.92	......	3.21	......	3.65	......	3.74	......	4.92	......	2.80	......	0.39	......	0.40	......	3.46	......	48.85	......
[illegible]	[illegible]	+1.5[illegible]	[illegible]	+5.83	5.49	0.00	4.18	−0.01	4.44	+0.56	3.46	−0.47	4.36	−1.13	5.15	+0.47	3.50	+0.44	0.77	−2.78	0.63	−2.58	2.82	−3.32	50.30	−3.60
s	[illegible]	+0.65	[illegible]	+5.25	4.74	−0.03	2.25	−1.12	4.24	+0.76	2.25	−1.85	5.54	+0.77	8.51	+4.06	2.85	−0.77	1.92	−1.06	0.64	−2.03	3.33	−1.48	49.16	+1.16
[illegible]	[illegible]	......	6.82	......	4.15	......	2.87	......	4.11	......	2.86	......	3.11	......	4.80	......	1.92	......	0.25	......	0.23	......	2.34	......	38.42	......
wn	5.[illegible]	......	7.[illegible]3	......	5.69	......	3.95	......	4.62	......	3.20	......	5.97	......	4.80	......	3.21	......	0.04	......	0.83	......	2.63	......	40.61	......
on	6.[illegible]		[illegible]	+7.24	5.57	−1.55	5.53	+0.01	4.09	−1.03	3.46	−2.12	2.95	−3.16	10.02	+3.53	0.75	−4.68	0.45	−4.47	1.13	−3.05	4.45	−3.40	59.16	§12.55
a	7.[illegible]		[illegible]7	+6.09	4.97	−0.81	4.55	−0.01	5.25	+0.89	3.72	−0.26	3.62	−2.28	12.03	+7.31	1.02	−3.56	0.97	−2.91	0.48	−2.88	3.80	−2.82	57.94	−0.33
ega	7.[illegible]	[illegible]	[illegible]7	+5.01	5.15	−0.86	4.55	+0.01	3.55	−1.34	3.30	−1.42	3.07	−2.56	6.30	+1.25	3.63	−0.74	0.70	−3.19	0.80	−2.82	3.67	−3.52	53.27	−8.01
a	5.77	......	[illegible]4	......	5.21	......	3.35	......	5.98	......	4.63	......	5.51	......	4.31	......	1.79	......	0.25	......	1.11	......	3.69	......	52.84	......
ville	6.12	+1.38	10.76	+5.38	6.08	+0.45	3.5[illegible]	−0.69	5.31	+1.31	3.61	−0.52	4.80	−0.55	6.03	+1.42	2.69	−1.00	0.73	−2.52	0.47	−2.59	3.29	−2.17	53.22	−0.67
le	7.69	+2.5[illegible]	12.90	+7.41	6.10	+0.75	[illegible]	−1.69	4.63	+0.72	4.26	+0.44	4.09	−0.65	8.86	+4.18	2.10	−1.67	0.32	−3.10	1.28	−1.70	3.39	−2.26	57.26	+4.95
twell (near)	4.58	+0.71	7.86	+2.82	4.62	−0.06	....	−1.28	5.08	+1.43	2.54	−1.17	2.81	−1.65	7.21	+2.39	1.79	−1.62	0.41	−2.76	1.55	−1.15	3.09	−1.96	43.94	−4.60
ette	7.59	......	12.69	......	4.95	......	4.61	......	5.32	......	4.15	......	2.35	......	4.11	....	2.06	......	0.39	......	1.01	......	2.92	......	52.15	......
cross	5.42	+0.78	9.03	+4.70	5.82	+0.69	3.04	−1.01	5.12	+1.39	3.20	−0.81	5.03	−0.85	6.38	+1.97	2.72	−0.10	0.40	−2.60	0.38	−2.62	2.90	−2.72	50.34	−1.18
a	6.58	+1.58	10.2[illegible]	[illegible]1.73	5.28	−0.57	3.92	−0.71	6.75	+2.91	2.68	−1.60	1.66	−3.33	7.18	+2.90	2.60	−0.41	0.42	−2.90	0.94	−2.53	3.25	−2.72	51.29	−2.65
[illegible]	6.03	+1.23	8.[illegible]	+2.87	6.08	+0.25	3.55	−0.88	3.08	−1.06	3.57	−0.88	5.29	+0.26	5.69	+1.12	3.01	−0.02	0.51	−2.74	0.98	−2.47	3.20	−2.64	49.41	−4.98
oosa	5.2[illegible]	+0.70	6.47	+1.38	3.86	−1.45	5.40	+1.05	4.26	+0.44	7.69	+3.48	4.73	−0.67	7.99	+3.49	4.77	+1.17	0.10	−2.93	0.28	−2.94	3.41	−2.13	54.16	+1.55
oa	6.[illegible]	+1.1[illegible]	11.45	+5.88	5.58	−0.34	2.22	−2.22	5.78	+1.79	3.71	−0.81	4.20	−1.20	14.71	+9.01	1.46	−2.66	0.70	−3.45	0.80	−2.44	3.70	−2.74	60.41	−1.93
hington	3.[illegible]	−1.0[illegible]	7.17	+2.05	7.67	+2.95	2.25	−1.34	2.88	−0.51	1.45	−2.81	5.15	−0.18	4.96	+0.30	2.88	−1.21	0.25	−2.88	0.92	−1.83	3.99	−0.40	42.67	−6.87
Middle division																										
usta	1.8[illegible]	−2.[illegible]	9.61	+5.5[illegible]	3.15	−0.96	3.07	−0.07	2.55	−0.49	1.60	−3.08	6.82	+1.43	5.42	+0.39	3.71	+0.35	0.14	−2.32	0.46	−1.94	2.42	−0.83	40.81	−4.09
khet	2.17	−0.8[illegible]	9.99	+6.37	2.07	−1.71	3.46	+0.37	4.49	+0.75	4.31	−1.87	4.91	−1.15	4.92	−1.22	1.46	−3.21	0.08	−2.32	0.34	−2.11	1.87	−1.73	40.07	−8.24
olton	......	......	......	......	......	......	......	......	......	......	8.42	+4.71	4.97	+0.61	9.48	+4.28	2.80	−0.51	0.28	−2.69	0.48	−2.48	2.12	−2.25	......	......
umbus	3.5[illegible]	−0.[illegible]	10.87	+5.64	6.18	+0.88	4.86	+1.01	4.31	+1.00	5.88	+2.13	4.55	−1.18	9.51	+5.04	1.44	−1.22	0.24	−2.64	0.62	−2.21	3.61	−1.33	55.67	+6.46
ford	3.51	+0.50	9.[illegible]5	+5.81	8.70	+2.70	2.36	−1.2[illegible]	4.12	+0.82	5.20	+0.33	6.68	+0.88	4.51	+0.10	2.00	−1.60	T.	−2.79	0.63	−2.17	4.08	−0.84	51.90	+1.13
ington	5.19	+0.85	8.36	+2.99	5.02	−0.15	3.07	−0.72	3.56	−0.27	3.85	−0.28	5.92	+0.65	7.59	+3.12	2.82	−0.32	0.15	−3.01	0.52	−2.30	3.18	−1.92	49.23	−1.35
[illegible]	1.67	......	9.76	......	2.24	......	2.72	......	1.88	......	4.31	......	1.89	......	7.04	......	1.31	......	0.06	......	0.59	......	1.94	......	35.41	......
n	2.10	−1.98	9.34	+4.94	5.83	−0.80	2.00	−1.24	3.89	+0.33	5.41	+0.53	2.45	−3.22	5.75	+0.72	3.61	−0.37	0.23	−2.28	0.72	−2.00	3.14	−0.79	42.47	−6.16
ment	[illegible]	+0.43	7.10	+1.96	5.98	+1.08	1.75	−1.55	4.36	+1.38	3.13	−0.27	8.84	+4.85	5.86	+1.78	1.82	−0.90	0.13	−2.33	0.68	−2.01	2.72	−1.71	46.43	+2.71
View	[illegible]2	−0.73	10.87	+6.04	5.47	−0.09	2.31	−1.49	3.77	+0.56	1.69	−1.56	7.67	+2.82	5.36	+1.57	2.10	−0.92	T.	−2.58	0.50	−2.18	4.23	−0.18	47.49	+1.26
Valley	2.59	−1.65	9.77	+4.80	7.68	+2.44	2.64	−1.57	3.46	−0.12	6.67	+2.17	3.63	−1.92	8.10	+3.42	4.68	+1.49	0.02	−3.33	0.69	−2.31	4.61	+0.06	51.54	+3.48
Rock	2.80	−0.8[illegible]	10.28	+5.63	5.25	+0.21	4.31	+0.31	3.97	+1.09	2.81	−0.11	2.80	−2.82	4.92	+1.23	1.92	−0.74	0.09	−2.53	0.51	−2.35	3.39	−1.53	43.11	−2.45
nsboro	4.05	0.60	8.77	+3.70	8.13	+3.49	2.01	−1.52	4.10	+0.65	3.00	−1.22	7.03	+1.83	5.39	+0.27	2.17	−1.39	0.10	−3.00	0.92	−1.81	4.47	+0.04	50.14	+1.04
in	4.75	+0.56	8.15	+2.80	6.49	+1.04	1.98	−1.86	4.13	+0.99	1.77	−2.05	9.22	+4.09	5.88	+1.30	2.10	−1.03	0.00	−2.79	0.68	−2.12	3.11	−1.81	48.24	−0.88
ange	5.10	+0.34	9.63	+5.02	8.47	+2.08	2.61	−0.76	5.22	+2.28	7.56	+3.13	2.51	−2.64	5.64	+0.89	3.90	+0.98	0.03	−2.47	0.36	−2.75	3.01	−1.54	54.04	+4.56
sville	2.03	−1.25	9.16	+4.89	1.90	−2.35	2.80	−0.41	3.05	−0.39	2.05	−2.52	3.69	−1.83	7.35	+2.67	2.21	−1.33	0.18	−2.70	0.91	−1.58	3.09	−0.41	38.70	−7.19
on	2.98	−1.[illegible]9	11.34	+7.01	5.07	+0.10	1.44	−1.71	3.76	+0.80	2.62	−1.42	6.04	+1.30	9.29	+4.95	1.87	−1.32	T.	−2.34	0.78	−1.71	4.92	+0.93	50.21	+5.37
ille	1.40	......	9.75	......	3.15	......	2.64	......	1.70	......	4.95	......	6.81	......	4.22	......	2.78	......	T.	......	1.10	......	3.13	......	41.63	......
dgeville	2.83	−1.29	9.87	+5.22	5.79	+1.06	2.57	−0.84	2.20	−1.01	3.45	−0.64	5.66	−0.28	4.99	+0.38	2.14	−1.56	0.02	−2.86	0.97	−1.61	6.23	+2.18	46.72	−1.10
n	2.12	−1.19	8.25	+4.41	2.43	−1.46	2.75	−0.37	1.72	−1.35	2.83	−1.94	2.60	−3.93	5.85	+1.14	1.77	−2.12	0.20	−2.27	0.70	−1.50	2.82	−0.67	34.04	§11.25
icello	4.41	+0.07	8.87	+3.43	7.27	+1.99	2.79	−0.99	2.89	−0.71	4.56	−0.39	3.02	−2.50	5.59	+0.69	8.00	+4.42	0.19	−3.23	0.91	−1.83	3.85	−0.84	52.37	+0.11
nan	4.19	−0.47	10.32	+5.55	6.45	+0.56	2.56	−1.21	8.42	+4.70	6.86	+2.71	5.52	+0.61	6.62	+1.84	2.06	−0.84	0.07	−2.90	0.14	−2.93	4.15	−1.20	57.96	+6.42
a	1.90	......	8.61	......	6.49	......	2.61	......	......	......	......	......	4.76	......	5.14	......	3.21	......	0.04	......	1.30	......	4.42	......	......	......
more	2.01	−1.12	10.91	+6.88	1.44	−2.78	2.16	−1.59	4.30	+0.70	4.31	−0.59	3.22	−4.60	6.50	+1.32	1.39	−3.05	0.10	−2.12	0.69	−1.23	2.19	−0.56	39.25	−8.74
dton	3.03	−1.31	10.05	+4.70	6.65	+1.08	3.13	−0.92	3.10	−0.51	4.75	+0.68	7.20	+1.85	6.74	+2.25	2.95	−0.27	0.38	−2.62	0.59	−2.50	4.57	−0.37	53.12	+2.06
renton	2.83	−1.17	10.02	+5.22	6.07	+1.53	2.71	−0.50	2.04	−1.06	3.50	−0.60	11.12	+6.01	6.36	+2.02	6.08	+2.08	0.17	−2.81	1.97	−1.63	4.52	+0.58	56.49	+9.67
Point	5.07	+0.70	9.70	+4.47	8.01	+2.28	2.58	−1.60	5.71	+1.96	5.17	+0.77	4.71	−0.45	8.29	+3.52	2.45	−0.44	0.01	−2.72	0.34	−2.72	3.81	−1.70	55.91	+4.07
lbury	4.29	+0.31	10.33	+5.18	7.25	+1.79	3.00	−0.55	3.67	+0.42	3.51	−0.71	4.06	−1.82	4.62	+0.52	2.55	−0.41	0.05	−2.75	0.56	−2.17	3.69	−0.99	47.58	−1.18
Southern division																										
ville	2.23	−1.60	[illegible]2	+3.87	2.32	−1.88	2.67	−0.67	3.12	−0.47	5.31	+1.53	4.[illegible]	−2.45	9.37	+4.41	2.77	−1.36	0.23	−2.20	0.53	−2.09	3.27	−0.24	44.18	−3.15
aha	2.65	−1.17	9.[illegible]	+5.30	2.50	−1.58	6.98	+3.75	3.96	+0.57	4.69	−0.37	4.[illegible]	−1.03	9.05	+3.66	3.86	−0.29	0.50	−1.74	0.98	−1.13	2.58	−1.12	52.24	+4.85
ny	5.21	−1.07	11.43	+6.49	3.46	−1.29	3.21	−0.59	8.29	+[illegible].25	5.63	+0.89	4.56	−1.87	7.45	+1.54	3.42	−0.27	0.48	−2.04	1.47	−0.99	4.06	−0.05	56.71	+5.00
[illegible]	1.[illegible]	......	5.74	......	[illegible]	......	1.98	......	2.57		[illegible]	......	2.01	......	7.91	......	2.37	......	0.77	......	1.04	......	2.47	......	34.81	......
icas	2.6[illegible]	−1.7[illegible]	10.61	+5.50	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]20	7.63	−2.40	7.99	+2.84	3.16	−0.37	0.15	−2.51	0.87	−1.97	4.10	+0.05	56.22	+7.02
bridge	2.[illegible]2	−[illegible]	[illegible]	+2[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6.47	+0.20	[illegible]	+3.27	1.98	−2.38	0.01	−2.37	0.77	−1.64	3.84	−0.45	55.23	−5.01
y	[illegible]	−0.[illegible]	[illegible]	[illegible]	3.62	−1.41	[illegible]	[illegible]	5.01	+3.47	5.81	−0.76	5.95	−0.96	14.07	+8.97	4.88	+0.85	0.08	−2.66	0.96	−2.05	4.35	−0.43	66.59	*12.58
wick	1.[illegible]	−1.4[illegible]	[illegible]	[illegible]	0.84	−2.45	6.86	+3.05	2.91	−0.40	6.51	+0.91	6.61	−0.83	6.25	+0.07	7.99	+1.48	1.85	−1.30	0.90	−1.12	2.11	−0.85	46.13	−3.89
[illegible]	2.1[illegible]	......	[illegible]	......	0.86	......	5.58	......	3.67	......	5.72	......	8.24	......	5.93	......	2.22	......	0.10	......	0.94	......	3.00	......	44.20	......
a	1.[illegible]	......	7.[illegible]	......	2.58	......	5.10	....	5.56	......	9.75	......	2.71	......	8.37	......	1.39	......	0.06	......	1.19	......	3.85	......	49.35	......
le	3.72	+0.27	10.[illegible]	+5.06	2.66	−0.79	4.31	−0.[illegible]	5.36	+2.37	5.07	+0.67	3.27	−2.77	7.36	+1.88	3.76	+0.89	0.08	−1.56	0.91	−1.38	3.91	+0.36	50.77	+4.88
as	2.25	......	7.[illegible]	......	1.21	......	5.81	....	3.12	......	2.93	......	3.54	......	6.55	......	3.63	......	0.01	......	0.86	......	2.43	......	46.35	......
oan	5.[illegible]	0.[illegible]	[illegible]	[illegible]	4.68	−0.11	[illegible].55	+1.15	[illegible]	−0.25	2.52	−1.72	3.75	−2.15	6.11	+1.09	2.45	−1.73	0.18	−2.44	0.74	−1.99	3.82	+0.20	44.43	−3.44
[illegible]	2.0[illegible]	[illegible]	[illegible]	[illegible]	1.10	−2.68	7.[illegible]	+3.7[illegible]	[illegible]	+0.34	6.66	+0.21	10.21	+3.31	12.01	+5.78	5.06	−1.47	0.59	−1.21	2.76	+0.73	1.65	−0.78	56.50	+6.82
rald	[illegible]67	−0.8[illegible]	[illegible]	[illegible]	2.5[illegible]	−1.78	[illegible]	+0.85	[illegible]	+0.60	5.52	+1.12	1.99	−3.79	8.27	+3.31	3.04	−1.23	T.	−2.49	0.50	−1.86	2.75	−0.95	47.61	+0.73
James	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	+1.44	[illegible].70	+0.95	5.64	+1.27	7.58	+1.59	15.51	*10.00	3.88	+0.37	0.02	−2.68	0.77	−2.22	3.64	−1.25	63.61	*11.68
[illegible]	[illegible]	[illegible]	[illegible]	+2.81	[illegible]	[illegible]	[illegible]	[illegible]	5.09	−1.80	5.21	+0.23	4.89	−1.05	5.91	−1.09	2.24	−2.71	0.47	−1.95	0.92	−1.41	2.05	−1.25	42.17	−4.56
insville	[illegible]	2.[illegible]	[illegible]24	+5.92	4.14	[illegible]	[illegible]	−0.39	4.22	−0.90	3.01	−1.29	3.70	−2.00	4.99	+0.13	3.93	+0.40	0.30	−2.28	1.57	−1.02	3.15	−0.40	44.56	−1.85
[illegible]	2.92	−0.7[illegible]	......	......	......	......	......	......	3.61	+0.56	3.99	−1.75	4.33	−2.18	4.85	−1.81	4.16	−0.72	0.00	−2.34	......	......	......	......	......	......
er Ca	2.[illegible]	−0.8[illegible]	[illegible]	5.[illegible]	1.85	−2.46	3.[illegible]	+0.65	2.12	−0.68	8.37	+3.75	3.97	−1.93	6.[illegible]7	+0.80	3.15	−0.54	0.30	−1.82	1.31	−1.15	2.13	−1.16	45.24	−0.31
zon	[illegible]	[illegible].7[illegible]	[illegible]	[illegible]	[illegible]	+1.91	3.83	0.00	3.77	+0.30	6.04	+2.13	7.40	+2.33	6.[illegible]	+1.22	2.96	−0.29	0.00	−2.60	0.78	−2.10	3.68	−0.55	51.72	+4.23
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	−3.30	4.77	+1.05	4.26	+1.87	5.[illegible]	+3.80	4.43	−1.88	7.3[illegible]	+0.78	3.16	−1.27	0.15	−1.95	1.32	−0.79	2.92	−0.04	48.14	+1.39
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	−2.01	7.28	+3.86	2.69	−1.21	[illegible]	[illegible].64	4.35	−2.7[illegible]	8.20	+1.49	2.07	−3.26	0.05	−2.30	2.20	−0.08	3.60	−1.40	52.71	−0.69
nah, No. 1	[illegible]	[illegible]	[illegible]	[illegible]	1.08	−1.48	1.90	−0.67	2.22	−0.8[illegible]	[illegible]	[illegible].71	6.50	−1.14	5.37	−1.91	2.90	−2.51	1.10	−1.88	0.67	−1.43	1.74	−1.19	35.95	§11.27
nah, No. 2	[illegible]	[illegible]	[illegible]	[illegible].42	2.03	−0.33	3.73	+0.40	[illegible]	[illegible].80	[illegible]	[illegible].92	5.44	−1.74	7.68	+2.23	2.53	−5.25	1.22	−1.31	0.82	−0.94	2.16	0.00	51.81	+2.47
nah Beach	[illegible]27	......	5.79	......	1.46	......	3.13	......	[illegible]	......	3.96	......	2.72	......	6.49	......	4.67	......	1.17	......	0.87	......	2.54	......	38.41	......
sville	2.6[illegible]	−1.42	6.[illegible]2	−2.06	1.60	−2.49	7.1[illegible]	+3.80	[illegible]	−0.49	8.35	+2.90	6.07	−0.63	6.19	+0.44	2.64	−2.24	0.05	−2.91	1.63	−1.65	2.94	−1.37	49.33	−3.02
to	3.[illegible]8	−0.98	10.86	+6.62	1.73	−2.84	7.44	+3.79	2.[illegible]	−0.68	5.94	+1.13	2.87	−3.63	10.0[illegible]	+4.55	4.22	+0.57	T.	−2.13	0.81	−1.38	2.94	−0.58	52.78	+4.44
ycross	[illegible]	−1.07	3.54	−0.29	2.17	−1.25	4.50	+1.71	5.20	+1.36	4.27	−2.07	6.78	−0.37	9.72	+3.66	3.98	−0.56	0.17	−2.36	1.54	−0.70	1.83	−1.24	45.74	−3.16

* Plus. § Minus.

COPY

Monthly and Annual Average Temperatures for the Year 1939, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
Northern division																										
ns, No. 1	46.2	+2.7	51.1	[illegible]	56.2	+3.5	60.9	−0.4	69.2	−0.8	79.8	+2.7	79.8	+6.2	77.4	−1.0	75.8	+2.0	61.8	+2.3	50.6	−1.5	46.2	+1.1	63.2	+1.4
ns, No	7.2	.....	51.6	.....	57.2	.....	61.5	.....	69.0	.....	79.9	.....	80.6	.....	79.0	.....	78.4	.....	67.2	.....	50.8	.....	47.2	.....	61.2	.....
[illegible]	45.2	+2.6	49.7	+4.4	55.8	+3.8	60.1	−0.9	69.3	−0.6	78.8	+2.8	80.2	+2.1	77.8	+0.8	76.2	+3.8	61.7	+1.7	50.2	−1.9	45.6	+0.9	62.8	+1.6
svil	38.7	.....	44.9	.....	49.6	.....	53.8	.....	61.8	.....	71.2	.....	[illegible]	.....	71.2	.....	68.8	.....	58.8	.....	45.9	.....	41.2	.....	56.5	.....
n Bridge	45.6	+1.5	50.8	+5.5	55.1	+2.2	59.4	−1.5	67.8	−2.2	79.7	+2.7		+1.5	77.8	−0.4	75.4	+1.9	64.4	+2.0	48.9	3.2	44.0	−1.1	62.5	+0.8
artersville	.....	.....	.....	.....	.....	.....	60.2	.....	68.9	.....	78.8	.....			77.8	.....	76.4	.....	64.6	.....	49.5	.....	45.0	.....	.....	.....
[illegible]	[illegible]	.....	50.8	.....	56.2	....		.....	68.8	.....	78.6	....	[illegible]	.....	78.2	.....	76.2	.....	61.6	.....	48.5	.....	45.4	.....	62.8	.....
ayton	42.4	[illegible]	47.2	+6.0	52.0	[illegible]	[illegible]	−1.0	64.7	+0.2	74.1	+2.7	75.6	+1.3	73.8	+0.5	70.5	+2.0	61.0	+3.1	48.0	+0.1	43.6	+2.6	59.0	+1.9
rnelia	43.2	[illegible]	[illegible]	+2.4	51.1	+3.9	57.6	−2.0	66.2	−0.4	76.1	+1.4	76.9	−0.3	74.6	−1.1	73.1	+0.8	63.8	+3.1	49.2	−1.4	43.9	+0.1	60.5	+0.5
lonega	[illegible]	+1.5	45.6	+5.8	51.8	+4.3	59.0	+0.5	66.8	+0.4	76.0	+2.5	77.6	+1.7	74.6	−0.4	72.9	+2.4	62.8	+3.1	49.6	0.0	44.8	+2.4	60.9	+2.0
[illegible]	[illegible]	.....	48.3	.....	53.8	.....	58.0	.....	67.0	.....	77.3	.....	78.0	.....	76.3	.....	73.9	.....	63.6	.....	49.0	.....	44.0	.....	61.1	.....
ville	[illegible]	+0.6	47.6	+4.3	53.0	+1.8	57.6	−1.7	66.0	−1.8	76.3	+1.3	77.2	0.5	75.5	[illegible]	73.4	+1.8	63.0	+2.3	49.4	−0.8	44.0	+1.2	60.4	+0.6
(near)	[illegible]	[illegible]	[illegible]	+4.6	55.0	+2.2	60.5	−0.5	68.4	−1.1	79.8	+2.8	80.0	+0.5	77.9	−0.5	75.7	+1.6	66.1	+3.5	50.3	−1.6	45.4	+0.8	62.8	+1.1
[illegible]	[illegible]	.....	47.9	.....	51.0	.....	58.8	.....	68.2	.....	79.0	.....	80.6	.....	77.3	.....	76.0	.....	65.0	.....	49.0	.....	43.9	.....	62.0	.....
ome	45.0	+2.5	49.6	+4.8	55.9	+3.4	60.3	−0.8	69.0	−0.7	79.2	+2.3	80.2	+0.6	78.2	−0.4	76.2	+2.4	64.4	+2.0	49.2	−1.6	45.2	+1.7	62.7	+1.3
a	43.8	[illegible]	48.1	+4.4	53.2	+0.8	57.6	−2.2	66.0	−2.4	75.6	−0.2	76.0	−2.2	74.6	−2.8	72.2	−0.9	61.6	0.0	47.8	−3.2	43.7	+0.1	60.0	−0.7
[illegible]	[illegible]	+2.8	49.4	+5.2	55.6	+3.8	60.3	0.0	67.8	−0.7	79.0	+3.4	79.8	+1.6	76.5	−0.4	74.4	+2.3	63.8	+2.7	50.6	−0.4	46.0	+2.4	62.4	+1.9
ashington	45.5	+1.0	51.4	+7.9	59.1	+4.2	62.5	0.0	70.4	−1.0	81.2	+3.1	81.5	+1.1	79.0	−0.4	77.4	+2.4	68.2	+4.6	53.4	−1.5	48.7	+2.8	65.4	+2.2
Middle division																										
ugusta	[illegible]	[illegible]	55.2	+5.4	60.0	+1.0	64.2	0.0	72.0	−0.4	82.2	+3.5	82.6	+1.3	80.2	0.2	78.8	+3.5	68.3	+3.6	52.4	−2.1	48.5	+0.4	66.2	+1.8
roonet	52.6	+2.6	58.4	+6.5	63.1	+3.9	66.2	+0.3	72.0	−2.1	81.8	+1.8	82.6	+0.6	80.0	−1.4	79.3	+1.9	70.2	+2.8	55.4	−1.9	51.1	+0.2	67.7	+1.2
arrollton	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	77.6	+0.9	78.6	−0.4	.....	.....	73.9	+0.9	63.9	+1.1	49.6	−2.4	ᵇ46.7	+2.5	.....	.....
lumbus	51.4	+3.2	55.6	+5.5	61.7	+3.5	64.8	−0.6	72.8	−0.5	81.6	+1.5	83.8	+2.1	80.0	−1.2	78.6	+1.2	67.8	+1.1	53.8	−2.2	48.9	−0.5	66.7	+1.1
ovington	46.4	+1.9	51.9	+7.7	56.1	+2.1	60.2	−0.8	69.0	−1.5	78.5	+1.0	80.0	0.0	78.2	−0.6	75.3	+0.9	ᶜ64.6	+2.3	49.8	−2.8	46.0	+0.8	63.0	+0.9
ublin	52.2	+3.2	56.7	+5.4	61.1	+4.3	64.8	−0.5	71.5	−0.5	81.0	+1.7	82.6	+1.4	80.4	0.0	79.2	+2.4	68.4	+2.1	53.6	−2.1	50.0	−0.3	66.8	+1.4
xperiment	46.6	+1.6	50.8	+5.7	56.6	+0.2	60.2	−1.6	68.2	−2.7	77.3	+0.6	75.4	−1.0	76.2	−2.7	74.8	+0.4	ᵇ65.3	+1.3	49.8	−3.8	45.1	+0.7	62.4	−0.2
air View	48.8	+1.4	53.0	+3.7	58.2	+3.0	61.4	−1.7	69.6	−0.9	79.4	+1.8	79.8	+0.3	77.3	−1.3	75.5	+0.5	66.4	+1.9	51.8	−2.5	48.2	+0.5	64.1	+0.5
ort Valley	49.6	[illegible]	51.0	+2.6	59.8	+3.2	63.4	−1.7	71.0	−1.2	79.8	+0.7	80.8	0.0	78.1	−2.1	76.6	−0.7	66.4	+0.4	52.7	−3.1	48.6	−1.2	65.1	−0.1
reensboro	46.9	+1.8	52.7	+6.1	56.7	+2.4	61.2	−0.8	69.7	−0.7	80.1	+2.5	81.0	+1.2	78.1	−0.7	77.0	+2.2	66.2	+2.9	50.6	−2.4	46.8	+1.8	63.9	+1.3
riffin	49.6	+3.6	53.5	+5.7	59.0	+3.7	61.9	−1.2	70.1	−0.9	78.2	+0.4	80.0	+0.1	77.2	−1.8	76.9	+1.9	67.8	+3.6	54.2	+0.1	49.7	+2.8	64.8	+1.5
agrange	[illegible]	.....	52.4	....	57.4	.....	60.8	.....	69.2	.....	78.2	.....	80.0	.....	77.4	.....	75.8	.....	65.0	.....	50.2	.....	45.5	.....	63.3	.....
ouisville	50.8	[illegible]	55.9	+6.5	60.0	+3.1	64.0	+0.1	71.6	−1.1	[illegible]	+2.8	81.8	+1.0	79.6	−0.5	77.8	+2.0	ᶜ68.5	+3.1	52.9	−2.0	49.0	+0.5	66.2	+1.6
acon	50.2	+3.4	[illegible]	+4.8	59.6	+2.9	63.2	−0.7	70.8	−1.5	80.6	+1.7	81.4	+0.2	78.8	−1.1	77.5	+2.7	66.4	+1.9	52.5	−1.7	48.8	+1.3	65.3	+1.1
illedgeville	49.2	+2.9	51.4	+5.9	59.2	+3.6	63.2	−0.6	72.2	−0.1	81.9	+2.9	[illegible]	+1.5	79.6	−0.7	78.4	+2.5	67.8	+3.3	52.0	−2.1	48.6	+0.6	65.7	+1.6
illen	51.4	+2.6	56.7	+6.4	61.3	+3.5	65.4	+0.3	72.3	−0.9	82.7	+3.0	83.2	+1.5	80.9	−0.1	79.6	+2.9	68.8	+2.8	52.8	−3.1	49.2	−0.2	67.0	+1.5
onticello	49.8	+4.5	54.2	+6.9	58.8	+4.0	62.4	−0.6	71.2	−0.3	80.6	+2.1	81.6	+1.4	79.1	−0.1	77.8	+2.4	65.4	+4.5	54.0	+0.4	49.6	+3.1	65.6	+2.3
ewnan	46.0	+1.1	50.6	+4.4	57.2	+2.8	60.6	−1.2	69.0	−1.6	78.4	+0.6	80.0	+0.2	77.8	−1.1	75.5	+0.9	65.4	+1.7	51.0	−2.3	49.7	+4.0	63.4	+0.8
illmore	52.7	+0.7	57.5	+4.0	61.3	+2.6	65.8	+0.6	72.5	−1.0	80.8	+1.8	82.1	+0.9	80.0	−0.5	78.0	+1.1	68.4	+1.3	54.2	−3.1	50.0	−1.4	66.9	+0.5
albotton	49.8	+2.4	53.6	+4.7	58.3	+1.9	61.4	−2.1	69.0	−2.9	78.2	−0.6	80.0	−0.4	76.8	−2.9	75.3	−0.4	65.8	+0.6	52.2	−2.6	48.5	+0.4	64.1	−0.1
arrenton	49.4	+2.7	51.0	+6.2	58.7	+3.1	62.8	−0.2	70.5	−1.1	80.4	+2.1	80.4	−0.1	77.9	−1.7	75.8	+0.6	66.1	+2.1	51.0	−3.1	47.6	+0.4	64.6	+1.0
est Point	49.6	+4.1	53.2	+5.9	58.6	+3.4	62.0	−1.0	70.4	−1.0	79.2	+0.6	80.8	+0.2	78.4	[illegible]	76.8	+1.5	66.1	+2.0	51.8	−1.7	47.8	+1.4	64.6	+1.5
Southern division																										
lapaha	[illegible]	+3.3	59.0	+5.8	62.8	+3.0	56.2	−0.4	72.9	−1.1	81.2	+1.1	81.8	+0.3	79.4	−1.5	79.4	+1.9	69.8	+2.1	56.4	−1.6	53.1	+1.1	68.0	+1.2
lbany	[illegible]	+4.1	58.4	+5.8	63.0	+3.1	66.8	−0.1	71.0	−0.6	82.2	+1.5	82.6	+0.4	80.2	−1.4	79.8	+1.7	69.3	+1.3	56.2	−1.7	52.4	+0.7	68.3	+1.2
[illegible]	[illegible]	.....	59.0	.....	[illegible]	.....	65.5	.....	71.5	.....	79.8	.....	80.6	.....	78.6	.....	77.9	.....	68.8	.....	55.3	.....	50.8	.....	67.1	.....
[illegible]	53.3	+4.7	56.9	+6.0	[illegible]	+3.0	64.0	−1.3	71.4	−2.0	80.0	+0.1	81.0	−0.5	79.0	−1.9	78.5	+1.4	68.4	+1.5	55.5	−0.9	51.4	+1.7	66.7	+1.0
[illegible]	55.5	+3.4	60.0	+5.9	[illegible]	+2.5	66.6	−1.0	75.0	−1.5	80.8	+0.2	81.5	−0.4	79.2	−2.3	79.0	+0.7	69.6	+1.5	51.9	−3.6	52.9	+0.3	68.0	+0.4
[illegible]	51.5	+2.8	57.6	+4.0	62.8	[illegible]	65.5	−1.1	73.4	−0.3	80.4	+0.6	81.4	0.0	79.1	[illegible]	79.1	+1.2	69.8	+1.9	56.2	−1.8	52.8	+0.9	67.7	+0.8
unswick	56.9	+2.9	61.8	+6.2	61.8	+4.0	68.3	+0.6	74.0	−0.4	81.6	+0.9	82.4	+0.6	81.1	−0.6	80.7	+2.2	72.4	+2.0	58.9	−1.8	56.3	+0.6	69.9	+1.4
airo	55.3	.....	58.8	.....	62.4	.....	65.2	.....	71.3	.....	78.5	.....	79.0	.....	78.0	.....	78.0	.....	69.1	.....	56.4	.....	52.2	.....	67.0	.....
amilla	[illegible]	.....	59.4	.....	63.5	.....	ᵈ67.0	.....	73.6	.....	81.4	.....	82.1	.....	79.7	.....	79.8	.....	70.0	.....	56.8	.....	53.0	.....	68.5	.....
ordele	[illegible]	.....	57.0	.....	61.6	.....	65.2	.....	72.6	.....	81.0	.....	81.6	.....	79.5	.....	78.7	.....	68.6	....	55.8	.....	52.4	.....	67.2	.....
ouglas	51.9	.....	59.2	.....	62.7	.....	66.5	.....	73.0	.....	81.0	.....	81.4	.....	79.8	.....	78.6	.....	69.4	.....	55.6	.....	53.0	.....	67.9	.....
astman	[illegible]	[illegible]	[illegible]	+5.5	61.6	+2.5	65.4	−0.8	72.3	−1.7	82.0	+1.7	83.6	+1.7	80.0	−1.1	79.1	+1.8	68.7	+1.7	55.6	−1.5	51.7	+1.0	67.6	+1.2
argo	[illegible]	[illegible]	[illegible]	+4.6	59.0	−1.8	65.6	−0.5	75.0	−0.7	83.2	+4.2	81.3	−1.0	80.4	−0.6	.....	.....	69.8	+0.9	54.6	−3.8	53.2	−1.7	.....	.....
itzgerald	[illegible]	[illegible]	[illegible]	+6.8	63.2	+2.5	66.2	+0.7	73.0	−1.5	81.2	+1.1	82.6	+0.6	79.6	−1.5	79.5	+2.2	69.9	+2.7	56.5	−1.5	53.0	+1.3	65.2	+1.4
ort Gaines	55.2	+5.5	59.8	+8.2	.....	.....	65.6	−0.2	72.5	−1.1	80.4	[illegible]	81.8	+0.5	79.1	−1.5	79.0	+1.9	68.6	+1.7	55.0	−2.0	51.2	+0.3	.....	.....
[illegible]	54.5	+2.3	59.7	+6.4	62.9	+3.3	[illegible]	−0.6	72.4	−1.5	80.8	[illegible]	[illegible]	+0.2	79.8	−1.2	79.0	+1.3	69.6	+1.4	55.6	−2.7	51.5	−0.9	67.8	+1.7
awkinsville	[illegible]	+4.0	57.0	+6.5	61.8	+3.7	64.9	−0.3	72.0	[illegible]	81.2	[illegible]	[illegible]	+1.2	80.0	−1.0	79.8	+2.4	69.2	+2.5	55.3	−1.1	51.2	+1.4	67.3	+1.6
azlehurst	[illegible]	[illegible]	.....	.....	.....	.....	66.5	−0.3	ᶜ73.8	+0.2	82.6	+2.6	81.5	−0.1	80.0	−0.8	78.7	+0.3	69.4	+0.6	.....	.....	.....	.....	.....	.....
oultrie	[illegible]	+0.9	60.1	[illegible]	64.0	+2.1	66.9	−0.8	73.7	−1.3	80.8	+0.6	81.0	−1.0	78.8	−2.6	78.4	0.6	71.0	+1.3	58.1	−1.3	54.6	+0.5	68.6	+0.1
uitman	[illegible]	+2.9	61.0	[illegible]	[illegible]	+3.3	[illegible]	−0.6	73.2	−1.7	80.4	[illegible]	80.7	−1.0	79.5	−1.7	79.4	+1.1	70.8	+1.9	57.1	−2.2	54.0	+0.6	68.6	+0.7
avannah, No. 1	55.8	+4.4	[illegible]	[illegible]	63.7	+3.7	[illegible]	+1.4	73.2	−0.2	82.2	+3.2	[illegible]	+1.3	81.2	+0.5	80.4	+4.2	71.0	+3.1	57.3	−1.2	51.1	+1.7	69.1	+2.4
avannah, No. 2	51.6	−1.9	[illegible]	[illegible]	60.6	[illegible]	[illegible]	6.0	69.6	−2.0	80.2	[illegible]	[illegible]	+0.1	79.6	−0.6	78.0	+1.2	67.8	+0.9	52.2	−4.4	48.8	−2.6	66.0	−0.1
avannah Beach	55.4	.....		.....	62.9	.....	[illegible]	.....	[illegible]	.....	77.5	.....	[illegible]	.....	82.4	.....	80.1	.....	71.6	.....	57.6	.....	53.4	.....	68.9	.....
homasville	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	80.1	+0.6	[illegible]	−1.0	79.0	−2.0	78.8	+2.0	70.0	+1.8	57.7	−0.8	[illegible]	+2.5	68.4	+1.3
ifton	51.6			[illegible]	62.2	[illegible]	65.5	−0.7	72.7	−0.9	80.4	+1.2	80.8	−0.1	79.0	−1.5	78.2	+0.3	69.8	+1.8	56.8	−1.0	53.2	+0.9	67.6	+0.9
aycross	56.6	+3.7	61.0	+6.5	65.9	+2.8	67.4	+0.2	73.0	−1.5	81.2	+1.1	81.4	−0.5	80.2	−1.3	79.1	+1.1	70.0	+1.0	56.4	−2.6	53.8	+0.5	68.7	+1.0

Reference letters, ᵃ, ᵇ, ᶜ, appearing in the table indicate number of days missing; for example, ᵇ represents two days, etc.

COPY

KILLING FROSTS

Stations	Last in spring	First in autumn	Stations	Last in spring	First in autumn
Northern division			*Middle division*—Con.		
Athens, No. 1	Mar. [illegible]	Nov. 6†	Midville	Mar. 20	Nov. 6
Athens, No. 2	Mar. 20*	Nov. 5†	Milledgeville	Mar. 20	Nov. 6
Atlanta	Mar. 19	Nov. 1	Millen	[illegible]	Nov. 1†
Adairsville	Apr. 22*	Oct. 15†	Monticello	Mar. 20	Nov. 6
Carlton Bridge	Apr. 5*	Oct. 15†	Newnan	Mar. 15*	Nov. 1
Cartersville	Apr. 8*	Oct. 25	Stillmore	Mar. 20	Nov. 1†
Cedartown	Apr. 8*	Oct. 29	Talbotton	Mar. 20	Nov. 1†
Clayton	Apr. 14*	Oct. 15†	Warrenton	Mar. 20*	Nov. 1†
Cornelia	Apr. 1*	Nov. 1	West Point	Mar. 20*	Nov. 1†
Dahlonega	Apr. 13	Oct. 16	*Southern division*		
Dalton	Apr. 8	Nov. [illegible]†			
Gainesville	Apr. 15*	Oct. 16†	Alapaha	Feb. 24*	Nov. 27†
Hartwell (near)	Mar. 20*	Oct. 16	Albany	Feb. 24	Nov. 1
Lafayette	Apr. 8*	Oct. 16†	Alma	Feb. 24*	Nov. 2†
Resaca	Apr. 8	Oct. 16	Americus	Feb. 24*	Nov. 1†
Rome	Apr. 8*	Oct. 16	Bainbridge	Feb. 24*	Nov. 1†
Tallapoosa	Apr. 8*	Oct. 16†	Blakely	Feb. 24	Nov. 1
Toccoa	Mar. 19*	Nov. 6†	Brunswick	Feb. 24	Nov. 27
Washington	Mar. 20	Nov. 6†	Cairo	Feb. 24	Nov. 1
Middle division			Camilla	Feb. 24*	Nov. 6†
			Cordele	Feb. 24*	Nov. 28†
Augusta	Mar. 5	Nov. 6	Douglas	Feb. 24*	Nov. 27†
Brooklet	Mar. 20	Nov. 7†	Eastman	Feb. 24*	Nov. 1
Carrollton	....	Nov. 1	Fargo	Feb. 25*	Nov. 1†
Columbus	Mar. 7	Nov. 1	Fitzgerald	Feb. 24*	Dec. 15†
Covington	Mar. 20*	Nov. 1†	Fort Gaines	Feb. 24*	Nov. 1†
Dover	Mar. 20	Nov. 1	Glennville	Feb. 24	Nov. 7
Dublin	Mar. 2[illegible]	Nov. 1†	Hawkinsville	Mar. 20	Nov. 1
Experiment	Mar. 2[illegible]*	Nov. [illegible]	Moultrie	Feb. 24	Nov. 1
Fair View	Mar. 2[illegible]*	Nov. [illegible]	Quitman	Feb. 24*	Nov. 25†
Fort Valley	Mar. 20	Nov. 1	Savannah, No. 1	Feb. 24	Dec. 15
Greensboro	Mar. 20	Nov. 1	Savannah, No. 2	Mar. 20	Oct. 17
Griffin	Mar. 19	Nov. 1	Savannah Beach	Feb. 24*	Dec. 30
Lagrange	Mar. 20*	Oct. 17	Thomasville	Feb. 24*	Nov. 27
Louisville	Mar. 25*	Nov. 1	Tifton	Feb. 24*	Nov. 1
Macon	Mar. 20	Nov. 14	Waycross	Feb. 24*	Nov. 2†

* Latest date with temperature 32° or below.
† Earliest date with temperature 32° or below.

MONTHLY STATE DATA FOR 1939

Months	Temperature				Precipitation				
	Mean	Departure from normal	Maximum	Minimum	Average	Departure from normal	Greatest	Least	No. days with 0.01 inch or more
January	49.6	+2.4	85	11	3.77	−0.49	7.65	1.17	9
February	54.2	+5.5	83	8	9.11	+4.19	13.58	1.85	14
March	58.8	+2.4	89	17	4.42	−0.40	8.70	0.84	8
April	62.7	−0.6	89	24	3.65	−0.20	7.53	1.44	9
May	70.4	−1.1	96	27	4.12	+0.66	9.12	1.70	11
June	79.5	+1.4	103	51	4.66	+0.24	13.24	1.43	13
July	80.5	+0.4	105	50	4.83	−0.92	11.12	1.66	11
August	78.3	−1.2	104	48	7.09	+1.84	15.51	3.84	15
September	76.9	+1.4	103	41	2.88	−0.78	8.00	0.75	6
October	66.9	+2.0	95	22	0.33	−2.40	1.92	0.00	2
November	52.6	−1.9	86	15	0.82	−1.79	2.76	0.10	4
December	48.6	+0.9	80	13	3.28	−0.94	6.23	1.50	7
Year	64.9	+0.9	105	8	48.96	−0.99	66.59	34.04	109

TENNESSEE VALLEY AUTHORITY–PRECIPITATION TOTALS YEAR 1939

Stations	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	An'l
Blue Ridge Res.	6.24	11.21	5.53	[illegible]	[illegible]	[illegible]	[illegible]	3.01	2.07	0.42	0.70	3.89	46.88
Brasstown Bald	6.25	11.76	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	7.94	2.67	0.77	1.03	3.21	60.82
Coopers Creek	8.44	12.71	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6.09	2.89	[illegible]	0.75	4.05	60.68
Flat Top	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6.29	4.56	5.58	2.98	[illegible]	1.53	5.57	75.16
Hemptown Gap	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4.12	5.25	[illegible]	[illegible]	[illegible]	0.80	3.35	48.01
Hiawassee	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4.59	[illegible]			[illegible]	0.62	3.42	53.65
Ivylog	5.16	9.75	[illegible]	[illegible]	2.64	4.51	[illegible]			[illegible]	1.05	3.12	44.45
Little Hightower	6.69	12.12	[illegible]	[illegible]	6.16	[illegible]	[illegible]	[illegible]	[illegible]	0.27	0.62	3.53	61.39
Margret	7.77	12.82	5.75	[illegible]	4.00	[illegible]	[illegible]	[illegible]	[illegible]	0.54	1.02	3.50	58.37
Mulky Gap	6.65	12.16	6.75	3.41	5.01	3.77	5.20	6.41	2.78	0.33	0.66	[illegible]	56.59
Neal Gap	7.87	[illegible]	[illegible]	6.63	[illegible]	[illegible]	[illegible]	7.97	1.94	0.47	0.89	3.82	[illegible]
Noontootla Creek	7.40	[illegible]	6.36	4.18	[illegible]	[illegible]	[illegible]	6.99	2.56	0.83	0.59	[illegible]	[illegible]
Patterson Gap	7.01	14.87	7.58	[illegible]	[illegible]	4.67	[illegible]	[illegible]	2.80	[illegible]	0.95	[illegible]	[illegible]
Stanley Gap	7.59	11.85	6.05	[illegible]	[illegible]	4.72	3.79	5.61	1.65	[illegible]	0.74	4.16	[illegible]
Suches	9.65	[illegible]	[illegible]	[illegible]	[illegible]	3.12	4.24	[illegible]	[illegible]	0.57	1.07	4.80	[illegible]
Sweet Gum	5.48	[illegible]	[illegible]	[illegible]	3.18	4.44	3.78	[illegible]	1.90	0.29	1.00	3.76	45.75
Tray Mountain	7.61	[illegible]	[illegible]	[illegible]	4.81	4.65	[illegible]	[illegible]	1.67	0.65	0.79	3.81	70.88
Tunnel Hill	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.03	0.00	1.20	3.31	45.86
Warne	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4.72	2.47	0.20	0.64	3.27	46.59

(WBO, Atlanta, 3-6-40—1075)

ANNUAL CLIMATOLOGICAL DATA FOR THE STATE

Year	Temperature			Precipitation					Number of days			
	Mean	Highest	Lowest	Northern division	Middle division	Southern division	Average	Average snowfall	Precip. .01 or more	Clear	Pt. cloudy	Cloudy
1892	62.9	102	9	59.15	47.92	47.13	51.39	.....	95	150	103	113
1893	63.4	103	−1	43.51	46.39	50.25	46.83	.....	85	171	107	87
1894	64.0	104	0	41.92	50.18	53.58	49.55	.....	94	157	123	85
1895	62.0	104	−5	55.04	49.52	50.24	51.60	.....	96	154	117	94
1896	[illegible]	107	3	42.09	44.33	47.91	44.78	1.4	81	176	113	77
1897	64.2	105	−1	51.00	45.14	51.34	49.15	0.4	84	166	106	93
1898	63.8	104	5	58.62	52.10	52.92	54.54	0.4	96	159	110	96
1899	63.6	105	−12	49.87	42.54	41.87	44.75	6.5	89	167	116	82
1900	63.7	106	0	63.21	55.36	54.09	57.56	0.4	115	141	130	94
1901	61.6	106	3	65.58	53.58	53.49	57.55	4.1	113	152	123	90
1902	63.6	108	10	46.70	48.17	55.48	50.14	1.4	106	136	129	100
1903	62.6	104	9	52.28	51.57	57.51	53.79	0.4	110	140	116	109
1904	62.7	104	4	37.54	33.81	39.19	36.84	1.8	89	158	116	92
1905	63.3	102	−8	52.85	46.04	52.53	50.47	1.6	97	161	99	105
1906	63.6	103	11	63.62	50.61	50.08	54.79	2.2	101	168	104	93
1907	64.2	106	16	47.88	47.91	50.20	48.67	0.3	95	169	114	82
1908	64.4	104	9	54.87	50.14	45.73	50.25	0.7	85	174	110	82
1909	64.0	104	5	58.28	47.91	39.63	48.62	0.3	93	175	113	77
1910	63.0	103	8	45.69	42.29	43.62	43.86	0.7	91	187	79	99
1911	65.6	105	9	48.72	45.69	47.87	47.43	0.1	97	165	83	117
1912	62.9	103	0	62.17	62.39	64.84	63.14	5.1	113	153	83	130
1913	64.1	110	12	49.74	45.50	44.74	46.67	T.	95	184	79	102
1914	63.3	109	5	41.70	42.78	49.61	45.70	5.1	93	179	83	103
1915	63.7	106	17	53.54	48.97	46.23	49.58	0.5	86	196	83	86
1916	64.1	103	10	47.09	41.68	42.23	43.67	0.4	93	180	95	91
1917	62.4	103	0	53.79	45.28	43.55	47.54	1.9	99	181	92	92
1918	64.3	106	−3	55.00	45.07	47.88	49.25	1.6	101	161	88	116
1919	65.0	103	2	57.27	54.59	[illegible]	55.27	0.4	103	167	87	111
1920	62.9		4	67.54	56.63	56.32	60.14	T.	107	166	86	114
1921	[illegible]		20	46.22	38.76	38.23	41.08	1.0	94	173	100	92
1922	65.6	[illegible]	12	59.71	51.78	51.27	55.26	0.3	113	158	94	113
1923	64.3	105	0	56.08	51.12	47.90	52.72	T.	108	159	88	118
1924	62.8	107	−9	52.18	52.94	57.37	51.15	1.9	99	187	73	106
1925	65.6	111	0	39.46	38.37	45.14	41.01	T.	89	186	75	104
1926	63.6	110	6	50.72	46.92	[illegible]	50.43	0.8	104	181	78	106
1927	65.9	108	4	44.89	39.96	37.51	40.79	1.0	92	177	100	88
1928	68.2	105	−5	55.77	57.98	64.95	59.56	0.3	114	167	101	98
1929	64.1	103	7	78.43	71.85	60.83	70.37	1.6	122	156	101	108
1930	63.5	109	8	41.02	47.28	48.75	45.68	3.3	99	175	93	97
1931	64.9	109	11	[illegible]	33.84	33.79	37.39	0.2	87	194	91	80
1932	65.1	108	10	70.76	49.71	54.50	58.32	0.7	115	162	93	111
1933	65.6	108	0	39.60	40.12	45.43	41.72	T.	94	184	95	86
1934	64.0	105	−10	54.61	46.24	44.24	48.36	0.8	106	179	95	91
1935	64.3	105	0	48.66	38.98	46.29	44.64	1.8	99	170	96	99
1936	64.4	106	−8	66.12	57.14	53.33	58.87	4.7	104	170	98	98
1937	63.9	102	−3	54.60	49.10	53.87	52.53	0.6	114	159	104	102
1938	65.0	105	7	47.85	41.14	37.21	42.07	T.	95	177	96	92
1939	64.9	105	8	50.55	47.44	[illegible]	48.96	T.	109	174	97	94
Period	64.0	111	−12	52.80	47.93	49.11	49.95	1.2	98	168	99	98

COPY


GEORGIA
SCALE OF MILES
10 5 0 10 20 30 40
35
34
33
32
31
85
84
83
82
81
Northern Division
Middle Division
Southern Division
DADE
WALKER
La Fayette
CATOOSA
WHITFIELD
Dalton
MURRAY
Chatsworth
FANNIN
Blue Ridge
UNION
Blairsville
TOWNS
RABUN
Clayton
GILMER
Ellijay
CHATTOOGA
Summerville
GORDON
Calhoun
PICKENS
Jasper
LUMPKIN
Dahlonega
WHITE
Cleveland
HABERSHAM
Clarkesville
STEPHENS
Toccoa
DAWSON
HALL
Gainesville
BANKS
Homer
FRANKLIN
Carnesville
HART
Hartwell
FLOYD
Rome
BARTOW
Cartersville
Adairsville
Taylorsville
CHEROKEE
Canton
Woodstock
FORSYTH
Cumming
JACKSON
Jefferson
MADISON
Danielsville
Carlton Bridge
ELBERT
Elberton
POLK
Cedartown
PAULDING
COBB
Marietta
GWINNETT
Lawrenceville
Norcross
BARROW
Winder
CLARKE
Athens
OCONEE
OGLETHORPE
Lexington
Point Peter
WILKES
Washington
LINCOLN
Lincolnton
Lisbon
Double Branches
Savannah River
HARALSON
Tallapoosa
DOUGLAS
FULTON
Atlanta
DE KALB
ROCKDALE
WALTON
Monroe
CARROLL
Carrollton
CLAYTON
Jonesboro
HENRY
NEWTON
Covington
MORGAN
Madison
GREENE
Greensboro
TALIAFERRO
Crawfordville
McDUFFIE
Thomson
WARREN
Warrenton
COLUMBIA
Appling
Augusta
RICHMOND
HEARD
Franklin
COWETA
Newnan
FAYETTE
Fayetteville
SPALDING
Griffin
BUTTS
Jackson
JASPER
Monticello
PUTNAM
Eatonton
HANCOCK
Sparta
GLASCOCK
Gibson
JEFFERSON
Louisville
BURKE
Waynesboro
TROUP
Lagrange
West Point
MERIWETHER
Woodbury
PIKE
Concord
LAMAR
MONROE
Fair View
JONES
Round Oak
BALDWIN
Milledgeville
WASHINGTON
Sandersville
UPSON
BIBB
Macon
TWIGGS
WILKINSON
Irwinton
JOHNSON
Wrightsville
JENKINS
Millen
SCREVEN
Sylvania
HARRIS
Goat Rock
TALBOT
Talbotton
CRAWFORD
TAYLOR
Butler
PEACH
Ft. Valley
HOUSTON
Marshallville
Danville
Dublin
LAURENS
EMANUEL
Swainsboro
Meeks
Midville
Dover
Clyo
EFFINGHAM
MUSCOGEE
Columbus
Chattahoochee River
CHATTAHOOCHEE
MARION
MACON
Montezuma
BLECKLEY
Hawkinsville
PULASKI
TREUTLEN
Stillmore
CANDLER
Statesboro
Brooklet
BULLOCH
STEWART
WEBSTER
SCHLEY
Americus
SUMTER
DOOLY
DODGE
Eastman
WHEELER
Mt. Vernon
MONTGOMERY
TOOMBS
Lyons
EVANS
Claxton
Meldrim
Savannah No 1
Savannah No 2
CHATHAM
Savannah Beach
QUITMAN
Georgetown
RANDOLPH
TERRELL
LEE
CRISP
Cordele
WILCOX
Abbeville
TELFAIR
McRae
Lumber City
Hazelhurst
TATTNALL
Glennville
LIBERTY
Hinesville
CLAY
Ft. Gaines
CALHOUN
DOUGHERTY
Albany
TURNER
BEN HILL
Fitzgerald
IRWIN
JEFF DAVIS
APPLING
Surrency
LONG
OCEAN
EARLY
Blakely
BAKER
WORTH
TIFT
Tifton
COFFEE
Douglas
BACON
Alma
WAYNE
Doctortown
Screven
Everett City
McINTOSH
Valona
MILLER
MITCHELL
Camilla
COLQUITT
Moultrie
COOK
BERRIEN
Alapaha
ATKINSON
Pearson
PIERCE
Waycross
BRANTLEY
Nahunta
GLYNN
Brunswick
ATLANTIC
SEMINOLE
DECATUR
Bainbridge
GRADY
Cairo
THOMAS
Thomasville
BROOKS
Quitman
LOWNDES
Valdosta
LANIER
CLINCH
WARE
ECHOLS
Fargo
CHARLTON
Folkston
CAMDEN
Woodbine
St. George

U. S. DEPARTMENT OF COMMERCE, WEATHER BUREAU

CLIMATOLOGICAL DATA

7

GEORGIA SECTION

G. W. MINDLING

PRICE: 5 CENTS A COPY: 25 CENTS A YEAR (NOT STAMPS).
REMITTANCE PAYABLE TO SUPERINTENDENT OF DOCUMENTS, WASHINGTON, D. C.

VOL. XLIV   ATLANTA, GA., YEAR 1940   NO. 13

GENERAL SUMMARY

From an agricultural standpoint this was an unusually favorable year. In a statement dated Dec. 26, the Georgia Crop Reporting Service indicated that in spite of a backward spring, record tobacco and peanut yields per acre were produced, the cotton yield appeared to be the highest in the State's history with only three exceptions, while the only crops making abnormally low yields were sugar cane and sweet potatoes.

Temperatures averaged well below normal in every month from January through May. The spring season was moderately dry, and the fall season (September and October) was exceptionally so.

An exceptionally severe tornado cut across the city of Albany on the morning of February 10. Property losses amounted to about $4,000,000. The number of lives lost was 18. Hundreds of persons were treated for injuries. About 450 dwellings were more or less completely destroyed.

There was a destructive hurricane affecting the State from Savannah to Millen and Dublin on Aug. 11. Two lives were lost and property damage in Savannah and its vicinity amounted to about $850,000. Houses and other buildings were partially wrecked in numerous places as far from the coast as Dublin and Millen.

THE WEATHER BY MONTHS

JANUARY.—This was the coldest month on record in Georgia with a State average temperature over 3° lower than in February 1895, which was the next coldest month. New low record minimum temperatures occurred in a few northwestern counties, including a new low record for the State, −17° at the cooperative fire-weather station near Lafayette. The cold weather caused heavy losses of vegetables in southern counties, but much satisfaction was felt in the unusual destruction of insect pests. There was a rather spectacular ice storm on the 7th, but it was far from being so destructive as the one of December 1935. One of the greatest snowstorms ever known in Georgia occurred chiefly on the 23d. This left a cover of 4 inches or more southward to LaGrange and beyond Griffin. Southward to Atlanta and Tallapoosa most stations had 10 inches or more.

FEBRUARY.—There were no unusual extremes of temperature, and no very hard freezing occurred after the 4th. But light freezing occurred frequently from about the 14th to the 26th. At the end of the month vegetation was considerably behind its usual stage of development. Rainfall was fairly close to the normal amount except in the drainage areas of the lower Chattahoochee and Flint Rivers, where excessive rains occurred about the 17th to 19th.

MARCH.—Vegetation obtained a late start as a result of the severe cold in January and the continued subnormal temperatures in February and March. By the end of the month, however, a small amount of cotton and corn had been planted in the southern section; a few Irish potatoes were coming up, and sweet potatoes and tobacco plants were making satisfactory growth in seed beds. Rainfall was heavy over the northern division, where large areas had more than 6 inches; amounts diminished toward the coast region, where some stations had less than 2 inches.

APRIL.—This was the fourth consecutive month with subnormal temperatures. This condition retarded the growth of vegetation and delayed the planting of cotton and corn and other crops to unusually late dates. The month opened with remarkably warm weather, and the temperature rose to 90° at some stations northward beyond Athens on the 2d. But much colder weather followed and serious damage to all kinds of young tender plants occurred on the 13th when freezing temperatures extended almost to the coast region. Ice was reported as far south as Camilla and Lumber City.

MAY.—May was dry and cool. New low temperature records were established at several eastern stations from Cornelia to Louisville. Numerous cool nights retarded crop growth, especially in the northern half of the State, where vegetation was nearly two weeks later than usual at the end of the month. There was a serious deficiency in rainfall in many middle and northern counties until the 24th.

JUNE.—Both temperatures and rainfall presented a fairly close approach to normal conditions. Crop correspondents indicated quite satisfactory growing conditions during most of the month. By the end of June the retarding effects of a backward spring had been well nigh obliterated.

JULY.—The month began with vegetation in a thriving condition. By the 10th there had been excessive and damaging amounts of rain at most places along the Alabama border and eastward from there more than half way across the State. After that showers were less frequent in the southern half of the State, but there was little change farther north for another week.

AUGUST.—This was a month of moderate temperatures with no unusual extremes and no outstanding hot or cool periods. Rainfall was very unevenly distributed, ranging from over 17 inches at Clayton to less than 2 inches at Woodbury.

SEPTEMBER.—This was the driest September in Georgia since the establishment of the Climatological Service in 1892 with a State average rainfall of only 1.04 inches, about 29 percent of the normal amount. The dry weather together with unusually cool nights retarded the growth of unmatured crops, but the harvesting of hay and cotton went forward under very favorable conditions.

OCTOBER.—The month was unusally dry, and the State average rainfall for September and October together this year was the least on record for any year in these months. Soils became too dry for wheat and oats to germinate in most parts of the State, and there was widespread use of winter feed for cattle.

NOVEMBER.—The fall drought was fairly well relieved on the 1st or 2d in the northern half of the State, but the southern half remained pretty dry until about the 12th.

DECEMBER.—December had adequate rainfall with temperatures well above normal. Temperatures did not fall low enough at any time to injure cereal crops, and winter vegetables did fairly well in the southern section.

Climatological Data for the Year 1940

Stations	Counties	Elevation, feet	Temperature (degrees Fahrenheit)						Precipitation (inches)								Sky			Prevailing direction of wind
			Length of record, years	Annual mean	Highest	Date	Lowest	Date	Length of record, years	Total for the year	Greatest monthly	Month	Least monthly	Month	Total snowfall	Number rainy days	Number clear days	Number partly cloudy days	Number cloudy days	
Northern division																				
Athens, No. 1	Clarke	775	59	60.4	99	July 26	3	Jan. 26	66	49.33	7.85	July	0.36	Sept.	9.8	122	155	101	110	ne.
Athens, No. 2	...do	725	5	61.2	102	July 29	4	Jan. 28	5	47.01	9.22	Aug.	0.28	Sept.	9.8	103	......	......	......	......
Atlanta Airport	Fulton	975	10	59.7	98	July 28	4	Jan. 26	10	51.05	8.82	July	0.43	Oct.	8.3	116	129	96	141	nw.
Atlanta [City]	...do	1,139	75	59.4	94	July 28	2	Jan. 26	74	42.28	7.26	July	0.50	Oct.	10.3	114	128	97	141	nw.
Atlanta, No. 2	De Kalb	998	......	......	......	......	......	......	6	51.99	10.88	July	0.56	Oct.	10.0	123	......	......	......	......
Blairsville	Union	1,938	9	54.8	94	July 27	−16	Jan. 28	9	55.18	9.07	June	1.40	Sept.	6.2	105	......	......	......	......
Canton	Cherokee	894	......	......	......	......	......	......	51	52.96	7.29	Aug.	1.60	Oct.	12.9	122	......	......	......	......
Carlton Bridge	Elbert	557	47	59.8	100	July 21†	−4	Jan. 28	42	47.81	11.10	Aug.	0.04	Sept.	10.0	110	231	43	92	......
Cartersville	Bartow	772	2	59.6	98	July 27†	−4	Jan. 27	4	44.71	7.42	July	1.13	Oct.	11.0	107	214	69	83	......
Cedartown	Polk	797	4	59.5	100	July 28	−8	Jan. 28	7	49.25	9.71	July	1.08	Sept.	9.5	108	......	......	......	......
Clayton	Rabun	2,000	45	56.0	94	July 22†	−7	Jan. 27	46	66.90	17.74	Aug.	1.03	Sept.	17.7	128	190	63	113	......
Cornelia	Habersham	1,500	21	57.2	97	July 27	−2	Jan. 26	21	56.38	15.60	Aug.	0.41	Sept.	11.2	105	189	86	91	w.
Dahlonega	Lumpkin	1,519	49	58.1	95	May 7†	3	Jan. 26†	50	54.30	9.78	Aug.	0.78	Sept.	15.6	131	137	147	82	w.
Dalton	Whitfield	759	5	59.0	99	July 28	−8	Jan. 26†	5	50.73	8.86	Aug.	0.35	Sept.	18.1	100	168	81	117	n.
Gainesville	Hall	1,254	61	57.4	98	July 27	−1	Jan. 28	63	48.70	11.26	Aug.	0.28	Sept.	12.1	122	......	......	......	w.
Hartwell [near]	Hart	750	40	59.7	101	July 27†	−5	Jan. 26	40	49.39	12.06	Aug.	0.53	Oct.	8.0	95	116	197	53	w.
Jasper	Pickens	1,480	1	......	96	July 26†	......	......	4	54.50	10.56	Aug.	1.05	Oct.	12.5	134	......	......	......	n.
La Fayette	Walker	950	6	58.8	99	July 29	−12	Jan. 27	10	44.46	6.75	Aug.	0.55	Sept.	18.5	84	158	74	134	......
Norcross	Gwinnett	1,025	......	......	......	......	......	......	26	45.26	7.85	Aug.	0.54	Sept.	10.0	116	......	......	......	......
Resaca	Gordon	657	......	......	......	......	......	......	49	46.70	6.11	June	0.77	Sept.	13.0	122	......	......	......	s.
Rome	Floyd	617	59	59.6	98	July 28	−4	Jan. 28	84	41.65	5.94	July	0.99	Sept.	11.5	121	......	......	......	......
Tallapoosa	Haralson	1,009	44	58.0	96	Sept. 22	−12	Jan. 28	44	50.60	8.18	July	0.94	Sept.	11.5	93	219	63	84	......
Toccoa	Stephens	1,050	54	60.0	101	July 23†	2	Jan. 26	55	48.49	13.44	Aug.	0.67	Oct.	11.3	113	170	101	95	w.
Washington	Wilkes	630	50	62.9	99	July 25	5	Jan. 27	52	46.66	9.58	Aug.	0.54	Sept.	6.0	124	169	109	88	ne.
Division means and extremes		......	......	59.0	102	July 29	−17§	Jan. 27	......	50.12	17.74	Aug.	0.04	Sept.	11.7	112	172	95	99	w.
Middle division																				
Augusta	Richmond	134	84	63.4	99	July 23	12	Jan. 27	75	39.73	8.53	Aug.	1.18	Oct.	0.8	104	125	93	148	nw.
Brooklet	Bulloch	150	49	64.6	102	July 26†	14	Jan. 27†	46	45.39	11.46	Aug.	0.70	Oct.	T.	99	170	140	56	......
Carrollton	Carroll	1,055	17	......	98	July 28	1	Jan. 26	14	49.23	8.02	July	1.79	Oct.	6.8	111	......	......	......	w.
Columbus	Muscogee	262	52	63.9	100	July 26†	11	Jan. 27	52	48.55	9.60	July	T.	Oct.	1.5	106	......	......	......	ne.
Concord	Pike	850	......	......	......	......	......	......	28	42.58	8.61	July	0.58	Oct.	6.0	99	183	92	91	......
Covington *	Newton	747	28	......	98	July 27†	1	Jan. 28	55	49.50	9.90	July	0.59	Oct.	8.5	109	......	......	......	......
Dublin	Laurens	234	32	64.1	99	July 26	11	Jan. 27	49	50.66	10.33	Aug.	1.06	Sept.	T.	113	111	165	90	nw.
Experiment	Spalding	946	20	59.7	96	July 28	4	Jan. 27	19	45.79	9.39	July	0.63	Oct.	5.0	110	......	......	......	......
Fair View ‡	Lamar	......	31	61.0	97	July 26†	6	Jan. 26	27	44.82	6.46	July	0.62	Oct.	5.0	114	......	......	......	......
Fort Valley	Peach	526	20	62.0	96	July 26†	9	Jan. 27	20	51.87	7.14	Nov.	1.32	Sept.	1.0	123	171	95	100	nw.
Goat Rock ‡	Muscogee	415	......	......	......	......	......	......	27	53.03	12.18	July	0.05	Oct.	1.5	101	......	......	......	......
Greensboro	Greene	598	39	60.8	99	July 26†	4	Jan. 26	38	54.86	13.46	Aug.	0.92	Oct.	10.0	104	199	65	102	w.
Griffin	Spalding	975	50	61.9	97	July 26†	5	Jan. 27	50	47.44	10.48	July	0.63	Oct.	5.0	112	186	77	103	w.
Lagrange	Troup	740	4	60.7	99	July 26†	2	Jan. 28	30	45.90	7.33	July	0.64	Oct.	4.0	114	167	95	104	s.
Louisville	Jefferson	337	44	......	......	......	9	Jan. 27	45	......	15.26	Aug.	1.17	Oct.	T.	......	......	......	......	......
Macon	Bibb	330	59	62.6	100	July 27	10	Jan. 27	62	49.40	6.85	Aug.	0.88	May	3.2	121	124	101	141	nw.
Milledgeville	Baldwin	320	57	62.5	99	July 25†	9	Jan. 27	51	50.13	8.99	July	0.81	Oct.	1.5	115	144	104	118	w.
Millen	Jenkins	180	52	64.0	104	July 27	12	Jan. 27	53	36.97	8.08	Aug.	0.80	Sept.	T.	108	......	......	......	nw.
Monticello	Jasper	809	51	......	103	July 27	5	Jan. 27	48	47.07	6.14	July	0.30	Sept.	3.5	108	......	......	......	......
Newnan	Coweta	959	51	60.4	97	Sept. 22	3	Jan. 28	51	60.02	12.50	July	0.91	Sept.	9.0	121	......	......	......	sw.
Stillmore [near]	Emanuel	257	15	......	100	July 26	10	Jan. 27	15	......	8.71	Aug.	0.45	Sept.	0.0	......	......	......	......	......
Talbotton	Talbot	750	47	61.6	97	July 27†	6	Jan. 27	47	48.12	6.54	Jan.	0.27	Oct.	4.0	82	176	103	87	w.
Warrenton	Warren	590	40	61.8	96	June 6†	8	Jan. 27	47	47.85	9.33	Aug.	0.96	Oct.	2.5	111	198	97	71	ne.
Waynesboro	Burke	261	21	......	100	July 26	......	......	30	......	10.33	Aug.	1.02	Oct.	......	......	......	......	......	......
West Point	Troup	573	50	61.8	100	July 26†	5	Jan. 28	51	44.76	6.37	Dec.	0.51	Oct.	2.0	112	205	35	126	......
Woodbury	Meriwether	800	......	......	......	......	......	......	40	41.67	6.82	July	0.12	Oct.	3.0	101	......	......	......	......
Division means and extremes		......	......	62.0	101	July 27†	1	Jan. 26†	......	47.15	15.26	Aug.	T.	Oct.	3.1	105	172	90	104	nw.
Southern division																				
Abbeville	Wilcox	189	......	......	......	......	......	......	37	39.44	7.44	July	1.31	Oct.	0.0	109	......	......	......	nw.
Alapaha	Berrien	293	51	66.4	106	July 24	13	Jan. 27	51	46.70	10.59	June	0.74	Sept	0.0	92	239	16	111	w.
Albany	Dougherty	230	53	66.5	103	July 25	13	Jan. 27	54	46.98	8.03	Feb.	0.60	Sept.	0.0	110	192	20	151	ne.
Alma	Bacon	......	2	64.1	98	July 26	14	Jan. 27	2	39.88	6.71	Aug.	0.85	Oct.	T.	101	92	109	165	ne.
Americus	Sumter	362	56	64.0	98	July 22†	11	Jan. 27	56	51.12	8.93	Feb.	0.63	Oct.	T.	126	110	107	149	ne.
Bainbridge	Decatur	119	48	65.8	99	June 19†	15	Jan. 27	48	46.50	6.70	Feb.	0.16	Oct.	0.0	116	......	......	......	s.
Blakely	Early	300	62	65.2	102	Sep. 23	12	Jan. 27	63	53.59	10.62	Feb.	0.11	Sept.	0.0	115	134	131	101	ne.
Brunswick	Glynn	14	40	67.5	101	July 25†	19	Jan. 27	42	41.39	7.50	Aug.	0.00	Oct.	0.0	104	171	103	92	ne.
Cairo	Grady	265	9	64.9	96	July 23†	14	Jan. 27†	14	44.76	6.43	July	0.18	Oct.	0.0	108	148	124	91	s.
Camilla	Mitchell	177	3	......	102	July 26	14	Jan. 27	3	......	8.45	June	0.68	Oct.	0.0	......	......	......	......	......
Cordele	Crisp	336	11	64.8	100	July 25†	12	Jan. 27	13	43.16	6.45	Feb.	0.16	Sept.	T.	89	174	104	88	e.
Douglas	Coffee	275	7	65.2	100	July 26	10	Jan. 27	7	35.19	5.47	Aug.	0.58	Oct.	0.0	83	114	154	118	sw.
Eastman	Dodge	261	48	64.6	100	July 25†	11	Jan. 27	48	48.15	9.40	July	0.50	Sept	T.	96	212	88	66	nw.
Fargo	Clinch	116	12	......	103	July 26	14	Jan. 28	12	38.06	8.89	July	0.25	Oct.	0.0	82	......	......	......	ne.
Fitzgerald	Ben Hill	515	23	65.6	99	July 25†	12	Jan. 27	24	38.28	6.20	July	1.16	Oct.	T.	81	......	......	......	......
Fort Gaines	Clay	166	52	65.1	101	June 20†	10	Jan. 26	52	49.86	9.46	Feb.	0.28	Oct.	0.0	98	......	......	......	......
Glennville	Tattnall	175	36	65.8	102	June 19†	12	Jan. 27	36	39.84	8.03	Aug.	0.20	Oct	T.	97	150	123	93	w.
Hawkinsville	Pulaski	235	49	64.5	101	July 26†	11	Jan. 27	49	51.95	9.06	July	0.66	Sept.	1.8	84	219	39	108	w.
Hoggard's Mill ‡	Mitchell	132	1	61.6	99	July 25	12	Jan. 28	1	48.06	7.72	June	0.91	Oct.	0.0	106	......	......	......	......
Lumber City	Telfair	150	......	......	......	......	......	......	31	48.86	8.70	July	1.24	Oct.	0.0	113	......	......	......	......
Montezuma	Macon	292	......	......	97	Sep. 10	10	Jan. 26	36	44.72	7.58	July	0.20	Sept.	0.3	106	192	10	164	......
Moultrie	Colquitt	325	14	66.8	100	July 24†	15	Jan. 27	14	42.44	6.86	June	0.66	Sept.	0.0	109	......	......	......	......
Quitman	Brooks	173	55	......	101	July 26	15	Jan. 26†	49	50.36	9.15	July	0.10	Oct.	0.0	92	......	......	......	......
Savannah, No. 1	Chatham	42	91	66.3	101	July 26	18	Jan. 27	91	36.54	6.81	Aug.	0.35	Oct.	T.	101	137	95	134	sw.
Savannah, No. 2 **	...do	22	13	63.3	100	July 23	12	Jan. 28	13	50.13	13.40	Aug.	0.27	Oct.	0.0	118	167	105	94	e.
Savannah Beach	...do	15	2	65.8	99	July 26	18	Jan. 27	2	55.16	14.26	July	0.38	Oct.	0.0	75	......	......	......	......
Thomasville	Thomas	276	58	......	......	......	14	Jan. 27	63	42.87	6.58	July	0.40	Oct.	0.0	102	......	......	......	e.
Tifton	Tift	370	19	64.7	98	July 25	12	Jan. 27	20	44.96	11.02	July	0.79	Oct.	0.0	101	207	38	121	w.
Waycross	Ware	131	49	66.0	100	July 23†	14	Jan. 27	49	37.16	6.98	July	0.27	Oct.	0.0	109	209	89	68	nw.
Division means and extremes		......	......	65.4	106	July 24	10	Jan. 26†	......	44.47	14.26	July	0.00	Oct.	0.1	99	169	86	111	ne.
State means and extremes		......	......	62.2	106	July 24	−17§	Jan. 27	......	47.24	17.74	Aug.	0.00	Oct.	5.0	106	171	91	104	ne.

§ At CCC Camp F-16, near La Fayette.   † On other dates also.   ‡ Also other months.

Monthly and Annual Precipitation for the Year 1940, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure
Northern division																										
Athens, No. 1	5.50	+1.24	5.04	−0.04	4.78	−0.22	2.88	−0.85	2.33	−1.26	3.35	−0.56	7.85	+2.72	7.81	+3.14	0.36	−3.10	0.80	−2.43	4.19	+1.58	4.44	−0.64	49.33	−0.42
Athens, No. 2	4.83	.....	5.00	.....	4.80	.....	2.69	.....	2.08	.....	4.14	.....	5.36	.....	9.22	.....	0.28	.....	0.71	.....	4.25	.....	3.62	.....	47.01	.....
Atlanta Airport	5.62	+0.67	3.83	−1.11	5.27	−0.03	2.77	−0.84	2.03	−1.44	3.41	−0.33	8.82	+4.17	8.12	+3.67	3.07	+0.08	0.43	−2.16	3.29	+0.26	4.39	−0.31	51.05	+2.63
Atlanta, No. 2	5.89	.....	4.40	.....	5.83	.....	2.79	.....	1.76	.....	2.49	.....	10.88	.....	6.21	.....	2.34	.....	0.56	.....	3.52	.....	5.32	.....	51.99	.....
Blairsville	2.80	.....	6.80	.....	4.78	.....	5.48	.....	3.85	.....	9.07	.....	3.05	.....	7.70	.....	1.40	.....	2.20	.....	3.50	.....	4.55	.....	55.18	.....
Canton	4.93	+0.14	5.25	−0.23	5.90	+0.41	2.79	−1.40	3.17	−0.71	4.06	+0.13	6.81	+1.32	7.29	+2.61	1.91	−1.15	1.00	−2.55	4.20	+0.99	5.64	−0.50	52.96	−0.94
Carlton Bridge	4.54	+0.66	4.31	−0.76	5.13	+0.36	2.59	−0.78	2.02	−1.46	2.77	−1.33	6.29	+1.52	11.10	+6.62	0.04	−3.58	0.83	−2.15	5.12	+2.45	3.07	−1.74	47.81	−0.19
Cartersville	3.96	.....	5.25	.....	4.13	.....	2.81	.....	2.31	.....	3.70	.....	7.42	.....	5.24	.....	1.37	.....	1.13	.....	2.30	.....	5.09	.....	44.71	.....
Cedartown	5.80	.....	3.88	.....	4.75	.....	2.69	.....	2.95	.....	4.16	.....	9.71	.....	5.53	.....	1.08	.....	1.50	.....	3.84	.....	3.36	.....	49.25	.....
Clayton	4.54	−1.54	7.34	+1.00	5.95	−1.17	6.40	+0.85	1.83	−3.29	6.23	+0.65	3.10	−3.65	17.74	*11.25	1.03	−4.40	1.53	−3.39	5.45	+1.27	5.46	−2.39	66.90	−4.81
Cornelia	4.03	−0.90	6.07	+0.42	5.68	−0.10	4.54	−0.02	2.02	−2.34	6.02	+2.04	1.43	−4.47	15.60	*10.88	0.41	−4.11	0.83	−3.05	4.19	+0.83	5.56	−1.06	56.38	−1.88
Dahlonega	4.81	−0.70	5.96	+0.10	6.61	+0.6	3.53	−1.01	2.32	−2.57	5.07	+0.35	5.38	−0.25	9.78	+4.73	0.78	−3.59	1.00	−2.89	4.61	+0.99	4.45	−2.74	54.30	−6.98
Dalton	4.11	.....	6.03	.....	5.32	.....	3.20	.....	3.01	.....	4.74	.....	3.70	.....	8.86	.....	0.35	.....	1.90	.....	2.69	.....	6.82	.....	50.73	.....
Gainesville	5.29	+0.55	5.39	+0.01	4.87	−0.76	3.40	−0.53	2.35	−1.65	3.72	−0.41	3.75	−1.60	11.26	+6.65	0.28	−3.41	0.57	−2.68	3.09	+0.03	4.73	−0.73	48.70	−4.59
Gillsville	4.66	+0.09	8.75	+3.27	5.97	+0.62	4.49	−0.56	.....	.....	4.47	+0.65	2.47	−2.27	7.33	+2.65	0.55	−3.21	1.10	−2.32	3.65	+0.67	4.86	−0.79	.....	.....
Hartwell (near)	3.17	−0.80	5.04	0.00	5.21	+0.53	2.69	−0.89	3.13	−0.52	4.55	+0.54	4.15	−0.31	12.06	+7.24	0.78	−2.63	0.53	−2.64	4.07	+1.37	4.01	−1.04	49.39	−0.85
Lafayette	4.03	.....	6.23	.....	6.17	.....	2.08	.....	2.58	.....	3.92	.....	3.10	.....	6.75	.....	0.55	.....	2.20	.....	2.75	.....	4.10	.....	44.46	.....
Norcross	5.46	+0.82	4.35	−0.88	5.17	+0.04	3.65	−0.40	2.01	−1.72	1.76	−2.25	4.64	−1.24	7.95	+3.54	0.54	−2.28	1.09	−1.91	3.43	+0.43	5.21	−0.41	45.26	−6.26
Resaca	4.20	−0.60	5.13	−0.37	5.33	−0.52	2.63	−2.00	1.64	−2.20	6.17	+1.83	6.03	+1.04	5.15	+0.87	0.77	−2.24	1.45	−1.87	2.77	−0.70	5.49	−0.48	46.70	−7.24
Rome	4.29	−0.53	4.99	−0.57	4.62	−1.14	2.36	−2.07	2.16	−1.88	3.31	−1.14	5.94	+0.91	4.98	+0.41	0.90	−2.13	1.20	−1.95	2.97	−0.48	3.76	−2.08	41.65	§12.77
Tallapoosa	5.18	+1.18	4.47	−0.6	5.55	+0.20	2.81	−1.54	4.10	+0.28	3.91	−0.30	8.18	+2.78	4.97	+0.47	0.94	−2.66	2.30	−0.73	2.62	−0.60	4.55	−0.99	50.60	−2.01
Toccoa	5.04	+0.44	5.28	−0.28	5.83	−0.09	2.30	−2.14	1.92	−2.07	4.20	−0.32	1.34	−4.06	13.14	+7.74	0.90	−3.22	0.67	−3.48	3.98	+0.74	3.59	2.85	48.49	−9.99
Washington	5.67	−1.54	3.84	−1.28	3.3	−1.42	3.36	−0.2	1.61	−1.78	3.38	−0.86	5.37	+0.04	9.38	+4.72	0.54	−3.55	1.52	−1.61	5.94	+3.19	2.75	−1.64	46.66	−2.88
Middle division																										
Augusta	4.66	+0.73	3.77	−0.40	3.27	−0.84	2.01	−1.13	1.59	−1.45	3.61	−1.07	3.43	−1.96	8.50	+3.47	1.52	−1.84	1.18	−1.28	3.78	+1.38	2.41	−0.84	39.73	−5.29
Brooklet	3.39	0.82	6.09	+2.47	2.79	−0.90	1.65	1.44	4.32	+0.58	4.18	−2.00	4.49	−1.57	11.46	+5.32	1.96	−2.71	0.70	−1.70	2.27	−0.18	2.18	−1.02	45.39	−2.92
Carrollton	5.98	+0.94	6.25	+1.18	5.86	−0.08	2.17	−2.24	2.83	−0.16	4.55	+0.77	8.62	+3.41	3.28	−1.86	1.94	−1.26	1.79	−1.12	2.11	−0.78	4.45	+0.07	49.23	−1.07
Columbus	4.59	+0.37	4.93	−0.29	1.39	−1.00	3.15	−0.70	2.54	−0.77	7.08	+3.33	9.67	+3.87	3.61	−0.89	0.21	−2.45	T.	−2.88	4.14	+1.31	4.48	−0.49	48.55	−0.66
Concord	5.54	+1.50	4.47	−0.77	5.65	−0.35	2.49	−1.08	1.10	−2.20	4.09	0.87	8.61	+2.81	2.09	−2.35	0.89	−2.11	0.58	−2.21	3.35	+0.55	3.81	−1.11	42.58	−8.19
Covington	4.88	+0.52	4.69	−0.71	4.61	−0.56	3.20	−0.59	2.79	−1.04	3.41	−0.69	9.90	+4.66	6.59	+2.12	0.93	−2.21	0.59	−2.57	3.73	+0.91	4.18	−0.92	49.50	−1.08
Dover	3.12	+0.15	5.77	+1.65	2.10	−0.38	1.78	−1.64	1.88	−0.24	2.92	−1.05	5.87	+1.18	9.67	+3.34	1.59	−3.07	0.72	−1.14	3.25	+1.14	2.79	+0.64	41.46	+0.52
Dublin	4.23	+0.15	4.87	+0.47	2.54	−2.09	1.99	−1.25	1.35	−2.21	5.70	+0.82	8.93	+3.26	10.33	+5.30	1.06	−2.92	1.37	−1.14	3.87	+1.15	4.42	+0.49	50.66	+2.03
Experiment	5.01	+1.38	5.32	−0.02	4.60	−0.30	1.95	−1.35	1.24	−1.74	4.89	+1.42	9.39	+5.40	4.21	+0.13	0.97	−1.75	0.63	−1.83	5.31	+0.62	4.54	+0.11	45.79	+2.07
Fair View	5.27	+1.12	4.72	0.11	4.04	−1.52	3.71	−0.09	0.70	−2.51	3.83	+0.58	6.16	+1.60	5.42	+1.63	0.98	−2.04	0.62	−1.96	4.14	+1.46	4.93	+0.42	44.82	−1.41
Fort Valley	5.04	+0.80	6.83	+1.86	2.79	−2.45	4.06	−0.15	1.39	−2.19	6.93	+2.43	6.37	+0.82	1.25	−0.43	1.32	−1.87	2.42	−0.95	7.14	+4.14	3.33	−1.22	51.87	+0.81
Goat Rock	7.18	+3.48	5.05	+0.10	5.08	+0.04	2.72	−1.28	1.24	−1.64	4.72	+1.80	12.98	+7.36	4.72	+1.03	1.03	−1.63	0.05	−2.57	3.37	+0.61	4.79	−0.13	53.03	+7.47
Greensboro	5.45	+1.4	3.89	−1.18	4.10	−0.54	4.00	+0.47	1.98	−1.47	2.50	−1.72	7.03	+1.83	13.46	+8.34	1.02	−2.54	0.92	−2.18	5.80	+3.13	4.65	+0.22	54.86	+5.76
Griffin	4.95	+0.81	5.11	−0.21	4.74	−0.71	2.07	−1.77	1.39	−1.75	3.48	0.34	10.48	+5.35	5.66	+1.08	1.05	−2.08	0.63	−2.16	3.31	+0.51	4.51	−1.41	47.44	−1.68
Lagrange	6.37	+1.61	4.43	−0.18	5.83	−0.56	3.20	−0.17	1.54	−1.40	4.53	+0.10	7.33	+2.18	2.68	−2.07	1.18	−1.74	0.64	−1.86	3.15	+0.04	5.02	+0.47	45.90	−3.58
Louisville	4.60	+1.02	5.01	+0.77	2.88	−1.35	1.61	−1.60	1.75	−1.67	.....	.....	.....	.....	15.26	*10.58	.....	.....	1.17	−1.71	3.43	+0.94	3.43	−0.07	.....	.....
Macon	4.93	+0.76	4.96	+0.38	3.70	−1.27	4.19	+1.01	0.88	2.08	4.81	+0.77	6.47	+1.73	6.85	+2.51	0.92	−2.27	1.28	−1.06	5.94	+3.42	4.47	+0.48	49.40	+4.11
Midville	3.25	+0.06	5.32	+1.05	2.58	−0.39	2.20	−1.85	1.52	−1.47	3.96	+0.39	6.29	+0.64	11.72	+6.91	0.44	−2.78	1.19	−0.64	1.50	−0.10	4.16	+1.62	44.08	−3.42
Milledgeville	5.71	+1.68	3.55	−1.00	3.56	−1.23	3.74	+0.33	1.70	−1.51	1.76	−2.33	8.99	+3.05	7.83	+3.22	1.59	−2.05	0.81	−2.07	6.58	+4.00	4.27	+0.22	50.13	+2.31
Millen	2.96	0.35	5.70	+1.85	2.57	−1.32	1.67	−1.45	2.25	−0.82	2.07	−2.70	3.43	−3.10	8.08	+3.37	0.80	−3.09	1.44	−1.03	3.50	+1.30	2.50	−0.99	36.97	8.32
Monticello	4.96	+0.62	5.27	−0.17	4.14	1.14	3.08	−0.70	1.91	−1.69	5.87	+0.92	6.14	+0.62	5.63	+0.73	0.30	−3.28	0.46	−2.95	5.22	+2.48	4.09	−0.60	47.07	−5.17
Newnan	7.59	+2.54	4.33	−1.04	5.97	+0.08	2.40	−1.37	3.54	−0.18	5.09	+0.94	12.50	+7.59	5.29	+0.51	0.94	−1.96	1.79	−1.18	4.33	+1.26	6.34	+0.99	60.02	+8.48
Sparta	3.83	.....	3.70	.....	4.31	.....	3.90	.....	1.19	.....	3.20	.....	5.38	.....	5.91	.....	0.54	.....	0.82	.....	5.73	.....	2.64	.....	41.15	.....
Stillmore	2.15	−0.94	5.90	+0.83	2.35	−1.74	2.09	−1.56	1.69	−1.80	6.34	+1.35	6.27	−1.45	8.71	+3.29	0.45	−3.72	0.67	−1.46	3.69	+1.09	.....	.....	.....	.....
Talbotton	6.54	+2.22	5.88	+0.53	4.71	0.86	3.23	−0.82	1.56	−2.05	5.71	+1.64	6.29	+0.94	4.18	−0.31	0.80	−2.42	0.27	−2.73	4.28	+1.19	4.67	−0.27	48.12	−2.94
Warrenton	4.40	+0.49	4.91	+0.14	3.55	−0.99	2.79	−0.42	1.36	−1.80	4.63	+0.50	5.25	+0.14	9.33	+4.99	1.22	−2.78	0.96	−2.62	6.32	+3.62	3.19	−0.75	47.85	+1.03
West Point	4.71	+0.34	4.30	−0.93	5.98	+0.22	2.50	−1.68	2.45	−1.30	4.19	−0.21	5.52	+0.33	2.97	−1.80	1.56	−1.33	0.51	−2.22	3.70	+0.64	6.37	+0.86	44.76	−7.08
Woodbury	5.71	+1.73	5.39	+0.24	5.12	−0.34	2.93	−0.56	1.47	−1.78	3.36	−0.86	6.82	+0.94	1.88	−2.22	1.27	−1.69	0.12	−2.68	3.20	+0.47	4.34	−0.34	41.67	−7.09
Southern division																										
Abbeville	2.95	−0.88	4.78	+0.33	2.34	−1.86	2.70	−0.64	1.71	−1.88	4.35	+0.57	7.44	+0.95	3.14	−1.82	1.53	−2.60	1.31	1.12	4.04	+1.42	3.15	−0.36	39.44	−7.89
Alapaha	3.43	−0.39	4.90	+0.70	2.27	−1.81	3.83	+0.60	1.27	−2.12	10.59	+5.53	9.64	+3.62	6.28	+0.89	0.74	−3.41	0.98	−1.26	1.58	−0.53	3.19	0.51	48.70	+1.31
Albany	2.87	−1.41	8.03	+3.09	2.67	−2.68	4.16	+0.33	1.67	−2.43	7.67	+2.92	5.32	−1.11	4.92	−0.99	0.60	−3.09	1.17	−1.55	5.13	+2.67	2.83	−1.28	46.98	−4.73
Alma	3.55	.....	6.02	.....	2.23	.....	2.18	.....	1.36	.....	5.41	.....	4.12	.....	6.71	.....	3.15	.....	0.85	.....	0.93	.....	3.37	.....	39.88	.....
Americus	3.33	−1.16	8.93	+3.82	3.94	−1.08	3.28	−0.30	2.37	−1.33	7.09	+3.10	7.63	+2.40	4.00	−1.15	0.86	−2.67	0.63	−2.03	6.02	+3.18	3.13	−0.92	51.12	+1.92
Bainbridge	5.69	+1.74	6.70	+2.30	4.68	+0.50	2.90	1.43	2.34	−1.27	6.25	+1.29	5.69	−0.58	4.57	−1.31	0.85	−3.51	0.16	−2.22	3.75	+1.34	3.72	−0.57	46.50	−3.72
Blakely	3.19	−1.21	10.62	+5.32	3.94	−1.12	1.93	−2.36	3.50	0.04	6.28	+1.71	8.25	+1.36	3.32	−2.08	0.11	−3.92	0.53	−2.21	7.76	+4.75	4.16	−0.62	53.59	−0.42
Brunswick	2.20	−0.60	3.67	−0.09	1.22	−2.10	2.43	−0.48	1.45	−1.89	6.19	+0.59	6.46	−1.01	7.30	+1.12	3.48	−3.03	0.00	−3.15	0.55	1.47	6.44	+3.48	41.59	−8.63
Cairo	3.93	.....	4.65	.....	3.53	.....	2.53	.....	3.62	.....	4.39	.....	6.43	.....	5.58	.....	0.81	.....	0.18	.....	4.88	.....	4.21	.....	44.76	.....
Camilla	2.66	.....	4.80	.....	3.09	.....	1.94	.....	2.21	.....	8.45	.....	4.40	.....	2.65	.....	1.47	.....	0.68	.....	.....	.....	.....	.....	.....	.....
Cordele	3.45	0.00	6.45	+1.07	2.73	−0.67	3.82	−0.56	0.77	−2.08	3.68	−0.67	5.93	−0.10	4.57	−0.85	0.16	−2.55	1.32	−0.30	5.40	+2.89	4.88	+1.23	43.16	−2.59
Douglas	3.44	.....	3.14	.....	1.73	.....	3.33	.....	2.03	.....	2.68	.....	4.78	.....	5.47	.....	2.10	.....	0.58	.....	1.81	.....	4.10	.....	35.19	.....
Eastman	4.29	+0.29	5.8	−1.24	2.39	−2.40	2.58	−0.59	2.33	−0.97	5.25	+1.01	9.40	+3.50	7.04	+2.02	0.50	−3.38	0.88	−1.74	3.90	+1.17	3.75	+0.13	48.15	+0.28
Fargo	4.19	+0.87	5.73	+2.01	1.70	−1.92	3.25	0.51	1.80	−1.47	4.21	−2.07	8.89	+1.84	2.50	−3.48	1.18	−4.94	0.25	1.43	0.69	−1.24	3.67	+1.13	38.06	§11.21
Fitzgerald	2.79	−0.72	3.77	−0.22	2.59	−1.69	2.87	−0.68	2.24	−1.35	3.41	−0.96	6.29	+0.42	5.56	+0.60	1.17	−3.10	1.16	−1.33	3.47	+1.11	3.02	−0.68	38.28	8.60
Fort Gaines	4.90	+0.35	9.46	+1.35	3.87	−0.91	3.98	+0.15	2.49	−1.26	3.22	−1.15	7.06	+1.07	4.91	−0.60	0.35	−3.16	0.28	−2.42	4.23	+1.24	5.11	+0.22	49.86	−2.12
Glennville	4.43	+1.69	1.87	+1.32	2.84	−0.61	2.99	+0.27	2.05	−1.24	1.91	−3.07	5.47	−0.47	8.03	+1.03	3.65	−1.30	0.20	−2.22	1.33	−1.00	2.04	−1.26	39.84	−6.89
Hawkinsville	4.66	+0.45	7.23	+2.91	2.20	−2.41	4.47	+1.35	2.12	−1.20	6.90	+2.60	9.05	+3.70	3.69	−1.17	0.66	−2.87	1.01	−1.57	6.16	+3.57	3.79	+0.24	51.95	+5.54
Lumber City	5.10	+1.42	4.31	+0.22	2.44	−1.87	2.75	−0.17	4.06	+1.26	3.76	−0.86	8.70	+2.80	8.57	+2.90	3.36	−0.33	1.24	−0.88	2.26	−0.20	2.31	−0.98	48.86	+3.31
Montezuma	3.39	−0.75	7.27	+2.62	3.0	−1.46	2.61	−1.22	2.15	−1.32	4.71	+0.80	7.58	+2.51	4.26	−0.68	0.29	−2.96	0.58	−2.02	5.90	+3.02	2.92	−1.31	44.72	−2.77
Moultrie	3.24	+0.07	3.68	−0.27	2.4	−1.61	3.87	+0.19	2.32	−0.10	6.86	+1.93	4.74	−1.46	6.12	−0.46	0.66	−3.52	1.05	−0.98	3.81	+1.59	3.64	+0.63	42.44	−3.99
Quitman	3.45	−0.35	6.70	+2.45	1.90	−2.18	4.25	+0.83	6.20	+2.39	5.78	−0.12	9.15	+2.08	5.18	−1.53	1.20	−4.13	0.10	−2.25	1.86	−0.42	1.59	+0.19	50.36	−3.04
Savannah, No. 1	3.31	+0.83	4.67	+1.53	2.65	−0.41	1.39	−1.18	0.92	−2.10	4.35	−0.94	5.43	−1.21	6.84	−0.47	1.31	−4.10	0.35	−2.63	1.12	−0.98	4.20	+1.27	36.54	§10.69
Savannah, No. 2	3.65	+0.78	6.00	+2.20	2.24	−0.66	1.82	−1.39	1.30	−1.81	8.40	+1.56	6.49	−0.63	13.40	+7.34	2.08	−5.26	0.27	−2.09	1.67	0.09	2.81	+0.60	50.13	+0.55
Savannah Beach	4.09	.....	4.55	.....	3.56	.....	1.78	.....	0.67	.....	4.34	.....	14.26	.....	13.89	.....	2.36	.....	0.38	.....	0.97	.....	4.32	.....	55.16	.....
Thomasville	3.66	−0.44	4.80	+0.34	3.18	−0.41	2.33	−1.04	3.05	−0.58	4.66	−0.79	6.58	−0.12	3.92	−1.83	1.19	−3.69	0.40	−2.56	4.86	+2.18	3.74	−0.57	42.87	−9.48
Tifton	2.77	−1.39	4.28	+0.02	2.85	−1.72	4.03	+0.38	1.37	−2.05	5.46	+0.65	11.02	+4.52	5.19	−0.31	1.63	−2.02	0.79	−1.34	3.76	+1.57	1.83	−1.09	44.96	−3.38
Waycross	3.63	+0.52	4.12	+0.29	1.53	−1.87	2.70	−0.09	0.72	−3.12	4.93	−1.41	6.98	−0.17	5.82	−0.24	1.74	−2.80	0.27	−2.26	0.68	−1.56	3.94	+0.87	37.06	§11.84

* Plus. § Minus.

Monthly and Annual Average Temperatures for the Year 1940, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
Northern division																										
Athens, No. 1	32.3	−11.2	41.4	−1.2	51.2	−1.5	59.8	−1.5	68.6	−1.4	77.2	+0.1	77.0	−2.6	78.6	+0.2	71.8	−2.0	63.7	+1.2	52.0	−0.1	47.6	+2.8	60.4	−1.4
Athens, No. 2	33.2	......	44.3	......	51.6	......	60.0	......	68.5	......	78.5	......	78.6	......	79.1	......	73.6	......	64.6	......	53.0	......	49.4	......	61.2	......
Atlanta	29.6	−13.0	42.0	−3.3	49.8	−2.2	59.3	−1.7	67.9	−2.0	77.4	+1.4	77.2	−0.9	78.6	+1.6	71.6	−0.8	64.4	+1.4	51.3	−0.8	47.6	+2.9	59.7	−1.5
Blairsville	26.9	......	39.6	......	46.4	......	54.2	......	61.6	......	70.0	......	72.2	......	72.6	......	65.1	......	57.2	......	47.0	......	44.9	......	54.8	......
Carlton Bridge	32.2	−11.9	^{c}43.6	−1.7	50.8	−2.1	59.2	−1.7	66.8	−3.2	76.6	−0.4	77.9	−1.3	78.2	0.0	71.2	−2.3	62.5	+0.1	51.5	−0.6	47.3	+2.2	59.8	−1.9
Cartersville	29.7	......	42.4	......	50.8	......	59.5	......	66.4	......	76.8	......	76.7	......	78.9	......	71.6	......	62.8	......	50.8	......	48.2	......	59.6	......
Cedartown	29.4	......	42.3	......	51.6	......	59.6	......	65.4	......	76.2	......	77.1	......	79.0	......	71.8	......	63.2	......	50.2	......	48.4	......	59.5	......
Clayton	29.3	−11.1	40.4	−0.8	47.6	−1.1	55.2	−1.0	62.8	−1.7	71.8	+0.4	73.4	−0.9	73.4	+0.1	67.0	−1.5	58.5	+0.6	48.0	+0.1	45.0	+4.0	56.0	−1.1
Cornelia	29.4	−13.6	40.6	−4.4	47.6	−2.6	56.7	−2.9	64.9	−1.7	73.6	−1.1	74.7	−2.5	75.6	−0.1	68.4	−3.9	61.0	+0.3	48.8	−1.8	45.6	+1.8	57.2	−2.8
Dahlonega	31.0	−10.5	42.2	−0.6	49.2	−1.3	58.7	+0.2	65.0	−1.4	73.8	+0.3	74.5	−1.4	75.2	+0.2	68.4	−2.1	61.6	+1.9	50.1	+0.5	47.2	+4.8	58.1	−0.8
Dalton	28.8	......	41.6	......	51.4	......	59.0	......	67.2	......	76.2	......	76.3	......	77.8	......	71.6	......	62.4	......	48.8	......	47.4	......	59.0	......
Gainesville	30.1	−11.7	41.2	−2.1	48.6	−2.6	56.6	−2.7	64.2	−3.6	74.2	−0.8	74.7	−3.0	76.3	0.0	65.7	−2.9	60.2	−0.5	48.7	−1.5	45.0	+2.2	57.4	−2.4
Hartwell (near)	32.6	−11.5	43.6	−1.8	50.6	−2.2	59.6	−1.2	67.2	−2.3	76.6	−0.4	77.6	−1.9	78.1	−0.3	71.9	−2.2	62.6	0.0	50.3	−1.6	45.8	+1.2	59.7	−2.0
Lafayette	27.9	......	42.2	......	50.1	......	58.8	......	66.4	......	75.8	......	77.4	......	78.8	......	70.4	......	62.0	......	49.4	......	46.8	......	58.8	......
Rome	29.8	−12.7	42.9	−1.9	51.4	−1.1	59.7	−1.4	66.6	−3.1	76.8	−0.1	77.0	−2.6	78.8	+0.2	71.2	−2.6	62.9	+0.5	50.2	−0.6	47.6	+4.1	59.6	−1.8
Tallapoosa	28.6	−14.3	41.6	−2.4	49.7	−2.7	58.3	−1.5	64.1	−4.3	74.2	−1.6	75.3	−2.9	77.0	−0.4	69.6	−3.5	61.0	−0.6	49.3	−1.7	46.8	+3.2	58.0	−2.7
Toccoa	32.9	−9.8	43.3	−0.9	51.0	−0.8	59.2	−1.1	67.8	−0.7	76.6	+1.0	77.6	−0.6	77.8	+0.9	71.0	−1.1	62.9	+1.8	51.4	+0.4	47.5	+4.3	60.0	−0.5
Washington	35.2	−10.3	47.2	+0.7	53.1	−1.8	62.6	+0.1	69.4	−2.0	78.2	+0.1	79.0	−1.4	80.0	+0.6	74.2	−0.8	66.0	+2.4	54.6	−0.3	54.8	+8.9	62.9	−0.3
Middle division																										
Augusta	36.3	−10.7	47.7	−2.3	54.4	−1.6	62.7	−1.5	70.4	−2.0	80.2	+1.5	80.8	−0.5	80.8	+0.4	74.3	−1.0	65.6	+0.3	55.5	+1.0	51.6	+3.5	63.4	−1.0
Brooklet	38.5	−11.5	48.9	−3.0	56.6	−2.6	63.9	−2.0	71.7	−2.4	80.0	0.0	81.0	−1.0	80.4	−1.0	74.2	−3.2	66.6	−0.8	58.9	+1.0	54.8	+3.9	64.6	−1.9
Carrollton	30.0	−12.2	42.4	−3.5	50.7	−3.6	58.8	−2.5	66.2	−3.1	75.6	−1.1	76.7	−2.2	79.2	+1.3	69.9	−2.9	62.4	−0.1	......	......	48.8	+4.2	......	......
Columbus	36.2	−12.0	47.0	−3.1	55.8	−2.1	63.6	−1.8	71.4	−1.9	79.8	−0.3	80.5	−1.2	82.2	+1.0	75.2	−2.2	67.2	+0.5	55.8	−0.2	52.2	+2.8	63.9	−1.7
Covington	31.4	−13.1	42.8	−1.4	50.6	−3.7	59.0	−2.0	67.1	−3.4	76.1	−1.4	76.4	−3.6	......	......	71.6	−2.8	63.1	+0.8	50.9	−1.7	47.2	+2.0	......	......
Dublin	37.8	−11.2	48.3	−3.0	56.2	−0.6	63.4	−1.9	71.2	−1.4	79.8	+0.5	80.2	−1.0	80.8	+0.4	74.2	−2.6	66.6	+0.3	57.0	+1.3	53.4	+3.1	64.1	−1.3
Experiment	29.3	−15.7	41.8	−3.3	50.4	−6.0	60.0	−1.8	68.4	−2.5	77.0	+0.3	77.1	−2.3	78.6	−0.3	71.8	−2.6	64.6	+0.6	50.4	−3.2	47.4	+3.0	59.7	−2.9
Fair View	33.4	−14.0	44.8	−4.5	51.6	−3.6	60.1	−3.0	69.3	−1.2	77.3	−0.3	76.8	−2.7	78.1	−0.5	71.7	−3.3	64.9	+0.4	53.0	−0.7	50.0	+2.3	61.0	−2.6
Fort Valley	34.5	−14.0	45.6	−5.8	53.6	−3.0	61.4	−3.7	70.2	−2.0	78.0	−1.1	78.4	−2.4	79.7	−0.5	72.9	−4.4	65.2	−0.8	54.1	−1.7	50.8	+1.0	62.0	−3.2
Greensboro	31.9	−13.2	45.1	−1.5	51.2	−3.1	60.4	−1.6	68.8	−1.3	78.2	+0.6	77.8	−2.0	78.6	−0.2	72.4	−2.4	65.0	+1.7	52.2	−0.8	47.4	+2.4	60.8	−1.8
Griffin	33.8	−12.2	44.6	−3.2	53.6	−1.7	61.6	−1.5	69.6	−1.4	77.3	−0.5	77.0	−2.9	78.8	−0.2	73.2	−1.8	68.0	+3.8	54.4	+0.3	50.6	+3.7	61.9	−1.4
Lagrange	32.5	......	43.9	......	52.3	......	60.8	......	67.6	......	76.7	......	77.4	......	79.9	......	72.4	......	63.6	......	52.4	......	48.6	......	60.7	......
Louisville	36.4	−11.4	49.8	+0.4	......	......	63.6	−0.9	70.6	−2.1	......	......	......	......	......	......	......	......	65.6	+0.5	56.2	+1.3	52.4	+3.9	......	......
Macon	35.2	−11.6	46.6	−2.7	54.2	−2.5	62.2	−1.7	70.4	−1.9	78.8	−0.1	79.2	−2.0	80.0	+0.1	73.2	−1.6	66.0	+1.5	54.6	+0.4	51.0	+3.5	62.6	−1.6
Milledgeville	35.1	−11.2	45.5	−3.0	53.8	−1.8	63.0	−0.8	71.2	−1.1	79.0	0.0	79.4	−1.8	81.0	+0.7	73.8	2.1	65.0	+0.5	53.5	−0.6	49.9	+2.5	62.5	−1.6
Millen	37.4	−11.4	48.2	−2.1	55.3	−2.5	63.4	−1.7	71.0	−2.2	81.0	+1.3	80.9	−0.8	80.4	−0.6	75.0	−1.7	65.8	−0.2	57.0	+1.1	53.2	+3.8	64.0	−1.5
Monticello	34.9	−10.4	46.8	−0.5	54.0	−0.8	62.6	−0.4	70.6	−0.9	78.3	−0.2	78.8	−1.4	79.4	−0.1	72.6	−2.8	65.8	+1.9	......	......	50.2	+3.7	......	......
Newnan	30.0	−14.9	44.6	−1.6	50.6	−3.8	60.1	−1.7	67.5	−3.1	76.0	−1.8	77.6	−2.8	78.1	−0.8	72.4	−2.2	65.1	+1.4	53.6	+0.3	49.4	+3.7	60.4	−2.2
Stillmore	38.2	−12.9	48.0	−5.1	55.8	−2.7	63.0	−2.1	70.8	−2.5	79.2	+0.2	79.6	−1.5	80.2	−0.3	74.0	−2.7	65.6	−1.4	57.4	+0.1	......	......	......	......
Talbotton	34.8	−12.6	45.6	−3.3	53.8	−2.6	60.9	−2.6	68.9	−3.0	76.8	−1.9	77.2	−3.2	78.8	−0.9	72.3	−3.4	65.3	+0.1	54.2	−0.6	50.8	+2.7	61.6	−2.6
Warrenton	35.3	−11.4	46.4	−1.4	53.1	−2.5	61.6	−1.4	69.4	−2.2	78.0	−0.3	77.8	−2.7	78.4	−1.2	72.1	−2.8	64.0	0.0	54.2	+0.1	50.6	+3.4	61.8	−1.8
West Point	34.2	−11.5	45.2	−2.1	53.8	−1.4	62.0	−1.0	68.7	−2.7	77.7	−0.9	78.5	−2.1	80.2	+0.6	73.2	−2.1	64.7	+0.6	53.6	+0.1	50.4	+4.0	61.8	−1.3
Southern division																										
Alapaha	40.6	−10.6	52.2	−1.0	59.0	−0.8	66.0	−0.6	72.7	−1.3	80.4	+0.6	81.7	+0.2	82.2	+1.3	75.4	−2.1	68.7	+1.0	60.2	+2.2	57.4	+5.4	66.4	−0.4
Albany	38.4	−12.1	49.2	−3.4	59.0	−0.9	65.9	−1.0	74.3	−0.3	80.6	−0.1	82.4	+0.2	83.6	+2.0	77.8	−0.3	71.0	+3.0	58.6	+0.7	57.0	+5.3	66.5	−0.6
Alma	39.9	......	50.4	......	57.2	......	63.2	......	69.8	......	78.3	......	79.8	......	80.6	......	73.2	......	64.9	......	56.8	......	54.7	......	64.1	......
Americus	37.7	−10.9	48.8	−2.1	56.5	−1.5	63.2	−2.1	71.4	−2.0	79.0	−0.9	80.0	−1.5	80.6	−0.3	74.8	−2.3	67.2	+0.3	56.2	0.0	53.2	+3.5	64.0	−1.7
Bainbridge	49.8	−11.3	51.1	−3.0	59.4	−1.4	65.6	−2.0	72.2	−2.6	80.0	−0.6	80.8	−1.1	81.7	+0.2	75.2	−3.1	67.4	−0.7	58.8	+0.3	56.6	+4.0	65.8	−1.8
Blakely	38.7	−13.0	49.4	−4.2	58.2	−1.6	64.2	−2.4	72.4	−1.3	79.5	−0.3	80.2	−1.2	82.2	+1.2	76.2	−1.7	68.8	+0.9	57.5	−0.5	54.8	+2.9	65.2	−1.7
Brunswick	44.1	−9.9	53.1	−2.5	59.7	−1.1	65.6	−2.1	72.9	−1.5	81.3	+0.6	82.6	+0.8	83.0	+1.3	76.2	−2.3	69.6	−0.8	63.0	+2.3	59.2	+3.5	67.5	−1.0
Cairo	40.0	......	49.8	......	58.4	......	61.2	......	71.3	......	78.2	......	79.3	......	81.1	......	74.1	......	67.6	......	59.0	......	56.0	......	61.9	......
Camilla	39.7	......	50.6	......	59.1	......	65.4	......	73.0	......	81.0	......	82.0	......	82.8	......	75.6	......	67.6	......	......	......	......	......	......	......
Cordele	38.0	−9.2	49.4	−1.9	57.4	−3.3	64.3	−0.5	72.2	−1.4	80.5	+0.6	80.5	−0.5	81.7	+0.7	75.2	−0.3	67.5	+3.0	57.1	+1.8	54.4	+4.7	64.8	−0.6
Douglas	39.2	......	51.1	......	58.2	......	65.2	......	72.0	......	80.2	......	80.9	......	81.2	......	74.0	......	66.6	......	58.4	......	55.8	......	65.2	......
Eastman	35.5	−11.8	49.2	−2.5	56.6	−2.5	63.9	−2.3	72.5	−1.5	79.5	−0.7	80.4	−1.5	81.2	+0.1	75.0	−2.3	67.6	+0.6	57.6	+0.5	53.6	+2.9	64.6	−1.8
Fargo	42.9	−11.7	51.2	−4.7	......	......	61.4	−1.6	71.8	−1.7	79.0	+1.0	81.0	−0.6	82.3	+1.2	74.0	−3.4	66.2	−2.5	57.6	−0.8	......	......	......	......
Fitzgerald	39.9	−11.2	50.8	−1.0	58.6	−2.1	64.4	−1.1	72.4	−2.1	80.1	0.0	81.0	−1.0	81.6	+0.5	75.3	−2.0	67.4	+0.2	59.1	+1.1	56.0	+4.3	65.6	−1.2
Fort Gaines	38.2	−11.5	49.0	−2.6	57.8	−1.0	64.2	−1.6	71.8	−1.8	80.8	+1.0	79.7	−1.6	82.6	+2.0	75.5	−1.6	67.9	+1.0	58.3	+1.3	55.0	+4.1	65.1	−1.0
Glennville	40.0	−12.2	50.6	−2.7	58.0	−1.6	64.6	−2.2	72.8	−1.1	80.8	+0.9	81.2	−0.4	81.5	+0.5	75.4	−2.3	68.4	+0.2	59.8	+1.5	56.2	+3.8	65.8	−1.3
Hawkinsville	37.8	−10.9	48.2	−2.3	56.6	−1.5	63.6	−1.6	72.0	−1.3	79.6	−0.1	80.4	−1.0	81.8	+0.8	75.4	−2.0	67.6	+0.9	58.0	+1.6	53.5	+3.7	64.5	−1.2
Montezuma	36.3	......	48.0	......	56.0	......	62.4	......	70.8	......	80.4	......	79.4	......	82.4	......	74.2	......	......	......	56.2	......	53.7	......	......	......
Moultrie	41.9	−12.2	52.2	−4.2	60.0	−1.7	66.2	−1.4	73.6	−1.4	81.0	+0.8	81.6	−0.4	82.4	+1.0	76.0	−2.2	69.0	−0.6	60.3	+0.8	57.8	+3.5	66.8	−1.5
Quitman	42.2	−10.5	51.2	−4.2	59.9	−1.1	65.7	−1.9	72.4	−2.5	81.9	+1.6	......	......	82.0	+0.8	75.8	−2.5	68.2	−0.7	61.0	+1.7	......	......	......	......
Savannah, No. 1	41.8	−9.6	51.4	−2.6	58.2	−0.8	64.2	−1.8	72.2	−1.2	80.6	+1.6	81.8	+0.3	81.8	+1.1	76.7	+0.5	69.0	+1.1	61.0	+2.5	57.3	+4.9	66.3	−0.4
Savannah, No. 2	38.6	−13.7	48.6	−4.6	55.9	−2.6	61.2	−3.1	68.9	−2.7	78.3	+0.2	79.1	−1.4	79.8	−0.3	73.4	−3.1	64.1	−2.5	56.8	+0.2	54.4	+2.8	63.3	−2.5
Savannah Beach	41.8	......	49.0	......	56.3	......	63.0	......	71.6	......	82.0	......	82.4	......	82.2	......	76.2	......	67.5	......	60.6	......	56.6	......	65.8	......
Thomasville	41.4	−9.6	50.8	−4.2	59.1	−1.1	65.0	−1.7	71.7	−2.3	78.4	−1.1	......	......	81.0	0.0	73.8	−3.0	68.0	−0.2	58.4	−0.1	55.2	+2.7	......	......
Tifton	39.4	−13.0	50.3	−3.1	57.8	−0.4	64.1	−2.1	71.8	−1.8	78.8	−0.4	79.6	−1.3	80.4	−0.1	74.1	−3.8	66.6	−1.4	58.2	+0.4	55.4	+3.1	64.7	−2.0
Waycross	42.8	−10.1	52.1	−2.4	58.7	−2.4	64.7	−2.5	71.4	−3.1	80.2	+0.1	81.2	−0.7	81.4	−0.1	74.1	−3.9	66.7	−2.3	60.6	+1.6	57.7	+4.7	66.0	−1.7

Reference letters, ^{a}, ^{b}, ^{c}, appearing in the table indicate number of days missing; for example, ^{b} represents two days, etc.

KILLING FROSTS

Stations	Last in spring	First in autumn	Stations	Last in spring	First in autumn
Northern division			*Middle division*—Con.		
thens, No. 1	Apr. 13†	Nov. 9*	Milledgeville	Apr. 13†	Nov. 9*
thens, No. 2	Apr. 13†	Nov. 9*	Millen	Apr. 13†	Nov. 15
tlanta	Apr. 13	Nov. 15	Monticello	Apr. 13†	Nov. 15*
lairsville	May 5†	Sept. 28*	Newnan	Apr. 13†	Nov. 15*
arlton Bridge	May 4†	Nov. 7*	Stillmore	Apr. 14†	Nov. 8*
artersville	Apr. 13†	Nov. 8*	Talbotton	Apr. 13†	Nov. 9*
edartown	Apr. 13†	Nov. 8*	Warrenton	Apr. 13†	Nov. 15*
layton	Apr. 22†	Sept. 27*	West Point	Apr. 13†	Nov. 9*
ornelia	Apr. 13†	Nov. 8*	*Southern division*		
Dahlonega	Apr. 13†	Nov. 15			
Dalton	Apr. 13†	Nov. 8*	Alapaha	Apr. 13†	Nov. 9*
ainesville	Apr. 21†	Nov. 7*	Albany	Apr. 14	Nov. 8
Hartwell (near)	Apr. 13†	Nov. 8	Alma	Apr. 13†	Nov. 9
afayette	Apr. 13†	Nov. 8*	Americus	Apr. 13†	Nov. 15*
Resaca	Apr. 13†	Nov. 9	Bainbridge	Mar. 9†	Nov. 9
Rome	Apr. 13	Nov. 9	Blakely	Apr. 13	Nov. 9
Tallapoosa	Apr. 14	Nov. 8*	Brunswick	Feb. 23	Nov. 16*
Toccoa	Apr. 13†	Nov. 8*	Cairo	Mar. 9†	Nov. 15
Washington	Apr. 13†	Nov. 7	Camilla	Apr. 13	.. ..
Middle division			Cordele	Apr. 13†	Nov. 9
			Douglas	Apr. 13†	Nov. 15*
Augusta	Apr. 13†	Nov. 15*	Eastman	Apr. 13†	Nov. 15*
Brooklet	Mar. 26	Nov. 15	Fargo	Apr. 13†	Nov. 9
arrollton	Apr. 13	Nov. 9*	Fitzgerald	....	Nov. 9
Columbus	Apr. 13†	Nov. 9	Fort Gaines	Apr. 13†	Nov. 9*
oncord	Apr. 13	Nov. 9	Glennville	Apr. 13†	Nov. 15*
ovington	Apr. 13†	Nov. 9*	Hawkinsville	Apr. 13†	Nov. 9*
Dover	Apr. 14	Nov. 8	Hoggards Mill	Apr. 13†	Nov. 9*
Dublin	Apr. 13†	Nov. 9	Montezuma	Apr. 13	Nov. 15
Experiment	Apr. 14†	Nov. 15*	Moultrie	Mar. 16	Nov. 9
Fair View	Apr. 13†	Nov. 9*	Quitman	Mar. 9†	Nov. 9
Fort Valley	Apr. 13†	Nov. 9	Savannah, No. 1	Feb. 3	Nov. 15
reensboro	Apr. 13	Nov. 15	Savannah, No. 2	Apr. 13†	Nov. 9
riffin	Apr. 13†	Nov. 15	Savannah Beach	Feb. 4†	Nov. 16*
Lagrange	Apr. 14†	Nov. 9	Thomasville	Mar. 9	Nov. 15*
Louisville	Apr. 13†	Nov. 8	Tifton	Apr. 13	Nov. 15
Macon	Feb. 26†	Nov. 15	Waycross	Mar. 9	Nov. 9

* Latest date with temperature 32° or below.
† Earliest date with temperature 32° or below.

MONTHLY STATE DATA FOR 1940

Months	Temperature				Precipitation				
	Mean	Departure from normal	Maximum	Minimum	Average	Departure from normal	Greatest	Least	No. days with 0.01 inch or more
January	35.0	−11.9	74	−17	4.44	+0.17	7.50	2.15	8
February	46.2	−2.5	81	12	5.34	+0.41	10.62	3.14	10
March	53.9	−2.4	88	17	4.03	−0.77	8.13	1.22	10
April	61.6	−1.7	94	22	3.03	−0.80	6.40	1.39	7
May	69.3	−2.2	98	29	2.14	−1.29	6.20	0.67	8
June	77.9	−0.2	102	45	4.68	+0.25	10.59	1.76	11
July	78.5	−1.5	106	52	6.69	+0.92	14.26	1.34	14
August	79.9	+0.4	101	51	7.09	+1.80	17.74	1.88	10
September	72.9	−2.5	102	31	1.04	−2.56	3.65	0.04	4
October	65.0	+0.1	94	29	0.89	−1.80	2.42	0.00	3
November	54.5	0.0	86	10	3.73	+1.10	7.76	0.55	9
December	51.2	+3.4	84	14	4.14	−0.08	7.37	1.83	12
Year	62.2	−1.7	106	−17	47.24	−2.65	66.90	35.19	106

TENNESSEE VALLEY AUTHORITY—PRECIPITATION TOTALS YEAR 1940

Stations	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	An'l
Blue Ridge Res.	3.37	4.89	4.85	4.00	2.05	6.16	2.82	4.18	0.37	1.51	2.66	4.43	41.19
Brasstown Bald	3.39	7.01	5.01	5.52	3.21	5.39	3.39	14.12	2.08	1.92	4.25	6.49	61.78
oopers Creek	3.50	7.77	5.43	4.85	2.45	6.94	.....	.....	.....	.....	.....	.....	.....
lat Top	5.51	9.13	7.21	5.91	3.61	9.32	4.84	8.75	1.32	2.14	5.84	7.20	70.78
Hemptown Gap	3.04	5.15	4.83	3.94	2.02	8.52	5.34	6.06	1.80	1.86	3.08	3.70	49.34
Hiawassee	2.74	5.91	3.82	5.12	2.53	7.18	4.51	8.60	0.84	1.69	2.88	4.02	49.84
vylog	3.12	5.29	4.17	3.77	2.34	7.11	2.44	5.90	0.19	1.77	2.63	3.23	41.96
Little Hightower	3.38	4.63	4.63	6.59	1.96	6.24	3.30	12.85	1.14	2.06	3.59	5.19	55.86
Margret	3.36	6.12	5.40	5.26	2.35	6.82	4.49	7.40	1.40	1.72	2.88	4.44	51.64
Mulky Gap	3.42	6.71	5.75	5.88	3.38	7.14	5.77	8.71	0.37	1.94	4.89	4.67	58.63
eal Gap	4.00	7.41	6.42	5.40	1.86	5.81	3.59	15.40	2.82	1.40	6.37	6.16	66.64
oontootla Creek	3.52	7.93	5.55	5.23	2.88	5.26	3.71	8.55	0.55	1.46	3.62	5.05	53.31
atterson Gap	4.57	7.10	6.62	5.20	3.12	7.41	3.81	4.51	1.27	1.46	4.61	4.93	54.61
tanley Gap	4.08	5.72	5.63	4.32	2.55	6.57	3.12	5.87	0.68	1.72	4.58	4.79	49.58
uches	4.13	8.70	8.38	6.34	3.17	8.72	3.11	18.55	2.78	3.00	7.61	7.70	82.19
weet Gum	3.84	4.63	4.01	3.42	2.24	5.14	3.00	5.64	0.42	1.61	2.82	3.77	40.54
ray Mountain	3.90	6.92	6.85	6.80	1.63	7.22	4.28	20.72	2.30	1.58	7.55	6.64	76.39
unnel Hill	3.86	7.17	6.31	2.59	2.62	3.92	3.60	7.65	0.24	2.01	2.16	6.93	48.46
arne	3.14	5.59	4.07	3.67	2.71	5.61	4.11	6.98	0.42	1.52	3.12	2.96	43.90

(WBO, Atlanta, 2-21-41—1125)

ANNUAL CLIMATOLOGICAL DATA FOR THE STATE

Year	Temperature			Precipitation					Number of days			
	Mean	Highest	Lowest	Northern division	Middle division	Southern division	Average	Average snowfall	Precip. .01 or more	Clear	Pt. cloudy	Cloudy
1892	62.9	102	9	59.15	47.92	47.13	51.39	.....	95	150	103	113
1893	63.4	103	−1	43.81	46.39	50.25	46.83	.....	85	171	107	87
1894	64.0	104	0	44.92	50.18	53.58	49.55	.....	94	157	123	85
1895	62.0	104	−5	55.04	49.52	50.24	51.60	.....	96	154	117	94
1896	64.4	107	3	42.09	41.33	47.94	44.78	1.4	81	176	113	77
1897	64.2	105	−1	51.00	45.14	51.34	49.15	0.4	84	166	106	93
1898	63.8	104	5	58.62	52.10	52.92	54.54	0.4	96	159	110	96
1899	63.6	105	−12	49.87	42.54	41.87	44.75	6.5	89	167	116	82
1900	63.7	106	0	63.21	55.36	54.09	57.56	0.4	115	141	130	94
1901	61.6	106	3	65.58	53.58	53.49	57.55	4.1	113	152	123	90
1902	63.6	108	10	46.70	48.17	55.48	50.14	1.4	100	136	129	100
1903	62.6	104	9	52.28	51.57	57.51	53.79	0.4	110	140	116	109
1904	62.7	104	4	37.54	33.81	39.19	36.84	1.8	89	158	116	92
1905	63.3	102	−8	52.85	46.04	52.53	50.47	1.6	97	161	99	105
1906	63.6	103	11	63.62	50.61	50.08	54.79	2.2	101	168	104	93
1907	64.2	106	16	47.88	47.91	50.20	48.67	0.3	95	169	114	82
1908	64.4	104	9	54.87	50.14	45.73	50.25	0.7	85	174	110	82
1909	64.0	104	5	58.28	47.94	39.63	48.62	0.3	93	175	113	77
1910	63.0	103	8	45.69	42.29	43.62	43.86	0.7	91	187	79	99
1911	65.6	105	9	48.72	45.69	47.87	47.43	0.1	97	165	83	117
1912	62.9	103	0	62.17	62.39	64.84	63.14	5.1	113	153	83	130
1913	64.1	110	12	49.74	45.50	44.74	46.67	T.	95	184	79	102
1914	63.3	109	5	41.70	42.78	49.61	45.70	5.1	93	179	83	103
1915	63.7	106	17	53.54	48.97	46.23	49.58	0.5	86	196	83	86
1916	64.1	103	10	47.09	41.68	42.23	43.67	0.4	93	180	95	91
1917	62.4	103	0	53.79	45.28	43.55	47.54	1.9	99	181	92	92
1918	64.3	106	−3	55.00	45.07	47.88	49.25	1.6	101	161	85	116
1919	65.0	103	2	57.27	54.59	53.95	55.27	0.4	103	167	87	111
1920	62.9	105	4	67.51	56.63	56.32	60.11	T.	107	166	86	114
1921	66.1	104	20	46.22	38.76	38.23	41.08	1.0	94	173	100	92
1922	65.6	104	12	59.71	54.78	51.27	55.26	0.3	113	158	94	113
1923	61.3	105	0	56.08	54.12	47.90	52.72	T.	108	159	88	118
1924	62.8	107	−9	52.18	52.94	57.37	54.15	1.9	99	187	73	106
1925	65.6	111	0	39.46	38.37	45.14	41.01	T.	89	186	75	104
1926	63.6	110	6	50.72	46.92	53.66	50.43	0.8	104	181	78	106
1927	65.9	108	4	44.89	39.96	37.51	40.79	1.0	92	177	100	88
1928	63.2	105	−5	55.77	57.98	64.95	59.56	0.3	114	167	101	98
1929	64.1	103	7	78.43	71.85	60.83	70.37	1.6	122	156	101	108
1930	63.5	109	8	41.02	47.28	48.75	45.68	3.3	99	175	93	97
1931	64.9	109	11	44.55	33.84	33.79	37.39	0.2	87	194	91	80
1932	65.1	108	10	70.76	49.71	54.50	58.32	0.7	115	162	93	111
1933	65.6	108	0	39.60	40.12	45.43	41.72	T.	94	184	95	86
1934	64.0	105	−10	54.61	46.24	44.24	48.36	0.8	106	179	95	91
1935	64.3	105	0	48.66	38.98	46.29	44.64	1.8	99	170	96	99
1936	64.4	106	−8	66.12	57.14	53.33	58.87	4.7	104	170	98	98
1937	63.9	102	−3	54.60	49.10	53.87	52.53	0.6	114	159	104	102
1938	65.0	105	7	47.85	41.14	37.21	42.07	T.	95	177	96	92
1939	64.9	105	8	50.55	47.44	48.90	48.96	T.	109	174	97	94
1940	62.2	106	−17	50.12	47.15	44.47	47.24	5.0	106	171	91	104
Period	63.9	111	−17	52.74	47.91	49.02	49.89	1.3	99	168	99	98


GEORGIA
SCALE OF MILES
10 5 0 10 20 30 40
85
84
83
82
81
35
34
33
32
31
Northern Division
Middle Division
Southern Division
DADE
WALKER
La Fayette
CATOOSA
WHITFIELD
Dalton
MURRAY
Chatsworth
FANNIN
Blue Ridge
TOWNS
Blairsville
UNION
RABUN
Clayton
GILMER
Ellijay
Oakman
CHATTOOGA
Summerville
GORDON
Resaca
Fairmont
Jasper
PICKENS
DAWSON
LUMPKIN
Dahlonega
WHITE
HABERSHAM
Cornelia
Toccoa
STEPHENS
Adairsville
Rome
FLOYD
BARTOW
Cartersville (near)
Taylorsville
CHEROKEE
Canton
Woodstock
FORSYTH
Cumming
HALL
Gainesville
BANKS
Gillsville
FRANKLIN
HART
Hartwell
JACKSON
Jefferson
MADISON
Carlton Bridge
ELBERT
Cedartown
POLK
PAULDING
Marietta
COBB
Lawrenceville
Norcross
GWINNETT
BARROW
Winder
CLARKE
Athens
Pt. Peter
Lisbon
HARALSON
Tallapoosa
DOUGLAS
FULTON
Atlanta
DE KALB
WALTON
OCONEE
OGLETHORPE
WILKES
LINCOLN
Washington
Double Branches
Savannah
CARROLL
CLAYTON
Jonesboro
ROCKDALE
Covington
NEWTON
Madison
MORGAN
GREENE
Greensboro
TALIAFERRO
McDUFFIE
Thomson
COLUMBIA
Augusta
HENRY
FAYETTE
Newnan
COWETA
HEARD
Griffin
SPALDING
Jackson
BUTTS
JASPER
Monticello
Eatonton
PUTNAM
HANCOCK
Sparta
WARREN
Warrenton
GLASCOCK
RICHMOND
TROUP
Lagrange
West Point
MERIWETHER
Woodbury
PIKE
Concord
LAMAR
MONROE
Fair View
Round Oak
JONES
Milledgeville
BALDWIN
Sandersville
WASHINGTON
JEFFERSON
Louisville
Waynesboro
BURKE
UPSON
HARRIS
Goat Rock
TALBOT
Talbotton
Macon
BIBB
TWIGGS
Irwinton
WILKINSON
Wrightsville
JOHNSON
Midville
JENKINS
Millen
SCREVEN
River
MUSCOGEE
Columbus
Chattahoochee
TAYLOR
Butler
CRAWFORD
Ft. Valley
PEACH
HOUSTON
Marshallville
Danville
Dublin
Meeks
EMANUEL
Dover
CHATTAHOOCHEE
MARION
MACON
Montezuma
Hawkinsville
BLECKLEY
LAURENS
TREUTLEN
Stillmore
CANDLER
Statesboro
Brooklet
BULLOCH
Clyo
EFFINGHAM
STEWART
WEBSTER
SCHLEY
Americus
SUMTER
DOOLY
PULASKI
Eastman
DODGE
WHEELER
Mt. Vernon
MONTGOMERY
Lyons
TOOMBS
Claxton
EVANS
Meldrim
Savannah No 1
CHATHAM
Savannah No 2
Savannah Beach
LIBERTY
Cordele
CRISP
Abbeville
WILCOX
Mc Rae
Lumber City
TELFAIR
TATTNALL
Glennville
Hinesville
QUITMAN
RANDOLPH
TERRELL
LEE
CLAY
TURNER
BEN HILL
Fitzgerald
Hazelhurst
JEFF DAVIS
APPLING
Surrency
LONG
OCEAN
Ft. Gaines
CALHOUN
Albany
DOUGHERTY
WORTH
TIFT
Tifton
IRWIN
COFFEE
Douglas
BACON
Alma
Doctortown
WAYNE
Screven
Everett City
Mc INTOSH
Valona
Blakely
EARLY
BAKER
Camilla
MITCHELL
COLQUITT
Moultrie
Alapaha
BERRIEN
ATKINSON
Pearson
PIERCE
Waycross
Nahunta
BRANTLEY
GLYNN
Brunswick
ATLANTIC
MILLER
COOK
LANIER
WARE
Woodbine
SEMINOLE
DECATUR
Bainbridge
GRADY
Cairo
THOMAS
Thomasville
BROOKS
Quitman
LOWNDES
Valdosta
CLINCH
CHARLTON
Folkston
CAMDEN
ECHOLS
Fargo
St. George

U. S. DEPARTMENT OF COMMERCE, WEATHER BUREAU

CLIMATOLOGICAL DATA

7

GEORGIA SECTION

GLEN JEFFERSON

Vol. XLV Atlanta, Ga., Year 1941 No. 13

GENERAL SUMMARY

The year averaged slightly above normal in temperature. With the exception of February and March, every month was above normal, October being exceptionally warm. The deficiencies of February and March were so large as to very nearly offset excesses in other months. Local averages for the year ranged from 57.0° at Blairsville to 69.4° at Brunswick.

The year averaged unusually low in precipitation. The first 5 months were very dry; lack of sufficient rain produced serious drought and left sources of water supply at critically low stages by May. Some relief was afforded during June and July when considerable amounts of rain fell, but persistently low averages from August to November brought a return of drought and low water supply. The rains of June and July came at such frequent intervals that an unusually severe boll weevil infestation developed, causing much detriment to the cotton crop. December, besides being the wettest month of the year, developed into one of the wettest on record. The soil was well soaked, water supplies were replenished, and rivers rose to near flood stages. One of the most notable features of the year was the passage of a damaging hurricane through southern districts near the middle of October.—R. L. C.

THE WEATHER BY MONTHS

January.—Temperatures averaged near the January normal with no unusual extremes and no prolonged periods of unseasonable weather, either warm or cold. Precipitation averaged only 44 percent of normal and was the driest January since 1928. But, as a result of generous rains during the latter part of the preceding month, the deficiency was more favorable than otherwise.

February.—This month averaged unusually low in temperature. As compared with previous February records, it was the coldest since 1905 and colder than in all other years except 1895 and 1902. Temperatures were almost continuously below normal throughout the month, though minimum temperatures were not exceptional. Precipitation averaged less than 50 percent of normal. The soil dried out considerably, but freedom from rainy weather was favorable for plowing and preparing the land for planting.

March.—This was another unusually cold month, with a marked scarcity of warm days. Lower March averages have occurred only in 1915 and 1926. But notwithstanding the low average, temperatures never fell below 20° except at a few mountain districts. The continued cold weather maintained vegetation in a dormant stage much later than usual. Rainfall was light, but it came at such close intervals that no satisfactory progress could be made in preparing the land for planting.

April.—This was the warmest April since 1929 and the only April in a period of 50 years with no freezing temperatures. Lowest temperatures were never much under 40°, and maximum temperatures, ranging upwards to almost 100°, were near the record high for April at many places. Rainfall was light, with not much more than 50 percent of normal, but it came at timely intervals.

May.—This was a moderately warm and very dry month. Variation in temperatures was greater than usual. Freezing or lower was registered at a few places in the mountains, but remarkably warm weather predominated during most of the period after the 15th. Precipitation averaged only about 25 percent of normal, and except for 1914, was the driest May on record. Persistent deficiencies during this and preceding months had gradually brought water supplies to a very serious stage, and serious drought spread into all parts of the State.

June.—Temperatures averaged about normal with extremes well within the limits of previous June records. Precipitation averaged about 140 percent of normal and was the wettest June in a period of nearly 30 years. It was also the first month since November, 1940, when as much as normal rainfall occurred. The drought was brought to an end, though more rain was needed for water supply reservoirs.

July.—Temperatures averaged about normal with smaller variations in extremes than usually registered during July. Rainfall occurred almost every day during the first 25 days in all parts of the State, accumulating an average well above normal. Much needed cultivation was delayed, and infestation of boll weevils became quite severe.

August.—This was one of the warmest Augusts on record, though temperature extremes were not unusual. Warm weather persisted throughout the month with little interruption. Rainfall averaged below normal, but came at frequent intervals and kept most districts well supplied with moisture. Boll weevil infestation continued to a very serious degree.

September.—This was an unusually warm and rather dry month. Temperatures were particularly high during the first 10 days, causing considerable drying of the soil. Very little rain occurred prior to the 25th except for generous showers in the southern division about the middle of the month. Vegetation was greatly in need of additional moisture by the close of the month.

October.—This was a dry month and the warmest October since 1919. Maximum temperatures reached 90° or higher in every part of the State, and freezing or lower occurred at only 3 stations. Lack of sufficient rain produced a serious shortage of water supply in the northern part of the State; some relief was afforded in southern districts by heavy to excessive rains that fell during the passage of a hurricane through that section on the 8th. The storm also caused much damage to trees, buildings, communication lines, etc.

November.—Temperatures averaged about normal. Freezing temperatures and injurious frosts killed or severely injured most vegetation and unharvested crops. Rainfall was inadequate, some districts reporting little more than 0.50 inch.

December.—This was an unusually warm and wet month. Temperatures were above normal during most of the month. There were two separate cold periods during each of which temperatures as low as 25° occurred far down into the State. Numerous heavy rains occurred throughout the State and resulted in an average of more than 170 percent of normal. Extended periods of fair weather, however, offset considerably the effects of copious rains.—R. L. C.

Climatological Data for the Year 1941

Stations	Counties	Elevation, feet	Temperature (degrees Fahrenheit)						Precipitation (inches)							Number rainy days	Sky			Prevailing direction of wind
			Length of record, years	Annual mean	Highest	Date	Lowest	Date	Length of record, years	Total for the year	Greatest monthly	Month	Least monthly	Month	Total snowfall		Number clear days	Number partly cloudy days	Number cloudy days	
Northern division																				
Athens, No. 1	Clarke	775	60	62.8	99	May 22†	20	Mar. 1	67	39.96	7.97	Dec.	0.65	May	0.0	103	134	144	87	sw.
Athens, No. 2	do	725	6	63.6	99	May 29†	21	Mar. 1	6	39.37	8.55	Dec.	0.80	Apr.	0.0	62	....	....	....	....
Atlanta Airport	Fulton	975	11	62.6	99	Sept. 8	22	Mar. 1	11	35.94	6.98	Dec.	0.47	May	T.	100	121	116	128	nw.
Atlanta [City]	do	1,054	75	62.2	94	May 29	21	Feb. 9	75	33.27	7.04	June	0.44	May	T.	103	122	115	128	nw.
Atlanta No. 2	De Kalb	998	....	....	....	....	....	....	7	41.31	10.00	June	0.40	May	T.	100	....	....	....	....
Blairsville	Union	1,938	10	57.0	94	May 29	11	Jan. 6†	10	40.74	10.84	July	0.70	May	0.3	81	....	....	....	....
Canton	Cherokee	894	....	....	....	....	....	....	52	41.03	10.91	July	0.40	Sept.	T.	101	....	....	....	....
Carlton Bridge	Elbert	500	48	62.1	102	May 23	15	Feb. 10	43	42.67	10.02	Dec.	0.72	May	0.0	99	242	42	81	....
Cartersville	Bartow	772	3	62.2	100	May 21†	19	Jan. 6†	5	33.74	5.66	July	0.31	Sept.	0.4	93	216	77	72	....
Cedartown	Polk	797	5	....	99	May 29†	....	....	8	41.84	7.25	July	1.17	Sept.	0.8	89	....	....	....	....
Clayton	Rabun	2,000	46	58.1	94	May 22†	13	Feb. 9†	47	50.41	12.30	July	0.44	May	T.	106	132	97	136	....
Cornelia	Habersham	1,500	22	59.4	95	May 22†	15	Dec. 15	23	45.76	14.66	July	0.51	Sept.	0.5	102	206	87	72	w.
Dahlonega	Lumpkin	1,519	50	60.3	96	May 29	17	Feb. 9†	51	47.46	14.19	July	0.28	Sept.	T.	112	153	145	67	w.
Dalton	Whitfield	710	6	61.1	99	May 29	17	Feb. 10	6	49.05	12.43	July	0.38	Sept.	T.	85	143	84	138	n.
Gainesville	Hall	1,254	62	59.7	98	May 29	16	Jan. 8†	64	40.46	8.64	July	0.43	Sept.	0.2	97	....	....	....	w.
Hartwell [near]	Hart	750	41	62.3	100	May 22†	18	Feb. 9†	41	39.66	10.21	July	0.57	May	T.	80	121	205	39	w.
Jasper	Pickens	1,480	2	61.1	99	May 29	16	Feb. 9	5	44.26	9.78	July	0.70	Sept.	T.	95	111	159	95	e.
La Fayette	Walker	950	7	61.9	98	May 22	18	Jan. 6†	11	43.98	10.86	July	0.60	May	0.0	73	162	98	105	....
Norcross	Gwinnett	1,025	....	....	....	....	....	....	27	41.10	8.01	Aug.	0.37	May	0.0	109	....	....	....	....
Resaca	Gordon	657	....	....	....	....	....	....	50	42.06	9.64	July	0.10	Sept.	T.	104	....	....	....	s.
Rome	Floyd	617	60	62.2	99	May 29	20	Jan. 6	85	38.31	9.04	July	0.75	Sept.	1.5	102	....	....	....	....
Tallapoosa	Haralson	1,000	45	60.7	100	Sept. 29	16	Feb. 10	45	42.50	8.68	July	0.92	May	T.	83	243	66	56	....
Toccoa	Stephens	1,050	55	62.3	99	May 29	19	Feb. 4†	56	45.94	13.23	July	0.78	May	T.	100	173	117	75	w.
Washington	Wilkes	630	51	65.0	100	May 23†	22	Feb. 8†	53	42.28	8.51	June	0.59	Sept.	T.	99	169	136	60	ne.
Division means and extremes		....	....	61.5	102	May 23	11	Jan. 6†	....	42.44	14.66	July	0.10	Sept.	0.2	95	163	111	91	w.
Middle division																				
Augusta	Richmond	134	85	65.6	101	June 10	24	Feb. 10	76	39.32	10.05	June	0.20	May	T.	93	143	109	113	nw.
Brooklet	Bulloch	150	50	67.2	102	May 23	25	Feb. 10†	47	32.80	10.29	June	0.28	May	T.	82	181	141	43	....
Carrollton	Carroll	1,095	18	62.3	97	May 21	20	Feb. 9†	15	34.99	7.56	July	0.58	May	T.	91	....	....	....	sw.
Columbus	Muscogee	262	53	66.5	101	Sept. 8	26	Feb. 16†	53	37.47	9.34	Dec.	0.67	Apr.	T.	92	....	....	....	nw.
Concord	Pike	825	....	....	....	....	....	....	29	39.27	10.35	Dec.	1.04	Sept.	T.	88	184	102	79	....
Covington *	Newton	747	29	....	103	Sept. 8	16	Feb. 10	56	35.49	7.93	Dec.	0.84	May	0.0	83	....	....	....	....
Dublin	Laurens	234	33	66.2	102	Sept. 8	23	Feb. 10†	50	42.95	10.80	Dec.	0.55	May	0.0	98	102	189	74	nw.
Experiment	Spalding	946	21	63.2	98	June 10†	22	Feb. 10†	20	42.74	9.33	Dec.	0.91	Oct.	0.0	109	....	....	....	....
Fair View ‡‡	Lamar	....	32	63.4	100	June 10	21	Mar. 1	28	38.23	9.32	Dec.	0.83	May	T.	101	....	....	....	....
Fort Valley	Peach	526	21	64.7	99	Sept. 8	23	Mar. 1	21	43.27	9.30	Dec.	1.27	Apr.	T.	99	120	132	103	nw.
Goat Rock ‡‡	Muscogee	415	....	....	....	....	....	....	28	32.82	5.43	June	0.50	May	0.2	101	....	....	....	....
Greensboro	Greene	620	40	62.6	99	May 29†	20	Feb. 5†	39	47.69	9.64	Dec.	0.75	Apr.	0.0	82	201	68	96	w.
Griffin	Spalding	975	51	64.5	99	Sept. 8	21	Mar. 1	51	42.11	9.02	Dec.	0.96	Oct.	T.	90	198	85	82	w.
Lagrange	Troup	740	5	63.6	99	May 29†	19	Feb. 10	31	40.43	8.86	Dec.	0.72	Oct.	0.8	114	152	100	113	w.
Louisville	Jefferson	337	45	....	105	June 9	22	Feb. 10	46	....	....	....	....	....	....	....	....	....	....	....
Macon	Bibb	330	60	64.9	98	May 23	24	Feb. 10	93	42.61	10.82	July	0.87	Apr.	T.	106	103	111	151	nw.
Milledgeville	Baldwin	320	58	65.3	104	Sept. 9	21	Feb. 10	52	36.01	8.09	Dec.	0.41	May	T.	93	....	....	....	ne.
Millen	Jenkins	180	53	66.2	102	May 23†	23	Feb. 10	54	45.05	10.46	Dec.	0.17	May	T.	92	....	....	....	nw.
Monticello	Jasper	680	52	65.2	101	Aug. 10†	20	Mar. 1	49	40.35	10.43	Dec.	0.70	May	0.0	93	159	60	146	....
Newnan	Coweta	975	52	63.0	96	May 21†	20	Feb. 10	52	41.66	8.13	July	0.71	Oct.	T.	112	230	56	79	se.
Stillmore [near]	Emanuel	257	16	....	103	June 10	21	Feb. 10†	16	42.40	13.51	July	0.41	May	0.0	81	....	....	....	....
Talbotton	Talbot	750	48	63.8	97	May 29†	21	Mar. 1	48	37.29	8.89	Dec.	0.52	Nov.	T.	68	184	94	87	e.
Warrenton	Warren	500	41	63.9	101	June 10	23	Feb. 10†	48	40.13	7.00	June	0.36	May	0.0	94	191	141	33	ne.
Waynesboro	Burke	261	22	65.0	102	May 23	22	Feb. 10	31	41.06	8.28	Dec.	0.13	May	0.0	83	113	106	146	e.
West Point	Troup	573	51	64.1	99	May 23†	20	Feb. 10	52	53.43	12.47	Aug.	0.38	May	T.	105	171	71	123	....
Woodbury	Meriwether	800	....	....	....	....	....	....	41	42.09	10.02	Dec.	0.84	May	T.	79	....	....	....	....
Division means and extremes		....	....	64.6	105	June 9	16	Feb. 10	....	40.39	13.51	July	0.13	May	T.	93	163	104	98	nw.
Southern division																				
Abbeville	Wilcox	180	....	....	....	....	....	....	38	34.36	6.81	Dec.	0.75	Nov.	0.0	92	....	....	....	nw.
Alapaha	Berrien	293	52	67.4	101	May 23	24	Feb. 10†	52	41.66	6.66	Dec.	1.11	Oct.	0.0	89	232	17	116	w.
Albany	Dougherty	230	54	68.6	101	June 11	26	Mar. 1	55	48.45	10.75	Dec.	0.53	May	0.0	98	185	11	169	ne.
Alma	Bacon	198	3	65.5	98	Aug. 8	22	Mar. 2	3	36.60	6.65	June	0.75	Jan.	0.0	109	87	121	157	nw.
Americus	Sumter	362	57	65.8	100	Sept. 8	24	Feb. 10	57	56.00	11.54	Dec.	0.61	Nov.	T.	104	119	126	120	nw.
Bainbridge	Decatur	119	49	67.8	102	May 24	25	Feb. 10†	49	45.53	8.81	July	0.78	May	0.0	116	....	....	....	e.
Blakely	Early	300	63	67.3	101	May 24	26	Mar. 1	64	48.16	8.58	Dec.	1.23	Nov.	T.	119	127	139	99	ne.
Brunswick	Glynn	14	41	69.4	100	June 10†	29	Mar. 1	43	61.64	9.95	June	0.98	Jan.	T.	120	178	115	72	ne.
Cairo	Grady	265	10	67.2	98	May 23†	25	Mar. 1	15	46.31	8.58	June	1.08	Jan.	T.	109	163	105	97	se.
Camilla	Mitchell	177	4	....	102	May 24	....	....	4	....	....	....	....	....	....	....	....	....	....	....
Camp Stewart	Liberty	90	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Cordele	Crisp	336	12	67.0	100	May 23†	25	Mar. 1	14	44.65	10.53	Dec.	0.54	Nov.	T.	87	....	....	....	....
Douglas	Coffee	275	8	....	98	May 23†	25	Feb. 10†	8	37.31	6.76	June	0.58	Jan.	T.	79	....	....	....	sw.
Eastman	Dodge	361	49	66.9	105	June 10	24	Feb. 10	49	45.28	10.11	Dec.	0.53	May	0.0	82	232	79	54	nw.
Fargo	Clinch	116	13	67.4	99	June 10†	21	Mar. 2	13	44.89	7.03	June	0.75	May	T.	96	137	107	121	ne.
Fort Gaines	Clay	340	53	....	100	Sept. 8	21	Feb. 10	54	....	8.50	July	....	....	0.0	....	....	....	....	s.
Glennville	Tattnall	175	37	67.6	104	June 10†	25	Mar. 1†	37	37.62	7.16	June	0.47	May	0.0	92	103	183	79	sw.
Hawkinsville	Pulaski	235	50	66.7	101	June 10	23	Feb. 10†	50	55.25	13.29	Dec.	0.25	May	0.0	85	188	52	125	w.
Hoggard's Mill ‡‡	Mitchell	132	2	66.6	101	May 24†	23	Feb. 10†	2	44.29	8.21	Dec.	0.53	Nov.	0.0	112	....	....	....	....
Lumber City	Telfair	150	....	....	100	June 9	....	....	32	38.10	7.65	July	0.99	Oct.	0.0	113	....	....	....	....
Montezuma	Macon	292	2	66.6	101	June 11	25	Feb. 10†	37	42.23	10.07	Dec.	0.69	Nov.	T.	96	199	8	158	....
Moultrie	Colquitt	325	15	68.8	100	May 24†	26	Feb. 10†	15	37.84	5.58	Aug.	1.55	Jan.	T.	98	....	....	....	....
Quitman	Brooks	173	56	67.0	101	May 24	24	Feb. 10	50	41.67	8.73	July	0.80	Jan.	0.0	92	179	56	130	....
Savannah, No. 1	Chatham	42	92	68.3	100	June 10	31	Jan. 8†	92	45.28	12.28	June	0.43	May	0.0	109	134	103	128	sw.
Savannah, No. 2 **	do	22	14	65.6	102	June 10	19	Mar. 2	14	47.22	9.65	June	0.38	Apr.	0.0	108	....	....	....	nw.
Savannah Beach	do	15	3	68.0	99	Aug. 27	19	Mar. 1	3	45.03	12.95	June	0.24	May	0.0	83	....	....	....	....
Thomasville	Thomas	276	59	....	98	May 24	26	Mar. 1†	64	47.60	7.26	Aug.	0.45	Nov.	0.0	111	....	....	....	e.
Tifton	Tift	370	20	66.5	99	May 24†	24	Feb. 16†	21	38.75	8.01	June	0.58	Nov.	0.0	89	....	....	....	sw.
Waycross	Ware	131	50	67.8	98	May 23†	23	Feb. 10	50	52.44	13.87	June	0.51	May	0.0	118	210	81	64	nw.
Division means and extremes		....	....	67.2	105	June 10	19	Mar. 2	....	44.50	13.87	June	0.24	May	T.	101	163	90	112	ne.
State means and extremes		....	....	64.4	105	June 9†	11	Jan. 6†	....	42.45	14.66	July	0.10	Sept.	0.1	96	163	101	101	nw.

† On other dates also. ‡ Also other months.

Monthly and Annual Precipitation for the Year 1941, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure
Northern division																										
Athens, No. 1	2.63	−1.63	1.79	−3.29	5.75	+0.75	1.20	−2.53	0.65	−2.94	5.77	+1.86	6.49	+1.36	3.46	−1.21	1.71	−1.75	1.30	−1.93	1.24	−1.37	7.97	+2.89	39.96	−9.79
Athens, No. 2	1.90	......	1.98	......	5.25	......	0.80	......	0.86	......	4.92	......	8.13	......	2.65	......	2.38	......	1.30	......	1.04	......	8.55	......	39.57	......
Atlanta Airport	1.42	−3.53	1.91	−2.88	4.05	−1.25	3.12	−0.49	0.47	−3.00	4.99	+1.25	4.99	+0.34	4.30	−0.15	1.35	−1.64	0.57	−2.02	1.79	−1.24	6.98	+2.28	35.94	§12.33
Atlanta [City]	1.93	−3.02	1.56	−3.23	4.19	−1.11	2.02	−1.59	0.44	−3.03	7.04	+3.30	3.90	−0.75	3.00	−1.45	0.73	−2.26	0.63	−1.96	1.40	−1.63	6.43	+1.73	33.27	§15.00
Atlanta, No. 2	2.06	......	1.77	......	4.54	......	2.76	......	0.40	......	10.00	......	5.12	......	4.20	......	1.66	......	0.44	......	1.83	......	6.59	......	41.31	......
Blairsville	2.38	......	1.35	......	4.40	......	2.75	......	0.70	......	4.60	......	10.84	......	3.18	......	0.93	......	1.18	......	3.47	......	4.96	......	40.74	......
Canton	2.77	−2.07	1.73	−3.76	5.20	−0.29	1.40	−2.79	0.68	−3.20	4.45	+0.52	10.91	+5.42	4.02	−0.66	0.40	−2.66	1.30	−2.25	3.09	−0.12	5.13	−1.01	41.63	§12.87
Carlton Bridge	2.00	−1.88	1.69	−3.38	5.11	+0.34	1.54	−1.83	0.72	−2.76	6.43	+2.33	5.57	+0.80	4.58	+0.10	1.37	−2.25	2.13	−0.85	1.51	−1.16	10.02	+5.21	42.67	−5.33
Cartersville	2.41	......	1.48	......	3.86	......	1.31	......	1.00	......	4.46	......	5.66	......	2.38	......	0.31	......	1.60	......	4.64	......	4.63	......	33.74	......
Cedartown	3.25	......	2.41	......	3.75	......	2.42	......	2.05	......	5.46	......	7.25	......	4.53	......	1.17	......	1.83	......	2.57	......	5.15	......	41.84	......
Clayton	4.03	−2.05	1.49	−4.85	5.44	−1.68	3.50	−2.05	0.44	−4.68	4.11	−1.44	12.30	+5.25	1.39	−2.10	0.94	−4.49	2.51	−2.41	3.75	−0.43	7.48	−0.37	50.41	§21.30
Cornelia	2.72	−2.21	1.52	−4.13	5.39	−0.39	1.99	−2.57	1.37	−2.99	3.55	−0.43	14.66	+8.76	2.37	−2.35	0.51	−4.01	1.15	−2.73	2.70	−0.66	7.83	+1.21	45.76	§12.50
Dahlonega	3.43	−2.08	1.56	−4.30	4.98	−1.03	2.46	−2.08	1.28	3.61	3.44	−1.28	14.19	+8.56	3.25	−1.80	0.28	−4.09	2.00	−1.89	3.46	−0.16	7.13	−0.06	47.46	§13.82
Dalton	2.22	......	1.10	......	3.26	......	2.96	......	2.37	......	9.47	......	12.43	......	4.12	......	0.38	......	2.72	......	3.35	......	4.67	......	49.05	......
Gainesville	2.34	2.40	1.83	−3.55	5.13	−0.50	1.82	−2.17	0.69	−3.31	3.61	−0.52	8.64	+3.29	4.23	−0.38	0.43	−3.26	2.58	−0.67	2.38	−0.68	6.78	+1.32	40.46	§12.83
Hartwell (near)	2.48	−1.49	1.57	−3.47	5.35	+0.67	1.45	−2.13	0.57	−3.08	3.82	−0.19	10.21	+5.75	2.54	−2.28	0.72	−2.69	1.27	−1.90	2.71	+0.01	6.97	+1.92	39.66	−8.88
Jasper	2.66	......	1.41	......	4.97	......	1.84	......	0.70	......	5.80	......	9.78	......	4.52	......	0.70	......	2.17	......	4.63	......	4.99	......	44.26	......
Lafayette	1.60	−3.47	0.90	−4.30	3.30	−1.14	2.80	−3.28	0.60	−2.75	4.70	−0.72	10.86	+5.26	6.70	+1.90	1.10	−1.53	2.45	−0.07	1.12	−1.58	6.95	+2.91	43.08	−8.77
Norcross	2.50	−2.14	1.83	−3.40	4.36	−0.77	1.84	−2.21	0.37	−3.36	4.81	+0.80	7.20	+1.32	8.01	+3.56	1.22	−1.00	0.88	−2.12	1.42	−1.58	6.66	+1.64	41.10	§10.42
Resaca	2.45	−2.35	1.43	−4.07	3.56	−2.29	2.00	−2.63	2.43	−1.35	7.24	+2.96	9.64	+4.65	2.58	−1.70	0.10	−2.91	3.26	−0.06	2.78	−0.69	4.53	−1.44	42.06	§11.88
Rome	2.60	−2.22	2.10	−3.58	3.87	−1.96	2.34	−2.09	0.99	−3.15	3.90	−0.55	9.04	+4.01	3.57	−1.00	0.75	−2.28	2.01	−1.24	2.62	−0.83	4.65	−1.19	38.34	§16.08
Tallapoosa	2.95	−1.55	1.73	−3.36	4.76	0.59	1.82	−2.53	0.92	−2.90	3.60	−0.61	8.68	+3.28	4.98	+0.48	3.39	−0.21	1.74	−1.29	2.45	−0.77	5.48	−0.06	42.50	§10.11
Toccoa	2.81	−2.19	1.43	−4.13	5.59	−0.33	2.23	−2.21	0.78	−3.21	2.46	−2.06	13.23	+7.83	3.95	−1.75	2.82	−1.30	1.41	−2.74	2.28	−0.96	6.95	+0.51	45.94	§12.74
Washington	1.74	−2.39	1.76	−3.36	5.12	+0.40	1.27	−2.38	1.21	−2.18	8.51	+4.27	7.64	+2.31	3.83	−0.83	0.59	−3.50	2.40	−0.73	1.42	−1.33	6.85	+2.46	42.28	−7.26
Middle division																										
Augusta	1.93	−2.06	1.82	−2.29	4.84	+0.73	1.86	−1.28	0.20	−2.81	10.05	+5.37	6.86	+1.47	2.10	−2.93	0.86	−2.50	1.52	−0.94	0.57	−1.83	6.71	+3.46	39.32	−5.58
Brooklet	1.23	−1.75	1.74	−1.88	3.15	−0.63	1.59	−1.50	0.28	−3.46	10.29	+4.11	4.56	−1.50	2.45	−3.69	0.64	−4.03	0.71	−1.69	1.02	−1.43	5.14	+1.94	32.80	§15.51
Carrollton	1.95	−2.89	1.61	−3.25	5.12	−0.77	2.02	−2.24	0.58	−2.25	2.99	−0.73	7.56	+2.74	2.34	−2.56	1.66	−1.42	0.77	−2.00	2.97	+0.07	5.42	+0.96	34.99	§14.34
Columbus	1.47	−2.73	3.08	−2.15	4.05	−1.25	0.67	−3.18	0.77	−2.54	4.14	+0.39	4.98	−0.75	3.44	−1.06	3.74	+1.08	0.83	−2.05	0.96	−1.87	9.34	+4.37	37.47	§11.74
Concord	1.69	−2.35	3.15	−2.09	4.16	−1.84	1.68	−1.89	1.33	−1.97	6.75	+1.88	3.76	−2.04	2.84	−1.60	1.64	−1.96	1.33	−1.46	1.19	−1.61	10.35	+5.43	39.27	§11.56
Covington	1.80	−2.56	1.63	−3.74	4.57	−0.60	1.84	−1.95	0.84	−2.99	4.27	+0.14	6.68	+1.44	2.39	−2.08	1.44	−1.70	1.09	−2.07	1.01	−1.81	7.93	+2.83	35.49	§15.69
Dublin	1.14	−2.94	2.37	−2.03	4.28	−0.25	1.62	−1.62	0.55	−3.01	5.53	+0.65	7.81	+2.14	2.21	−2.82	0.98	−3.00	4.99	−2.48	0.57	−2.15	10.80	+6.87	42.95	−5.68
Experiment	1.73	−1.90	2.42	−2.72	4.98	+0.08	2.27	−1.03	1.16	−1.92	7.11	+3.71	4.89	+0.90	3.41	−0.67	2.82	+0.10	0.91	−1.55	1.81	−0.88	9.33	+4.96	42.74	−0.98
Fair View	1.90	−2.25	2.39	−2.44	3.33	−2.23	2.02	−1.78	0.83	−2.38	5.89	+2.61	3.65	−1.20	5.31	+1.52	1.41	−1.61	1.16	−1.42	1.02	−1.66	9.32	+4.81	38.23	−8.06
Fort Valley	1.30	−2.94	2.35	−2.62	4.60	−0.64	1.27	−2.94	1.55	−2.03	9.29	+4.79	2.87	−2.68	2.75	−1.93	3.45	+0.26	2.57	−0.78	1.97	−1.03	9.30	+4.75	43.27	−7.79
Goat Rock	2.10	−1.60	3.20	−1.45	3.13	−1.91	1.59	−2.41	0.50	−2.38	5.43	+2.51	3.14	−2.48	5.18	+1.49	1.28	−1.38	0.70	−1.92	1.61	−1.25	4.96	+0.04	32.82	§12.74
Greensboro	2.35	−1.70	1.17	−3.90	4.84	+0.20	0.75	−2.78	1.50	−1.95	9.09	+4.87	8.77	+3.57	3.96	−1.16	1.68	−1.88	2.53	−0.57	1.41	−1.32	9.64	+5.21	47.69	−1.41
Griffin	1.78	−2.39	2.50	−2.85	4.96	−0.49	2.25	−1.59	1.04	−2.10	7.08	+3.26	4.84	−0.29	3.56	−1.02	2.96	−0.17	0.96	−1.83	1.16	−1.64	9.02	+4.10	42.11	−7.01
Lagrange	2.06	−2.35	2.63	−2.18	4.23	−1.59	2.35	−1.87	0.89	−2.45	4.14	+0.09	4.66	−0.63	6.22	+1.69	2.25	−0.78	0.72	−2.12	1.42	−1.61	8.86	+4.12	40.43	−9.08
Louisville	0.73	−2.85	2.04	−2.23	4.08	−0.15	0.98	−2.23	0.60	−2.82	7.05	+2.48	8.02	+2.50	3.91	−0.77	3.61	+0.07	4.84	+1.96	......	......	......	......	......	......
Macon	1.29	−2.88	1.95	−2.48	3.93	−1.04	0.87	−2.28	1.41	−1.55	5.56	+1.52	10.82	+6.08	2.75	−1.59	2.06	−1.13	2.62	+0.28	1.47	−1.05	7.88	+3.89	42.61	−2.23
Milledgeville	1.08	−2.95	2.37	−2.28	3.86	−0.87	1.45	−1.96	0.41	−2.80	5.00	+0.91	5.70	−0.24	1.67	−2.94	1.96	−1.68	3.11	+0.23	1.31	−1.27	8.09	+4.04	36.01	§11.81
Millen	0.75	−2.56	1.87	−1.97	4.05	+0.16	1.85	−1.27	0.17	−2.90	10.40	+5.63	5.69	−0.84	5.77	+1.06	1.17	−2.72	2.41	−0.06	0.46	−1.74	10.46	+6.97	45.05	−0.24
Monticello	1.72	−2.62	2.40	−3.04	5.11	−0.17	2.86	−0.92	0.70	−2.90	4.21	−0.74	5.05	−0.47	3.29	−1.61	1.55	−2.03	1.52	−1.90	1.51	−1.23	10.43	+5.74	40.35	§11.89
Newnan	2.08	−2.58	4.51	−0.86	3.22	−2.67	4.44	+0.67	1.11	−2.61	3.78	−0.37	8.13	+3.22	5.28	+0.50	1.43	−1.47	0.71	−2.26	0.86	−2.21	6.11	+0.76	41.66	−9.88
Stillmore	1.24	−1.74	2.39	−1.66	2.97	−1.05	1.04	−2.46	0.41	−2.91	8.54	+3.36	13.51	+5.45	2.77	−2.48	0.92	−3.05	1.64	−0.46	0.68	−1.24	6.29	+3.30	42.40	−4.94
Talbotton	1.82	−2.50	2.54	−2.81	3.55	−2.02	2.47	−1.58	0.79	−2.82	4.60	+0.53	3.82	−1.53	5.50	+1.01	1.56	−1.66	1.23	−1.77	0.52	−2.57	8.89	+3.95	37.29	§13.77
Warrenton	2.85	−1.15	2.55	−2.25	4.17	−0.37	1.88	−1.33	0.36	−2.74	7.00	+2.90	4.26	−0.85	5.14	+0.80	1.36	−2.64	3.42	+0.44	1.24	−1.46	5.90	+1.96	40.13	−6.69
Waynesboro	0.79	−2.52	1.97	−1.92	4.69	+0.82	1.72	−1.13	0.13	−3.63	8.01	+3.29	7.68	+1.95	2.94	−1.69	2.00	−1.46	2.40	−0.21	0.54	−1.76	8.28	+4.92	41.06	−2.74
West Point	3.19	−1.18	3.51	−1.72	4.25	−1.51	3.04	−1.14	0.38	−3.37	3.19	−1.21	5.93	+0.74	12.47	+7.70	5.38	+2.49	0.95	−1.78	1.56	−1.50	9.58	+4.07	53.43	+1.59
Woodbury	2.71	−1.27	2.35	−2.80	4.18	−1.28	2.30	−1.25	0.84	−2.41	4.73	+0.51	4.74	−1.14	5.06	+0.96	1.91	−1.05	2.28	−0.52	0.97	−1.76	10.02	+5.34	42.09	−6.67
Southern division																										
Abbeville	1.00	−2.83	2.83	−1.62	4.78	+0.58	0.82	−2.52	2.29	−1.30	4.76	+0.98	5.18	−1.31	1.27	−3.69	1.87	−2.26	2.00	−0.93	0.75	−1.87	6.81	+3.30	34.36	§12.97
Alapaha	1.80	−2.02	2.57	−1.63	4.47	+0.39	2.01	−1.19	1.28	−2.11	5.38	+0.32	5.32	−0.70	6.64	+1.25	2.77	−1.38	1.11	−1.13	1.62	−0.49	6.66	+2.96	41.66	−5.73
Albany	2.05	−2.23	2.79	−2.15	5.03	+0.28	1.14	−2.69	0.53	−3.51	6.17	+1.42	3.29	−3.14	5.34	−0.57	2.60	−1.09	7.25	+1.73	1.51	−0.95	10.75	+6.64	48.45	−3.26
Alma	0.75	......	2.10	......	4.27	......	1.97	......	0.88	......	6.65	......	4.68	......	4.93	......	2.28	......	1.92	......	1.96	......	4.21	......	36.60	......
Americus	2.52	−1.91	3.19	−1.92	6.68	+1.66	1.68	−1.90	1.12	−2.58	11.28	+7.38	5.28	+0.05	5.22	+0.07	3.00	−0.53	3.88	+1.22	0.61	−2.23	11.54	+7.49	56.60	+6.80
Bainbridge	1.93	−2.02	2.50	−1.90	4.80	+0.62	1.89	−1.64	0.78	−2.83	5.37	+0.41	8.81	+2.54	4.08	1.80	2.17	−2.19	4.55	+2.17	1.22	−1.19	7.43	+3.14	45.53	−4.69
Blakely	2.13	−2.27	2.68	−2.62	5.73	+0.67	2.29	−2.00	1.54	−2.00	3.79	−0.78	8.42	+1.53	5.62	+0.22	3.19	−0.84	2.96	+0.22	1.23	−1.78	8.58	+3.80	48.16	−5.85
Brunswick	0.68	−2.12	2.50	−1.26	3.72	+0.40	2.88	−0.03	0.75	−2.59	9.95	+4.35	7.28	−0.19	9.82	+3.64	6.86	+0.35	7.42	+4.27	1.81	−0.21	7.97	+5.01	61.64	*11.62
Cairo	1.08	−2.07	2.51	−1.31	4.92	+0.24	1.76	−2.20	1.25	−1.66	8.58	+3.09	6.96	+0.05	6.62	−0.05	2.75	−1.28	4.24	+2.23	1.49	−0.67	4.15	+1.14	46.31	−2.58
Camilla	......	......	......	......	......	......	......	......	......	......	5.50	......	4.20	......	3.41	......	5.44	......	3.41	......	0.89	......	8.25	......	......	......
Camp Stewart	......	......	......	......	......	......	......	......	1.06	......	9.11	......	9.29	......	6.06	......	2.37	......	5.36	......	1.80	......	4.45	......	......	......
Cordele	1.33	−1.98	2.61	−2.58	4.96	+1.45	1.15	−2.98	1.32	−1.38	4.19	−0.15	4.33	−1.61	3.63	−1.69	1.43	−1.21	8.56	+6.53	0.54	−1.84	10.53	+6.43	44.65	−1.01
Douglas	0.88	......	2.25	......	4.31	......	1.25	......	1.27	......	6.76	......	5.22	......	4.35	......	2.37	......	1.58	......	1.08	......	5.99	......	37.31	......
Eastman	1.39	−2.61	2.94	−1.66	4.91	+0.12	0.57	−2.60	0.53	−2.77	8.86	+4.62	3.91	−1.99	4.97	−0.05	2.01	−1.87	4.10	+1.48	0.98	−1.75	10.11	+6.49	45.28	−2.59
Fargo	1.01	−2.14	2.14	−1.46	2.75	−0.81	3.67	−0.08	0.75	−2.34	7.03	+0.70	5.30	−1.63	4.20	−1.62	5.36	−0.70	3.11	+1.33	3.59	+1.04	5.98	+3.18	44.89	−4.03
Fitzgerald	2.07	−1.44	2.32	−1.67	5.62	+1.34	0.77	−2.78	0.95	−2.64	4.61	+0.21	5.59	−0.19	4.56	−0.40	......	......	......	......	......	......	6.53	+2.83	......	......
Fort Gaines	1.31	−3.24	3.11	−2.00	5.43	+0.65	2.54	−1.29	0.73	−3.02	2.11	−2.26	8.50	+2.51	4.24	−1.27	1.97	−1.54	0.86	−1.84	......	......	8.33	+3.44	......	......
Glennville	1.07	−1.67	1.88	−1.67	3.39	−0.09	1.06	−1.66	0.47	−2.82	7.16	+2.15	6.39	+0.45	5.63	−1.37	0.95	−4.06	3.21	+0.79	0.72	−1.61	5.69	+2.39	37.62	−9.11
Hawkinsville	1.76	−2.45	2.05	−2.27	4.64	−0.63	0.72	−2.40	0.25	−3.07	9.10	+4.80	10.59	+5.23	2.86	−2.00	2.18	−1.35	7.50	+4.92	0.31	−2.28	13.29	+9.74	55.25	+8.84
Hoggard's Mill	1.57	......	2.91	......	4.43	......	1.70	......	0.63	......	5.35	......	7.13	......	4.08	......	2.27	......	5.48	......	0.53	......	8.21	......	44.29	......
Lumber City	1.43	−2.25	2.70	−1.39	4.75	+0.44	1.34	−1.58	1.52	−1.28	6.26	+1.64	7.65	+1.75	2.37	−3.20	2.39	−1.30	0.99	−1.13	1.19	−1.27	5.51	+2.22	38.10	−7.45
Montezuma	1.85	−2.29	2.71	−1.94	4.75	+0.23	1.38	−2.45	1.01	−2.46	5.60	+1.69	6.65	+1.58	3.00	−1.94	1.44	−1.81	3.08	+0.48	0.69	−2.19	10.07	+5.84	42.23	−5.26
Moultrie	1.35	−1.69	2.70	−1.17	4.67	+0.57	2.51	−1.09	1.68	−0.69	4.78	−0.14	4.08	−1.99	5.58	−0.94	2.29	−1.77	2.15	+0.11	1.88	0.32	4.17	+1.26	37.84	−7.84
Quitman	0.80	−3.00	2.55	−1.72	4.25	+0.17	1.08	−2.34	1.80	−2.01	5.39	−0.51	8.73	+1.66	5.28	−1.43	5.47	+0.14	1.91	−0.44	1.23	−1.05	3.20	−1.20	41.67	§11.73
Savannah, No. 1	0.51	−2.27	2.04	−1.10	2.54	−0.52	1.89	−0.68	0.43	−2.59	12.28	+6.99	10.83	+4.19	4.43	−2.88	1.26	−4.15	2.36	−0.62	1.82	−0.28	4.89	+1.96	45.28	−1.95
Savannah, No. 2	0.88	−1.83	2.06	−1.60	3.37	+0.43	0.38	−2.63	0.92	−2.03	9.65	+2.61	7.20	+0.07	7.15	+1.01	2.15	−4.82	3.52	+1.08	3.78	+1.88	6.16	+3.67	47.22	−2.16
Savannah Beach	1.06	......	2.20	......	4.94	......	0.81	......	0.24	......	12.95	......	5.70	......	6.23	......	1.47	......	2.87	......	1.54	......	5.02	......	45.03	......
Thomasville	1.02	−3.08	2.85	−1.61	6.01	+1.92	2.94	−0.40	1.69	−1.91	7.03	+1.58	6.91	+0.21	7.26	+1.51	4.42	−0.46	2.71	−0.25	0.45	−2.23	4.31	0.00	47.60	−4.75
Tifton	1.74	−2.42	2.26	−1.98	4.92	+0.35	1.56	−2.09	1.15	−2.27	8.01	+3.20	5.99	−0.51	2.35	−3.15	3.24	−0.41	0.99	−1.14	0.58	−1.61	5.96	+2.44	38.85	−9.59
Waycross	0.83	−2.28	2.44	−1.39	4.66	+1.26	2.10	−0.69	0.51	−3.33	13.87	+7.53	9.53	+2.38	5.08	−0.98	4.04	−0.50	1.94	−0.59	1.75	−0.49	5.69	+2.62	52.44	+3.54

* Plus. § Minus.

Monthly and Annual Average Temperatures for the Year 1941, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
Northern division																										
Athens, No. 1	45.2	+1.7	41.6	−4.2	47.8	−5.3	61.2	+3.0	73.0	+2.9	77.0	−0.2	79.6	0.0	80.2	+1.7	76.3	+2.5	68.8	+6.2	52.5	+0.4	47.5	+2.7	62.8	+0.9
Athens, No. 2	46.1	.....	42.8	.....	49.1	.....	64.4	.....	73.0	.....	78.0	.....	80.2	.....	80.7	.....	76.8	.....	70.5	.....	52.4	.....	48.9	.....	63.6	.....
Atlanta Airport	44.2	+1.6	39.8	−5.5	46.6	−5.4	63.6	+2.6	72.6	+2.7	77.4	+1.4	80.0	+1.9	80.0	+3.0	76.6	+4.2	69.6	+6.6	52.6	+0.5	47.8	+3.1	62.6	+1.4
Atlanta [City]	43.6	+1.0	39.8	−5.5	46.2	−5.8	63.9	+2.9	72.3	+2.4	76.3	+0.3	79.1	+1.0	79.0	+2.0	76.2	+3.8	69.6	+6.6	52.6	+0.5	47.8	+3.1	62.2	+1.0
Blairsville	40.0	.....	34.9	.....	42.4	.....	58.0	.....	65.0	.....	71.3	.....	74.1	.....	74.4	.....	70.0	.....	63.9	.....	46.9	.....	43.3	.....	57.0	.....
Carlton Bridge	43.9	−0.1	41.2	−4.3	47.6	−5.6	62.6	+1.9	70.2	+0.2	77.2	+0.1	80.5	+1.3	80.4	+2.1	76.0	+2.5	68.5	+6.1	50.8	−1.3	46.5	+1.6	62.1	+0.4
Cartersville	44.1	.....	40.3	.....	47.2	.....	63.6	.....	72.2	.....	77.2	.....	79.6	.....	79.7	.....	76.8	.....	68.8	.....	50.0	.....	46.4	.....	62.2	.....
Cedartown	44.6	.....	.....	.....	47.8	.....	63.8	.....	71.4	.....	77.3	.....	80.3	.....	80.0	.....	77.2	.....	70.8	.....	51.6	.....	47.6	.....	.....	.....
Clayton	40.6	+0.2	38.6	−2.8	43.8	−5.2	58.6	+2.4	65.6	+1.1	72.2	+0.8	74.8	+0.5	75.4	+2.0	71.0	+2.5	64.2	+6.2	47.8	−0.2	44.6	+3.5	58.1	+0.9
Cornelia	41.7	−0.7	38.2	−6.6	44.4	−6.3	61.0	+1.8	68.9	+2.2	73.8	−1.0	76.0	−1.2	77.0	+1.1	73.4	+1.3	66.4	+5.6	48.6	−1.7	44.0	+0.2	59.4	−0.5
Dahlonega	43.4	+1.9	40.0	−3.0	46.0	−4.8	61.6	+3.0	68.9	+2.4	74.1	+0.5	76.5	+0.5	76.6	+1.5	73.3	+2.8	66.7	+6.9	50.4	+0.7	46.6	+4.1	60.3	+1.3
Dalton	42.4	.....	40.0	.....	46.6	.....	62.4	.....	69.6	.....	75.4	.....	78.4	.....	78.6	.....	75.3	.....	68.6	.....	50.0	.....	45.8	.....	61.1	.....
Gainesville	41.5	−0.2	39.2	−4.2	[b]45.4	−5.9	60.8	+1.6	67.6	−0.2	74.6	−0.3	77.3	−0.4	77.5	+1.1	73.6	+2.1	65.3	+4.6	49.1	−1.0	44.8	+2.1	59.7	−0.1
Hartwell (near)	43.8	−0.2	40.4	−5.2	47.8	−5.3	63.4	+2.7	71.8	+2.3	77.6	+0.5	79.2	−0.2	79.3	+0.9	75.9	+1.9	68.6	+5.9	52.2	+0.3	48.0	+3.6	62.3	+0.6
Jasper	43.2	.....	38.4	.....	45.4	.....	62.3	.....	70.2	.....	75.1	.....	77.4	.....	77.9	.....	75.8	.....	68.8	.....	51.2	.....	47.2	.....	61.1	.....
Lafayette	42.9	.....	39.2	.....	45.4	.....	63.0	.....	71.7	.....	77.2	.....	79.9	.....	80.2	.....	76.9	.....	70.3	.....	49.4	.....	46.8	.....	61.9	.....
Rome	43.6	+1.0	40.2	−4.8	47.2	−5.7	63.2	+2.1	71.8	+2.1	77.2	+0.3	79.9	+0.3	79.5	+0.7	76.6	+2.8	69.6	+7.1	50.6	−0.3	46.4	+2.8	62.2	+0.8
Tallapoosa	43.2	+0.4	38.7	−5.5	46.2	−6.4	60.9	+1.3	69.0	+0.7	75.2	−0.4	78.8	+0.8	78.6	+1.2	76.0	+3.1	68.3	+6.8	48.8	−2.0	45.0	+1.4	60.7	+0.1
Toccoa	44.8	+2.1	41.6	−2.8	47.6	−4.6	63.6	+3.4	72.3	+3.7	77.0	+1.2	78.6	+0.3	79.4	+2.4	74.8	+2.7	67.4	+6.3	52.5	+1.4	47.6	+3.9	62.3	+1.7
Washington	47.0	+1.5	43.8	−3.1	49.8	−5.5	65.4	+2.9	73.4	+2.0	78.4	+0.2	81.6	+1.2	82.0	+2.4	79.6	+4.6	74.0	+10.1	[f]55.2	+0.4	49.4	+3.4	65.0	+1.7
Middle division																										
Augusta	48.0	+1.0	44.0	−5.9	50.5	−5.5	67.2	+3.0	74.4	+2.0	79.6	+0.9	82.2	+0.9	82.6	+2.2	79.0	+3.7	72.9	+7.6	56.1	+1.6	50.8	+2.7	65.6	+1.2
Brooklet	50.8	+0.7	46.0	−6.0	53.6	−5.9	68.9	+3.0	75.0	+0.9	80.1	0.0	82.0	0.0	83.7	+2.4	79.1	+1.8	74.6	+7.2	59.6	+2.3	52.7	+1.9	67.2	+0.7
Carrollton	44.9	+2.5	40.4	−5.1	47.3	−6.6	62.8	+1.5	71.3	+1.9	77.5	+0.8	79.9	+0.9	79.6	+1.6	75.6	+2.6	69.2	+6.1	51.4	−0.5	47.4	+2.7	62.3	+0.7
Columbus	49.2	+1.0	45.5	−4.7	52.4	−5.8	67.2	+1.9	75.6	+2.2	80.9	+0.7	82.4	+0.7	82.8	+1.6	80.6	+2.6	73.6	+6.8	56.4	+0.4	51.7	+2.4	66.5	+0.9
Covington	43.7	−0.6	39.6	−5.2	46.2	−8.4	61.8	+0.9	.....	.....	78.3	+0.8	80.4	+0.5	.....	.....	78.0	+3.7	70.1	+7.5	53.2	+0.7	48.6	+3.5	.....	.....
Dublin	49.6	+0.4	45.4	−6.1	52.5	−4.9	67.6	+2.5	74.6	+1.9	80.6	+1.2	81.4	+0.2	82.8	+2.3	79.4	+2.8	73.0	+6.7	57.2	+1.4	50.9	+9.9	66.2	+0.7
Experiment	44.6	+0.1	41.9	−3.5	46.7	−9.1	63.2	+1.8	72.2	+1.5	77.6	+0.7	80.2	+1.0	81.4	+2.6	77.8	+3.7	70.8	+7.0	53.3	+0.5	48.6	+3.9	63.2	+0.9
Fair View	46.9	−0.3	41.9	−7.3	48.6	−7.0	64.0	+1.2	72.7	+2.0	77.9	+0.2	79.8	+0.3	79.8	+1.1	76.0	+1.3	69.5	+4.9	53.9	−0.2	49.5	+2.0	63.4	−0.1
Fort Valley	47.2	−0.8	43.2	−7.7	49.8	−7.1	66.3	+1.8	74.4	+2.2	79.0	−0.1	81.0	+0.3	81.8	+1.6	78.2	+1.5	70.8	+5.0	54.8	−0.4	50.1	+0.4	64.7	−0.3
Greensboro	45.3	+0.4	40.2	−6.5	47.4	−7.1	63.4	+1.6	72.1	+1.7	77.3	−0.5	80.1	+0.3	79.3	+0.3	76.5	+1.8	69.9	+6.4	51.8	−1.1	47.5	+1.8	62.6	0.0
Griffin	47.2	+1.4	43.2	−4.7	49.2	−6.5	65.6	+2.6	73.5	+2.5	77.8	0.0	79.6	−0.2	80.2	+1.2	78.0	+3.0	72.0	+7.5	56.0	+1.8	51.2	+4.2	64.5	+1.1
Lagrange	45.7	.....	41.6	.....	48.6	.....	64.8	.....	72.5	.....	78.2	.....	80.6	.....	80.6	.....	77.2	.....	71.0	.....	53.0	.....	48.9	.....	63.6	.....
Louisville	49.2	+1.3	44.6	−5.1	51.4	−5.9	[b]67.6	+3.7	74.6	+1.9	[b]80.0	+0.8	.....	.....	.....	.....	78.4	+2.6	73.2	+8.0	.....	.....	.....	.....	.....	.....
Macon	48.4	+1.6	43.9	−5.4	50.0	−6.7	66.1	+2.2	73.4	+1.1	79.1	+0.2	81.1	−0.1	82.0	+2.1	77.8	+3.0	71.4	+6.9	55.0	+0.8	50.6	+3.1	64.9	+0.7
Milledgeville	46.8	+0.5	43.2	−5.4	50.2	−5.7	67.1	+3.4	74.6	+2.2	80.0	+1.0	82.6	+1.4	83.1	+3.0	79.1	+3.2	72.4	+7.7	54.6	+0.5	49.6	+2.3	65.3	+1.2
Millen	49.2	+0.4	44.5	−6.0	52.2	−5.9	67.1	+2.0	73.9	+0.6	80.2	+0.4	82.2	+0.5	83.0	+1.9	79.0	+2.3	74.0	+7.9	57.4	+1.5	51.4	+2.1	66.2	+0.7
Monticello	48.3	+3.0	44.0	−3.5	50.6	−4.5	66.4	+3.5	74.2	+2.6	78.6	+0.1	80.9	+0.6	82.2	+2.6	78.4	+3.0	71.8	+7.6	55.4	+1.8	51.0	+5.4	65.2	+1.9
Newnan	46.6	+1.9	42.4	−3.9	48.6	−6.0	63.7	+2.0	72.3	+1.3	77.8	+0.1	80.2	+0.5	79.4	+0.5	75.6	+1.1	68.8	+5.1	52.0	−1.2	48.1	+2.5	63.0	+0.4
Stillmore	.....	.....	45.4	−7.2	52.5	−5.7	69.1	+3.8	74.4	+1.0	80.8	+1.7	81.4	+0.3	83.1	+2.5	79.4	+2.5	73.8	+6.4	58.6	+1.2	51.2	−0.2	.....	.....
Talbotton	47.6	+0.2	43.2	−5.8	50.0	−6.6	64.4	+1.1	72.7	+0.9	77.4	−1.1	79.2	−1.0	79.4	−0.2	76.2	+0.7	70.6	+5.5	54.6	−0.1	50.2	+2.0	63.8	+0.4
Warrenton	46.9	+0.2	42.4	−5.6	49.3	−6.6	65.4	+2.5	73.4	+1.7	78.7	+0.3	80.2	−0.3	80.2	+0.6	76.2	+1.1	70.6	+6.5	54.4	+0.3	49.6	+2.4	63.9	+0.2
Waynesboro	48.4	+0.9	44.4	−3.8	51.2	−6.5	66.2	+2.0	73.4	+0.7	[e]79.2	+0.4	81.1	0.0	81.5	+1.2	77.4	+2.1	71.6	+6.6	55.2	−0.2	50.4	+2.8	65.0	+0.5
West Point	47.2	+1.5	43.1	−4.4	50.0	−5.4	64.7	+1.8	72.6	+1.2	78.2	−0.4	80.7	+0.2	80.6	+0.9	77.0	+1.8	71.2	+7.0	54.0	+0.5	50.0	+3.6	64.1	+0.7
Southern division																										
Alapaha	52.0	+0.6	48.2	−5.2	54.8	−5.3	68.0	+1.4	75.0	+0.9	80.3	+0.4	81.1	−0.4	82.9	+1.9	78.0	+0.5	74.8	+6.9	59.2	+1.1	54.1	+2.0	67.4	+0.4
Albany	53.2	+2.6	50.0	−2.6	57.2	−3.1	69.4	+2.5	76.6	+1.9	81.8	+1.0	82.6	+0.4	83.7	+2.0	79.6	+1.5	75.0	+6.9	59.7	+1.8	54.1	+2.8	68.6	+1.5
Alma	49.8	.....	45.4	.....	52.6	.....	66.4	.....	71.8	.....	78.9	.....	80.8	.....	81.6	.....	76.8	.....	72.4	.....	57.5	.....	52.0	.....	65.5	.....
Americus	49.3	+0.6	45.0	−6.0	51.4	−6.9	66.4	+1.2	74.8	+1.4	80.0	+0.1	81.0	−0.4	82.0	+1.1	78.3	+1.2	72.2	+5.2	56.8	+0.5	51.8	+2.1	65.8	+0.1
Bainbridge	51.4	−0.7	48.1	−6.0	56.4	−4.6	69.4	+2.0	76.2	+1.4	81.0	+0.5	81.2	−0.7	82.6	+1.2	79.0	+0.8	74.8	+6.7	58.5	+2.2	51.7	+2.3	67.8	+0.4
Blakely	50.8	−0.9	47.2	−6.4	54.3	−5.7	68.8	+2.4	76.7	+2.9	80.7	+0.9	80.9	−0.5	82.4	+1.4	79.2	+1.4	74.6	+6.6	58.7	+0.8	53.6	+1.8	67.3	+0.4
Brunswick	53.8	−0.3	50.3	−5.4	55.9	−5.1	69.2	+1.4	75.0	+0.5	81.6	+0.9	83.6	+1.8	84.9	+3.2	80.0	+1.5	76.9	+6.5	63.9	+3.1	58.1	+2.7	69.4	+0.9
Cairo	51.1	−2.3	47.9	−6.2	54.7	−5.4	67.9	+1.6	74.6	+0.4	79.7	+0.3	80.9	+0.3	81.8	+1.3	78.1	+0.7	75.4	+5.6	59.8	+1.3	54.4	+0.6	67.2	−0.2
Camilla	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	81.3	.....	82.3	.....	83.6	.....	[d]80.1	.....	75.6	.....	59.9	.....	55.0	.....	.....	.....
Camp Stewart	.....	.....	.....	.....	.....	.....	.....	.....	[h]72.4	.....	79.6	.....	82.0	.....	82.4	.....	77.0	.....	72.4	.....	57.8	.....	54.0	.....	.....	.....
Cordele	50.8	+3.3	46.1	−4.8	53.5	−6.5	68.0	+2.9	75.4	+1.7	80.4	+0.4	81.9	+0.8	83.4	+2.2	79.2	+3.5	73.6	+8.4	58.5	+3.0	53.0	+3.0	67.0	+1.5
Douglas	51.5	.....	48.0	.....	54.0	.....	68.0	.....	74.1	.....	80.6	.....	82.0	.....	83.4	.....	78.0	.....	[d]73.9	.....	59.0	.....	.....	.....	.....	.....
Eastman	50.2	−0.2	46.1	−5.8	52.7	−6.7	67.8	+1.7	75.2	+1.2	81.2	+0.9	82.0	+0.1	83.6	+2.5	79.3	+2.0	73.2	+6.1	58.8	+1.7	52.6	+2.0	66.9	+0.5
Fargo	52.8	−1.6	49.2	−6.2	55.8	−4.6	68.9	+2.7	72.4	−1.0	79.2	+0.2	81.3	−0.5	83.8	+2.5	78.4	+0.9	74.3	+5.2	59.1	+0.6	54.2	−0.8	67.4	−0.3
Fitzgerald	51.9	+0.6	48.0	−4.3	54.2	−6.7	68.0	+2.5	75.6	+1.2	81.0	+0.9	81.4	−0.4	83.8	+2.7	.....	.....	.....	.....	.....	.....	54.4	+4.6	.....	.....
Fort Gaines	49.9	0.0	46.6	−5.2	53.1	−5.8	67.4	+1.6	74.9	+1.3	80.4	+0.5	81.3	+0.1	.....	.....	.....	.....	73.8	+6.7	57.2	+0.2	53.2	+2.5	.....	.....
Glennville	52.0	−0.1	47.2	−6.2	53.6	−6.4	68.4	+1.8	75.2	+1.2	81.2	+1.3	82.5	+1.0	83.4	+2.4	79.0	+1.5	74.7	+6.5	59.9	+1.6	54.1	+1.9	67.6	+0.5
Hawkinsville	50.0	+1.1	46.0	−4.7	52.8	−5.6	67.3	+2.1	74.7	+1.3	80.8	+1.1	82.3	+0.9	83.8	+2.7	79.6	+2.2	73.9	+7.1	57.5	+1.1	52.2	+2.4	66.7	+0.9
Hoggard's Mill	50.1	.....	46.2	.....	53.9	.....	67.4	.....	74.6	.....	80.6	.....	81.1	.....	82.6	.....	78.6	.....	73.6	.....	57.6	.....	52.3	.....	66.6	.....
Lumber City	.....	.....	.....	.....	.....	.....	66.6	.....	72.2	.....	79.8	.....	81.5	.....	82.3	.....	77.4	.....	72.3	.....	.....	.....	.....	.....	.....	.....
Montezuma	50.0	.....	45.1	.....	52.2	.....	67.6	.....	75.6	.....	80.0	.....	81.4	.....	83.1	.....	79.8	.....	74.4	.....	57.8	.....	51.8	.....	66.6	.....
Moultrie	51.9	−2.1	49.6	−6.3	56.2	−5.2	69.7	+2.0	76.0	+0.9	81.4	+1.1	82.3	+0.3	84.0	+2.4	80.1	+1.7	76.4	+6.4	61.2	+1.6	56.3	+1.8	68.8	+0.4
Quitman	52.4	−0.5	47.8	−7.6	54.8	−6.5	67.6	+0.1	74.0	−0.9	79.8	−0.6	80.8	−0.8	82.2	+1.0	77.8	−0.4	73.6	+4.7	58.8	−0.6	54.6	+1.4	67.0	−0.9
Savannah, No. 1	52.7	+1.3	48.1	−5.9	54.2	−4.8	69.0	+3.0	74.5	+1.1	80.5	+1.5	82.7	+1.2	84.0	+3.3	80.0	+3.8	75.8	+7.9	61.8	+3.3	56.2	+3.8	68.3	+1.6
Savannah, No. 2	48.9	−3.1	44.2	−8.3	52.4	−5.6	66.8	+2.3	71.2	−0.4	79.3	+1.1	81.8	+1.2	82.4	+2.1	77.0	+0.5	72.4	+5.3	57.7	+1.0	53.1	+1.4	65.6	+0.2
Savannah Beach	51.0	.....	48.4	.....	53.2	.....	67.0	.....	75.3	.....	80.8	.....	84.0	.....	84.8	.....	79.7	.....	76.0	.....	60.9	.....	55.0	.....	68.0	.....
Thomasville	51.5	+0.5	47.1	−7.9	.....	.....	68.4	+1.7	75.0	+1.0	79.6	+0.1	80.5	−1.3	82.0	+1.0	78.0	+1.2	74.4	+6.2	59.0	+0.5	54.6	+2.1	.....	.....
Tifton	51.0	−0.7	46.6	−6.9	53.5	−4.9	67.2	+1.2	73.9	+0.5	79.4	+0.2	80.2	−0.6	82.0	+1.5	78.0	+0.3	73.8	+5.8	59.2	+1.5	53.5	+0.9	66.5	−0.1
Waycross	52.4	−0.8	48.6	−6.2	55.4	−6.0	68.1	+0.8	73.2	−1.3	80.4	+0.3	81.8	−0.1	83.5	+1.9	78.3	+0.3	74.6	+5.6	60.5	+1.4	56.2	+3.1	67.8	0.0

Reference letters, [a], [b], [c], appearing in the table indicate number of days missing; for example, [b] represents two days, etc.

KILLING FROSTS

Stations	Last in spring	First in autumn	Stations	Last in spring	First in autumn
Northern division			*Middle division*—Con.		
Athens, No. 1	Mar. 19†	Nov. 10*	Millen	Mar. 19†	Nov. 10
Athens, No. 2	Mar. 19†	Nov. 10*	Monticello	Mar. 19†	Nov. 10*
Atlanta	Mar. 19	Nov. 12	Newnan	Mar. 30†	Nov. 9*
Blairsville	Mar. 31†	Oct. 11*	Stillmore	Mar. 19†	Nov. 9*
Carlton Bridge	Mar. 30	Nov. 9*	Talbotton	Mar. 19†	Nov. 9
Cartersville	Mar. 30†	Nov. 8*	Warrenton	Mar. 19†	Nov. 10
Cedartown	Mar. 30†	Nov. 8*	Waynesboro	Mar. 19	Nov. 10*
Clayton	Mar. 31†	Nov. 8*	West Point	Mar. 30†	Nov. 9*
Cornelia	Mar. 30†	Nov. 8			
Dahlonega	Mar. 31†	Nov. 8	*Southern division*		
Dalton	Mar. 30†	Nov. 9*	Alapaha	Mar. 18†	Nov. 26
Gainesville	Mar. 31†	Nov. 10*	Albany	Mar. 28†	Nov. 9
Hartwell (near)	Mar. 20†	Nov. 9*	Alma	Mar. 18†	Nov. 9*
Jasper	Mar. 30†	Nov. 8*	Americus	Mar. 18†	Nov. 10
Lafayette	Mar. 30†	Nov. 9*	Bainbridge	Mar. 5	Nov. 26
Rome	Mar. 30†	Nov. 9	Blakely	Mar. 15	Nov. 26
Tallapoosa	Mar. 30†	Nov. 8	Brunswick	Mar. 15	Dec. 15
Toccoa	Mar. 19†	Nov. 9	Cairo	Mar. 15	Nov. 27
Washington	Mar. 19†	Nov. 10	Camilla	......	....
Middle division			Cordele	Mar. 18†	Nov. 10
			Douglas	Mar. 18†	Nov. 10*
Augusta	Mar. 19	Nov. 10	Eastman	Mar. 18†	Nov. 10*
Brooklet	Mar. 18†	Nov. 10	Fargo	Mar. 30	Nov. 26
Carrollton	Mar. 19	Nov. 9	Fitzgerald	....	....
Columbus	Mar. 18†	Nov. 10	Fort Gaines	Mar. 15	Nov. 12
Concord	Mar. 19†	Nov. 9	Glennville	Mar. 15	Nov. 10
Covington	Mar. 30†	Nov. 9*	Hawkinsville	Mar. 18†	Nov. 10
Dublin	Mar. 19†	Nov. 10*	Hoggards Mill	Mar. 18†	Nov. 12*
Experiment	Mar. 19†	Nov. 9*	Montezuma	Mar. 18	Nov. 10
Fair View	Mar. 19†	Nov. 9*	Moultrie	Mar. 15†	Nov. 26
Fort Valley	Mar. 19†	Nov. 10	Quitman	Mar. 15†	Nov. 26
Greensboro	Mar. 30†	Nov. 9	Savannah, No. 1	Mar. 2	Nov. 26
Griffin	Mar. 19†	Nov. 9*	Savannah, No. 2	Mar. 30†	Nov. 9*
Lagrange	Mar. 30	Nov. 8	Savannah Beach	Mar. 1†	....
Louisville	....	....	Thomasville	Mar. 15	Nov. 26
Macon	Mar. 19	Nov. 10	Tifton	Mar. 18†	Nov. 26
Milledgeville	Mar. 19†	Nov. 10*	Waycross	Mar. 15†	Nov. 26

* Latest date with temperature 32° or below.
† Earliest date with temperature 32° or below.

MONTHLY STATE DATA FOR 1941

Months	Temperature				Precipitation				
	Mean	Departure from normal	Maximum	Minimum	Average	Departure from normal	Greatest	Least	No. days with 0.01 inch or more
January	47.4	+0.5	79	11	1.85	−2.37	4.03	0.44	6
February	43.5	−5.1	75	11	2.18	−2.70	4.51	0.90	7
March	50.1	−6.1	82	16	4.48	−0.31	6.68	2.54	10
April	65.4	+2.1	97	33	2.06	−1.74	4.44	0.38	7
May	72.8	+1.2	103	29	0.90	−2.48	2.49	0.10	3
June	78.4	+0.3	105	43	6.27	+1.81	16.37	2.11	14
July	80.4	+0.4	102	57	7.18	+1.38	14.66	2.87	15
August	81.1	+1.6	101	53	4.29	−0.98	13.33	1.27	11
September	77.3	+1.8	104	42	1.96	−1.61	6.86	0.10	5
October	71.4	+6.4	99	28	2.32	−0.37	8.56	0.44	4
November	54.9	+0.4	89	14	1.68	−0.93	4.96	0.31	5
December	50.2	+2.4	82	14	7.28	+3.00	13.29	3.20	9
Year	64.4	+0.5	105	11	42.45	−7.30	61.64	32.80	96

TENNESSEE VALLEY AUTHORITY–PRECIPITATION TOTALS YEAR 1941

Stations	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	An'l
Blue Ridge Res.	2.85	1.07	4.20	2.28	0.63	3.94	10.56	5.50	0.35	2.96	3.25	4.92	42.51
Brasstown Bald	2.70	1.17	5.75	3.77	0.16	4.75	12.19	3.73	1.11	3.63	3.77	6.40	49.13
Flat Top	5.12	1.43	5.84	3.14	1.25	6.35	13.93	7.63	1.90	4.67	8.21	7.07	66.54
Hemptown Gap	2.31	1.07	3.87	2.41	0.82	4.24	14.37	5.54	0.92	3.01	2.90	3.99	45.45
Hiawassee	1.97	1.09	4.18	3.43	0.14	3.11	13.89	5.09	3.36	3.25	3.39	5.86	48.76
Ivylog	2.78	1.18	4.11	2.80	0.72	4.77	11.28	6.51	0.68	2.91	2.74	3.70	44.18
Little Hightower	2.84	1.57	4.63	4.94	0.57	3.37	12.60	2.67	2.06	2.59	2.82	6.84	47.50
Margret	2.33	1.45	4.22	2.99	0.63	3.56	10.59	5.98	0.78	3.18	2.98	5.65	44.34
Mulky Gap	2.97	1.29	4.33	4.46	0.60	3.68	16.88	3.46	3.46	4.22	3.61	6.24	55.20
Neal Gap	3.56	1.46	4.60	2.97	0.90	5.61	11.65	7.05	1.85	2.52	4.18	7.07	53.42
Noontootla Creek	3.03	1.31	4.51	2.86	1.32	5.46	12.33	4.62	1.34	3.50	3.96	5.81	49.45
Patterson Gap	3.97	1.54	4.94	2.10	0.87	6.90	11.71	4.97	1.02	3.72	4.89	6.06	52.69
Ringgold	3.06	0.71	3.20	3.88	0.55	4.34	8.63	2.98	0.30	3.12	2.20	5.26	38.23
Stanley Gap	3.31	1.69	4.57	2.55	0.65	5.23	11.42	1.84	1.57	3.79	5.08	4.97	46.67
Suches	3.78	1.74	5.46	3.21	0.65	4.47	10.79	3.55	3.05	3.41	5.27	7.90	53.28
Sweet Gum	2.68	0.98	4.06	2.55	0.42	6.66	8.60	6.57	0.49	2.64	3.33	4.51	43.49
Tray Mountain	3.21	1.21	4.53	3.98	0.61	3.85	11.12	4.56	1.67	2.99	4.94	8.62	51.29
Tunnel Hill	2.55	1.05	3.21	3.11	0.67	8.44	7.68	6.05	1.36	2.88	2.44	4.04	43.48
Warne	2.38	1.05	3.70	2.67	0.36	3.71	13.75	3.66	0.75	2.23	2.74	3.39	40.39

(WBO, Atlanta, 2-19-42—1125)

ANNUAL CLIMATOLOGICAL DATA FOR THE STATE

Year	Temperature			Precipitation					Number of days			
	Mean	Highest	Lowest	Northern division	Middle division	Southern division	Average	Average snowfall	Precip. .01 or more	Clear	Pt. cloudy	Cloudy
1892	62.9	102	9	59.15	47.92	47.13	51.39	.....	95	150	103	113
1893	63.4	103	−1	43.81	46.39	50.25	46.83	.....	85	171	107	87
1894	64.0	104	0	44.92	50.18	53.58	49.55	.....	94	157	123	85
1895	62.0	104	−5	55.04	49.52	50.24	51.60	.....	96	154	117	94
1896	64.4	107	3	42.09	44.33	47.94	44.78	1.4	81	176	113	77
1897	64.2	106	−1	51.00	45.14	51.31	49.15	0.4	84	166	106	93
1898	63.8	104	5	58.62	52.10	52.92	54.54	0.4	96	159	110	96
1899	63.6	105	−12	49.87	42.54	41.87	44.75	6.5	89	167	116	82
1900	63.7	106	0	63.21	55.36	54.09	57.56	0.4	115	141	130	94
1901	61.6	106	3	65.58	53.58	53.49	57.55	4.1	113	152	123	90
1902	63.6	108	10	46.70	48.17	55.48	50.14	1.4	100	136	129	100
1903	62.6	104	9	52.28	51.57	57.51	53.79	0.4	110	140	116	109
1904	62.7	104	4	37.54	33.81	39.19	36.84	1.8	89	158	116	92
1905	63.3	102	−8	52.85	46.04	52.53	50.47	1.6	97	161	99	105
1906	63.6	103	11	63.62	50.61	50.08	54.79	2.2	101	168	104	93
1907	64.2	106	16	47.88	47.94	50.20	48.67	0.3	95	169	114	82
1908	64.4	104	9	54.87	50.14	45.73	50.25	0.7	85	174	110	82
1909	64.0	104	5	58.28	47.94	39.63	48.62	0.3	93	175	113	77
1910	63.0	103	8	45.69	42.29	43.62	43.86	0.7	91	187	79	99
1911	65.6	105	9	48.72	45.69	47.87	47.43	0.1	97	165	83	117
1912	62.9	103	0	62.17	62.39	64.84	63.14	5.1	113	153	83	130
1913	64.1	110	12	49.74	45.50	44.74	46.67	T.	95	184	79	102
1914	63.3	109	5	44.70	42.78	49.61	45.70	5.1	93	179	83	103
1915	63.7	106	17	53.54	48.97	46.23	49.58	0.5	86	196	83	86
1916	64.1	103	10	47.09	41.68	42.23	43.67	0.4	93	180	95	91
1917	62.4	103	0	53.79	45.28	43.55	47.54	1.9	99	181	92	92
1918	64.3	106	−3	55.00	45.07	47.88	49.25	1.6	101	161	88	116
1919	65.0	103	2	57.27	54.59	53.95	55.27	0.4	103	167	87	111
1920	62.9	105	4	67.54	56.63	56.32	60.11	T.	107	166	86	114
1921	66.1	104	20	46.22	38.76	38.23	41.08	1.0	94	173	100	92
1922	65.6	104	12	59.71	54.78	51.27	55.26	0.3	113	158	94	113
1923	64.3	105	0	56.08	51.12	47.90	52.72	T.	108	159	88	118
1924	62.8	107	−9	52.18	52.94	57.37	54.15	1.9	99	187	73	106
1925	65.6	111	0	39.46	38.37	45.14	41.01	T.	89	186	75	104
1926	63.6	110	6	50.72	46.92	53.66	50.43	0.8	104	181	78	106
1927	65.9	108	4	44.89	39.96	37.51	40.79	1.0	92	177	100	88
1928	63.2	105	−5	55.77	57.98	64.95	59.56	0.3	114	167	101	98
1929	64.1	103	7	78.43	71.85	60.83	70.37	1.6	122	156	101	108
1930	63.5	109	8	41.02	47.28	48.75	45.68	3.3	99	175	93	97
1931	64.9	109	11	44.55	33.84	33.79	37.39	0.2	87	194	91	80
1932	65.1	108	10	70.76	49.71	54.50	58.32	0.7	115	162	93	111
1933	65.6	108	0	39.60	40.12	45.43	41.72	T.	94	184	95	86
1934	64.0	105	−10	54.61	46.24	44.24	48.36	0.8	106	179	95	91
1935	64.3	105	0	48.66	38.98	46.29	44.64	1.8	99	170	96	99
1936	64.4	106	−8	66.12	57.14	53.33	58.87	4.7	104	170	98	98
1937	63.9	102	−3	54.60	49.10	53.87	52.53	0.6	114	159	104	102
1938	65.0	105	7	47.85	41.14	37.21	42.07	T.	95	177	96	92
1939	64.9	105	8	50.55	47.44	48.90	48.96	T.	109	174	97	94
1940	62.2	106	−17	50.12	47.15	44.47	47.24	5.0	106	171	91	104
1941	64.4	105	11	42.44	40.39	44.50	42.45	0.1	96	163	101	101
Period	63.9	111	−17	52.54	47.77	48.92	49.74	1.2	99	168	99	98

Climatological Data for the Year 1942

Stations	Counties	Elevation, feet	Temperature (degrees Fahrenheit)						Precipitation (inches)							Number rainy days	Sky			Prevailing direction of wind
			Length of record, years	Annual mean	Highest	Date	Lowest	Date	Length of record, years	Total for the year	Greatest monthly	Month	Least monthly	Month	Total snowfall		Number clear days	Number partly cloudy days	Number cloudy days	
Northern division																				
Athens, No. 1	Clarke	775	61	61.6	98	July 21	11	Jan. 11	68	57.28	9.30	Mar.	1.00	Apr.	10.0	115	125	146	94	w.
Athens, No. 2	do	725	7	......	103	July 19	13	Jan. 11	7	52 83	9.11	Mar.	1.01	Apr.	10.0	82	......	......	......	......
Atlanta Airport	Fulton	975	12	61.6	97	Aug. 2	13	Jan. 8	12	55.61	11.51	Mar.	1.38	Nov.	3.8	111	115	115	135	nw.
Atlanta [City]	do	1,054	76	61.0	95	July 30	10	Jan. 8	76	45.93	9.26	Mar.	1.14	Apr.	3.8	105	......	......	......	......
Blairsville	Union	1,938	11	56.6	93	Aug. 1†	3	Jan. 11	11	55.85	9.20	Dec.	1.10	Apr.	13.0	91	......	......	......	......
Canton	Cherokee	894	......	......	......	......	......	......	53	52.60	8.68	Mar.	1.36	Apr.	8.3	107	......	......	......	......
Carlton Bridge ‡‡	Elbert	500	49	60.5	101	July 20	7	Jan. 11	44	52.45	8.99	Mar.	1.30	Nov.	0.5	106	237	42	86	......
Cartersville	Bartow	772	4	60.9	100	July 20	6	Jan. 11	6	57.36	9.83	Dec.	1.03	Nov.	8.7	120	221	50	94	se.
Cedartown	Polk	797	6	61.3	99	July 20	8	Jan. 11	9	55.65	8.61	Mar.	1.67	Apr.	20.6	108	......	......	......	......
Clayton	Rabun	2,000	47	......	......	......	12	Jan. 8†	48	77.67	12.98	Dec.	1.10	Apr.	16.0	......	......	......	......	......
Cornelia	Habersham	1,500	23	58.0	96	July 18	−2	Jan. 11	24	64.20	10.12	Dec.	1.03	Apr.	13.6	128	192	77	96	w.
Dahlonega	Lumpkin	1,519	51	59.6	95	July 17†	4	Jan. 11	52	71.28	9.66	Dec.	1.01	Apr.	15.5	125	150	123	92	w.
Dalton	Whitfield	710	7	59.9	97	July 20	7	Jan. 8	7	62.33	12.30	Aug.	1.06	Apr.	2.7	96	145	58	162	n.
Gainesville	Hall	1,254	63	......	98	Aug. 1	4	Jan. 11	65	55.98	8.63	May	1.26	Apr.	11.2	103	234	38	93	w.
Hartwell [near]	Hart	750	42	61.7	99	June 21†	10	Jan. 11	42	49.41	7.76	May	1.13	Nov.	10.0	94	132	183	50	w.
Jasper	Pickens	1,480	3	59.7	99	July 20	6	Jan. 8	6	62.28	10.38	Dec.	1.05	Apr.	12.0	94	119	102	144	e.
La Fayette	Walker	950	8	60.5	99	July 20	6	Jan. 11	12	55.78	10.72	Dec.	0.78	Apr.	10.0	117	171	80	114	s.
Norcross	Gwinnett	1,025	......	......	......	......	......	......	28	50.09	7.97	Mar.	1.74	Apr.	6.1	114	......	......	......	......
Resaca	Gordon	657	......	......	......	......	......	......	51	61.42	10.71	Dec.	1.10	Apr.	1.5	121	......	......	......	s.
Rome	Floyd	617	61	61.0	99	July 20	9	Jan. 11	86	56.20	10.32	Dec.	1.48	Apr.	5.0	119	208	69	88	e.
Tallapoosa	Haralson	1,000	46	59.4	96	July 20	4	Jan. 11	46	52.85	7.45	Dec.	1.48	Apr.	12.0	80	242	53	70	......
Toccoa	Stephens	1,050	56	61.4	99	July 19†	9	Jan. 11	57	61.32	9.05	Mar.	0.99	Apr.	7.4	120	155	115	95	w.
Washington	Wilkes	630	52	63.3	102	July 20†	11	Jan. 11	54	48.18	8.98	Mar.	0.91	Apr.	T.	109	185	113	67	n.
Division means and extremes		......	......	60.3	103	July 19	−2	Jan. 11	.....	57.36	12.98	Dec.	0.78	Apr.	8.7	109	176	91	98	w.
Middle division																				
Augusta	Richmond	134	86	65.1	102	July 20	17	Jan. 11	77	46.52	9.54	Mar.	0.58	Oct.	T	103	150	108	112	nw.
Brooklet	Bulloch	150	51	66.2	103	July 20†	16	Jan. 11	48	42.88	8.00	Mar.	0.39	Oct.	0	99	201	124	40	......
Carrollton	Carroll	1,095	19	60.9	96	July 20	9	Jan. 11	16	52.18	8.41	Mar.	1.60	Apr.	8.7	112	166	86	113	w.
Columbus	Muscogee	262	54	66.0	103	July 21	15	Jan. 11	54	47.19	6.98	Mar.	0.90	Oct.	0	116	145	115	105	nw.
Concord	Pike	825	......	......	......	......	......	......	30	51.70	9.59	Mar.	1.18	Nov.	T.	96	193	72	100	......
Covington *	Newton	747	30	62.2	102	July 20†	8	Jan. 11	57	51.46	12.29	Mar.	1.29	Nov.	T.	94	......	......	......	......
Dublin	Laurens	234	34	65 3	103	July 20†	14	Jan. 11	51	49.95	8.80	Mar.	0.78	Oct.	0	96	122	175	68	nw.
Experiment	Spalding	946	22	61.8	95	July 20†	10	Jan. 11	21	52.63	11.24	Mar.	1.42	Nov.	0	123	......	......	......	......
Fair View ‡‡	Lamar	......	33	62.1	99	July 21	10	Jan. 11	29	49.44	7.32	Mar.	1.42	Apr.	T.	105	......	......	......	......
Fort Valley	Peach	526	22	64.0	101	July 21	12	Jan. 11	22	51.59	9.33	Mar.	1.33	Oct.	0	105	184	99	82	w.
Goat Rock ‡‡	Muscogee	415	......	......	......	......	......	......	29	51.40	7.74	Mar.	0.93	Oct.	0	......	......	......	......	......
Greensboro	Greene	620	41	61.0	100	July 21	9	Jan. 11	40	49.29	9.43	Mar.	0.75	Apr.	T.	88	217	47	101	w.
Griffin	Spalding	975	52	63.6	98	July 20†	11	Jan. 11	52	52.15	11.05	Mar.	1.30	Nov.	3.2	97	174	118	73	w.
Lagrange	Troup	740	6	63.1	100	July 20	8	Jan. 11	32	60.54	10.31	Mar.	1.68	Apr.	2.8	103	179	89	97	w.
Louisville	Jefferson	337	46	64.8	102	July 20	14	Jan. 11	47	45.18	9.25	Mar.	0.74	Oct.	T.	86	......	......	......	......
Macon	Bibb	330	61	64.1	99	July 21	15	Jan. 11	94	46.94	7.78	Mar.	0.89	Oct.	T.	99	119	127	119	nw.
Milledgeville	Baldwin	320	59	63.7	102	July 19	13	Jan. 11	53	54.04	9.11	Mar.	1.04	Apr.	T.	106	146	121	98	nw.
Millen	Jenkins	180	54	65.9	105	July 20†	15	Jan. 11	55	48.78	8.38	Aug.	0.37	Oct.	0	91	241	48	76	nw.
Monticello	Jasper	680	53	64.4	105	July 21	9	Jan. 11	50	49.74	10.27	Mar.	1.26	Nov.	T.	96	153	66	146	......
Newnan	Coweta	975	53	61.6	98	July 20	8	Jan. 11	53	62.70	10.79	Aug.	1.80	Apr.	5.9	120	......	......	......	......
Stillmore [near]	Emanuel	257	17	65.6	105	July 20	13	Jan. 11	17	41.21	7.21	Mar.	0.52	Oct.	0	92	......	......	......	......
Talbotton	Talbot	750	49	62.8	100	July 21	9	Jan. 11	49	47.79	8.88	Mar.	1.36	Nov.	0	75	183	100	82	sw.
Warrenton	Warren	500	42	63 4	100	July 20†	13	Jan. 11	49	45.17	8.11	Mar.	1.14	Apr.	0	107	200	120	45	ne.
Waynesboro	Burke	261	23	64.6	103	July 20	20	Jan. 11	32	46.25	8.83	Mar.	0.64	Oct.	0	105	114	116	135	w.
West Point	Troup	573	52	63.1	102	July 20	7	Jan. 11	53	53.67	10.01	Mar.	1.17	Nov.	T.	104	191	78	96	......
Woodbury	Meriwether	800	......	......	......	......	......	......	42	51.56	9.11	Dec.	1.19	Nov.	T.	107	......	......	......	......
Division means and extremes		......	......	63.7	105	July 20†	7	Jan. 11	.....	49.93	12.29	Mar.	0.37	Oct.	0.8	101	171	98	96	w.
Southern division																				
Abbeville	Wilcox	180	......	......	......	......	......	......	39	39.69	7.00	Mar.	0.48	Nov.	0	104	......	......	......	nw.
Alapaha	Berrien	293	53	......	106	July 21	18	Jan. 11	53	......	7.59	Jan.	0.67	Apr.	0	......	......	......	......	w.
Albany	Dougherty	230	55	67.1	103	July 21	19	Jan. 11	56	53.61	9.10	June	0.85	Apr.	0	103	226	6	133	ne.
Alma	Bacon	198	4	65.4	102	July 21	16	Jan. 11	4	50.74	8.96	June	0.74	Apr.	0	94	117	119	129	se.
Americus	Sumter	362	58	64.8	100	July 20†	13	Jan. 11	58	47.02	6.93	June	0.64	Oct.	0	113	135	172	58	nw.
Bainbridge	Decatur	119	50	66.9	101	July 21	16	Jan. 11	50	65.42	9.79	Jan.	0.62	Nov.	0	126	213	82	70	ne.
Blakely	Early	300	64	66.0	100	July 20†	15	Jan. 11	65	60.28	9.09	June	1.09	Oct.	T	111	155	133	77	nw.
Brunswick	Glynn	14	42	69.2	104	July 21	24	Jan. 11	44	52.43	8.66	Aug.	0.07	Oct.	0	99	214	92	59	se.
Cairo	Grady	265	11	67.0	101	July 21	19	Jan. 11	16	66.78	9.63	Jan.	1.00	†Oct.	0	107	193	107	65	w.
Camilla	Mitchell	177	5	......	105	July 21	16	Jan. 11	5	58.57	7.36	Aug.	0.65	Oct.	0	86	168	78	119	......
Camp Stewart	Liberty	90	1	66.2	106	July 19†	19	Jan. 11	1	47.23	5.62	Sept.	0.36	Oct.	0	100	211	78	76	e.
Cordele	Crisp	336	13	66.0	104	July 21	17	Jan. 11	15	44.94	6.92	Jan.	0.82	Nov.	0	82	......	......	......	nw.
Douglas	Coffee	275	9	66.5	103	July 20	19	Jan. 12	9	54.72	9.46	June	0.72	Apr.	0	79	......	......	......	sw.
Eastman	Dodge	361	50	66.3	106	July 21†	14	Jan. 11	50	46.29	7.82	Aug.	0.79	Nov.	0	94	......	......	......	nw.
Fargo	Clinch	116	14	......	102	July 20†	23	Jan. 11	14	......	......	......	......	......	......	......	......	......	......	ne.
Fitzgerald	Ben Hill	515	25	......	102	July 20	17	Jan. 11	26	52.18	6.77	June	1.39	Oct.	0	104	165	135	65	nw.
Fort Gaines	Clay	340	54	65.7	99	July 21	14	Jan. 11	55	56.00	10.18	June	0.85	Oct.	0	115	184	134	47	n.
Glennville	Tattnall	175	38	66.5	103	July 21	17	Jan. 11	38	46.96	8.38	June	0.58	Oct.	0	113	208	106	51	nw.
Hawkinsville	Pulaski	235	51	65.8	104	July 21	14	Jan. 11	51	45.79	6.66	Mar.	0.62	Oct.	T.	95	194	52	119	w.
Hoggard's Mill ‡‡	Baker	132	3	65.2	101	July 21	13	Jan. 11	3	61.46	10.24	June	1.17	Oct.	0	118	......	......	......	......
Lumber City	Telfair	150	1	......	104	July 21†	......	......	33	......	......	......	......	......	......	......	......	......	......	......
Montezuma	Macon	292	3	66.0	102	July 20	12	Jan. 12	38	51.26	8.32	Aug.	0.84	Oct.	0	96	211	5	149	......
Moultrie	Colquitt	325	16	68.3	105	July 21	19	Jan. 11	16	51.48	8.43	Mar.	0.51	Nov.	0	102	......	......	......	......
Quitman	Brooks	173	57	67.2	103	July 21	16	Jan. 11	51	62.99	10.73	Jan.	0.25	Apr.	0	87	195	127	43	sw.
Savannah, No. 1	Chatham	42	93	67.9	103	July 21†	21	Jan. 11	93	38.69	9.09	July	0.28	Apr.	0	105	153	122	90	sw.
Savannah, No. 2 **	do	22	15	65 0	102	July 20†	15	Jan. 11	15	42.96	7.16	July	0.52	Oct.	0	97	235	81	49	sw.
Savannah Beach	do	15	4	66.7	101	July 20	25	Jan. 11	4	37.52	6.87	July	0.13	Oct.	0	73	......	......	......	......
Thomasville	Thomas	276	60	66.5	100	July 21	20	Jan. 11	65	66.24	10.60	June	0.49	Oct.	0	104	102	123	140	e.
Tifton	Tift	370	21	65.7	101	July 21	14	Jan 11	22	47.06	6.59	June	0.79	Oct.	0	103	244	23	98	sw.
Waycross	Ware	131	51	67.1	104	July 20	18	Jan. 11	51	48.13	6.85	Jan.	0.11	Apr.	0	99	249	75	41	nw.
Division means and extremes		......	......	66.5	106	July 19†	12	Jan. 11	.....	51.66	10.73	Jan.	0.07	Oct	T.	99	191	88	86	sw.
State means and extremes		......	......	63.5	106	July 19†	−2	Jan. 11	.....	52.99	12.98	Dec.	0.07	Oct	3.2	102	179	91	95	nw.

† On other dates also. ‡ Also other months.

Monthly and Annual Precipitation for the Year 1942, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure
Northern division																										
Athens, No. 1	2.99	−1.27	3.78	−1.30	9.30	+4.30	1.00	−2.73	7.23	+3.64	2.78	−1.13	6.65	+1.52	8.19	+3.52	3.47	+0.01	3.95	+0.72	1.31	−1.30	6.63	+1.55	57.28	+7.53
Athens, No. 2	2.99	.....	3.78	.....	9.11	.....	1.01	.....	7.57	.....	2.44	.....	2.38	.....	8.78	.....	3.75	.....	2.38	.....	1.17	.....	7.47	.....	52.83	.....
Atlanta Airport	3.47	−1.56	3.84	−1.22	11.51	+6.10	1.47	−2.25	5.29	+1.87	3.61	−0.33	4.60	−0.24	5.53	+0.83	5.73	+2.69	3.86	+1.17	1.38	−1.73	5.32	+0.53	55.61	+5.86
Atlanta [City]	3.00	−1.95	3.28	−1.51	9.26	+3.96	1.14	−2.47	4.01	+0.54	3.07	−0.67	1.36	−3.29	4.80	+0.35	5.32	+2.33	3.82	+1.23	1.61	−1.42	5.26	+0.56	45.93	−2.34
Blairsville	4.01	.....	4.97	.....	6.05	.....	1.10	.....	5.74	.....	2.90	.....	3.03	.....	7.65	.....	5.80	.....	3.32	.....	2.08	.....	9.20	.....	55.85	.....
Canton	3.45	−1.34	4.91	−0.58	8.68	+3.19	1.36	−2.83	3.07	−0.81	2.79	−1.14	3.39	−2.10	6.91	+2.23	5.48	+2.42	2.92	−0.63	1.68	−1.53	7.96	+1.82	52.60	−1.30
Carlton Bridge	2.75	−1.13	3.94	−1.13	8.99	+4.22	1.35	−2.02	6.66	+3.18	5.61	+2.51	3.39	−1.38	2.81	−1.67	4.10	+0.48	4.07	+1.09	1.30	−1.37	6.48	+1.67	52.45	+4.45
Cartersville	2.98	.....	4.02	.....	8.41	.....	1.55	.....	4.26	.....	2.83	.....	3.47	.....	9.77	.....	4.99	.....	4.22	.....	1.03	.....	9.83	.....	57.36	.....
Cedartown	1.73	.....	5.02	.....	8.61	.....	1.67	.....	6.51	.....	4.00	.....	2.02	.....	7.54	.....	4.49	.....	4.27	.....	2.27	.....	7.52	.....	55.65	.....
Clayton	3.86	−2.22	6.60	+0.26	8.45	+1.33	1.10	−4.45	11.00	+5.88	5.15	−0.43	7.23	+0.18	6.53	+0.04	7.13	+1.70	3.74	−1.18	3.90	−0.25	12.98	+5.13	77.67	+5.96
Dahlonega	4.67	−0.54	6.87	+1.01	7.76	+1.75	1.01	−3.53	6.02	+1.13	6.84	+2.12	9.65	+4.62	5.66	+0.61	7.84	+3.47	2.25	−1.64	3.05	−0.57	9.66	+2.47	71.28	*10.00
Dalton	4.19	.....	4.68	.....	6.93	.....	1.06	.....	5.43	.....	3.20	.....	6.70	.....	12.30	.....	2.52	.....	2.53	.....	1.92	.....	10.87	.....	62.33	.....
Gainesville	3.04	−1.70	4.27	−1.11	7.79	+2.16	1.26	−2.73	8.63	+4.63	5.31	+1.18	2.08	−3.27	7.27	+2.66	4.17	+0.48	2.97	−0.28	1.70	−1.36	7.49	+2.03	55.98	+2.69
Hartwell (near)	2.87	−1.10	1.59	−0.45	7.76	+3.08	1.46	−2.12	3.05	−0.60	2.40	−1.61	5.11	+0.65	7.23	+2.41	4.98	+1.57	2.21	−0.96	1.13	−1.57	6.62	+1.57	49.41	+0.87
Hollywood	3.94	−0.99	6.62	+0.97	8.10	+2.32	1.03	−3.53	5.68	+1.32	6.85	+2.87	5.03	−0.87	6.72	+2.00	5.07	+0.55	3.42	−0.46	1.62	−1.74	10.12	+3.50	64.20	+5.94
Jasper	3.99	.....	8.52	.....	7.28	.....	1.05	.....	6.33	.....	3.56	.....	5.13	.....	5.97	.....	4.83	.....	3.03	.....	2.21	.....	10.58	.....	62.28	.....
Lafayette	2.92	−1.94	4.65	−0.50	6.48	+1.89	0.78	−4.89	2.26	−1.00	4.46	−0.88	6.61	+0.93	8.78	+3.65	3.22	+0.54	2.70	+0.16	2.20	−0.46	10.72	+6.12	55.78	+3.62
Norcross	3.44	−1.20	3.82	−1.41	7.97	+2.81	1.74	−2.31	4.73	+1.00	2.41	−1.60	2.17	−3.71	5.57	+1.16	6.12	+3.30	2.67	−0.33	1.94	−1.06	7.51	+1.89	50.09	−1.43
Resaca	3.56	−1.14	5.78	+0.28	7.13	+1.28	1.10	−3.53	4.77	+0.93	5.88	+1.60	4.42	−0.57	9.12	+4.84	4.00	+0.99	2.95	−0.37	1.90	−1.57	10.71	+4.74	61.42	+7.48
Rome	3.19	−1.63	5.59	+0.01	6.94	+1.11	1.48	−2.95	1.91	+0.77	4.21	−0.24	3.97	−1.06	5.41	+0.84	5.07	+2.04	2.29	−0.96	2.82	−0.63	10.32	+4.48	56.20	+1.78
Tallapoosa	3.07	−1.43	3.79	−1.30	7.42	+2.07	1.48	−2.87	5.36	+1.54	3.30	−0.91	5.69	+0.29	5.59	+1.09	4.62	+1.02	3.16	+0.13	1.92	−1.30	7.45	+1.91	52.85	+0.24
Toccoa	3.69	−1.31	6.51	+0.95	9.05	+3.13	0.99	−3.45	5.35	+1.36	4.24	−0.28	6.32	+0.92	6.68	+0.98	5.68	+1.56	3.08	−1.07	1.48	−1.76	8.25	+1.81	61.32	+2.84
Washington	2.32	−1.81	3.57	−1.55	8.98	+4.26	0.91	−2.68	2.05	−1.34	1.88	−2.36	5.17	−0.16	7.41	+2.75	5.32	+1.23	2.86	−0.27	2.52	−0.23	5.19	+0.80	48.18	−1.36
Middle division																										
Augusta	3.12	−0.81	3.85	−0.26	9.54	+5.43	1.52	−1.62	5.64	+2.60	1.99	−2.69	5.92	+0.53	3.12	−1.91	2.70	−0.66	0.58	−1.88	4.52	+2.12	4.02	+0.77	46.52	+1.62
Brooklet	3.97	+0.99	4.71	+1.09	8.00	+4.22	1.82	−1.27	2.85	−0.89	5.78	−0.40	3.18	−2.88	3.66	−2.48	4.29	−0.38	0.39	−2.01	0.47	−1.98	3.76	+0.56	42.88	−5.43
Carrollton	3.71	−1.07	3.35	−1.42	8.41	+2.38	1.60	−2.50	4.37	+1.44	4.46	+0.68	2.41	−2.25	4.85	−0.05	4.82	+1.62	3.75	+0.92	2.83	−0.06	7.62	+2.91	52.18	+2.60
Columbus	3.17	−1.03	4.70	−0.53	6.98	+1.68	1.87	−1.98	2.47	−0.84	5.61	+1.86	5.47	−0.26	5.57	+1.07	3.65	+0.99	0.90	−1.98	1.25	−1.58	5.55	+0.58	47.19	−2.02
Concord	3.59	−0.45	3.68	−1.56	9.59	+3.59	2.06	−1.51	3.74	+0.44	4.28	−0.59	4.14	−1.66	5.28	+0.84	4.65	+1.65	2.72	−0.07	1.18	−1.62	6.79	+1.87	51.70	+0.93
Covington	2.98	−1.38	3.57	−1.80	12.29	+7.12	1.56	−2.23	4.49	+0.66	3.44	−0.69	3.79	−1.45	3.31	−1.16	3.43	+0.29	4.51	+1.35	1.29	−1.53	6.80	+1.70	51.46	+0.88
Dublin	6.28	+2.20	4.22	−0.18	8.80	+4.17	3.05	−0.19	4.74	+1.18	3.94	−0.94	2.01	−3.66	8.01	+2.98	2.89	−1.09	0.78	−1.73	1.34	−1.38	3.89	−0.04	49.95	+1.32
Experiment	3.26	−0.37	3.73	−1.41	11.24	+6.34	1.88	−1.42	4.99	+2.01	3.64	+0.24	6.06	+2.07	2.67	−1.41	3.81	+1.09	4.63	+2.17	1.42	−1.27	5.30	+0.87	52.63	+8.91
Fair View	3.55	−0.60	4.41	−0.42	7.32	+1.76	1.42	−2.38	4.98	+1.77	4.00	+0.75	4.74	−0.11	4.86	+1.67	3.96	+0.94	1.58	−1.00	1.50	−1.18	7.12	+2.61	49.44	+3.21
Fort Valley	3.06	−1.18	4.43	−0.54	9.33	+4.09	1.56	−2.65	1.77	−1.81	5.90	+1.40	2.69	−2.86	8.30	+3.62	3.95	+0.76	1.33	−2.02	2.27	−0.73	7.00	+2.45	51.59	+0.53
Goat Rock	3.31	−0.39	3.23	−1.42	7.74	+2.70	‡1.90	−2.10	5.82	+2.94	5.22	+2.30	6.97	+1.35	4.44	+0.75	2.63	−0.03	0.93	−1.69	1.52	−1.34	7.69	+2.77	51.40	+5.84
Greensboro	2.68	−1.37	3.65	−1.42	9.43	+4.79	0.75	−2.78	4.66	+1.21	1.93	−2.29	6.24	+1.04	5.29	+0.17	3.39	−0.17	3.85	+0.75	1.46	−1.27	5.96	+1.53	49.29	+0.19
Griffin	3.08	−1.09	3.82	−1.53	11.05	+5.60	1.78	−2.06	5.44	+2.30	3.71	−0.11	7.33	+2.20	2.59	−1.99	3.71	+0.58	2.95	+0.16	1.30	−1.50	5.39	+0.47	52.15	+3.03
Lagrange	4.02	−0.39	4.16	−0.65	10.31	+4.49	1.68	−2.54	2.10	−1.24	6.57	+2.52	5.44	+0.15	7.03	+2.50	4.78	+1.75	5.31	+2.47	2.12	−0.91	7.02	+2.28	60.54	*10.43
Louisville	4.12	+0.54	4.21	−0.06	9.25	+5.02	1.57	−1.64	4.26	+0.84	2.35	−2.22	2.50	−3.02	4.59	−0.09	4.25	+0.71	0.74	−2.14	2.17	−0.32	5.17	+1.67	45.18	−0.71
Macon	3.75	−0.42	4.26	−0.17	7.78	+2.81	1.29	−1.86	4.23	+1.27	3.20	−0.84	3.02	−1.72	5.98	+1.64	4.38	+1.19	0.89	−1.45	2.62	+0.10	5.54	+1.55	46.94	+2.10
Milledgeville	3.73	−0.30	4.05	−0.60	9.11	+4.38	1.04	−2.37	4.40	+1.19	2.33	−1.76	8.47	+2.53	4.05	−0.56	6.15	+2.51	2.67	−0.21	2.34	−0.24	5.70	+1.65	54.04	+6.22
Millen	3.51	−0.20	3.74	−0.10	6.31	+2.42	1.41	−1.71	4.67	+1.60	5.30	+0.53	5.99	−0.54	8.38	+3.67	2.78	−1.11	0.37	−2.10	1.24	−0.96	5.08	+1.59	48.78	+3.49
Monticello	3.21	−1.13	4.71	−0.73	10.27	+4.99	1.36	−2.42	2.92	−0.68	3.28	−1.67	5.88	+0.36	4.64	−0.26	3.02	−0.56	1.79	−1.63	1.26	−1.48	7.40	+2.71	49.74	+2.50
Newnan	2.00	−2.66	4.08	−1.29	9.63	+3.74	1.80	−1.97	3.15	−0.57	5.60	+1.45	7.18	+2.57	10.79	+6.01	4.04	+1.14	4.76	+1.79	2.62	−0.45	6.78	+1.43	62.73	*11.19
Stillmore	4.11	+1.07	3.91	−0.10	7.21	+3.00	1.93	−1.48	3.04	−0.26	4.44	−0.70	3.36	−4.44	3.62	−1.54	3.64	−0.31	0.52	−1.49	1.52	−0.38	3.88	+0.84	41.21	−5.79
Talbotton	3.19	−1.13	4.48	−0.87	8.88	+3.31	1.49	−2.56	3.23	−0.38	5.33	+1.26	3.02	−2.33	4.65	+0.16	5.40	+2.18	1.37	−1.63	1.36	−1.73	5.39	+0.45	47.79	−3.27
Warrenton	3.55	−0.45	3.83	−0.97	8.11	+3.57	1.14	−2.07	3.83	+0.73	2.63	−1.47	3.95	−1.16	3.20	−1.14	5.41	+1.41	1.53	−1.45	3.53	+0.83	4.46	+0.52	45.17	−1.65
Waynesboro	3.46	+0.15	3.78	−0.11	8.83	+5.05	1.57	−1.28	3.29	+0.13	2.85	−1.87	4.79	−0.94	5.77	+1.14	3.46	0.00	0.64	−1.97	2.67	+0.37	5.14	+1.78	46.25	+2.45
West Point	3.45	−0.91	4.36	−0.87	10.01	+4.25	1.69	−2.49	3.20	−0.55	7.11	+2.71	2.45	−2.74	6.01	+1.24	3.64	+0.75	2.93	+0.20	1.17	−1.89	7.64	+2.13	53.67	+1.83
Woodbury	3.21	−0.77	4.78	−0.37	8.23	+2.77	1.92	−1.63	4.12	+0.87	4.50	+0.28	5.13	−0.75	3.38	−0.72	3.22	+0.26	2.77	−0.03	1.19	−1.54	9.11	+4.43	51.56	+2.80
Southern division																										
Abbeville	5.04	+1.21	4.15	−0.30	7.00	+2.80	1.71	−1.63	2.22	−1.37	4.49	+0.71	3.92	−2.57	3.38	−1.58	3.27	−0.86	0.98	−1.45	0.48	−2.14	3.05	−0.46	39.69	−7.64
Alapaha	7.59	+3.77	4.68	+0.48	7.13	+3.05	0.67	−2.56	2.59	−0.80	4.72	−0.34	7.05	+1.03	5.10	−0.29	.....	.....	.....	.....	0.84	−1.27	5.13	+1.43	.....	.....
Albany	5.78	+1.50	5.08	+0.14	8.02	+3.27	0.85	−2.98	4.20	+0.16	9.10	+4.35	2.07	−4.36	4.59	−1.32	5.49	+1.80	2.51	−0.01	1.29	−1.17	4.63	+0.52	53.61	+1.90
Alma	7.70	.....	5.61	.....	6.32	.....	0.74	.....	1.17	.....	8.96	.....	3.79	.....	5.06	.....	2.42	.....	1.73	.....	1.96	.....	5.28	.....	50.74	.....
Americus	4.79	+0.36	4.45	−0.66	6.35	+1.33	1.97	−1.61	2.91	−0.79	6.93	+3.03	3.78	−1.45	3.10	−1.75	5.83	+2.30	0.64	−2.02	1.04	−1.80	4.93	+0.88	47.02	−2.18
Bainbridge	9.79	+5.84	5.84	+1.44	9.43	+5.25	1.62	−1.91	8.79	+5.18	6.97	+2.01	7.88	+1.61	3.32	−2.56	5.71	+1.35	0.82	−1.56	0.62	−1.79	4.63	+0.34	65.42	*15.20
Blakely	5.82	+1.42	6.22	+0.92	8.61	+3.55	2.42	−1.87	3.29	−0.25	9.09	+4.52	5.11	−1.78	7.77	+2.37	3.84	−0.19	1.09	−1.65	1.55	−1.46	5.47	+0.69	60.28	+6.27
Brunswick	4.86	+2.06	4.52	+0.76	7.80	+4.48	0.21	−2.70	2.61	−0.73	5.19	−0.41	6.64	−0.82	8.66	+2.48	6.77	+0.26	0.07	−3.08	0.55	−1.47	4.55	+1.59	52.43	+2.41
Cairo	9.63	+6.07	5.19	+1.29	8.34	+3.43	1.99	−1.85	5.94	+2.84	8.59	+2.82	6.14	−0.74	5.42	−1.17	8.02	+3.74	1.00	−0.95	1.00	−1.09	5.52	+2.36	66.78	*16.75
Camilla	6.19	.....	4.77	.....	6.95	.....	1.82	.....	4.39	.....	6.11	.....	7.34	.....	7.36	.....	5.91	.....	0.65	.....	1.05	.....	6.03	.....	58.57	.....
Camp Stewart	5.32	.....	3.99	.....	4.59	.....	0.82	.....	4.25	.....	4.71	.....	5.48	.....	5.46	.....	5.62	.....	0.36	.....	1.58	.....	5.05	.....	47.23	.....
Cordele	6.92	+3.38	4.88	−0.29	6.51	+2.80	1.58	−2.37	2.84	+0.06	4.78	+0.42	2.78	−2.99	5.47	+0.15	4.36	+1.63	1.33	−0.66	0.82	−1.46	2.67	−1.35	44.94	−0.68
Douglas	7.16	.....	5.28	.....	7.16	.....	0.72	.....	3.50	.....	9.46	.....	2.83	.....	6.54	.....	3.99	.....	1.10	.....	1.88	.....	5.10	.....	54.72	.....
Eastman	5.36	+1.36	3.73	−0.87	7.55	+2.76	1.93	−1.24	3.04	−0.26	5.63	+1.39	2.65	−3.25	7.82	+2.80	3.54	−0.34	1.29	−1.33	0.79	−1.94	2.96	−0.66	46.29	−1.58
Fargo	5.17	+1.88	5.86	+2.10	6.90	+3.11	0.25	−3.27	1.57	−1.42	9.18	+2.94	8.25	+1.24	5.55	−0.25	3.80	−2.11	0.22	−1.46	.....	.....	.....	.....	.....	.....
Fitzgerald	5.47	+1.96	3.95	−0.04	6.09	+1.81	2.58	−0.97	5.28	+1.69	6.77	+2.37	3.77	−2.01	4.14	−0.82	5.29	+1.02	1.39	−1.10	3.05	+0.69	4.40	+0.70	52.18	+5.30
Fort Gaines	5.13	+0.58	4.92	−0.19	6.22	+1.44	1.53	−2.30	2.52	−1.23	10.18	+5.81	8.24	+2.25	6.05	+0.54	4.68	+1.17	0.85	−1.85	0.91	−2.08	4.77	−0.12	56.00	+4.02
Glennville	4.45	+1.71	3.59	+0.04	6.69	+3.21	1.72	−1.00	2.65	−0.64	8.38	+3.37	4.45	−1.39	2.38	−4.62	4.26	−0.69	0.58	−1.84	2.18	−0.15	5.53	+2.23	46.96	+0.23
Hawkinsville	5.79	+1.58	4.06	−0.26	6.66	+1.99	2.11	−1.01	2.73	−0.59	4.36	+0.06	4.08	−1.28	6.42	+1.56	4.02	+0.49	0.62	−1.96	1.20	−1.39	3.74	+0.19	45.79	−0.62
Hoggard's Mill	6.79	.....	4.57	.....	8.67	.....	2.15	.....	4.38	.....	10.24	.....	3.76	.....	6.64	.....	5.51	.....	1.17	.....	2.16	.....	5.42	.....	61.46	.....
Lumber City	.....	.....	.....	.....	.....	.....	1.45	−1.47	2.49	−0.31	5.69	+1.07	3.60	−2.30	7.76	+2.09	3.56	−0.13	1.10	−1.02	1.45	−1.01	.....	.....	.....	.....
Montezuma	2.66	−1.48	4.76	+0.11	6.68	+2.16	1.81	−2.02	1.87	−1.60	7.46	+3.55	3.34	−1.73	8.32	+3.38	4.33	+1.08	0.84	−1.76	2.01	−0.87	7.18	+2.95	51.26	+3.77
Moultrie	6.69	+3.40	4.44	+0.54	8.43	+4.06	1.06	−2.39	4.42	+1.93	5.57	+0.61	2.50	−3.36	4.17	−2.21	7.60	+3.33	1.06	−0.92	0.51	−1.59	5.03	+2.01	51.48	+5.41
Quitman	10.73	+6.93	4.68	+0.43	9.02	+4.94	0.25	−3.17	2.18	−1.63	9.86	+3.96	6.31	−0.76	5.41	1.30	7.36	+2.03	0.42	−1.93	2.66	+0.38	4.11	−0.29	62.99	+9.59
Savannah, No. 1	3.41	+0.63	3.44	+0.30	5.67	+2.61	0.28	−2.29	1.71	−1.31	5.21	−0.08	9.09	+2.45	2.48	−4.83	2.37	−3.04	0.46	−2.52	1.08	−1.02	3.49	+0.56	38.69	−8.54
Savannah, No. 2	4.23	+1.50	3.44	−0.21	5.98	+2.84	0.54	−2.30	3.34	+0.36	4.93	−1.97	7.16	+0.03	2.31	−3.57	4.64	−2.18	0.52	−1.79	1.26	−0.60	4.61	+1.98	42.96	−5.91
Savannah Beach	3.38	.....	4.12	.....	5.86	.....	0.16	.....	1.92	.....	4.49	.....	6.87	.....	4.45	.....	2.41	.....	0.13	.....	1.20	.....	2.53	.....	37.52	.....
Thomasville	8.59	+4.49	4.35	−0.11	9.92	+5.83	0.56	−2.78	7.56	+3.93	10.60	+5.15	5.01	−1.69	4.29	−1.46	9.23	+4.35	0.49	−2.47	1.12	−1.56	4.52	+0.21	66.24	*13.89
Tifton	5.02	+0.86	4.15	−0.09	5.64	+1.07	2.07	−1.58	5.06	−1.64	6.59	+1.78	3.18	−3.32	4.75	−0.75	4.78	+1.13	0.79	−1.34	0.84	−1.35	4.19	+0.67	47.06	−1.28
Waycross	6.85	+3.74	4.54	+0.71	6.59	+3.19	0.11	−2.68	1.87	−1.97	6.37	+0.03	5.38	−1.77	5.09	−0.97	4.47	−0.07	0.39	−2.14	1.72	−0.52	4.75	+1.68	48.13	−0.77

‡ Estimated. * Plus. § Minus. Record for Hollywood January to August inclusive; Cornelia September through December.

Monthly and Annual Average Temperatures for the Year 1942, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
Northern division																										
Athens, No. 1	43.9	+0.4	42.0	−3.8	52.7	−0.4	63.8	+2.6	69.4	−0.7	77.8	+0.6	80.0	+0.4	76.2	−2.3	72.2	−1.6	62.3	−0.3	54.2	+2.1	44.1	−0.7	61.6	−0.5
Athens, No. 2	45.0	.....	43.1	.....	54.3	.....	63.0	.....	70.0	.....	78.2	.....	80.8	.....	76.6	.....	.....	.....	.....	.....	[b]53.6	.....	45.2	.....	.....	.....
Atlanta Airport	42.6	0.0	40.3	−5.0	52.0	0.0	63.8	+2.8	69.9	0.0	77.8	+1.8	80.4	+2.3	77.7	+0.7	72.4	0.0	63.6	+0.6	54.4	+2.3	43.8	−0.9	61.6	+0.4
Atlanta [City]	42.2	−0.4	39.6	−5.7	51.9	−0.1	64.0	+3.0	69.4	−0.5	76.6	+0.6	79.4	+1.3	76.4	−0.6	71.7	−0.7	62.8	−0.2	54.2	+2.1	43.4	−1.3	61.0	−0.2
Blairsville	37.0	.....	36.0	.....	17.4	.....	56.4	.....	66.5	.....	[b]73.8	.....	74.5	.....	72.0	.....	67.2	.....	57.8	.....	[b]50.6	.....	40.2	.....	56.6	.....
Carlton Bridge	42.8	−1.2	40.5	−5.0	51.6	−1.6	59.8	−0.9	67.9	−2.1	76.2	−0.9	79.2	0.0	77.2	−1.1	73.2	−0.3	60.8	−1.6	52.4	+0.3	44.3	−0.6	60.5	−1.2
Cartersville	40.4	.....	40.0	.....	52.0	.....	62.0	.....	69.5	.....	77.8	.....	80.8	.....	77.9	.....	72.2	.....	62.2	.....	53.6	.....	42.6	.....	60.9	.....
Cedartown	42.0	.....	42.9	.....	53.4	.....	63.0	.....	70.0	.....	76.8	.....	79.6	.....	76.2	.....	71.6	.....	62.7	.....	53.1	.....	44.2	.....	61.3	.....
Clayton	[a]41.6	+1.2	39.1	−2.3	48.6	−0.4	58.0	+1.8	66.4	+1.9	.....	.....	.....	.....	72.6	−0.8	[j]65.9	−2.6	58.4	+0.4	49.0	+1.0	40.5	−0.6	.....	.....
Dahlonega	41.1	−0.4	39.2	−3.8	51.4	+0.6	62.1	+3.5	67.9	+1.4	76.0	+2.4	77.4	+1.4	71.4	−0.7	69.4	−1.1	61.2	+1.4	52.6	+2.9	42.4	−0.1	59.6	+0.6
Dalton	40.0	.....	39.4	.....	51.2	.....	60.9	.....	68.6	.....	76.5	.....	78.5	.....	75.3	.....	70.2	.....	61.9	.....	53.4	.....	42.7	.....	59.9	.....
Gainesville	39.6	−2.1	37.8	−5.6	.....	.....	58.5	−0.7	65.7	−2.1	74.4	−0.5	77.4	−0.3	73.8	−2.6	69.2	−2.3	59.2	−1.5	51.9	+1.8	42.6	−0.1	.....	.....
Hartwell (near)	43.1	−0.9	41.2	−4.4	53.1	0.0	62.8	+2.1	69.0	−0.5	78.5	+1.4	80.9	+1.5	77.2	−1.2	73.2	−0.8	63.2	+0.5	54.0	+2.1	43.7	−0.7	61.7	0.0
Hollywood	38.6	−3.8	36.4	−8.4	48.5	−2.2	59.2	0.0	64.4	−2.3	73.7	−1.1	76.4	−0.8	73.9	−2.0	69.8	−2.3	60.3	−0.5	52.4	+2.1	41.8	−2.0	58.0	−1.9
Jasper	40.9	.....	38.4	.....	50.2	.....	61.8	.....	68.3	.....	75.3	.....	78.1	.....	74.8	.....	70.6	.....	62.2	.....	53.4	.....	42.4	.....	59.7	.....
Lafayette	39.7	.....	39.0	.....	52.8	.....	62.7	.....	69.4	.....	78.0	.....	80.3	.....	76.9	.....	70.8	.....	62.2	.....	53.0	.....	41.4	.....	60.5	.....
Rome	40.8	−1.8	40.7	−4.3	53.0	+0.1	62.8	+1.7	70.0	+0.3	77.4	+0.5	80.0	+0.4	76.4	−2.4	71.4	−2.4	62.5	0.0	53.6	+2.7	43.0	−0.6	61.0	−0.4
Tallapoosa	40.0	−2.8	39.8	−4.4	51.4	−1.2	59.9	+0.3	68.7	+0.4	74.8	−0.8	78.4	+0.4	75.0	−2.4	70.6	−2.3	59.4	−2.1	51.4	+0.6	42.8	−0.8	59.4	−1.2
Toccoa	44.0	+1.3	41.6	−2.8	53.0	+0.8	64.2	+4.0	68.9	+0.3	77.6	+1.8	80.1	+1.8	76.2	−0.8	71.8	−0.3	61.6	+0.5	54.0	+2.9	43.7	0.0	61.4	+0.8
Washington	45.2	−0.3	42.6	−4.3	54.4	−0.9	64.7	+2.2	71.0	−0.4	79.4	+1.2	81.9	+1.5	78.4	−1.2	74.8	−0.2	64.8	+0.9	56.6	+1.8	45.5	−0.5	63.3	0.0
Middle division																										
Augusta	47.2	+0.2	44.6	−5.3	56.9	+0.9	66.3	+2.1	72.8	+0.4	80.6	+1.9	83.3	+2.0	80.4	0.0	76.6	+1.3	66.6	+1.3	58.0	+3.5	48.0	−0.1	65.1	+0.7
Brooklet	48.4	−1.7	45.2	−6.8	58.3	−1.2	67.6	+1.7	74.1	0.0	80.0	−0.1	83.3	+1.3	80.8	−0.5	76.8	−0.5	68.5	+1.1	61.0	+3.7	51.0	+0.2	66.2	−0.3
Carrollton	42.4	0.0	41.4	−3.9	52.4	−1.4	62.2	+0.8	69.2	−0.2	76.2	−0.5	79.3	+0.3	75.6	−2.3	71.0	−1.8	62.6	−0.5	54.0	+2.0	44.2	−0.5	60.9	−0.6
Columbus	46.4	−1.8	46.0	−4.2	56.8	−1.4	66.0	+0.7	73.8	+0.4	80.1	−0.1	83.4	+1.7	81.6	+0.4	77.7	+0.3	68.4	+1.6	59.4	+3.4	51.8	+2.5	66.0	+0.4
Covington	44.4	+0.1	41.4	−3.4	51.5	−3.1	63.1	+2.2	70.5	0.0	79.1	+1.6	81.6	+1.7	[k]78.0	−1.0	73.6	−0.7	64.8	+2.2	54.4	+1.9	[f]43.6	−1.5	62.2	0.0
Dublin	47.6	−1.6	45.5	−6.0	57.2	+0.2	65.6	+0.5	72.9	+0.2	79.4	0.0	83.0	+1.8	80.6	+0.1	76.2	−0.4	66.1	−0.2	58.6	+2.8	50.8	+0.8	65.3	−0.2
Experiment	43.0	−1.5	41.0	−4.4	52.7	−3.1	63.8	+2.4	70.8	+0.1	78.1	+1.2	79.2	0.0	77.0	−1.8	72.5	−1.6	63.2	−0.6	54.9	+2.1	45.0	+0.3	61.8	−0.5
Fair View	44.6	−2.6	42.5	−6.7	53.2	−2.4	63.3	+0.5	70.0	−0.7	76.8	−0.9	79.6	+0.1	77.0	−1.7	72.3	−2.4	63.6	−1.0	56.0	+1.9	46.6	−0.9	62.1	−1.4
Fort Valley	45.6	−2.4	43.6	−7.3	54.5	−2.4	65.6	+1.1	72.6	+0.4	78.8	−0.3	82.0	+1.3	79.5	−0.7	75.3	−1.4	65.3	−0.5	56.9	+1.7	48.4	−1.3	64.0	−1.0
Greensboro	41.4	−3.5	40.4	−6.3	53.2	−1.3	62.6	+0.8	69.3	−1.1	77.6	−0.2	80.0	+0.2	76.6	−2.4	71.4	−3.3	62.0	−1.5	54.2	+1.3	42.8	−2.9	61.0	−1.6
Griffin	46.1	+0.3	43.8	−4.1	54.8	−0.9	65.6	+2.6	71.2	+0.2	77.9	+0.1	80.1	+0.3	78.3	−0.7	74.9	−0.1	66.0	+1.5	57.8	+3.6	46.8	−0.2	63.6	+0.2
Lagrange	43.2	.....	43.8	.....	54.2	.....	63.9	.....	71.6	.....	78.2	.....	80.8	.....	78.2	.....	74.0	.....	65.0	.....	56.2	.....	48.4	.....	63.1	.....
Louisville	46.9	−1.0	44.9	−4.8	56.2	−1.1	66.1	+2.2	73.1	+0.4	80.3	+1.1	83.1	+2.2	80.9	+0.7	75.7	−0.1	65.6	+0.4	58.8	+3.9	[h]48.0	−0.4	64.8	+0.8
Macon	46.0	−0.8	44.3	−5.2	55.0	−1.6	65.0	+1.1	71.8	−0.5	79.2	−2.0	82.2	+1.0	79.6	−0.3	75.2	+0.4	65.6	+1.1	57.2	+3.0	48.4	+0.9	64.1	−0.1
Milledgeville	45.4	−0.9	43.8	−4.8	54.0	−1.9	64.7	+1.0	72.8	+0.4	80.0	+1.0	81.8	+0.6	79.3	−1.1	74.7	−1.2	63.9	−0.8	56.5	+2.2	47.2	−0.1	63.7	−0.4
Millen	48.2	−0.6	45.8	−4.7	58.1	0.0	66.4	+1.3	73.8	+0.5	80.4	+0.5	84.1	+2.4	81.5	+0.4	76.2	−0.5	67.1	+1.0	59.4	+3.5	50.2	+0.9	65.9	−0.6
Monticello	46.8	+1.5	44.2	−3.3	55.6	+0.5	65.6	+2.7	72.2	+0.6	80.0	+1.5	81.8	+1.5	79.6	0.0	75.6	+0.2	66.2	+2.0	56.6	+3.0	48.6	+3.0	64.4	+1.1
Newnan	42.0	−2.7	42.3	−4.0	52.0	−2.6	62.2	+0.5	70.0	−0.5	77.5	−0.2	80.0	+0.3	77.2	−1.7	73.0	−1.5	63.6	−0.1	53.6	+0.4	45.2	−0.4	61.6	−1.0
Stillmore	48.0	−2.9	46.0	−6.2	57.0	−1.1	66.0	+0.6	73.0	−0.4	79.4	+0.3	83.2	+1.9	80.4	−0.2	76.6	−0.3	66.6	−0.8	59.2	+1.7	51.4	0.0	65.6	−0.6
Talbotton	45.8	−1.6	44.2	−4.8	54.0	−2.6	63.1	−0.2	70.6	−1.2	77.2	−1.3	79.8	−0.4	77.3	−2.3	72.8	−2.7	64.4	−0.7	56.5	+1.8	48.4	+0.2	62.8	−1.4
Warrenton	45.8	−0.9	43.2	−4.8	55.0	−0.9	64.8	+1.9	70.8	−0.9	78.8	+0.4	80.8	+0.3	78.1	−1.5	74.6	−0.5	64.7	+0.6	56.9	+2.8	47.2	0.0	63.4	−0.3
Waynesboro	47.2	−0.3	44.2	−4.0	56.6	−1.1	65.4	+1.2	72.2	−0.5	79.8	+1.0	82.6	+1.5	79.8	−0.5	75.8	+0.5	65.4	+0.4	57.5	+2.1	48.4	+0.8	64.6	+0.1
West Point	44.2	−1.5	44.6	−2.9	54.2	−1.2	63.2	+0.3	71.2	−0.2	78.2	−0.4	81.3	+0.8	78.4	−1.3	73.6	−1.6	64.0	−0.2	55.9	+2.4	48.4	+2.0	63.1	−0.3
Southern division																										
Alapaha	50.4	−1.0	46.9	−6.5	58.4	−1.7	67.4	+1.2	74.4	+0.3	79.4	−0.5	83.3	+1.8	80.2	−0.8	.....	.....	.....	.....	60.0	+1.9	52.2	+0.1	.....	.....
Albany	50.2	−0.4	47.8	−4.8	59.1	−1.2	67.4	+0.5	74.4	−0.3	80.4	−0.4	83.6	+1.4	81.3	−0.4	78.0	−0.1	69.0	+0.9	61.0	+3.1	53.4	+1.8	67.1	0.0
Alma	48.2	.....	46.2	.....	57.0	.....	65.2	.....	72.4	.....	79.0	.....	82.4	.....	79.7	.....	75.8	.....	66.8	.....	58.9	.....	52.6	.....	65.4	.....
Americus	47.1	−1.3	45.3	−5.7	55.8	−2.5	64.7	−0.5	72.5	−0.9	78.8	−1.1	81.2	−0.2	79.6	−1.3	75.8	−1.3	66.7	−0.3	58.6	+2.3	51.0	+1.3	64.8	−0.9
Bainbridge	49.8	−2.3	49.2	−4.9	58.8	−2.2	66.8	−0.6	74.1	−0.7	80.4	−6.1	82.6	+0.7	80.5	−0.9	76.6	−1.6	67.6	−0.5	60.9	+4.6	55.4	+3.0	66.9	−0.5
Blakely	49.2	−2.5	47.2	−6.4	57.2	−2.8	66.2	−0.2	73.4	−0.4	78.9	−0.9	81.7	+0.3	79.5	−1.5	76.2	−1.6	68.4	+0.4	60.1	+2.2	53.6	+1.8	66.0	−0.9
Brunswick	53.4	−0.7	50.2	−5.5	61.0	0.0	68.7	+0.9	75.7	+1.2	81.4	+0.7	85.8	+4.0	82.0	+0.3	79.2	+0.7	72.4	+2.0	64.6	+3.8	56.5	+1.1	69.2	+0.7
Cairo	50.1	−3.3	48.6	−5.0	58.1	−1.8	66.6	+0.2	74.0	−0.2	79.6	+0.2	82.0	+1.3	80.2	−0.2	77.3	0.0	69.8	0.0	61.8	+3.0	55.7	+1.8	67.0	−0.3
Camilla	50.4	.....	48.5	.....	58.9	.....	67.4	.....	74.5	.....	79.9	.....	83.1	.....	81.8	.....	78.4	.....	.....	.....	61.8	.....	55.8	.....	.....	.....
Camp Stewart	48.6	.....	46.1	.....	[b]57.6	.....	64.8	.....	73.4	.....	80.3	.....	85.0	.....	80.8	.....	77.6	.....	68.0	.....	59.5	.....	52.1	.....	66.2	.....
Cordele	48.2	+0.7	46.0	−4.5	[d]59.3	−0.6	66.7	+1.5	73.6	−0.1	79.2	−0.7	82.8	+1.6	80.6	−0.5	76.8	+1.0	67.6	+2.2	60.2	+4.2	51.6	+1.4	66.0	+0.5
Douglas	[d]49.0	.....	47.0	.....	[h]59.5	.....	66.0	.....	73.9	.....	80.2	.....	84.2	.....	80.5	.....	77.2	.....	68.2	.....	[i]59.2	.....	52.6	.....	66.5	.....
Eastman	49.0	−1.4	45.9	−6.0	57.0	−2.4	65.9	−0.2	74.0	0.0	80.2	−0.1	84.4	+2.5	81.7	+0.6	77.6	+0.3	[d]67.5	+0.4	60.0	+2.9	52.1	+1.5	66.3	−0.1
Fargo	51.0	−3.2	49.5	−5.5	60.6	+0.3	65.0	−1.1	72.4	−1.0	80.6	+1.5	83.8	+2.1	81.3	0.0	78.8	+1.2	70.0	−0.8	.....	.....	.....	.....	.....	.....
Fitzgerald	50.4	−0.9	47.4	−4.9	58.6	−2.3	67.2	+1.7	74.2	−0.2	80.0	−0.1	83.3	+1.5	.....	.....	77.4	+0.1	68.5	+3.8	60.5	+4.9	54.5	+4.7	.....	.....
Fort Gaines	48.9	−1.0	47.0	−4.8	57.4	−1.5	66.2	+0.4	73.1	−0.5	79.2	−0.7	81.6	+0.4	79.8	−0.8	75.4	−1.7	67.1	0.0	59.0	+2.0	54.2	+3.5	65.7	−0.4
Glennville	49.6	−2.5	46.9	−6.5	58.3	−1.7	66.6	0.0	73.8	−0.2	79.6	−0.3	83.0	+1.5	80.9	−0.1	76.9	−0.6	68.4	+0.2	61.4	+3.1	52.8	+0.6	66.5	−0.6
Hawkinsville	48.0	−0.9	46.1	−4.6	56.8	−1.6	65.0	−0.2	73.8	+0.4	79.6	−0.1	83.6	+2.2	80.8	−0.3	77.4	0.0	67.7	+0.9	59.5	+3.1	51.4	+1.6	65.8	0.0
Hoggard's Mill	[a]46.5	.....	46.2	.....	56.2	.....	64.8	.....	72.6	.....	[a]79.0	.....	82.0	.....	80.0	.....	76.8	.....	66.9	.....	58.4	.....	52.7	.....	65.2	.....
Lumber City	.....	.....	.....	.....	.....	.....	64.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	76.6	.....	66.4	.....	.....	.....	.....	.....	.....	.....
Montezuma	49.8	.....	46.9	.....	56.9	.....	66.6	.....	74.1	.....	79.6	.....	81.8	.....	81.2	.....	76.6	.....	67.6	.....	59.6	.....	51.7	.....	66.0	.....
Moultrie	51.8	−2.0	49.2	−6.3	59.6	−1.6	68.4	+0.6	75.4	+0.3	81.0	+0.6	84.2	+2.1	82.2	+0.6	78.6	+0.2	70.5	+0.4	62.8	+3.0	56.1	+1.5	68.3	−0.1
Quitman	49.9	−3.0	48.0	−7.4	57.7	−3.6	67.4	−0.1	74.4	−0.5	80.3	−0.1	82.8	+1.2	81.0	−0.2	78.0	−0.2	69.4	+0.5	62.0	+2.6	55.5	+2.3	67.2	−0.7
Savannah, No. 1	51.6	+0.2	48.0	−6.0	60.2	+1.4	68.1	+2.1	74.7	+1.3	81.1	+2.1	84.7	+3.2	81.8	+1.1	78.8	+2.4	70.3	+2.4	62.3	+3.8	52.8	+0.4	67.9	+1.2
Savannah, No. 2	49.0	−2.8	46.2	−5.8	58.4	+0.4	65.0	+0.5	70.8	−0.7	78.7	+0.4	82.3	+1.6	79.2	−1.0	75.4	−1.1	66.4	−0.6	58.8	+1.9	50.3	−1.3	65.0	−0.8
Savannah Beach	49.1	.....	46.8	.....	56.9	.....	66.3	.....	74.4	.....	81.2	.....	83.8	.....	82.6	.....	78.4	.....	69.0	.....	60.1	.....	52.0	.....	66.7	.....
Thomasville	48.7	−2.3	47.6	−7.4	57.3	−2.9	67.0	+0.3	74.0	0.0	79.4	−0.1	82.2	+0.4	80.3	−0.7	76.8	0.0	68.8	+0.6	61.1	+2.6	54.9	+2.4	66.5	−0.6
Tifton	49.0	−2.7	[b]46.6	−6.9	57.0	−1.4	66.0	0.0	73.1	−0.3	78.2	−1.0	81.6	+0.8	79.8	−0.7	76.6	−1.1	67.7	−0.3	60.0	+2.3	52.6	0.0	65.7	−0.9
Waycross	51.6	−1.6	48.6	−6.2	59.5	−1.9	66.2	−1.1	73.2	−1.3	79.9	−0.2	82.8	+0.9	80.2	−1.4	77.4	−0.6	68.7	−0.3	61.5	+2.4	55.6	+2.5	67.1	−0.7

Reference letters, [a], [b], [c], appearing in the table indicate number of days missing; for example, [b] represents two days, etc. Record at Hollywood January to August inclusive: Cornelia September through December.

ANNUAL CLIMATOLOGICAL DATA FOR THE STATE

Year	Temperature			Precipitation					Number of days			
	Mean	Highest	Lowest	Northern division	Middle division	Southern division	Average	Average snowfall	Precip., .01 or more	Clear	Pt. cloudy	Cloudy
1892	62.9	102	9	59.15	47.92	47.13	51.39	.....	95	150	103	113
1893	63.4	103	−1	43.81	46.39	50.25	46.83	.....	85	171	107	87
1894	64.0	104	0	44.92	50.18	53.58	49.55	.....	94	157	123	85
1895	62.0	104	−5	55.04	49.52	50.24	51.60	.....	96	154	117	94
1896	64.4	107	3	42.09	44.33	47.94	44.78	1.4	81	176	113	77
1897	64.2	106	−1	51.00	45.14	51.34	49.15	0.4	84	166	106	93
1898	63.8	104	5	58.62	52.10	52.92	54.54	0.4	96	159	110	96
1899	63.6	105	−12	49.87	42.54	41.87	44.75	6.5	89	167	116	82
1900	63.7	106	0	63.21	55.36	54.09	57.56	0.4	115	141	130	94
1901	61.6	106	3	65.58	53.58	53.49	57.55	4.1	113	152	123	90
1902	63.6	108	10	46.70	48.17	55.48	50.14	1.4	100	136	129	100
1903	62.6	104	9	52.28	51.57	57.51	53.79	0.4	110	140	116	109
1904	62.7	104	4	37.54	33.81	39.19	36.84	1.8	89	158	116	92
1905	63.3	102	−8	52.85	46.04	52.53	50.47	1.6	97	161	99	105
1906	63.6	103	11	63.62	50.61	50.08	54.79	2.2	101	168	104	93
1907	64.2	106	16	47.88	47.94	50.20	48.67	0.3	95	169	114	82
1908	64.4	104	9	54.87	50.14	45.73	50.25	0.7	85	174	110	82
1909	64.0	104	5	58.28	47.94	39.63	48.62	0.3	93	175	113	77
1910	63.0	103	8	45.69	42.29	43.62	43.86	0.7	91	187	79	99
1911	65.6	105	9	48.72	45.69	47.87	47.43	0.1	97	165	83	117
1912	62.9	103	0	62.17	62.39	64.84	63.11	5.1	113	153	83	130
1913	64.1	110	12	49.74	45.50	44.74	46.67	T.	95	184	79	102
1914	63.3	109	5	44.70	42.78	49.61	45.70	5.1	93	179	83	103
1915	63.7	106	17	53.54	48.97	46.23	49.58	0.5	86	196	83	86
1916	64.1	103	10	47.09	41.68	42.23	43.67	0.4	93	180	95	91
1917	62.4	103	0	53.79	45.28	43.55	47.54	1.9	99	181	92	92
1918	64.3	106	−3	55.00	45.07	47.88	49.25	1.6	101	161	88	116
1919	65.0	103	2	57.27	54.59	53.95	55.27	0.4	103	167	87	111
1920	62.9	105	4	67.54	56.63	56.32	60.14	T.	107	166	86	114
1921	66.1	104	20	46.22	38.76	38.23	41.08	1.0	91	173	100	92
1922	65.6	104	12	59.71	54.78	51.27	55.26	0.3	113	158	94	113
1923	64.3	105	0	56.68	54.12	47.90	52.72	T.	108	159	88	118
1924	62.8	107	−9	52.18	52.94	57.37	54.15	1.9	99	187	73	106
1925	65.6	111	0	39.46	38.37	45.14	41.01	T.	89	186	75	104
1926	63.6	110	6	50.72	46.92	53.66	50.43	0.8	104	181	78	106
1927	65.9	108	4	44.89	39.96	37.51	40.79	1.0	92	177	100	88
1928	63.2	105	−5	55.77	57.98	64.95	59.56	0.3	114	167	101	98
1929	64.1	103	7	78.43	71.85	60.83	70.37	1.6	122	156	101	108
1930	63.5	109	8	41.02	47.28	48.75	45.68	3.3	99	175	93	97
1931	64.9	109	11	44.55	33.84	33.79	37.39	0.2	87	194	91	80
1932	65.1	108	10	70.76	49.71	54.50	58.32	0.7	115	162	93	111
1933	65.6	108	0	39.60	40.12	45.43	41.72	T.	94	184	95	86
1934	64.0	105	−10	54.61	46.21	44.24	48.36	0.8	106	179	95	91
1935	64.3	105	0	48.66	38.98	46.29	44.64	1.8	99	170	96	99
1936	64.4	106	−8	66.12	57.14	53.33	58.87	4.7	104	170	98	98
1937	63.9	102	−3	54.60	49.10	53.87	52.53	0.6	114	159	104	102
1938	65.0	105	7	47.85	41.14	37.21	42.07	T.	95	177	96	92
1939	64.9	105	8	50.55	47.44	48.90	48.96	T.	109	174	97	94
1940	62.2	106	−17	50.12	47.15	44.47	47.24	5.0	106	171	91	104
1941	64.4	105	11	42.44	40.39	44.50	42.45	0.1	96	163	101	101
1942	63.5	106	−2	57.36	49.93	51.66	52.99	3.2	102	179	91	95
Period	63.9	111	−17	52.63	47.81	48.98	49.81	1.3	99	168	99	98

MONTHLY STATE DATA FOR 1942

Months	Temperature				Precipitation				
	Mean	Departure from normal	Maximum	Minimum	Average	Departure from normal	Greatest	Least	No. days with 0.01 inch or more
January	45.5	−1.4	79	−2	4.46	+0.21	10.73	1.73	6
February	43.7	−4.8	78	8	4.53	−0.34	8.52	3.23	8
March	55.0	−1.2	89	10	8.10	+3.24	12.29	4.59	11
April	64.1	+0.7	96	20	1.38	−2.37	3.05	0.11	2
May	71.3	−0.3	95	38	4.29	+0.89	11.00	1.17	8
June	78.5	+0.4	100	50	5.05	+0.57	10.60	1.88	11
July	81.3	+1.2	106	58	4.79	−0.99	9.65	1.36	12
August	78.5	−1.0	104	45	5.76	+0.48	12.30	2.31	12
September	74.2	−1.2	101	32	4.61	+1.02	9.23	2.02	9
October	65.0	0.0	92	25	2.08	−0.59	5.31	0.07	6
November	56.8	+2.2	88	15	1.68	−0.91	4.52	0.32	4
December	48.1	+0.3	86	7	6.29	+1.97	13.79	2.53	13
Year	63.5	−0.4	106	−2	52.99	+3.18	77.67	37.52	102

KILLING FROSTS

Stations	Last in spring	First in autumn	Stations	Last in spring	First in autumn
Northern division			*Middle division*—Con.		
Athens, No. 1	Apr. 12†	Oct. 27*	Millen	Mar. 4†	Nov. 12*
Athens, No. 2	Apr. 12†	Oct. 27*	Monticello	Apr. 2†	Oct. 27*
Atlanta	Apr. 1	Nov. 28	Newnan	Apr. 12†	Oct. 27*
Blairsville	Apr. 22†	Sept. 29*	Stillmore	Apr. 1†	Nov. 12*
Carlton Bridge	Apr. 12†	Oct. 27*	Talbotton	Apr. 2†	Nov. 25*
Cartersville	Apr. 12†	Oct. 27*	Warrenton	Apr. 1†	Nov. 28*
Cedartown	Apr. 12†	Oct. 27*	Waynesboro	Mar. 4†	Nov. 12*
Clayton	Apr. 12†	Oct. 27*	West Point	Apr. 2†	Oct. 27*
Cornelia	Apr. 12	Oct. 27	*Southern division*		
Dahlonega	Apr. 12†	Oct. 27	Alapaha	Mar. 4†	Nov. 28
Dalton	Apr. 2†	Oct. 27*	Albany	Feb. 28†	Nov. 28
Gainesville	Apr. 12†	Oct. 27*	Alma	Mar. 4†	Nov. 12*
Hartwell (near)	Apr. 2†	Oct. 27*	Americus	Mar. 4†	Nov. 25
Jasper	Apr. 12†	Oct. 27*	Bainbridge	Mar. 4†	Nov. 12
Lafayette	Apr. 2†	Oct. 27*	Blakely	Feb. 28†	Nov. 28
Rome	Apr. 12	Oct. 27	Brunswick	Feb. 28	Dec. 14*
Tallapoosa	Apr. 2	Oct. 27	Cairo	Mar. 4†	Nov. 28*
Toccoa	Apr. 12†	Oct. 27*	Camilla	Mar. 4†	Nov. 12*
Washington	Apr. 1	Oct. 27*	Camp Stewart	Mar. 4	Nov. 12*
			Cordele	Mar. 4	Nov. 28*
Middle division			Douglas	Mar. 4	Nov. 28
Augusta	Feb. 28	Nov. 28	Eastman	Mar. 4†	Nov. 28*
Brooklet	Mar. 4†	Nov. 28*	Fargo	Mar. 1†	....
Carrollton	Apr. 2	Oct. 27	Fitzgerald	Feb. 28†	Nov. 28*
Columbus	Apr. 1	Nov. 25	Fort Gaines	Feb. 28†	Nov. 28
Concord	Apr. 2	Nov. 28	Glennville	Mar. 4†	Nov. 28
Covington	Apr. 13†	Oct. 27*	Hawkinsville	Apr. 2	Nov. 28
Dublin	Apr. 1	Nov. 12	Hoggards Mill	Mar. 4†	Nov. 12*
Experiment	Apr. 1	Nov. 12*	Montezuma	Mar. 4	Nov. 28
Fair View	Apr. 1†	Nov. 12	Moultrie	Feb. 28†	Nov. 28*
Fort Valley	Mar. 4	Nov. 15	Quitman	Mar. 4†	Nov. 28
Greensboro	Apr. 1†	Oct. 27*	Savannah, No. 1	Mar. 4	Nov. 28
Griffin	Apr. 1	Nov. 12	Savannah, No. 2	Mar. 10	Nov. 12
Lagrange	Apr. 1	Oct. 27*	Savannah Beach	Feb. 28†	Dec. 14*
Louisville	Mar. 4†	Nov. 12*	Thomasville	Mar. 1†	Nov. 28*
Macon	Mar. 1	Nov. 28	Tifton	Mar. 4†	Nov. 25*
Milledgeville	Mar. 10†	Nov. 12*	Waycross	Mar. 4†	Nov. 12*

* Latest date with temperature 32° or below.
† Earliest date with temperature 32° or below.

SUPPLEMENTARY PRECIPITATION TOTALS TABLE 1942

Stations	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	An'l
Adel	8.70	4.06	7.73	0.48	2.75	4.47	6.55	4.72	5.02	1.21	1.62	6.27	53.58
Adairsville	2.79	4.85	5.71	1.07	4.47	4.80	4.12	6.19	3.65	2.03	1.16	9.44	50.28
Atlanta No. 2	3.40	4.32	10.49	1.52	3.60	2.93	2.23	7.30	4.28	3.28	2.10	5.24	50.69
Augusta Airport	2.66	2.89	8.12	1.44	1.72	2.01	6.45	5.02	4.47	0.55	4.00	3.82	43.15
Beaverdale	4.11	4.31	5.06	1.20	3.93	5.08	4.20	9.33	2.75	2.30	2.11	9.98	54.36
Bellville ‡	3.56	4.07	7.08	1.66	3.41	6.71	3.11	6.45	4.97	1.54	0.32	4.24	47.12
Blackbeard Island	.....	.....	.....	.....	.....	.....	.....	.....	.....	2.54	0.07	0.37	.....
Brunswick Airport	1.21	4.19	6.84	0.17	2.12	4.22	3.11	4.65	4.59	0.24	0.61	3.83	38.78
Burton Dam ‡	4.73	7.26	8.56	1.17	7.29	6.40	6.97	7.64	7.31	3.10	3.38	11.17	74.98
Butler	.....	.....	.....	.....	.....	.....	.....	.....	4.59	1.39	2.71	6.82	.....
Butler Creek	2.93	3.64	9.88	1.15	5.68	2.77	3.67	3.90	4.68	1.43	2.71	4.05	46.49
Camp Toccoa	.....	.....	.....	.....	.....	.....	.....	.....	5.61	3.64	1.68	.....	.....
Camp Wheeler	2.97	4.17	8.11	1.23	3.94	2.79	7.49	7.16	4.41	1.55	2.27	5.72	51.81
Carnesville ‡	3.60	3.99	7.48	0.99	4.75	3.38	1.23	2.38	.....	.....	0.78	7.18	.....
Chatsworth	4.40	5.22	6.70	0.72	7.72	4.78	2.95	6.94	4.92	2.59	1.80	10.12	58.86
Clermont ‡	3.03	.....	6.93	1.26	5.95	.....	2.51	4.87	3.83	2.61	1.75	6.88	.....
Coolidge ‡	8.91	3.65	7.18	0.68	3.93	6.97	1.82	4.82	8.28	1.09	0.66	5.92	53.91
Cumming	2.14	2.16	6.83	1.20	5.35	2.66	3.27	3.65	3.47	2.56	1.69	7.60	42.58
Dawson	5.47	5.19	7.30	1.80	3.25	6.77	5.65	6.60	5.45	0.90	0.85	4.43	53.66
Doctortown	5.94	3.54	6.84	0.48	1.46	6.98	6.98	8.35	3.65	0.54	1.50	7.49	53.75
Doles ‡	6.52	3.87	6.22	0.97	1.85	7.97	1.86	2.36	5.48	1.21	1.70	3.08	43.09
Donaldsonville	.....	.....	.....	2.71	4.69	10.09	4.70	6.49	6.82	0.76	1.28	6.09	.....
Double Branches	3.07	3.19	8.53	0.92	6.40	2.31	5.14	3.72	2.79	1.95	2.85	4.43	45.30
Douglasville	3.66	3.68	10.18	1.53	3.49	3.52	3.89	7.48	4.63	3.41	1.70	6.22	53.39
Dover	3.10	4.73	5.45	1.73	3.91	7.80	2.54	1.93	2.02	0.15	0.55	4.04	38.25
Edison ‡	4.34	5.30	7.86	1.50	2.30	6.63	6.08	6.71	6.35	0.51	1.14	4.75	53.47
Ellijay	4.23	4.87	9.71	0.86	6.70	3.61	5.59	9.71	4.31	3.27	3.13	13.45	69.44
Embry	3.05	3.60	8.86	1.36	4.67	5.58	4.50	5.51	6.01	2.81	1.95	8.56	56.46
Everett City	5.99	4.83	7.70	0.57	2.40	4.59	5.47	3.63	6.83	0.27	0.32	4.91	47.51
Fairmount	3.48	6.01	6.05	1.06	3.04	4.44	3.37	6.68	5.07	2.45	2.31	10.42	54.38
Folkston ‡	4.63	5.74	5.72	0.78	1.41	11.84	5.36	5.33	6.11	0.00	0.29	2.55	49.76
Haralson	2.99	4.03	10.64	1.73	2.17	4.25	6.13	5.07	3.03	2.85	1.77	6.14	50.80
Hazlehurst ‡	4.35	3.12	6.55	1.45	1.64	6.05	5.22	5.49	3.59	0.38	0.50	3.86	42.20
Homerville	8.09	4.25	7.92	0.78	1.68	6.33	1.40	4.25	4.79	0.42	1.59	4.95	46.45
Jackson Dam ‡	3.10	3.79	10.07	1.37	3.91	2.17	6.27	4.75	2.69	2.92	0.87	6.31	48.22
Jesup ‡	6.28	3.62	6.34	0.76	1.35	5.21	3.97	7.47	.....	0.57	1.55	6.77	.....
Jonesboro	3.15	3.40	11.99	1.50	3.94	4.44	3.16	4.25	2.83	4.58	1.50	6.67	51.41
Lawson Field ‡	3.35	5.34	6.83	2.07	1.55	6.59	4.69	4.24	4.70	1.90	1.43	8.29	50.68
Lisbon ‡	2.70	3.43	8.30	1.23	4.12	1.66	3.89	5.51	6.07	4.31	1.81	.....	.....
Macon Airport	3.09	4.00	7.43	1.12	4.19	3.57	3.80	7.05	4.90	1.08	2.43	5.36	48.02
Maysville	3.95	4.28	7.77	1.10	5.68	6.49	1.80	7.27	4.18	2.39	1.10	7.85	53.86
Midville	2.54	3.67	8.60	2.12	4.00	6.51	6.55	9.38	3.25	0.77	2.97	5.15	55.51
Mount Vernon	3.45	4.45	8.40	1.90	3.25	8.05	3.50	5.20	1.25	1.50	0.85	3.40	45.20
Pearson ‡	6.89	4.29	7.01	0.84	2.22	.....	2.83	.....	4.15	0.68	1.56	.....	.....
Savannah Airport	3.12	3.41	5.34	0.38	2.35	5.51	4.08	1.88	3.40	0.19	1.04	3.72	34.42
Sparta	3.30	4.98	7.83	1.03	3.92	2.99	5.22	4.48	3.51	2.09	1.78	6.19	47.32
Summerville	3.89	5.70	6.28	0.99	3.89	7.13	6.21	9.73	1.71	3.62	4.12	13.79	70.06
Sylvania ‡	2.84	3.25	6.60	1.56	2.90	5.67	4.20	10.87	2.06	0.36	0.44	4.00	44.75
Taylorsville	2.59	5.14	9.58	1.62	4.95	6.21	3.29	5.55	5.58	3.44	2.15	10.93	61.33
The Rock ‡	3.50	4.28	7.83	1.18	3.44	4.04	3.92	6.04	2.83	1.98	1.02	6.39	46.45
Valdosta ‡	10.08	5.23	7.34	0.27	1.25	8.61	1.27	3.81	5.87	0.43	1.66	3.30	52.15
Watkinsville ‡	2.90	3.44	9.30	1.05	7.61	1.81	2.72	8.93	2.73	4.47	0.65	6.16	52.07
Winder	3.39	4.09	8.09	1.13	5.68	2.02	2.48	7.11	3.68	4.00	0.76	7.51	49.94
Woodstock	2.58	4.29	9.39	1.56	3.16	2.47	2.35	5.12	5.44	2.23	1.73	7.27	47.59

‡ Hydrologic Recorder Station.

(WBO, Atlanta, 3-5-43—1075)


GEORGIA
SCALE OF MILES
10 5 0 10 20 30 40
85
84
83
82
81
35
34
33
32
31
Northern Division
Middle Division
Southern Division
DADE
WALKER
La Fayette
CATOOSA
WHITFIELD
Dalton
MURRAY
Chatsworth
FANNIN
Blue Ridge
UNION
Blairsville
TOWNS
RABUN
Clayton
GILMER
Ellijay
Oakman
CHATTOOGA
Summerville
GORDON
Resaca
Fairmont
Jasper
PICKENS
LUMPKIN
Dahlonega
WHITE
HABERSHAM
Cornelia
Toccoa
STEPHENS
DAWSON
HALL
Gainesville
BANKS
Gillsville
FRANKLIN
HART
Hartwell
Adairsville
BARTOW
Cartersville (near)
Taylorsville
CHEROKEE
Canton
Woodstock
FORSYTH
Cumming
JACKSON
Jefferson
MADISON
Carlton Bridge
ELBERT
Rome
FLOYD
Cedartown
POLK
PAULDING
COBB
Marietta
Lawrenceville
Norcross
GWINNETT
BARROW
Winder
CLARKE
Athens
Pt. Peter
Lisbon
Savannah
LINCOLN
OCONEE
OGLETHORPE
WILKES
Washington
Double Branches
HARALSON
Tallapoosa
DOUGLAS
FULTON
Atlanta
DE KALB
WALTON
ROCKDALE
Covington
Madison
MORGAN
GREENE
Greensboro
TALIAFERRO
McDUFFIE
Thomson
COLUMBIA
Augusta
CARROLL
CLAYTON
Jonesboro
NEWTON
HENRY
WARREN
Warrenton
RICHMOND
Newnan
COWETA
FAYETTE
Griffin
SPALDING
Jackson
BUTTS
JASPER
Monticello
Eatonton
PUTNAM
Sparta
HANCOCK
GLASCOCK
HEARD
TROUP
Lagrange
West Point
MERIWETHER
Woodbury
PIKE
Concord
LAMAR
MONROE
Fair View
Round Oak
JONES
Milledgeville
BALDWIN
Sandersville
WASHINGTON
JEFFERSON
Louisville
Waynesboro
BURKE
UPSON
Macon
BIBB
TWIGGS
Irwinton
WILKINSON
Wrightsville
JOHNSON
Midville
JENKINS
Millen
SCREVEN
Dover
HARRIS
Goat Rock
TALBOT
Talbotton
CRAWFORD
TAYLOR
Butler
Ft. Valley
PEACH
Danville
Dublin
Meeks
EMANUEL
Stillmore
Statesboro
Clyo
EFFINGHAM
MUSCOGEE
Columbus
Chattahoochee
MARION
CHATTAHOOCHEE
MACON
Marshallville
HOUSTON
BLECKLEY
LAURENS
TREUTLEN
CANDLER
Brooklet
BULLOCH
Hawkinsville
Montezuma
SCHLEY
PULASKI
Eastman
DODGE
Mt. Vernon
MONTGOMERY
Lyons
TOOMBS
Claxton
EVANS
Meldrim
Savannah No. 1
CHATHAM
STEWART
WEBSTER
Americus
SUMTER
DOOLY
WHEELER
Abbeville
Mc Rae
Lumber City
TELFAIR
TATTNALL
Glennville
Savannah No. 2
Savannah Beach
LIBERTY
Hinesville
QUITMAN
Cordele
CRISP
WILCOX
Hazelhurst
RANDOLPH
TERRELL
LEE
TURNER
BEN HILL
Fitzgerald
JEFF DAVIS
APPLING
Surrency
LONG
OCEAN
CLAY
River
Ft. Gaines
CALHOUN
Albany
DOUGHERTY
WORTH
TIFT
Tifton
IRWIN
COFFEE
Douglas
BACON
Alma
Doctortown
WAYNE
Screven
Everett City
Mc INTOSH
Valona
Blakely
EARLY
BAKER
Camilla
MITCHELL
COLQUITT
Moultrie
Alapaha
BERRIEN
ATKINSON
Pearson
PIERCE
Waycross
Nahunta
GLYNN
Brunswick
ATLANTIC
MILLER
COOK
LANIER
BRANTLEY
WARE
Woodbine
SEMINOLE
DECATUR
Bainbridge
GRADY
Cairo
THOMAS
Thomasville
BROOKS
Quitman
LOWNDES
Valdosta
CLINCH
CHARLTON
Folkston
CAMDEN
ECHOLS
Fargo
St. George
85
84
83
82
81

U. S. DEPARTMENT OF COMMERCE, WEATHER BUREAU

CLIMATOLOGICAL DATA

GEORGIA SECTION

A. J. KNARR

VOL. XLVII ATLANTA, GA., YEAR 1943 NO. 12

GENERAL SUMMARY

The year averaged very near normal in temperature and almost 3 inches below normal in precipitation.

The first two months were well above normal in temperature, with subnormal averages in March and April. Unusual warmth predominated from May through August, and the summer was the warmest on record, except 1925. Subnormal averages occurred from September through December. Highest temperatures of the year, occurring quite generally in June with almost as great a degree of warmth in August, ranged from slightly lower than 100° to 106°. Lowest temperatures occurred early in March or about the middle of December, with readings as low as 2° in the far north and 22° on the coast.

Subnormal precipitation averages occurred in all months except January, March, May, and December. January and March were especially wet months, in both of which excessive rains produced damaging river floods extensively over the State. The persistent insufficiency of rainfall after May brought on a moderately severe drought that reached its greatest proportions during October and November; the resulting damage to crops, though considerable, was not nearly as severe as those during the droughts of 1925 and 1930, when scarcity of water and crop losses were pronounced. The greatest yearly precipitation occurred at Clayton, Columbus, and West Point, where totals were more than 60 inches; least totals of slightly less than 40 inches, occurred in 3 separate areas, Monticello to Augusta, Brooklet to Brunswick, and Cordele to Albany.

THE WEATHER BY MONTHS

JANUARY.—The worst feature of the month's weather was the occurrence of tornadoes and windstorms in three separate areas of central and southwestern counties shortly after the middle of the month in which 6 people were killed, 50 or more injured, and more than $300,000 in property damage done. Excessive precipitation about the same time produced serious river floods from which property damages were at least $100,000. The month, as a whole, was well above normal in both temperature and precipitation. Exceptionally warm weather occurred in two periods after the 15th, and rather low temperatures prevailed on the 6th and 20th.

FEBRUARY.—Although unusually cold weather occurred between the 14th and 17th, and again at the close of the month, yet, owing to excessive warmth during most of the remainder of the month, the State average temperature was moderately above normal. Precipitation, occurring almost exclusively on the 4th to 6th and 11th, averaged only 37% of normal, which caused depletion of soil moisture generally, though not seriously so. Early crops and peach buds were killed or seriously injured by hard freezes and frosts about the 15th.

MARCH.—This was an unusually cold and wet month, which was decidedly unfavorable for agriculture. Except for above normal warmth during the second decade, temperatures were persistently below normal, and minimum temperatures on the 4th at many places fell below previous records for March. Rainfall occurred very frequently and heavy to excessive falls between the 17th and 22d produced river floods generally over the State, causing damages of about $120,000.

APRIL.—Averages in both temperature and rainfall were very nearly normal. Heavy frosts, accompanied by minimum temperatures on the 14th or 15th, which were very near or below previous low April records, killed or severely injured most growing crops, making large replantings necessary. Rainfall, though occurring infrequently, was mostly sufficient to maintain satisfactory soil moisture except in the southeast.

MAY.—Weather conditions this month were more favorable for crops than those of preceding months. Temperature extremes were unusually moderate for the season, though the State average was somewhat above normal. Rainfall, which occurred chiefly from the 9th to 12th and 23d to 26th, produced monthly totals of about 2 to 6 inches, which were sufficient to maintain satisfactory soil moisture rather generally. A small tornado, striking in central Jenkins County on the 12th, caused property damage of several hundred dollars.

JUNE.—Abnormal warmth persisted almost continuously throughout the month, making it the warmest June on record except in 1897, 1911, and 1914. Rainfall was rather frequent after the 6th, producing variable totals of 1 to 9 inches. Crops made very good progress, though overabundant moisture was beginning to impair quality of crops by the close of the month.

JULY.—Temperatures were rather moderate for the season, with a monthly average only a fraction above normal. Rainfall occurred very frequently, providing considerably more moisture to the soil than was needed. Rainfall was irregularly distributed, with monthly totals ranging from about 1 to 13 inches; the State average, however, was about 0.50 inch below normal.

AUGUST.—The month was hot and sultry, producing an average temperature that has been exceeded only 5 times in previous August records. Rainfall was fairly frequent during the first 15 days, after which very little occurred, and the State average was considerably below normal. Rapid progress was made in harvesting, though deterioration from dryness was affecting practically all crops by the close of the month.

SEPTEMBER.—Consistently low temperatures after the 8th gave one of the lowest September averages on record. Temperature extremes ranged from well above 90° to almost freezing. Unusually dry weather, continuing from the preceding month, was broken by heavy to excessive rains between the 19th and 22d, though soil moisture was generally inadequate by the close of the month.

OCTOBER.—The month was considerably below normal in both temperature and rainfall. Freezing temperatures and injurious frosts extended into every part of the State on the 13th. Moderately severe drought developed during the month, with at least 75% of the southern third of the State having no rain at all. This caused great delay in fall plowing and seeding and late vegetables and pastures practically dried up.

NOVEMBER.—The fall drought continued, though moderately heavy rains on the 8th provided temporary but substantial relief. No other rains occurred during the month except on the 3d in the north and generally on the 29th. Temperatures averaged moderately below normal, with freezing occurring rather generally on the 10th, 11th, 12th, 17th, 18th, 24th, 25th, and 26th.

DECEMBER.—Remarkably warm weather occurred between the 2d and 10th, but deficiencies later in the month were sufficient to make the State average slightly below normal. Rainfall was mostly light until the 14th when moderate to heavy falls occurred in central and southern counties. Heavy to excessive rains on the 25th and 26th accounted for more than one-half the month's total, which averaged somewhat below normal.—R. L. C.

Climatological Data for the Year 1943

Stations	Counties	Elevation, feet	Temperature (degrees Fahrenheit)						Precipitation (inches)							Number rainy days	Sky			Prevailing direction of wind
			Length of record, years	Annual mean	Highest	Date	Lowest	Date	Length of record, years	Total for the year	Greatest monthly	Month	Least monthly	Month	Total snowfall		Number clear days	Number partly cloudy days	Number cloudy days	
Northern division																				
Athens, No. 1	Clarke	775	62	61.7	98	June 5†	11	Feb. 15†	69	49.97	8.31	Jan.	0.24	Oct.	T.	101	135	162	68	nw.
Athens, No. 2	do	725	8	62.1	102	June 6†	10	Mar. 4	8	51.27	8.54	Jan.	0.27	Oct.	T.	75				
Atlanta A'prt 7 mi. SSE	Fulton	975	13	62.2	100	June 6†	13	Feb. 15	13	44.39	8.02	Mar.	0.47	Oct.	0.4	103	115	118	132	nw.
Atlanta [City]	do	1,054	77	61.8	97	Aug. 27†	12	Feb. 15	77	41.40	7.43	Mar.	0.85	Oct.	0.2	101				
Blairsville 2 miles SE	Union	1,938	12	56.4	96	Aug. 26	2	Dec. 17	12	44.62	7.00	Mar.	1.05	Oct.	T.	82				
Canton	Cherokee	894							54	43.47	7.83	Mar.	1.44	Oct.	T.	91				
Carlton Bridge ‡‡	Elbert	500	50		102	June 6	8	Dec. 17	45	43.41	7.43	Jan.	0.29	Oct.	0.0	102	238	54	73	
Cartersville	Bartow	772	5	61.8	103	Aug. 27	11	Mar. 4	7	37.05	7.10	Mar.	0.89	Oct.	T.	103	232	52	81	nw.
Cedartown	Polk	797	7	61.6	104	Aug. 26	9	Feb. 15†	10	44.42	8.03	Mar.	1.63	Nov.	T.	93				
Clayton	Rabun	2,000	48	57.0	95	July 22	5	Feb. 15	49	63.37	8.60	Mar.	2.74	Nov.	T	108	247	71	47	
Cornelia	Habersham	1,500	24		97	July 18	8	Feb. 15†	25		7.97	Jan.	1.94	Oct.	T.					w.
Dahlonega	Lumpkin	1,519	52	59.2	99	Aug. 26	8	Feb. 15	53	57.31	8.39	July	2.11	Nov.	T.	102	189	111	65	sw.
Dalton	Whitfield	710	8	60.4	99	Aug. 26	10	Mar. 4	8	47.69	7.24	July	1.40	Nov.	T.	82	142	65	158	n.
Gainesville	Hall	1,254	64	60.0	97	Aug. 25	7	Mar. 4	66	45.48	6.24	Mar.	1.64	Oct.	0.0	100	222	35	108	w.
Hartwell 5 miles NE	Hart	750	43	61.7	101	Aug. 26	10	Mar. 4†	43	49.28	8.87	Jan.	0.41	Oct.	T.	91	119	186	60	w.
Jasper	Pickens	1,480	4	60.2	103	Aug. 26	7	Feb. 15	7	44.88	8.48	Mar.	1.90	Nov.	0.5	80	142	105	118	n.
La Fayette	Walker	950	9	61.1	105	Aug. 27	8	Mar. 4	13	41.91	7.69	Mar.	1.29	Nov.	0.1	94	190	97	78	sw.
Norcross 4 miles N	Gwinnett	1,025							29	51.76	7.91	June	1.47	Feb.	T.	97				
Resaca	Gordon	657							52	53.35	9.12	July	1.69	Nov.	T.	104				n.
Rome	Floyd	617	62	61.4	100	Aug. 25†	10	Mar. 4	87	51.11	9.34	Mar.	1.76	Nov.	T.	101	212	87	66	s.
Tallapoosa 2 miles NW	Haralson	1,000	47	58.9	99	Aug. 26†	6	Mar. 4	47	42.81	9.79	Mar.	1.31	Feb.	T.	70	230	49	86	
Toccoa	Stephens	1,050	57	61.6	99	June 6	9	Mar. 4	58	57.99	7.82	June	1.95	Nov.	0.0	106	168	120	77	w.
Washington	Wilkes	630	53	63.7	104	Aug. 25	12	Feb. 15†	55	45.55	8.44	Jan.	0.39	Oct.	0.0	81	216	67	82	w.
Division means and	extremes			60.7	105	Aug. 27	2	Dec. 17		48.47	9.79	Mar.	0.37	Oct.	T.	92	185	91	89	w.
Middle division																				
Augusta	Richmond	134	87	64.8	102	June 6	17	Dec. 17	78	39.17	7.17	Mar.	0.01	Oct.	1.3	97	144	129	92	nw.
Brooklet	Bulloch	150	52	65.5	105	June 6	15	Dec. 16	49	39.35	7.37	Aug.	0.00	Oct.	0.2	76	203	124	38	
Carrollton	Carroll	1,095	20		100	Aug. 27	8	Feb. 15†	17	44.74	8.55	Mar.	1.18	Feb.	0.4	99				
Columbus	Muscogee	262	55	67.1	103	July 23	18	Feb. 15	55	61.38	15.69	Mar.	1.25	Feb.	0.0	103	179	106	80	sw.
Concord	Pike	825							31	49.20	11.58	Mar.	0.25	Oct.	0.0	83	197	96	72	
Covington *	Newton	747	31	62.4	101	June 6	9	Mar. 4	58	47.42	8.67	Mar.	0.11	Oct.	T.	84				
Dublin	Laurens	234	35	65.6	101	Aug. 26	17	Feb. 15†	52	49.57	10.32	Jan.	0.03	Oct.	1.0	85	123	183	59	nw.
Experiment	Spalding	946	23	61.9	98	Aug. 26	12	Feb. 15	22	53.57	11.19	Mar.	0.34	Oct.	0.0	133				
Fair View ‡‡	Lamar		34	62.7	99	June 16†	13	Feb. 15	30	44.49	9.58	Mar.	0.15	Oct.	T.	92				
Fort Valley	Peach	526	23	64.4	100	Aug. 17†	16	Feb. 15†	23	48.83	10.07	Mar.	0.13	Oct.	1.0	86	191	115	59	w.
Goat Rock ‡‡	Muscogee	415							30	50.51	14.18	Mar.	0.08	Oct.	0.0	79				
Greensboro	Greene	620	42	62.8	104	Aug. 26	10	Mar. 4	41	39.77	7.76	Mar.	0.40	Oct.	0.0	85	221	55	89	w.
Griffin	Spalding	975	53	63.8	98	June 6†	12	Dec. 16	53	50.43	11.57	Mar.	0.28	Oct.	0.0	85	194	102	69	w.
Lagrange	Troup	740	7	63.6	102	Aug. 26	11	Feb. 15†	33	53.22	10.40	Mar.	1.17	Sep.	0.0	89	175	89	101	w.
Louisville	Jefferson	337	47						48											
Macon	Bibb	330	62	64.1	100	June 6	16	Feb. 15	95	45.27	9.83	Jan.	0.19	Oct.	0.0	94	160	133	72	nw.
Milledgeville	Baldwin	320	60	63.4	101	June 6†	10	Feb. 15	54	45.26	7.42	Mar.	0.27	Oct.	0.0	93				nw.
Millen	Jenkins	180	55	65.5	105	June 16	13	Dec. 17	56	50.04	7.97	July	0.21	Oct.	1.5	85	233	39	93	nw.
Monticello	Jasper	680	54	63.8	103	Aug. 26	10	Feb. 15†	51	40.80	8.33	Mar.	0.51	Oct.	0.0	88				w.
Newnan	Coweta	975	54	62.7	100	June 6†	12	Feb. 15	54	54.06	10.86	Mar.	1.28	Oct.	T.	96	203	75	87	
Stillmore	Emanuel	257	18	65.9	104	June 6	15	Feb. 15	18	51.10	9.75	July	0.08	Oct.	1.0	86				
Talbotton	Talbot	750	50		97	July 7†	12	Feb. 15†	50	54.10	14.15	Mar.	0.10	Oct.	0.0	69	197	99	69	sw.
Warrenton	Warren	500	43	63.6	100	Aug. 26	12	Feb. 15	50	40.08	6.99	Mar.	0.23	Oct.	T.	81	217	106	42	ne.
Waynesboro	Burke	261	24		102	June 6	13	Dec. 18	23	43.28	6.39	July	0.03	Oct.	0.0	80				
West Point	Troup	573	53	63.6	102	Aug. 26	11	Feb. 15†	54	67.40	12.71	Mar.	1.34	Feb.	0.0	98	143	105	117	
Woodbury	Meriwether	800							43	51.40	12.02	Mar.	0.26	Oct.	0.0	92				
Division means and	extremes			64.0	105	June 6†	8	Feb. 15†		48.51	15.69	Mar.	0.00	Oct.	0.4	90	181	100	84	nw.
Southern division																				
Abbeville	Wilcox	180							40	43.46	7.79	May	0.00	Oct.	0.0	79				nw.
Alapaha	Berrien	293	54	65.5	104	June 6	14	Dec. 18	54	41.84	7.16	May	T.	Oct.	0.0	76				sw.
Albany	Dougherty	230	56	67.8	103	July 23	20	Feb. 15	57	40.14	8.04	Mar.	0.00	Oct.	0.2	82	154	82	129	ne.
Alma	Bacon	198	5	65.2	100	June 6	16	Dec. 18	5	38.37	6.21	June	0.00	Oct.	0.0	93	123	140	102	sw.
Americus 1 mile NE	Sumter	362	59	65.3	101	June 6†	17	Feb. 15	59	51.38	11.09	Jan.	0.00	Oct.	0.8	90	128	193	44	sw.
Bainbridge	Decatur	119	51	67.8	105	July 23	17	Dec. 18	51	42.42	8.61	Mar.	T.	Oct.	0.0	181	223	72	70	sw.
Blakely	Early	300	65	66.3	103	Aug. 17	16	Feb. 15	66	42.97	7.77	Mar.	0.06	Oct.	1.5	92	152	149	64	sw.
Brunswick	Glynn	14	43	69.1	101	June 5†	21	Feb. 15	45	38.36	8.77	Aug.	0.22	‡Oct.	0.0	84	211	89	65	ne.
Cairo	Grady	265	12	67.6	101	June 6†	19	Feb. 15	17	46.71	8.20	Mar.	0.11	Oct.	T.	83	197	107	61	s.
Camilla	Mitchell	177	6	68.0	106	July 23	18	Dec. 18	6	43.11	7.38	Mar.	T.	Oct.	0.0	66	170	84	111	
Camp Stewart	Liberty	90	2	67.1	105	Aug. 15†	17	Feb. 16†	2	52.62	14.35	Aug.	0.02	Oct.	T.	118	245	80	40	ne.
Cordele	Crisp	336	14	66.3	101	June 6†	17	Feb. 15	16	38.68	7.80	May	T.	Oct.	*0.5*	70				w.
Douglas	Coffee	275	10	66.6	100	June 6	19	Feb. 15	10	47.06	7.52	May	0.00	Oct.	*0.1*	74				nw.
Eastman	Dodge	361	51	66.7	105	Aug. 29	16	Feb. 15	51	42.43	6.54	Mar.	0.00	Oct.	2.0	73				nw.
Fargo	Clinch	116	15						15											
Fitzgerald	Ben Hill	515	26		102	July 23	16	Feb. 15	27	42.54	6.75	Aug.	0.00	Oct.	0.0	74				w.
Fort Gaines	Clay	340	55	66.0	100	Aug. 18†	16	Feb. 15	56	47.91	9.04	Jan.	0.04	Oct.	1.5	101	201	115	49	n.
Glennville	Tattnall	175	39	66.4	101	June 6	16	Feb. 15	39	37.97	5.14	Aug.	T.	Oct.	0.2	86	218	104	43	nw.
Hawkinsville	Pulaski	235	52		104	June 6	18	Feb. 15†	52	56.45	14.26	Jan.	0.00	Oct.	1.0	80	157	50	148	nw.
Hoggard's Mill ‡‡	Baker	132	4	66.0	104	July 23	16	Dec. 18	4	43.93	9.03	Mar.	T.	Oct.	0.0	91				
Lumber City	Telfair	150	2		103	June 6			34		8.03	May	0.00	Oct.						
Montezuma	Macon	292	4		102	Aug. 27	15	Dec. 18	39	52.70	12.84	Jan.	0.11	Oct.	0.2	72	212	29	124	
Moultrie	Colquitt	325	17	68.4	102	June 6†	20	Feb. 15	17	46.84	8.56	July	0.00	Oct.	T.	82				
Quitman	Brooks	173	58	67.6	102	Aug. 30	16	Dec. 18	52	41.65	6.89	June	T.	Oct.	0.0	72	228	107	30	nw.
Savannah, No. 1	Chatham	42	94	67.6	102	June 6	20	Dec. 16	94	40.79	13.19	July	0.06	Oct.	0.1	83	166	135	64	sw.
Savannah, No. 2 **	do	22	16	64.5	102	June 5†	13	Feb. 17	16	50.51	10.34	Aug.	0.04	Oct.	0.8	89	168	99	98	sw.
Savannah Beach	do	15	5		100	June 6	22	Feb. 15†	5		5.45	Jan.	0.03	Oct.						
Thomasville	Thomas	276	61	67.6	100	June 6†	20	Feb. 15	66	38.34	6.69	Mar.	0.04	Oct.	0.0	80	107	136	122	ne.
Tifton	Tift	370	22	66.2	103	July 23	15	Feb. 15	23	42.49	7.58	May	0.00	Oct.	0.0	81				s.
Waycross	Ware	131	52	67.6	103	June 6	15	Dec. 18	52	44.69	7.81	June	0.05	Oct.	0.0	89	261	61	43	se.
Division means and	extremes			66.8	106	July 23	13	Feb. 17		43.74	14.35	Aug.	0.60	Oct.	0.3	81	189	98	78	sw.
State means and ext	remes			63.8	106	July 23	2	Dec. 17		46.91	15.69	Mar.	0.00	Oct.	0.2	87	185	96	84	nw.

† On other dates also. *Italics interpolated.* ‡ Also other months.

Monthly and Annual Precipitation for the Year 1943, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure
Northern division																										
Athens, No. 1	8.31	+4.05	1.20	−3.88	7.02	+2.02	5.60	+1.87	1.87	−1.72	7.57	+3.66	6.91	+1.78	2.51	−2.16	2.90	−0.56	0.24	−2.99	2.21	−0.40	3.63	−1.45	49.97	+0.22
Athens, No. 2	8.54	......	1.19	......	8.12	......	5.56	......	2.08	......	7.66	......	5.91	......	1.96	......	3.14	......	0.27	......	2.59	......	4.25	......	51.27	......
Atlanta Airport	6.09	+1.06	0.99	−4.07	8.02	+2.61	5.70	+1.98	3.75	+0.33	6.63	+2.69	2.70	−2.14	2.68	−2.02	2.37	−0.67	0.47	−2.22	2.61	−0.50	2.38	−2.41	44.39	−5.36
Atlanta [City]	5.64	+0.69	1.31	−3.48	7.43	+2.13	6.14	+2.53	4.20	+0.73	1.97	−1.77	3.29	−1.36	2.83	−1.62	2.93	−0.06	0.85	−1.74	2.41	−0.62	2.40	−2.30	41.40	−6.87
Blairsville	5.44	−0.14	3.55	−1.49	7.00	+2.09	3.60	−0.43	3.10	−0.77	4.30	+0.58	5.75	+0.14	1.57	−3.41	4.65	+1.59	1.05	−2.19	1.75	−0.84	2.86	−2.71	44.62	−7.58
Canton	3.29	−1.50	3.33	−2.16	7.83	+2.34	5.28	+1.09	3.14	−0.74	2.65	−1.28	3.94	−1.55	3.46	−1.22	3.53	+0.47	1.44	−2.11	1.84	−1.37	3.74	−2.40	43.47	−10.43
Carlton Bridge	7.43	+3.55	1.45	−3.62	6.58	+1.81	4.78	+1.41	2.18	−1.30	5.63	+1.53	3.95	−0.82	1.26	−3.22	3.33	−0.29	0.29	−2.69	2.23	−0.44	4.30	−0.51	43.41	−4.59
Cartersville	2.81	......	2.36	......	7.10	......	5.39	......	1.89	......	0.90	......	3.77	......	4.26	......	2.95	......	0.89	......	1.51	......	3.22	......	37.05	......
Cedartown	3.55	......	2.41	......	8.03	......	6.70	......	3.83	......	2.94	......	2.13	......	4.67	......	3.51	......	1.64	......	1.63	......	3.38	......	44.42	......
Clayton	6.39	+0.31	3.66	−2.68	8.60	+1.48	6.30	+0.75	5.00	−0.12	5.33	−0.25	7.04	−0.01	6.79	+0.30	4.64	−0.79	3.67	−1.25	2.74	−1.44	3.21	−4.64	63.37	−8.34
Cornelia	7.97	+3.04	3.06	−2.59	7.01	+1.23	7.14	+2.58	4.58	+0.22	7.83	+3.85	5.22	−0.68	6.54	+1.82	4.66	+0.14	1.94	−1.94	2.12	−1.24	......	......	......	......
Dahlonega	5.78	+0.27	4.24	−1.62	8.03	+2.02	5.97	+1.43	5.02	+0.13	3.35	−1.37	8.39	+2.76	3.29	−1.76	3.95	−0.42	3.71	−0.18	2.11	−1.51	3.47	−3.72	57.31	−3.97
Dalton	2.81	......	2.53	......	7.22	......	4.38	......	3.67	......	2.67	......	7.24	......	3.25	......	7.20	......	2.21	......	1.40	......	3.11	......	47.69	......
Gainesville	4.92	+0.18	1.65	−3.73	6.24	+0.61	6.23	+2.24	3.20	−0.80	3.37	−0.76	5.32	−0.03	2.85	−1.76	4.39	+0.70	1.64	−1.61	2.26	−0.80	3.41	−2.05	45.48	−7.81
Hartwell (near)	8.87	+4.90	1.49	−3.55	5.92	+1.24	4.79	+1.21	2.13	−1.52	6.46	+2.45	5.53	+1.07	3.78	−1.04	4.24	+0.83	0.41	−2.76	1.80	−0.90	3.86	−1.19	49.28	+0.74
Jasper	3.67	......	3.38	......	8.48	......	4.02	......	4.03	......	2.77	......	4.27	......	3.14	......	3.75	......	1.94	......	1.90	......	3.53	......	44.88	......
Lafayette	2.36	−2.31	2.79	−2.17	7.69	+2.88	5.40	−0.25	1.74	−1.40	2.28	−2.83	4.57	−1.03	3.26	−1.72	5.66	+2.75	1.42	−1.04	1.29	−1.27	3.45	−1.06	41.91	−9.45
Norcross	4.68	+0.04	1.47	−3.76	7.72	+2.59	5.92	+1.87	3.18	−0.55	7.91	+3.90	5.80	−0.08	3.19	−1.22	4.14	+1.32	2.04	−0.96	2.64	−0.36	3.07	−2.55	51.26	+0.24
Resaca	4.02	−0.78	3.14	−2.36	7.69	+1.84	4.48	−0.15	3.23	−0.61	5.84	+1.56	9.12	+4.13	3.07	−1.21	4.65	+1.64	1.87	−1.45	1.69	−1.78	4.55	−1.42	53.35	−0.59
Rome	3.37	−1.45	3.20	−2.38	9.34	+3.51	6.09	+1.66	3.71	−0.43	3.52	−0.93	4.65	−0.38	6.55	+1.98	3.69	+0.66	1.84	−1.41	1.76	−1.69	3.39	−2.45	51.11	−3.31
Tallapoosa	2.66	−1.84	1.31	−3.78	9.79	+4.44	3.75	−0.60	4.03	+0.21	3.11	−1.10	4.46	−0.94	3.22	−1.28	3.98	+0.38	1.36	−1.67	2.45	−0.77	2.69	−2.85	42.81	−9.80
Toccoa	5.99	+0.99	2.78	−2.78	6.38	+0.46	6.90	+2.46	4.15	+0.16	7.82	+3.30	6.01	+0.61	4.69	−1.01	5.00	+0.88	2.24	−1.91	1.95	−1.29	4.08	−2.36	57.99	−0.49
Washington	8.41	+4.31	2.74	−2.38	7.11	+2.39	3.30	−0.29	2.69	−0.70	4.43	+0.19	5.19	−0.14	1.46	−3.20	3.70	−0.39	0.39	−2.74	2.68	−0.07	3.42	−0.97	45.55	−3.99
Middle division																										
Augusta	4.08	+0.15	1.11	−3.00	7.17	+3.06	2.88	−0.26	2.42	−0.62	3.48	−1.20	6.74	+1.35	2.11	−2.92	2.02	−1.34	0.01	−2.45	1.93	−0.47	5.22	+1.97	39.17	−5.73
Brooklet	3 63	+0.65	1.86	−1.76	4.03	+0.25	2.59	−0.50	3.46	−0.28	3.32	−2.86	3.66	−2.40	7.37	+1.23	3.28	−1.39	0.00	−2.40	2.25	−0.20	3.90	+0.70	39.35	−8.96
Carrollton	4.99	+0.20	1.18	−3.39	§8.55	+2.35	3.84	−0.25	3.54	+0.60	3.74	−0.03	3.83	−0.78	3.05	−1.75	1.96	−1.16	3.37	+0.51	2.50	−0.37	4.19	−0.48	44.74	−4.55
Columbus	5.92	+1.72	1.25	−3.98	15.69	*10.39	2.64	−1.21	7.95	+4.64	4.54	+0.79	5.53	−0.20	5.32	+0.82	4.04	+1.38	1.40	−1.48	3.65	+0.82	3.45	−1.52	61.38	+12.17
Concord	6.90	+2.86	1.79	−3.45	11.58	+5.58	3.75	+0.18	4.81	+1.51	3.69	−1.18	4.83	−0.97	1.28	−3.16	1.99	−1.01	0.25	−2.54	4.48	+1.68	3.85	−1.07	49.20	−1.57
Covington	8.35	+3.99	1.59	−3.78	8.67	+3.50	4.48	+0.69	3.14	−0.69	3.44	−0.69	2.83	−2.41	3.34	−1.13	4.13	+0.99	0.11	−3.05	3.18	+0.36	4.16	−0.94	47.42	−3.16
Dublin	10.32	+6.24	1.62	−2.78	7.52	+2.89	3.02	−0.22	5.03	+1.47	3.50	−1.38	7.17	+1.50	3.49	−1.54	1.99	−1.99	0.03	−2.48	1.37	−1.35	4.51	+0.58	49.57	+0.94
Experiment	8.00	+4.37	1.68	−3.46	11.19	+6.29	4.63	+1.33	3.47	+0.49	2.61	−0.79	3.98	−0.01	4.99	+0.91	4.18	+1.46	0.34	−2.32	4.48	+1.79	4.02	−0.41	53.57	+9.85
Fair View	5.65	+1.50	1.42	−3.41	9.58	+4.02	2.76	−1.04	4.43	+1.22	3.29	+0.04	5.37	+0.52	4.60	+0.81	1.72	−1.30	0.15	−2.43	2.23	−0.45	3.29	−1.22	44.49	−1.74
Fort Valley	8.36	+4.12	1 01	−3.96	10.07	+4.83	4.15	−0.06	5.51	+1.93	5.20	+0.70	6.02	+0.47	0.67	−4.01	1.66	−1.53	0.13	−3.22	2.18	−0.82	3.87	−0.68	48.83	−2.23
Goat Rock	4.79	+1.09	1.20	−3.45	14.18	+9.14	2.36	−1.64	5.59	+2.71	3.11	+0.19	4.00	−1.62	4.22	−0.53	2.28	−0.38	0.08	−2.54	4.52	+1.66	4.18	−0.74	50.51	+4.95
Greensboro	6.80	+2.75	2.57	−2.50	7.76	+3.12	4.25	+0.72	2.08	−1.37	2.38	−1.84	3.99	−1.21	1.66	−3.46	2.11	−1.45	0.40	−2.70	2.48	−0.25	3.29	−1.14	39.77	−9.33
Griffin	8.06	+3.89	2.14	−3.21	11.57	+6.12	4.37	+0.53	3.54	+0.40	2.61	−1.21	2.95	−2.18	3.28	−1.30	3.02	−0.11	0.28	−2.51	4.27	+1.47	4.34	−0.58	50.43	+1.31
Lagrange	7.69	+3.28	1.60	−3.21	10.40	+4.58	3,84	−0.38	4.23	+0.89	5.88	+1.83	5.34	+0.05	5.45	+0.92	1.17	−1.86	1.21	−1.63	3.06	+0.03	3.35	−1.39	53.22	+3.11
Louisville	6.70	+3.12	1.45	−2.82	......	......	......	......	3.56	+0.14	4.72	+0.15	2.40	−3.12	......	......	4.49	+0.95	......	......	2.08	−0.41	5.00	+1.50	......	......
Macon	9.83	+5.66	1.10	−3.33	7.99	+3.02	3.84	+0.69	5.79	+2.83	3.00	−1.04	5.09	+0.35	1.63	−2.71	1.41	−1.78	0.19	−2.15	2.21	−0.31	3.19	−0.80	45.27	+0.43
Milledgeville	6.47	+2.44	1.61	−3.04	7.42	+2.69	3.51	+0.10	3.16	−0.05	5.29	+1.20	3.26	−2.68	4.94	+0.33	1.88	−1.76	0.27	−2.61	3.60	+1.02	3.85	−0.20	45.26	−2.56
Millen	4.90	+1.59	1.43	−2.41	7.72	+3.83	3.05	−0.07	6.61	+3.54	3.46	−1.31	7.97	+1.44	4.27	−0.44	3.50	−0.39	0.21	−2.26	1.80	−0.40	5.12	+1.63	50.04	+4.75
Monticello	6.63	+2.29	1.82	−3.62	8.33	+3.05	4.11	+0.33	2.91	−0.69	3.50	−1.45	2.91	−2.61	2.69	−2.21	1.90	−1.68	0.51	−2.91	2.30	−0.44	3.19	−1.50	40.80	−11.44
Newnan	8.54	+3.88	1.34	−4.37	10.86	+4.97	4.18	+0.41	4.55	+0.83	1.65	−2.50	8.07	+3.16	4.56	−0.22	3.39	+0.49	1.28	−1.69	2.62	−0.45	3.02	−2.33	54.06	+2.52
Stillmore	4.26	+0.97	1.64	−2.15	5.93	+1.71	4.01	+0.99	2.80	−0.90	7.69	+2.62	9.75	+2.08	2.66	−2.42	6.38	+2.37	0.08	−2.21	1.49	−0.95	4.41	+1.33	51.10	+3.44
Talbotton	6.26	+1.91	1.11	−4.24	14.15	+8.58	4.59	+0.54	7.55	+3.94	1.17	−2.90	6.09	+0.74	4.89	+0.40	1.73	−1.49	0.10	−2.90	2.67	−0.42	3.79	−1.15	54.10	+3.04
Warrenton	5.91	+1.94	1.37	−3.43	6.99	+2.45	3.19	−0.02	3.34	+0.24	3.25	−0.85	4.72	−0.39	2.62	−1.72	1.88	−2.12	0.23	−2.75	1.82	−0.88	4.73	+0.79	40.08	−6.74
Waynesboro	5.76	+2.45	1.59	−2.30	6.35	+2.57	1.99	−0.86	4.87	+1.71	3.12	−1.60	6.39	+0.66	2.61	−2.02	4.54	+1.08	0.03	−2.58	1.41	−0.89	4.62	+1.26	43.28	−0.52
West Point	6.72	+2.35	1.34	−3.89	12.71	+6.95	4.09	−0.09	6.31	+2.56	5.95	+1.55	7.95	+2.76	7.64	+2.87	3.53	+0.64	2.92	+0.19	4.47	+1.41	3.77	−1.74	67.40	+15.56
Woodbury	6.05	+2.07	1.72	−3.43	12.62	+6.56	3.22	−0.33	3.91	+0.66	3.77	−0.45	5.67	−0.21	2.78	−1.32	2.86	−0.10	0.26	−2.54	4.48	+1.75	4.66	−0.02	51.40	+2.64
Southern division																										
Abbeville	3.44	−0.39	1.12	−3.33	6.81	+2.61	3.18	−0.16	7.79	+4.20	4.45	+0.67	3.64	−2.85	5.13	+0.17	2.22	−1.91	0.00	−2.43	1.52	−1.10	4.16	+0.65	43.46	−3.87
Alapaha	3.00	−0.82	1.75	−2.45	6.77	+2.69	1.82	−1.41	7.16	+3.77	3.41	−1.65	3.81	−2.21	5.06	−0.33	3.78	−0.37	T.	−2.24	0.91	−1.20	4.37	+0.67	41.84	−5.55
Albany	3.65	−0.63	1.24	−3.70	8.04	+3.29	1.98	−1.85	3.70	−0.34	4.51	−0.24	3.31	−3.12	4.71	−1.20	2.72	−0.97	0.00	−2.52	2.45	−0.01	3.83	−0.28	40.14	−11.57
Alma	4.29	......	1.58	......	4.28	......	1.41	......	4.83	......	6.21	......	4.57	......	3.94	......	2.06	......	0.00	......	1.40	......	3.80	......	38.37	......
Americus	11.09	+6.66	1.47	−3.64	8.61	+3 59	3.46	−0.12	3.04	−0.66	2.69	−1.21	6.25	+1.02	5.18	+0.03	3.30	−0.23	0.00	−2.66	2.31	−0.53	3.98	−0.07	51.38	+2.18
Bainbridge	4.08	+0.13	1.16	−3.24	8.61	+4.43	2.20	−1.33	5.10	+1.49	3.90	−1.06	4.41	−1.86	3.66	−2.22	3.08	−1.28	T.	−2.38	2.02	−0.39	4.20	−0.09	42.42	−7.80
Blakely	5.57	+1.17	1.57	−3.73	7.77	+2.71	2.05	−2.24	5.25	+1.71	4.49	−0.08	3.82	−3.07	1.11	−4.29	3.27	−0.76	0.06	−2.68	3.05	+0.04	4.96	+0.18	42.97	−11.04
Brunswick	2.45	−0.35	0.86	−2.90	3.17	−0.15	0.79	−2.12	2.87	−0.47	5.01	−0.59	6.07	−1.40	8.77	+2.59	5.57	−0.94	0.22	−2.93	0.22	−1.80	2.36	−0.60	38.36	−11.66
Cairo	3.74	+0.21	1.69	−2.19	8.20	+4.08	1.98	−1.38	3.01	−0.09	7.14	+1.47	4.69	−1.98	6.53	+0.47	4.00	−0.18	0 11	−2.57	1.51	−1.08	4.11	+0.22	46.71	−3.02
Camilla	3.72	......	1.20	......	7.38	......	2.30	......	3.38	......	3.01	......	4.02	......	5.06	......	4.90	......	T.	......	2.29	......	5.85	......	43.11	......
Camp Stewart	3.37	......	0.54	......	6.20	......	4.24	......	3.30	......	8.06	......	6.24	......	14.35	......	1.62	......	0.02	......	0.83	......	3.85	......	52.62	......
Cordele	5.45	+1.59	1.55	−2.97	7.28	+2.89	3.17	−0.57	7.80	+4.47	3.11	−0.99	2.10	−4.02	1.50	−3.09	1.09	−2.41	T.	−2.62	2.03	−0.51	3.60	−0.36	38.68	−8.59
Douglas	3.28	......	3.06	......	4.63	......	2.91	......	7.52	......	6.88	......	5.50	......	6.08	......	1.91	......	0.00	......	1.05	......	4.24	......	47.06	......
Eastman	4.40	+0.40	0.72	−3.88	6.54	+1.75	3.84	+0.67	6.00	+2.70	5.07	+0.83	4.83	−1.07	1.76	−3.26	2.89	−0.99	0.00	−2.62	1.36	−1.37	4.02	+0.40	42.43	−5.44
Fargo	......	......	......	......	......	......	1.43	−1.96	7.53	+4.26	......	......	......	......	......	......	......	......	......	......	......	......	2.48	−0.28	......	......
Fitzgerald	3.94	+0.43	1.04	−2.95	5.54	+1.26	4.44	+0.89	6.04	+2.45	6.23	−1.83	1 12	−4.66	6.75	+1.79	1.18	−3.09	0.00	−2.49	1.92	−0.44	4.34	+0.64	42.54	−4.34
Fort Gaines	9.04	+4.49	1.34	−3.77	8.68	+3.90	1.96	−1.87	3.31	−0.44	5.00	+0.63	7.46	+1.47	1.75	−3.76	2.64	−0.87	0.04	−2.66	2.49	−0.50	4.20	−0.69	47.91	−4.07
Glennville	3.65	+0.91	1.11	−2.44	4.25	+0.77	2.06	−0.66	4.38	+1.09	4.22	−0.79	4.39	−1.55	5.14	−1.86	2.54	−2.41	T.	−2.42	2.14	−0.19	4.09	+0.79	37.97	−8.76
Hawkinsville	14.26	*10.05	1.72	−2.60	8.63	+3.96	3.52	+0.40	5.81	+2.49	3.32	−0.98	5.28	−0.08	1.94	−2.92	6.96	+3.43	0.00	−2.58	1.50	−1.09	3.51	−0.04	56.45	+10.04
Hoggard's Mill	3.52	......	1.11	......	9.03	......	2.85	......	6.05	......	3.22	......	6.15	......	2.58	......	1.79	......	T.	......	2.79	......	4.84	......	43.93	......
Lumber City	3.98	+0.30	§1.49	−2.60	4.74	+0.43	3.84	+0.92	8.03	+5.23	4.01	−0.61	5.95	+0.05	2.42	−3.25	3.47	−0.22	0.00	−2.12	......	......	4.73	+1.44	......	......
Montezuma	12.84	+8.70	1.39	−3.26	11.18	+6.66	5.04	+1.21	2.54	−0.93	2.86	−1.05	6.50	+1.43	1.01	−3.93	2.97	−0.28	0.11	−2.49	2.14	−0.74	4.12	−0.11	52.70	+5.21
Moultrie	4.16	+0.45	1.26	−2.52	6.40	+2.27	2.97	−0.21	5.11	+2.34	3.16	−2.03	8.56	+2.70	6.15	+0.23	3.63	−0.73	0.00	−2.83	0.96	−1.45	4.48	+0.46	46.84	−1.32
Quitman	2.86	−0.94	2.00	−2.25	5.98	+1.90	1.92	−1.50	3.74	−0.07	6.89	+0.99	5.85	−1.22	3.39	−3.32	4.65	−0.68	T.	−2.35	1.05	−1.23	3.32	−1.08	41.65	−11.75
Savannah, No. 1	2.63	−0.15	0.69	−2.45	4.70	+1.64	2.03	−0.54	2.33	−0.69	3.88	−1.41	13.19	+6.55	5.66	−1.65	0.76	−4.65	0.06	−2.92	0.81	−1.29	4.05	+1.12	40.79	−6.44
Savannah, No. 2	3.58	+0.79	0.73	−2.72	5.77	+2.47	1.10	−1.63	7.75	+4.47	5.76	−1.07	9.35	+2.08	10.34	+4.18	0.78	−5.66	0.04	−2.13	1.04	−0.77	4.27	+1.54	50.51	+1.55
Savannah Beach	5.45	......	0.70	......	4.10	......	1.73	......	1.84	......	2.04	......	......	......	3.14	......	0.15	......	0.03	......	0.52	......	2.63	......	......	......
Thomasville	5.00	+0.90	1.35	−3.11	6.69	+2.60	2.59	−0.75	1.71	−1.92	2.77	−2.68	5.04	−1.66	5.27	−0.48	3.23	−1.65	0.04	−2.92	0.99	−1.69	3.66	−0.65	38.34	−14.01
Tifton	4.03	−0.13	1.50	−2.74	3.94	−0.63	2.81	−0.84	7.58	+4.16	6.67	+1.86	2.93	−3.57	6.42	+0.92	2.22	−1.43	0.00	−2.13	1.36	−0.83	3.03	−0.49	42.49	−5.85
Waycross	5.56	+2.45	1.56	−2.27	5.70	+2.30	1.07	−1.72	4.28	+0.44	7.81	+1.47	5.71	−1.44	5.90	−0.16	2.47	−2.07	0.05	−2.48	1.31	−0.93	3.27	+0.20	44.69	−4.21

Monthly and Annual Temperatures for the Year 1943, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
Northern division																										
Athens, No. 1	46.5	+3.0	47.0	+1.2	51.0	-2.1	61.2	0.0	71.2	+1.1	79.6	+2.4	78.2	-1.4	79.4	+0.9	70.1	-3.7	60.2	-2.4	50.6	-1.5	45.6	+0.8	61.7	-0.2
Athens, No. 2	46.6	......	47.4	......	51.0	......	61.1	......	71.4	......	80.4	......	79.4	......	80.0	......	71.0	......	60.8	......	49.8	......	46.4	......	62.1	......
Atlanta Airport	46.3	+3.8	46.8	+1.5	50.6	-1.4	61.4	+0.3	72.0	+1.7	81.2	+4.5	79.9	+0.8	80.9	+2.9	70.7	-2.1	60.9	-1.8	51.0	-0.5	44.5	+0.3	62.2	+0.8
Atlanta [City]	46.2	+3.6	46.8	+1.5	49.8	-2.2	61.0	0.0	71.0	+1.1	80.6	+4.6	78.9	+0.8	80.4	+3.4	70.2	-2.2	60.5	-2.5	51.4	-0.7	44.6	-0.1	61.8	+0.6
Blairsville	42.8	+4.0	40.8	-0.3	46.6	-0.8	54.4	-0.9	65.0	+1.0	73.9	+2.4	73.6	-0.1	74.6	+1.3	65.2	-3.0	55.2	-3.1	43.8	-3.8	40.8	-1.2	56.4	-0.4
Carlton Bridge	45.2	+1.2	45.6	+0.1	49.0	-4.2	59.6	-1.1	69.2	-0.8	78.5	+1.4	77.4	-1.8	79.1	+0.8	......	......	......	......	47.1	-5.0	44.4	-0.5	......	......
Cartersville	46.1	......	47.2	......	50.7	......	61.2	......	71.6	......	81.7	......	80.2	......	81.1	......	70.0	......	58.8	......	49.2	......	43.8	......	61.8	......
Cedartown	45.4	......	46.5	......	50.8	......	60.7	......	70.6	......	80.4	......	80.8	......	81.1	......	70.6	......	59.5	......	49.0	......	43.8	......	61.6	......
Clayton	43.4	+3.0	42.1	+0.7	45.8	-3.2	55.0	-1.2	66.2	+1.7	75.2	+3.8	74.1	-0.2	75.2	-0.7	64.7	-3.8	54.6	-3.4	46.3	-1.7	41.6	+0.5	57.0	-0.2
Cornelia	44.8	+2.4	45.0	+0.2	47.8	-1.9	58.1	-1.1	68.0	+1.3	77.0	+2.2	76.5	-0.7	78.0	+2.1	68.2	-3.9	58.4	-2.4	48.9	-1.4	......	......	......	......
Dahlonega	44.2	+2.7	44.6	+1.6	49.0	-1.8	58.0	-0.6	68.9	+2.4	76.6	+3.0	74.8	-1.2	77.6	+2.5	67.6	-2.9	57.1	-2.7	49.0	-0.7	42.8	+0.3	59.2	+0.2
Dalton	44.7	......	45.0	......	48.9	......	59.4	......	70.7	......	78.8	......	78.8	......	79.7	......	69.2	......	59.0	......	49.1	......	42.6	......	60.4	......
Gainesville	44.8	+3.1	44.3	+0.9	49.0	-2.3	58.4	-0.8	69.2	+1.4	77.6	+2.7	76.6	-1.1	77.7	+1.3	69.2	-2.3	58.4	-2.3	50.0	-0.1	45.0	+2.3	60.0	+0.2
Hartwell (near)	46.0	+2.0	46.8	+1.2	50.5	-2.6	61.0	+0.3	70.8	+1.3	80.0	+2.9	78.8	-0.6	80.2	+1.8	71.0	-3.0	60.2	-2.5	49.4	-2.5	45.9	+1.5	61.7	0.0
Jasper	44.7	......	44.9	......	48.6	......	58.2	......	69.4	......	78.8	......	77.3	......	78.9	......	69.8	......	59.2	......	49.7	......	43.2	......	60.2	......
Lafayette	44.8	......	46.2	......	49.3	......	59.8	......	71.0	......	80.5	......	80.0	......	81.4	......	70.0	......	58.8	......	48.6	......	43.0	......	61.1	......
Rome	46.0	+3.4	46.6	+1.6	50.4	-2.5	60.8	-0.3	71.3	+1.6	80.5	+3.6	79.5	-0.1	80.2	+1.4	70.0	-3.8	59.4	-3.1	49.2	-1.7	43.4	-0.2	61.4	-0.1
Tallapoosa	44.2	+1.4	44.3	+0.1	47.8	-4.8	57.9	-1.7	67.7	-0.6	76.3	+0.7	77.2	-0.8	78.0	+0.6	67.6	-5.3	57.8	-3.7	46.0	-4.8	42.2	-1.4	58.9	-1.7
Toccoa	47.0	+4.3	47.6	+3.2	50.4	-1.8	60.4	+0.2	70.5	+1.9	80.0	+4.2	78.4	+0.1	79.4	+2.4	69.1	-3.0	59.6	-1.5	50.8	-0.3	46.2	+2.5	61.6	+1.0
Washington	48.4	+2.9	49.0	+3.5	52.4	-2.9	62.0	-0.5	72.8	+1.4	81.6	+3.4	80.6	+0.2	82.8	+3.2	72.5	-2.5	62.3	-1.6	53.0	-1.8	47.1	+1.1	63.7	+0.4
Middle division																										
Augusta	49.6	+2.6	50.8	+0.9	54.7	-1.3	63.6	-0.6	74.4	+2.0	82.8	+4.1	81.6	+0.3	82.2	+1.8	73.3	-2.0	63.6	-1.7	53.5	-1.0	48.0	-0.1	64.8	+0.4
Brooklet	51.6	+1.5	52.0	0.0	57.6	-1.9	64.6	-1.3	74.4	+0.3	82.2	+2.1	81.8	-0.2	81.1	-0.2	73.7	-3.6	63.4	-4.0	55.0	-2.3	48.2	-2.6	65.5	-1.0
Carrollton	46.6	+3.5	45.4	+0.1	49.4	-4.2	60.5	-0.8	71.0	+1.5	[b]80.0	+3.1	79.5	+0.5	79.2	+1.3	69.8	-2.9	58.8	-4.1	49.6	-2.3	......	......	......	......
Columbus	53.1	+4.9	53.0	+2.8	57.6	-0.6	66.2	+0.9	76.2	+2.8	84.1	+3.9	84.4	+2.7	84.5	+3.3	76.2	-1.2	65.2	-1.6	55.2	-0.8	49.0	-0.3	67.1	+1.5
Covington	46.4	+2.1	47.6	+2.8	51.1	-3.5	61.1	+0.2	72.1	+1.6	80.8	+3.3	80.6	+0.7	[i]80.8	+1.8	72.2	-2.1	60.2	-2.4	49.8	-2.7	[j]46.6	+1.5	62.4	+0.2
Dublin	51.6	+2.4	52.2	+0.7	56.8	-0.6	64.8	-0.3	74.4	+1.7	82.2	+2.8	82.2	+1.0	82.2	+1.7	74.6	-2.0	64.4	-1.9	53.4	-2.4	48.3	-1.7	65.6	+0.1
Experiment	46.7	+2.2	47.0	+1.6	50.5	-5.3	60.5	-0.9	71.2	+0.5	80.3	+3.4	[a]79.4	+0.2	79.8	+1.0	71.0	-3.1	60.4	-3.4	51.2	-1.6	45.2	+0.5	61.9	-0.4
Fair View	47.9	+0.7	48.6	-0.6	52.4	-3.2	62.1	-0.7	72.0	+1.3	79.8	+2.1	79.2	-0.3	79.4	+0.7	70.6	-4.1	61.6	-3.0	52.2	-1.9	46.3	-1.2	62.7	-0.8
Fort Valley	49.0	+1.0	50.1	-0.8	54.6	-2.3	63.9	-0.6	73.7	+1.5	81.4	+2.3	81.0	+0.3	82.2	+2.0	73.6	-3.1	63.4	-2.4	53.4	-1.8	47.0	-2.7	64.4	-0.6
Greensboro	46.8	+1.9	48.2	+1.5	51.9	-2.6	61.1	-0.7	71.6	+1.2	80.6	+2.8	79.1	-0.7	81.1	+2.1	72.1	-2.6	62.8	-0.7	52.3	-0.6	46.6	+0.9	62.8	+0.2
Griffin	49.0	+3.2	50.6	+2.7	53.0	-2.7	63.0	0.0	72.0	+1.0	80.3	+2.5	79.5	-0.3	80.3	+1.3	71.8	-3.2	64.0	-0.5	54.4	+0.2	47.4	+0.4	63.8	+0.4
Lagrange	49.4	......	49.5	......	53.2	......	63.1	......	73.1	......	80.8	......	80.6	......	81.0	......	72.4	......	62.4	......	51.6	......	45.8	......	63.6	......
Louisville	[b]50.6	+2.7	50.6	+0.9	......	......	......	......	......	......	......	......	[c]82.7	+1.8	......	......	73.5	-2.3	......	......	54.2	-0.7	48.0	-0.4	......	......
Macon	49.6	+2.8	49.8	+0.5	54.0	-2.7	63.6	-0.3	73.3	+1.0	81.4	+2.5	81.3	+0.1	81.6	+1.7	72.5	-2.3	62.4	-2.1	52.5	-1.7	46.8	-0.7	64.1	-0.1
Milledgeville	48.4	+2.1	48.5	-0.1	52.8	-3.1	61.4	-2.3	72.6	+0.2	80.6	+1.6	81.1	-0.1	81.4	+1.0	72.2	-3.7	61.5	-3.2	52.7	-1.4	47.0	-0.3	63.4	-0.7
Millen	51.5	+2.7	52.0	+1.5	56.1	-2.0	64.5	-0.6	75.1	+1.8	83.1	+3.3	82.4	+0.7	82.2	+1.1	74.0	-2.7	63.6	-2.5	53.8	-2.1	48.2	-1.1	65.5	0.0
Monticello	49.4	+4.1	50.6	+3.1	[f]53.0	-2.1	62.4	-0.5	72.8	+1.2	81.8	+3.3	80.7	+0.4	81.6	+2.0	72.6	-2.8	62.0	-2.2	52.4	-1.2	45.8	+0.2	63.8	+0.5
Newnan	47.2	+2.5	48.6	+2.3	51.8	-2.8	61.2	-0.5	73.1	+2.6	81.2	+3.5	80.0	+0.3	81.1	+2.2	71.0	-3.5	60.8	-2.9	51.3	-1.9	44.8	-0.8	62.7	+1.0
Stillmore	51.6	+0.7	52.6	+0.4	57.4	-0.7	64.6	-0.7	74.6	+1.2	82.0	+2.7	81.0	-0.2	[g]83.3	+2.5	74.9	-1.9	64.7	-2.6	55.2	-2.2	49.3	-1.9	65.9	-0.3
Talbotton	49.4	+2.0	49.6	+0.6	53.2	-3.4	62.0	-1.3	71.2	-0.6	......	......	79.6	-0.6	79.6	0.0	71.2	-4.3	61.8	-3.3	52.1	-2.6	46.5	-1.7	......	......
Warrenton	49.1	+2.4	49.6	+1.6	53.4	-2.5	63.0	+0.1	72.8	+1.1	81.0	+2.6	79.9	-0.6	80.6	+1.0	71.9	-3.2	62.4	-1.7	52.9	-1.2	47.2	0.0	63.6	-0.1
Waynesboro	50.3	+2.8	51.1	+2.9	55.2	-2.5	63.6	-0.6	73.6	+0.9	81.8	+3.0	[a]81.2	+0.1	[g]81.2	+0.9	......	......	......	......	......	......	47.8	+0.2	......	......
West Point	49.4	+3.7	49.5	+2.0	53.6	-1.8	63.3	+0.4	73.1	+1.7	80.6	+2.0	81.1	+0.6	80.4	+0.7	72.1	-3.1	61.6	-2.6	§52.0	-1.5	46.1	-0.3	§63.6	+0.2
Southern division																										
Alapaha	[c]51.8	+0.4	53.0	-0.4	57.8	-2.3	64.6	-2.0	74.3	+0.2	81.2	+1.3	82.2	+0.7	80.2	-0.8	73.8	-3.7	63.5	-4.4	53.2	-4.9	50.2	-1.9	65.5	-1.5
Albany	54.2	+3.6	54.9	+2.3	59.4	-0.9	67.2	+0.3	77.1	+2.4	83.2	+2.4	83.8	+1.6	83.4	+1.7	76.6	-1.5	66.2	-1.9	56.9	-1.0	51.3	-0.3	67.8	+0.7
Alma	51.8	......	51.2	......	57.8	......	63.6	......	74.1	......	81.2	......	82.0	......	81.0	......	74.6	......	63.0	......	53.2	......	48.4	......	65.2	......
Americus	51.6	+2.9	51.8	+0.8	56.6	-1.7	64.4	-0.8	74.0	+0.6	81.6	+1.7	81.7	+0.3	81.5	+0.6	74.0	-3.1	64.0	-3.0	53.9	-2.4	48.4	-1.3	65.3	-0.4
Bainbridge	55.0	+2.9	54.4	+0.3	61.0	0.0	66.8	-0.6	76.8	+2.0	83.0	+2.5	83.2	+1.3	83.4	+2.0	76.8	-1.4	66.0	-2.1	55.4	-0.9	51.7	-0.7	67.8	+0.4
Blakely	53.1	+1.4	52.8	-0.8	57.8	-2.2	65.2	-1.2	75.0	+1.2	81.2	+1.4	81.4	0.0	82.4	+1.4	75.6	-2.2	65.3	-2.7	55.3	-2.6	50.8	-1.0	66.3	-0.6
Brunswick	56.4	+2.3	55.6	-0.1	61.4	+0.4	67.8	0.0	77.0	+2.5	83.4	+2.7	84.0	+2.3	83.0	+1.3	77.6	-0.9	68.1	-2.3	60.4	-0.4	54.8	-0.6	69.1	+0.6
Cairo	54.9	+1.4	54.2	+0.6	60.4	+0.5	66.2	-0.2	76.0	+1.6	82.6	+2.9	83.0	+2.1	82.8	+2.2	76.6	-0.7	66.0	-3.5	56.3	-2.3	52.2	-1.6	67.6	+0.2
Camilla	55.2	......	54.4	......	60.6	......	67.1	......	77.2	......	82.8	......	[d]84.0	......	83.4	......	77.0	......	65.8	......	56.4	......	52.3	......	68.0	......
Camp Stewart	53.6	......	52.8	......	57.8	......	64.4	......	74.9	......	83.6	......	84.3	......	84.1	......	76.4	......	65.6	......	56.6	......	50.6	......	67.1	......
Cordele	51.8	+4.0	52.6	+1.9	56.9	-2.8	65.5	+0.3	75.1	+1.2	81.9	+1.9	82.8	+1.5	83.2	+1.9	75.2	-0.6	65.7	+0.3	55.4	-0.5	49.2	-0.9	66.3	+0.7
Douglas	[b]54.2	......	53.7	......	58.6	......	65.2	......	75.0	......	81.9	......	82.4	......	81.6	......	74.6	..	64.4	......	56.1	......	50.9	......	66.6	......
Eastman	52.4	+2.0	53.2	+1.3	57.2	-2.2	65.8	-0.3	75.0	+1.0	82.7	+2.4	83.0	+1.1	83.5	+2.4	75.2	-2.1	65.6	-1.5	56.1	-1.0	50.6	0.0	66.7	+0.3
Fargo	......	......	......	......	......	......	66.3	+0.2	77.0	+3.4	......	......	......	......	......	......	......	......	......	......	......	......	50.6	-4.0	......	......
Fitzgerald	54.2	+2.9	54.2	+1.9	58.5	-2.4	66.2	-0.7	75.8	+1.4	81.6	+1.5	82.8	+1.0	82.3	+1.2	75.2	-2.1	66.1	-1.3	56.0	+0.4	......	......	......	......
Fort Gaines	[a]53.5	+3.6	52.6	+0.8	57.4	-1.5	64.4	-1.4	74.3	+1.2	81.6	+1.7	81.5	+0.3	82.1	+1.5	75.0	-2.1	64.6	-2.5	54.4	-2.6	50.2	-0.5	66.0	-0.1
Glennville	52.9	+0.8	52.8	-0.6	58.1	-1.9	65.2	-1.4	74.7	+0.7	81.4	+1.5	81.8	+0.3	82.0	+1.0	74.9	-2.6	64.8	-3.4	56.8	-1.5	51.4	-0.8	66.4	-0.7
Hawkinsville	52.2	+3.3	53.2	+2.5	57.6	-0.8	65.8	+0.6	......	......	82.7	+3.0	82.9	+1.5	83.2	+2.1	75.2	-2.2	65.2	-1.6	54.8	-1.6	49.5	-0.3	......	......
Hoggard's Mill	52.4	......	50.8	......	58.2	......	64.4	......	75.6	......	81.7	......	82.2	......	82.2	......	76.0	......	64.6	......	54.0	......	49.3	......	66.0	......
Lumber City	[b]51.6	......	......	......	57.4	......	......	......	75.6	......	82.6	......	83.2	......	82.2	......	74.8	......	61.8	......	......	......	......	......	......	......
Montezuma	52.0	......	52.0	......	57.0	......	66.2	......	......	......	82.0	......	81.4	......	81.9	......	74.9	......	64.6	......	53.1	......	48.4	......	......	......
Moultrie	55.7	+1.8	55.2	-0.3	61.0	-0.2	67.7	-0.1	77.0	+1.8	83.1	+2.6	83.4	+1.2	83.4	+1.7	76.8	-1.5	67.0	-2.9	58.1	-1.6	53.0	-1.5	68.4	0.0
Quitman	56.2	+3.3	53.8	-1.6	60.8	-0.5	66.7	-0.8	76.0	+1.1	81.8	+1.4	82.2	+0.6	82.3	+1.1	76.2	-2.0	66.2	-2.7	56.4	-3.0	52.7	-0.5	67.6	-0.3
Savannah, No. 1	53.6	+2.2	54.1	+0.1	58.9	-0.1	65.5	-0.5	75.6	+2.2	83.0	+4.0	83.1	+1.6	83.2	+2.5	76.4	+0.2	66.2	-1.7	58.4	-0.1	52.8	+0.4	67.6	+0.9
Savannah, No. 2	52.2	+0.4	50.4	-1.5	56.0	-1.9	61.6	-2.8	73.1	+1.5	80.4	+2.0	81.6	+0.8	81.0	+0.7	73.2	-3.1	62.8	-4.0	52.8	-3.8	48.6	-2.8	64.5	-1.2
Savannah Beach	51.6	......	51.5	......	57.7	......	64.6	......	74.6	......	82.0	......	......	......	82.8	......	76.8	......	66.7	......	59.8	......	53.0	......	......	......
Thomasville	54.6	+3.6	55.0	0.0	60.0	-0.2	66.6	-0.1	76.4	+2.4	81.7	+2.2	82.2	+0.4	82.2	+1.2	75.8	-1.0	66.9	-1.3	57.0	-1.5	52.6	+0.1	67.6	+0.5
Tifton	52.6	+0.9	52.3	-1.2	57.8	-0.6	64.6	-1.4	[a]74.9	+1.5	[a]80.3	+1.1	81.7	+0.9	81.6	+1.1	75.2	-2.5	65.5	-2.5	56.2	-1.5	51.2	-1.4	66.2	-0.4
Waycross	56.1	+2.9	54.4	-0.4	61.4	0.0	66.0	-1.3	75.2	+0.7	81.7	+1.6	82.4	+0.5	81.8	+0.2	76.1	-1.9	65.6	-3.4	57.6	-1.5	53.2	+0.1	67.6	-0.2

Reference letters, [a], [b], [c], appearing in the table indicate number of days missing; for example, [b] represents two days, etc. § Partly interpolated.

ANNUAL CLIMATOLOGICAL DATA FOR THE STATE

Year	Temperature			Precipitation					Number of days			
	Mean	Highest	Lowest	Northern division	Middle division	Southern division	Average	Average snowfall	Precip., .01 or more	Clear	Pt. cloudy	Cloudy
1892	62.9	102	9	59.15	47.92	47.13	51.39	.....	95	150	103	113
1893	63.4	103	−1	43.81	46.39	50.25	46.83	.....	85	171	107	87
1894	64.0	104	0	44.92	50.18	53.58	49.55	.....	94	157	123	85
1895	62.0	104	−5	55.04	49.52	50.21	51.69	.....	96	154	117	94
1896	64.4	107	3	42.09	44.33	47.94	44.78	1.4	81	176	113	77
1897	64.2	106	−1	51.00	45.14	51.34	49.15	0.4	84	166	106	93
1898	63.8	104	5	58.62	52.10	52.92	54.54	0.4	96	159	110	96
1899	63.6	105	−12	49.87	42.54	41.87	44.75	6.5	89	167	116	82
1900	63.7	106	0	63.21	55.36	54.09	57.56	0.4	115	141	130	94
1901	61.6	106	3	65.58	53.58	53.49	57.55	4.1	113	152	123	90
1902	63.6	108	10	46.70	48.17	55.48	50.14	1.4	100	136	129	100
1903	62.6	104	9	52.28	51.57	57.51	53.79	0.4	110	140	116	109
1904	62.7	104	4	37.54	33.81	39.19	36.84	1.8	89	158	116	92
1905	63.3	102	−8	52.85	46.04	52.53	50.47	1.6	97	161	99	105
1906	63.6	103	11	63.62	50.61	50.08	54.79	2.2	101	168	104	93
1907	64.2	106	16	47.88	47.94	50.20	48.67	0.3	95	169	114	82
1908	64.4	104	9	54.87	50.14	45.73	50.25	0.7	85	174	110	82
1909	64.0	104	5	58.28	47.94	39.63	48.62	0.3	93	175	113	77
1910	63.0	103	8	45.69	42.29	43.62	43.86	0.7	91	187	79	99
1911	65.6	105	9	48.72	45.69	47.87	47.43	0.1	97	165	83	117
1912	62.9	103	0	62.17	62.39	64.84	63.14	5.1	113	153	83	130
1913	64.1	110	12	49.74	45.50	44.74	46.67	T.	95	184	79	102
1914	63.3	109	5	44.70	42.78	49.61	45.70	5.1	93	179	83	103
1915	63.7	106	17	53.54	48.97	46.23	49.58	0.5	86	196	83	86
1916	64.1	103	10	47.09	41.68	42.23	43.67	0.4	93	180	95	91
1917	62.4	103	0	53.79	45.28	43.55	47.54	1.9	99	181	92	92
1918	64.3	106	−3	55.00	45.07	47.88	49.25	1.6	101	161	88	116
1919	65.0	103	2	57.27	54.59	53.95	55.27	0.4	103	167	87	111
1920	62.9	105	4	67.54	56.63	56.32	60.14	T.	107	166	86	114
1921	66.1	104	20	46.22	38.76	38.23	41.08	1.0	94	173	100	92
1922	65.6	104	12	59.71	54.78	51.27	55.26	0.3	113	158	94	113
1923	64.3	105	0	56.08	51.12	47.90	52.72	T.	108	159	88	118
1924	62.8	107	−9	52.18	52.94	57.37	54.15	1.9	99	187	73	106
1925	65.6	111	0	39.46	38.37	45.14	41.01	T.	89	186	75	104
1926	63.6	110	6	50.72	46.92	53.66	50.43	0.8	104	181	78	106
1927	65.9	108	4	44.89	39.96	37.51	40.79	1.0	92	177	100	88
1928	63.2	105	−5	55.77	57.98	64.95	59.56	0.3	114	167	101	98
1929	64.1	103	7	78.43	71.85	60.83	70.37	1.6	122	156	101	108
1930	63.5	109	8	41.02	47.28	48.75	45.68	3.3	99	175	93	97
1931	64.9	109	11	44.55	33.84	33.79	37.39	0.2	87	194	91	80
1932	65.1	108	10	70.76	49.71	54.50	58.32	0.7	115	162	93	111
1933	65.6	108	0	39.60	40.12	45.43	41.72	T.	94	184	95	86
1934	64.0	105	−10	54.61	46.24	44.24	48.36	0.8	106	179	95	91
1935	64.3	105	0	48.66	38.98	46.29	44.64	1.8	99	170	96	99
1936	64.4	106	−8	66.12	57.14	53.33	58.87	4.7	104	170	98	98
1937	63.9	102	−3	54.60	49.10	53.87	52.53	0.6	114	159	104	102
1938	65.0	105	7	47.85	41.14	37.21	42.07	T.	95	177	96	92
1939	64.9	105	8	50.55	47.44	48.90	48.96	T.	109	174	97	94
1940	62.2	106	−17	50.12	47.15	41.47	47.24	5.0	106	171	91	104
1941	64.4	105	11	42.44	40.39	44.50	42.45	0.1	96	163	101	101
1942	63.5	106	−2	57.36	49.93	51.66	52.99	3.2	102	179	91	95
1943	63.8	106	2	48.47	48.51	43.74	46.91	0.2	87	185	96	84
Period	63.9	111	−17	52.55	47.82	48.88	49.74	1.3	99	169	99	97

MONTHLY STATE DATA FOR 1943

Months	Temperature				Precipitation				
	Mean	Departure from normal	Maximum	Minimum	Average	Departure from normal	Greatest	Least	No. days with 0.01 inch or more
January	49.4	+2.4	84	9	5.66	+1.41	14.26	2.36	8
February	49.6	+1.1	81	5	1.79	−3.02	4.24	0.15	3
March	54.0	−2.1	88	3	7.90	+2.98	15.69	2.81	11
April	62.7	−0.6	95	20	3.85	+0.10	7.14	0.79	6
May	72.8	+1.2	98	32	4.25	+0.83	8.03	1.71	8
June	80.8	+2.6	105	52	4.34	−0.13	9.12	0.90	10
July	80.5	+0.4	106	57	5.32	−0.45	13.19	1.12	13
August	81.0	+1.5	105	50	3.96	−1.29	14.35	0.67	9
September	72.5	−2.9	99	33	3.23	−0.35	7.20	0.15	6
October	62.3	−2.7	95	26	0.64	−1.99	3.71	0.00	3
November	52.6	−1.9	90	13	2.17	−0.41	4.52	0.22	3
December	47.4	−0.4	87	2	3.80	−0.51	6.30	2.36	7
Year	63.8	−0.1	106	2	46.91	−2.83	67.40	37.05	87

KILLING FROSTS

Stations	Last in spring	First in autumn	Stations	Last in spring	First in autumn
Northern division			*Middle division*—Con.		
Athens, No. 1	Apr. 16*	Oct. 18	Monticello	Apr. 15*	Oct. 18
Athens, No. 2	Apr. 16*	Oct. 18†	Newnan	Apr. 15	Oct. 18
Atlanta	Apr. 16	Oct. 18	Stillmore	Apr. 15*	Oct. 18†
Blairsville	Apr. 16*	Oct. 18†	Talbotton	Apr. 16*	Oct. 18
Carlton Bridge	Apr. 16*	....	Warrenton	Apr. 15*	Oct. 18
Cartersville	Apr. 15*	Oct. 18†	Waynesboro	Apr. 16*	....
Cedartown	Apr. 16*	Oct. 18†	West Point	Apr. 15*	Oct. 17†
Clayton	Apr. 16	Oct. 18†	*Southern division*		
Cornelia	Apr. 16	Oct. 18	Alapaha	Mar. 24*	Oct. 17
Dahlonega	Apr. 16*	Oct. 18	Albany	Mar. 23	Oct. 17
Dalton	Apr. 15*	Oct. 17†	Alma	Mar. 24*	Nov. 10†
Gainesville	Apr. 15	Oct. 18†	Americus	Apr. 15	Oct. 18
Hartwell (near)	Apr. 16*	Oct. 18	Bainbridge	Mar. 23*	Oct. 18†
Jasper	Apr. 16*	Oct. 18†	Blakely	Apr. 15	Nov. 10
Lafayette	Apr. 16*	Oct. 18†	Brunswick	Mar. 24	Nov. 11
Rome	Apr. 16	Oct. 18	Cairo	Mar. 8*	Nov. 10†
Tallapoosa	Apr. 16	Oct. 17	Camilla	Mar. 8*	Oct. 18†
Toccoa	Apr. 15	Oct. 18	Camp Stewart	Apr. 15*	Oct. 18†
Washington	Apr. 16	Oct. 18†	Cordele	Mar. 8*	Nov. 10†
Middle division			Douglas	Mar. 24*	Nov. 17†
Augusta	Apr. 15	Nov. 10	Eastman	Mar. 23*	Nov. 10†
Brooklet	Mar. 24	Nov. 10†	Fargo	....	....
Carrollton	Apr. 15	Oct. 18	Fitzgerald	Apr. 16*	Nov. 10†
Columbus	Mar. 23	Oct. 18	Fort Gaines	Apr. 1	Oct. 27
Concord	Mar. 23	Oct. 18	Glennville	Apr. 16	Nov. 10
Covington	Apr. 16*	Oct. 18†	Hawkinsville	Apr. 15*	Oct. 18†
Dublin	Apr. 15	Oct. 18	Hoggards Mill	Apr. 15*	Oct. 17†
Experiment	Apr. 15*	Nov. 10†	Lumber City	Mar. 23*	....
Fair View	Apr. 15*	Oct. 18†	Montezuma	Mar. 23*	Oct. 18†
Fort Valley	Apr. 16	Oct. 18	Moultrie	Mar. 8*	Nov. 18†
Greensboro	Apr. 16*	Oct. 18†	Quitman	Apr. 16	Oct. 18
Griffin	Apr. 15	Oct. 18	Savannah, No. 1	Mar. 24	Nov. 12
Lagrange	Apr. 15*	Oct. 18†	Savannah, No. 2	Apr. 16	Oct. 18
Louisville	....	Oct. 18	Savannah Beach	Mar. 4*	Nov. 12
Macon	Apr. 15	Nov. 10†	Thomasville	Mar. 23	Nov. 10
Milledgeville	Apr. 16*	Oct. 18†	Tifton	Apr. 15*	Nov. 10†
Millen	Apr. 15*	Oct. 18	Waycross	Mar. 24*	Oct. 17†

* Latest date with temperature 32° or below.
† Earliest date with temperature 32° or below.

SUPPLEMENTARY PRECIPITATION TOTALS TABLE 1943

Stations	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	An'l
Adairsville	2.55	2.85	9.01	4.69	3.11	3.11	8.38	3.69	4.11	2.09	1.65	4.01	49.25
Adel	3.16	2.26	4.69	1.34	5.09	9.12	4.70	3.64	3.56	0.00	0.88	3.52	41.95
Atlanta No. 2	6.49	1.28	8.61	5.24	4.53	2.85	3.29	4.86	3.40	0.85	2.76	2.44	46.60
Augusta Airport	4.07	0.84	6.01	3.17	2.51	3.39	6.19	2.56	1.85	T.	1.98	4.90	37.47
Beaverdale	2.26	2.58	6.33	4.10	2.46	2.38	7.41	2.31	3.91	2.65	1.32	3.40	41.11
Bellville ‡	2.36	.....	.....	2.75	3.16	2.94	4.21	7.48	2.26	0.00	2.66	4.17	.....
Blackbeard Island	4.36	0.86	2.81	3.89	3.40	3.78	.....	8.41	4.52	0.00	.....	2.37	.....
Brunswick Airport	2.38	0.45	3.68	1.58	3.15	5.93	7.28	2.60	8.27	0.39	0.14	2.27	38.12
Burton Dam ‡	6.88	3.40	8.33	5.70	5.13	5.91	11.55	2.26	5.33	2.79	3.09	4.03	64.40
Butler	6.82	0.74	10.81	3.74	5.19	3.54	5.58	2.63	1.83	0.09	1.74	2.95	45.66
Butler Creek	4.33	1.07	8.02	2.53	3.10	3.17	11.14	2.21	1.86	T.	2.34	4.14	39.80
Camp Toccoa	7.18	3.23	6.34	8.66	3.37	7.29	5.23	3.61	4.68	2.95	2.20	4.13	58.87
Camp Wheeler	10.04	1.18	10.11	3.18	6.87	3.67	5.24	2.08	3.62	0.16	2.01	3.58	51.74
Carnesville ‡	5.97	1.84	6.13	5.66	2.51	7.40	3.08	4.20	3.84	.....	.....	.....	.....
Chatsworth	5.87	3.00	7.86	3.07	3.92	3.40	8.18	2.41	6.57	2.42	1.48	4.33	52.51
Clermont ‡	5.58	3.11	.....	4.78	5.11	6.01	4.41	6.01	4.11	2.01	1.96	3.41	.....
Coolidge ‡	3.59	1.65	5.74	2.99	5.39	2.09	6.96	2.48	3.16	0.05	1.12	3.80	39.02
Cumming	4.24	1.27	7.88	5.21	3.67	2.99	.....	3.36	5.04	1.82	2.97	2.91	.....
Dawson	7.41	1.76	7.34	2.10	3.73	4.60	2.46	2.80	1.82	0.00	2.15	4.26	40.43
Doctortown	3.55	1.06	4.48	2.78	4.25	2.70	6.57	3.37	4.82	0.16	1.07	3.07	37.88
Doles ‡	3.65	1.17	7.81	2.28	5.15	2.71	.....	.....	1.96	0.00	2.11	3.97	.....
Donaldsonville	4.24	1.19	7.60	2.11	4.13	1.22	6.22	2.68	2.87	.....	.....	.....	.....
Double Branches	6.58	.....	.....	.....	.....	.....	.....	.....	.....	0.16	1.29	3.82	.....
Douglasville	6.37	1.30	9.77	4.48	2.14	4.49	2.65	6.18	3.33	0.37	2.65	2.81	46.54
Dover	3.32	2.11	4.66	2.32	2.89	4.64	6.17	5.41	4.75	0.01	2.93	6.30	45.51
Edison ‡	6.14	1.35	8.12	2.42	4.83	3.37	2.97	1.85	1.26	0.00	2.17	4.08	38.56
Ellijay	5.23	3.67	8.96	4.54	3.68	3.23	6.42	3.45	5.21	1.15	2.05	4.34	51.93
Embry	4.30	1.17	8.88	5.77	2.50	5.28	5.23	2.97	3.79	0.99	1.95	2.59	45.42
Everett City	5.83	.....	3.52	1.01	4.09	5.70	3.91	6.46	3.74	0.00	0.18	2.89	.....
Fairmount	2.90	2.89	8.65	3.54	3.42	2.49	5.08	3.22	3.63	0.91	1.52	3.34	41.59
Folkston ‡	2.08	0.97	3.24	.....	.....	.....	.....	.....	.....	0.06	0.66	.....	.....
Haralson	7.58	1.63	10.96	3.78	4.59	1.59	3.04	5.93	5.84	0.61	3.79	3.10	52.44
Hazlehurst †	3.77	1.37	4.64	3.72	5.70	2.49	2.56	7.61	1.08	0.00	1.15	4.67	38.76
Homerville	7.50	2.22	5.50	3.02	4.55	7.16	5.81	4.89	2.64	0.00	.....	.....	.....
Jackson Dam †	7.13	.....	.....	3.71	4.03	2.53	2.78	4.18	1.84	0.22	2.75	3.35	.....
Jesup †	3.59	0.98	4.33	2.85	5.22	3.72	2.98	4.71	6.03	0.01	1.03	3.00	38.45
Jonesboro	6.89	1.28	10.02	5.55	3.24	3.61	4.95	3.64	2.28	0.84	2.92	.....	.....
Lawson Field ‡	7.39	0.77	15.29	3.86	4.24	3.15	2.91	1.73	3.34	0.72	1.98	3.07	48.45
Lisbon ‡	.....	2.14	6.45	4.64	2.03	2.64	5.83	3.07	5.72	0.27	2.34	.....	.....
Macon Airport	8.25	1.14	8.32	3.62	6.07	4.35	2.97	2.03	2.56	0.19	2.66	3.19	44.75
Maysville	6.10	1.64	6.74	6.38	3.11	5.77	2.03	6.20	3.27	0.67	1.95	3.70	47.56
Midville	8.27	1.33	6.87	2.76	4.14	3.83	5.25	3.40	3.49	0.00	1.26	4.55	45.15
Mount Vernon	4.15	0.95	5.25	3.20	4.45	1.90	5.91	3.35	1.85	0.00	1.45	5.10	37.56
Pearson ‡	.....	1.77	3.97	1.28	4.40	5.35	4.00	3.77	2.89	0.03	1.30	2.72	.....
Savannah Airport	2.95	0.60	5.19	1.78	5.06	4.68	11.81	8.25	0.60	0.04	0.90	3.22	45.08
Sparta	5.32	1.32	7.60	3.27	2.65	5.11	3.22	0.98	3.49	0.29	2.53	3.08	38.86
Summerville	4.37	3.56	8.01	5.57	3.02	2.00	4.06	4.17	6.24	0.89	1.87	4.25	48.01
Sylvania ‡	3.47	1.53	.....	2.86	.....	.....	.....	7.10	2.79	0.09	1.78	3.96	.....
Taylorsville	2.33	1.92	7.49	5.64	2.41	2.29	3.40	2.81	2.99	1.28	1.73	3.23	37.52
The Rock ‡	5.63	1.16	9.95	2.71	3.66	1.66	12.29	2.40	1.68	0.10	2.28	3.43	46.95
Valdosta ‡	3.35	1.61	4.24	1.96	4.54	1.75	8.85	3.14	5.89	0.05	1.52	3.25	40.15
Watkinsville ‡	8.36	1.13	7.06	5.58	1.82	8.63	8.59	2.04	3.21	0.25	2.22	4.61	53.50
Winder	7.70	1.67	7.80	6.55	2.42	5.46	.....	.....	.....	.....	.....	.....	.....
Woodstock	4.36	2.43	7.95	4.61	2.46	4.86	2.22	3.10	4.15	1.48	1.84	3.43	42.92

‡ Hydrologic Recorder Station.

(WBO, Atlanta, 5-9-44- 1075)


GEORGIA
SCALE OF MILES
10 5 0 10 20 30 40
85
84
83
82
81
35
34
33
32
31
Northern Division
Middle Division
Southern Division
ATLANTIC OCEAN
Savannah River
Chattahoochee River
DADE
WALKER
La Fayette
CATOOSA
WHITFIELD
Dalton
MURRAY
Chatsworth
FANNIN
Blue Ridge
GILMER
Ellijay
Oakman
UNION
Blairsville
TOWNS
RABUN
Clayton
WHITE
HABERSHAM
Toccoa
STEPHENS
LUMPKIN
Dahlonega
Cornelia
DAWSON
CHATTOOGA
Summerville
GORDON
Resaca
Fairmont
Jasper
PICKENS
Adairsville
Rome
FLOYD
BARTOW
Cartersville (near)
Taylorsville
CHEROKEE
Canton
Woodstock
FORSYTH
Cumming
HALL
Gainesville
BANKS
Gillsville
FRANKLIN
HART
Hartwell
JACKSON
Jefferson
MADISON
ELBERT
Carlton Bridge
Cedartown
POLK
Marietta
COBB
PAULDING
Lawrenceville
Norcross
GWINNETT
BARROW
Winder
CLARKE
Athens
Pt Peter
HARALSON
Tallapoosa
Atlanta
FULTON
DE KALB
WALTON
OCONEE
OGLETHORPE
WILKES
Washington
Lisbon
LINCOLN
Double Branches
CARROLL
DOUGLAS
CLAYTON
ROCKDALE
Covington
Madison
MORGAN
GREENE
Greensboro
TALIAFERRO
McDUFFIE
Thomson
COLUMBIA
Jonesboro
HENRY
NEWTON
WARREN
Warrenton
Augusta
Newnan
COWETA
FAYETTE
Griffin
SPALDING
Jackson
BUTTS
JASPER
Monticello
Eatonton
PUTNAM
Sparta
HANCOCK
RICHMOND
GLASCOCK
HEARD
TROUP
Lagrange
West Point
MERIWETHER
Woodbury
PIKE
Concord
LAMAR
MONROE
Fair View
Round Oak
JONES
Milledgeville
BALDWIN
Sandersville
WASHINGTON
JEFFERSON
Louisville
Waynesboro
BURKE
UPSON
Macon
BIBB
Irwinton
WILKINSON
Wrightsville
JOHNSON
Midville
JENKINS
Millen
SCREVEN
HARRIS
Goat Rock
TALBOT
Talbotton
CRAWFORD
TAYLOR
Butler
Ft. Valley
PEACH
TWIGGS
Danville
Dublin
Meeks
EMANUEL
Dover
MUSCOGEE
Columbus
HOUSTON
Marshallville
BLECKLEY
LAURENS
Stillmore
Statesboro
Brooklet
BULLOCH
CANDLER
EFFINGHAM
Clyo
CHATTAHOOCHEE
MARION
MACON
Montezuma
Hawkinsville
PULASKI
Eastman
DODGE
TREUTLEN
Mt. Vernon
MONTGOMERY
Lyons
TOOMBS
Claxton
EVANS
Meldrim
Savannah No 1
STEWART
WEBSTER
SCHLEY
Americus
SUMTER
DOOLY
WHEELER
Mc Rae
Lumber City
TELFAIR
TATTNALL
Glennville
LIBERTY
CHATHAM
Savannah No 2
Savannah Beach
QUITMAN
Cordele
CRISP
Abbeville
WILCOX
Hazelhurst
Hinesville
RANDOLPH
TERRELL
LEE
TURNER
BEN HILL
Fitzgerald
JEFF DAVIS
APPLING
Surrency
LONG
CLAY
Ft. Gaines
CALHOUN
Albany
DOUGHERTY
WORTH
TIFT
Tifton
IRWIN
COFFEE
Douglas
BACON
Alma
Doctortown
WAYNE
Screven
Everett City
Mc INTOSH
Valona
Blakely
EARLY
BAKER
Camilla
MITCHELL
COLQUITT
Moultrie
Alapaha
BERRIEN
ATKINSON
Pearson
Waycross
PIERCE
Nahunta
BRANTLEY
GLYNN
Brunswick
MILLER
COOK
LANIER
WARE
SEMINOLE
DECATUR
Bainbridge
GRADY
Cairo
THOMAS
Thomasville
BROOKS
Quitman
LOWNDES
Valdosta
CLINCH
ECHOLS
Fargo
CHARLTON
Folkston
St. George
Woodbine
CAMDEN

U. S. DEPARTMENT OF COMMERCE, WEATHER BUREAU

CLIMATOLOGICAL DATA

7 GEORGIA SECTION

A. J. KNARR

Vol. XLVIII Atlanta, Ga., Year 1944 No. 13

GENERAL SUMMARY

The year, 1944, as a whole, was moderate in temperature, with a substantial excess in precipitation. The most noteworthy features of the year include the tornadoes of February and April, hail damage of April, windstorms of June, the hurricane of October, and unseasonably late crop plantings.

Except for September, deficiencies in temperature occurred in each month from July through December. Large excesses occurred in February and June, and December was the coldest month.

Yearly precipitation ranged from less than 40 inches at the Atlanta Airport and near Augusta to more than 70 inches in a small area southwest of Savannah. The combined total of the three wet months, February, March, and April, almost equaled the total of the period, May through December.

The frequency and more or less heavy character of rainfall during February, March, and April, prevented or greatly retarded crop plantings, some of which were not completed before June. Crops later made a good recovery, and a fairly good season was realized; nevertheless, some crops were only poor to fair. Deficient rainfall after May, owing to favorable distribution and frequency, caused no serious depletion of soil moisture, except locally.—R. L. C.

THE WEATHER BY MONTHS

January.—This was a favorable month for agricultural purposes; only slight deficiencies in both temperature and precipitation monthly averages occurred. Unfavorably cold weather prevailed between the 12th and 14th, but thereafter temperatures were almost constantly above normal. Rain occurred in 3 well distributed periods during the first 15 days, after which there was very little.

February.—The monthly mean temperature was almost 6° above normal, with unusually high maxima for February, but markedly cold weather occurred about the 12th. Rain occurred with great frequency and there were numerous heavy daily falls, especially in the north. Early farm work was delayed. Tornadoes caused considerable damage at Barnesville on the 9th and in several northern counties on the 25th.

March.—Mostly moderate temperatures prevailed, though low temperatures and frosts on the 9th injured early crops. Rainfall occurred at frequent intervals, especially after the 16th, producing the greatest March average on record; more than 70 stations had totals exceeding 10 inches. Crop plantings and other farm work were practically impossible and were far behind the normal schedule at the close of the month.

April.—Farm work was greatly aided by mostly dry weather during the first 8 days, but after this until the 27th rainy weather predominated, giving a State average precipitation almost double the April normal. Temperatures averaged moderately below normal; injurious frosts and low temperatures were widespread on the 6th, while midsummer warmth occurred between the 8th and 24th. Tornadoes in the north on the 11th and 16th, chiefly in the Royston area on the latter date, killed 24 persons, injured many more, and left damages of more than $1,000,000.

May.—The month was unusually warm and quite dry. An unusually large number of days with 90° or higher occurred, with deficiencies limited to the period, 6-9th. Rainfall was mostly light and scattered, but did not severely retard crop growth until late in the month.

June.—Almost continuously hot weather prevailed throughout the month, with 100° to 106° occurring generally about the 18th and 23d, and the monthly average was one of the highest for June on record. Very large deficiencies of rainfall, especially in northern and western counties, caused considerable crop deterioration, though a favorable reaction was taking place late in the month. Minor to moderate damage from windstorms, hail, or lightning, occurred in several eastern and central areas on the 14th, 19th and 24th.

July.—Although 90° temperatures occurred frequently, marked deficiencies early in the month were effectual in making the monthly average more than 1° below normal. Rain was rather light, except in the southeast, where 10 stations had more than 10 inches. Wind and hail in the north on the 9th and 19th caused considerable damage to property and crops.

August.—Both temperatures and rainfall averaged moderately below normal. Highest temperatures fell under 100° for the first time in August since 1914. Rainfall was mostly too light except in the southeast, where a few station totals were 8 to 13 inches, with consequent deterioration from wetness to crops.

September.—Very moderate temperatures prevailed, with abnormal warmth during the first week and moderate deficiencies in the second week. Rain occurred often enough to maintain satisfactory soil moisture without impeding harvest operations too much. Heavy to excessive rains occurred on the 10–11th in the coastal area due to the distant passing of a hurricane.

October.—Temperatures averaged moderately below normal, with deficiencies almost every day after the 8th, prior to which abnormally warm weather prevailed. Rainfall was very light to very moderate, except on the 19th when heavy to excessive falls occurred widely in connection with the passage near the coast of a rather severe hurricane. The storm caused damages on and near the coast amounting to more than $250,000.

November.—Precipitation averaged about normal, with substantial amounts on the 19th and during the last week; very little rain occurred during the first 18 days. Temperatures averaged moderately below normal; freezing temperatures and killing frosts occurred on the 6th in the north and more extensively by the 22d.

December.—The month was considerably below normal in both temperature and precipitation, but weather conditions were not unusually severe. Temperature deficiencies were almost continuous during the first 20 days, after which practically no freezing weather occurred. Although precipitation averaged less than 50% of normal, daily amounts were well distributed and kept the soil fairly well supplied with moisture.

Climatological Data for the Year 1944

Stations	Counties	Elevation, feet	Temperature (degrees Fahrenheit)						Precipitation (inches)							Number rainy days	Sky			Prevailing direction of wind
			Length of record, years	Annual mean	Highest	Date	Lowest	Date	Length of record, years	Total for the year	Greatest monthly	Month	Least monthly	Month	Total snowfall		Number clear days	Number partly cloudy days	Number cloudy days	
Northern Division																				
Athens, No. 1	Clarke	775	63	61.5	99	June 18	17	Feb. 13	70	53.88	9.22	Mar.	1.99	Nov.	0.5	130	97	177	92	ne.
Athens, No. 2	....do	725	9	62.1	102	June 18†	15	Dec. 3†	9	50.25	9.98	Mar.	1.43	†June	0.5	94	......	......	......	......
Atlanta Airport 7 mi. S.	Fulton	975	14	62.1	101	June 18	16	Feb. 13	14	39.50	7.18	Feb.	0.74	June	T.	129	111	106	149	nw.
Atlanta [City]	....do	1,054	78	61.6	98	June 18	16	Feb. 13	78	44.39	8.24	Apr.	0.95	Oct.	T.	111	......	......	......	......
Blairsville 2 miles SE.	Union	1,938	13	56.8	96	June 18	2	Dec. 15	13	50.72	10.65	Feb.	0.88	Oct.	5.0	101	......	......	......	......
Canton	Cherokee	894	......	......	......	......	......	......	55	54.81	10.78	Feb.	0.68	June	T.	115	......	......	......	......
Carlton Bridge†‡	Elbert	500	51	......	102	June 18	11	Dec. 3†	46	46.12	8.94	Mar.	1.90	Dec.	0.0	108	......	......	......	......
Cartersville	Bartow	772	6	62.1	103	June 18†	14	Feb. 13	8	46.78	10.05	Feb.	0.97	Oct.	T.	115	186	97	83	nw.
Cedartown	Polk	797	8	62.0	103	July 17	13	Feb. 13	11	50.94	11.14	Feb.	1.27	July	T.	116	......	......	......	......
Clayton	Rabun	2,000	49	58.2	98	June 18	11	Dec. 3†	50	67.86	13.07	Mar.	1.17	June	12.0	111	227	64	75	......
Cornelia	Habersham	1,500	25	......	......	......	......	......	26	....	8.78	Mar.	......	......	T.	......	......	......	......	......
Dahlonega	Lumpkin	1,519	53	......	......	......	9	Feb. 13	54	64.88	13.29	Feb.	1.52	Oct.	2.3	128	193	103	70	sw.
Dalton	Whitfield	710	9	60.7	100	July 17	16	Feb. 13	9	52.35	10.52	Mar.	1.37	Oct.	4.0	102	103	72	191	n.
Gainesville	Hall	1,254	65	60.6	99	June 18†	15	Feb. 13	67	55.18	10.41	Mar.	1.77	Oct.	1.2	121	177	70	119	w.
Hartwell 5 miles NE.	Hart	750	44	61.8	103	June 19	15	Feb. 13†	44	42.58	8.12	Mar.	0.19	June	4.0	95	111	208	47	w.
Jasper	Pickens	1,480	5	60.2	101	June 22†	8	Feb. 13	8	53.36	11.42	Mar.	1.22	Oct.	3.0	106	146	87	133	e.
La Fayette	Walker	950	10	61.2	103	June 18†	13	Feb. 13	14	52.30	10.82	Mar.	0.81	Oct.	2.2	120	159	84	123	se.
Norcross 4 Miles N.	Gwinnett	1,025	......	......	......	......	......	......	30	46.69	9.86	Feb.	1.17	Oct.	T.	118	......	......	......	......
Resaca	Gordon	657	......	......	......	......	......	......	53	54.60	11.21	Mar.	1.30	Oct.	1.2	130	......	......	......	s.
Rome	Floyd	617	63	62.0	102	June 18†	14	Feb. 13	88	48.47	11.61	Feb.	0.98	June	T.	130	183	98	85	e.
Tallapoosa 2 miles NW	Haralson	1,000	48	60.0	99	June 18†	13	Feb. 13†	48	50.37	8.13	Apr.	1.20	Oct.	T.	82	212	66	88	......
Toccoa	Stephens	1,050	58	61.7	100	June 18†	12	Feb. 13	59	58.44	12.47	Mar.	1.86	Oct.	3.3	123	146	119	101	w.
Washington	Wilkes	630	54	63.9	103	June 18†	16	Feb. 13†	56	41.80	11.34	Mar.	1.30	May	0.0	100	189	77	100	e.
Division means and extremes		......	......	61.1	103	June 18†	2	Dec. 15	......	51.11	13.55	Feb.	0.19	June	3.9	114	163	102	101	w.
Middle Division																				
Augusta	Richmond	134	88	65.0	103	June 23	22	Dec. 15	79	40.27	9.30	Mar.	0.97	Dec.	T.	123	136	104	126	nw.
Brooklet	Bulloch	150	53	......	104	June 18	20	Dec. 15	50	62.70	11.18	Mar.	0.73	Dec.	0.0	111	160	145	61	......
Carrollton	Carroll	1,095	21	......	101	June 19	......	......	18	41.71	8.00	Apr.	0.56	Oct	T.	94	......	......	......	nw.
Columbus	Muscogee	262	56	66.8	104	June 18	23	Feb. 13	56	62.75	14.02	Mar.	1.29	May	0.3	126	187	89	90	sw.
Concord	Pike	825	......	......	......	......	......	......	32	50.30	10.58	Mar.	0.62	Oct.	T.	107	176	113	77	......
Covington*	Newton	747	32	62.7	104	June 18	14	Feb. 13	59	49.74	9.58	Mar.	1.24	Oct.	0.0	105	......	......	......	......
Dublin	Laurens	234	36	65.3	104	June 18	18	Dec. 15	53	50.86	9.91	Mar.	1.29	Dec.	T.	125	97	172	97	nw.
Experiment	Spalding	946	24	61.8	99	June 18	17	Feb. 18	23	57.38	10.23	Mar.	1.40	Oct.	0.0	159	......	......	......	......
Fair View†‡	Lamar	......	35	63.0	101	June 18	17	Feb. 13	31	56.60	15.44	Mar.	0.82	May	T	113	......	......	......	......
Fort Valley	Peach	526	24	64.8	102	June 23	20	Feb. 13†	24	48.21	11.69	Mar.	1.60	Dec.	T.	110	133	148	85	w.
Goat Rock†‡	Muscogee	415	......	......	......	......	......	......	31	....	11.38	Mar.	0.51	Oct.	0.0	......	......	......	......	......
Greensboro	Greene	620	43	......	104	June 18†	15	Dec. 15	42	45.20	12.38	Mar.	0.60	June	0.0	113	189	62	115	w.
Griffin	Spalding	975	54	63.6	99	June 23	17	Feb. 13	54	54.12	11.12	Mar.	0.22	May	T.	105	172	115	79	w.
Lagrange	Troup	740	8	63.6	101	June 18†	15	Feb. 13	34	56.91	8.86	Apr.	0.59	Oct.	T.	114	173	38	155	s.
Louisville	Jefferson	337	48	65.8	105	June 23	19	Dec. 15	49	44.12	11.39	Mar.	1.03	Dec.	T.	99	177	100	89	ne.
Macon	Bibb	330	63	64.5	101	June 23	21	Feb. 13	96	45.78	12.52	Mar.	1.14	June	0.0	115	142	98	126	nw.
Milledgeville	Baldwin	320	61	......	100	June 24	15	Dec. 3†	55	49.93	10.90	Mar.	1.68	Nov.	0.0	96	......	......	......	nw.
Millen	Jenkins	180	56	65.7	104	June 24	19	Dec. 15	57	53.52	9.76	Mar.	1.11	Dec.	T.	123	248	29	89	nw.
Monticello	Jasper	680	55	63.8	104	June 18	16	Feb. 13	52	51.23	12.45	Mar.	0.41	June	0.0	114	149	89	128	e.
Newnan	Coweta	975	55	......	100	June 24†	18	Feb. 13	55	54.66	8.08	Feb.	0.52	Oct.	1.0	126	167	74	125	......
Stillmore	Emanuel	257	19	......	......	......	......	......	19	....	9.80	......	1.49	Nov.	......	......	......	......	......	......
Talbotton	Talbot	750	51	63.4	100	June 18†	16	Feb. 13	51	55.93	16.37	Mar.	0.93	Oct.	T.	91	192	79	95	sw.
Warrenton	Warren	500	44	......	101	June 23†	18	Dec. 15	51	47.24	10.02	Mar.	0.90	June	0.0	108	160	152	54	ne.
Waynesboro	Burke	261	25	......	104	June 23†	18	Dec. 15	24	....	10.20	Mar.	1.19	Dec.	0.0	......	......	......	......	w.
West Point	Troup	573	54	63.6	103	June 23†	15	Dec. 15	55	56.47	10.36	Apr.	0.23	Oct.	0.2	118	131	86	149	......
Woodbury	Meriwether	800	......	......	......	......	......	......	44	56.23	11.57	Mar.	0.44	Oct.	T.	122	......	......	......	......
Division means and extremes		......	......	63.9	105	June 23	14	Feb. 13	......	52.20	16.37	Mar.	0.22	May	T.	115	163	101	102	nw.
Southern Division																				
Abbeville	Wilcox	180	......	......	......	......	......	......	41	46.78	11.32	Apr.	0.90	Dec.	0.0	107	......	......	......	......
Alapaha	Berrien	293	55	......	100	June 23†	17	Dec. 15	55	58.81	12.92	Mar.	0.84	Dec.	0.0	119	......	......	......	w.
Albany	Dougherty	230	57	68.2	104	June 23†	24	Dec. 15	58	53.32	14.01	Mar.	0.51	Oct.	0.0	114	191	28	147	ne.
Alma	Bacon	198	6	65.3	100	June 17†	18	Dec. 15	6	63.04	10.98	Mar.	0.72	Dec.	0.0	117	82	110	174	ne.
Americus 1 mile NE.	Sumter	362	60	65.6	103	June 18†	18	Dec. 15	60	50.03	12.26	Apr.	0.71	June	T.	111	108	178	80	sw.
Bainbridge	Decatur	119	52	......	102	June 23	20	Dec. 15	52	46.54	7.15	ar.	1.00	Oct.	0.0	108	......	......	......	......
Blakely	Early	300	66	67.0	102	June 18†	21	Dec. 15	67	66.34	14.28	Mar.	0.17	Oct	0.0	115	156	127	83	sw.
Brunswick	Glynn	14	44	69.1	101	June 23†	27	Dec. 15	46	68.85	16.95	July	0.37	Dec.	0.0	116	203	90	73	ne.
Cairo	Grady	265	13	67.9	103	June 23†	21	Dec. 15	18	59.01	10.27	Sep.	0.99	May	0.0	104	167	116	83	nw.
Camilla	Mitchell	177	7	68.4	105	June 23†	20	Dec. 15	7	53.57	12.42	Mar.	0.91	Dec.	0.0	89	179	105	82	......
Camp Stewart	Liberty	90	3	......	105	June 24	19	Dec. 15	3	67.06	12.19	Aug.	0.76	Dec.	0.0	126	164	126	76	ne.
Cordele	Crisp	336	15	......	104	June 23	23	Dec. 15	17	56.44	13.92	Apr.	1.33	Nov.	0.0	90	......	......	......	w.
Douglas	Coffee	275	11	......	101	June 23†	......	......	11	65.04	12.58	Mar.	0.72	Dec.	0.0	98	133	109	123	......
Eastman	Dodge	361	52	66.8	106	June 24	24	Feb. 13	52	61.00	16.48	Apr.	0.80	May	0.0	93	......	......	......	s.
Fargo	Clinch	116	16	......	101	June 18	......	......	16	....	......	......	......	......	0.0	......	......	......	......	......
Fitzgerald	Ben Hill	515	27	......	103	June 24	20	Dec. 15	28	58.95	11.56	Mar.	0.42	May	0.0	88	......	......	......	e.
Fort Gaines	Clay	340	56	66.3	103	June 18	20	Dec. 15	57	53.32	9.78	Mar.	0.19	Oct.	0.0	115	183	98	85	n.
Glennville	Tattnall	175	40	66.6	104	June 23	20	Dec. 15	40	60.36	12.85	Mar.	0.64	Dec.	0.0	129	174	117	75	w.
Hawkinsville	Pulaski	235	53	66.0	102	June 23†	18	Dec. 15	53	58.64	13.43	Apr.	1.09	Dec.	0.0	98	169	90	107	sw.
Hoggard's Mill†‡	Baker	132	5	66.8	103	June 23†	18	Dec. 15	5	61.56	12.10	Mar.	1.00	May	0.0	108	......	......	......	......
Lumber City	Telfair	150	3	......	104	June 25	......	......	35	....	10.81	Apr.	1.21	May	0.0	......	......	......	......	......
Montezuma	Macon	292	5	......	105	June 18	20	Dec. 15	40	51.49	10.48	Mar.	0.90	June	0.0	93	......	......	......	......
Moultrie	Colquitt	325	18	68.6	103	June 17†	22	Dec. 15	18	62.73	11.53	Mar.	1.08	Dec.	0.0	103	......	......	......	......
Quitman	Brooks	173	59	67.8	104	June 18	19	Dec. 15	53	54.57	11.41	July	0.75	Dec.	0.0	95	208	114	44	sw.
Savannah, No. 1	Chatham	42	95	67.9	103	June 24	26	Dec. 15	95	61.01	13.60	Aug.	0.50	Dec.	T.	116	131	128	107	w.
Savannah, No. 2**	....do	22	17	64.9	103	June 24	15	Dec. 15	17	72.45	13.61	Aug.	0.91	Dec.	0.0	143	131	119	116	sw.
Savannah Beach	....do	15	6	68.1	100	June 17†	27	Dec. 15	6	47.85	9.37	Mar.	0.55	Dec.	0.0	101	......	......	......	......
Thomasville	Thomas	276	62	68.0	101	June 23†	27	Dec. 15†	67	59.48	10.16	July	0.78	Dec.	0.0	111	91	135	140	e.
Tifton	Tift	370	23	66.5	103	June 18	19	Dec. 15	24	59.23	14.33	Mar.	0.98	Dec.	0.0	111	......	......	......	sw.
Waycross	Ware	131	53	67.6	102	June 23	19	Dec. 15	53	55.79	9.80	Mar.	0.61	Dec.	0.0	114	......	......	......	nw.
Division means and extremes		......	......	67.1	106	June 24	15	Dec. 15	......	58.57	16.95	July	0.17	Oct.	T.	108	166	102	98	sw.
State means and extremes		......	......	64.0	106	June 24	2	Dec. 13	......	53.96	16.95	July	0.17	Oct.	0.4	114	163	102	101	nw.

† On other dates also. *Italics interpolated.* ‡ Also other months.

Monthly and Annual Precipitation for the Year 1944, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure
Northern Division																										
Athens, No. 1	4.16	−0.10	9.03	+3.95	9.22	+4.22	6.77	+3.04	2.64	−0.95	2.83	−1.08	2.71	−2.42	5.12	+0.45	4.71	+1.25	2.08	−1.15	1.99	−0.62	2.62	−2.46	53.88	+4.13
Athens, No. 2	3.60	......	8.09	......	9.98	......	8.61	......	2.71	......	1.43	......	1.43	......	2.95	......	4.66	......	2.38	......	2.10	......	2.31	......	50.25	......
Atlanta Airport	3.87	−1.16	7.18	+1.96	5.93	+0.52	6.62	+2.90	1.65	−1.77	0.74	−3.20	2.30	−2.54	1.46	−3.24	3.45	+0.41	1.09	−1.60	2.60	−0.51	2.61	−2.18	39.50	−10.41
Atlanta [City]	3.64	−1.31	7.12	+2.18	5.98	+0.68	8.24	+4.63	1.12	−2.35	3.25	−0.49	2.99	−1.66	2.68	−1.77	3.37	+0.38	0.95	−1.64	2.53	−0.50	2.52	−2.18	44.39	−4.03
Blairsville	3.34	−2.04	10.65	+5.10	8.75	+3.52	3.13	−0.82	5.50	+1.51	2.40	−1.22	2.10	−3.24	§4.25	−0.67	2.05	−0.93	0.88	−2.19	§4.05	+1.35	3.62	−1.80	50.72	−1.43
Canton	3.61	−1.18	10.78	+5.29	10.13	+4.64	4.98	+0.79	3.70	−0.18	0.68	−3.25	5.61	+0.12	3.35	−1.33	3.26	+0.20	1.19	−2.36	3.57	+0.36	3.95	−2.19	54.81	+0.91
Carlton Bridge	3.45	−0.43	7.83	+2.76	8.94	+4.17	5.66	+2.29	3.63	+0.15	2.44	−1.66	2.97	−1.80	2.10	−2.38	2.58	−1.04	2.27	−0.71	2.35	−0.32	1.90	−2.91	46.12	−1.88
Cartersville	2.85	......	10.05	......	8.43	......	4.23	......	1.87	......	1.23	......	5.16	......	4.07	......	2.70	......	0.97	......	2.40	......	2.82	......	46.78	......
Cedartown	3.06	−0.96	11.14	+6.31	10.85	+4.37	6.15	+1.45	1.50	−1.31	1.99	−2.22	1.27	−3.65	3.26	−0.96	3.72	+0.82	1.49	−0.71	3.09	+0.59	3.42	−0.43	50.94	+3.30
Clayton	5.78	−0.30	12.63	+6.29	13.07	+5.95	5.10	−0.45	3.86	−1.26	1.17	−4.41	2.81	−4.24	4.32	−2.17	5.06	−0.37	1.48	−3.44	6.29	+2.11	6.29	−1.56	67.86	−3.85
Cornelia	4.05	−0.88	7.48	+1.83	8.78	+3.00	5.48	+0.92	......	......	......	......	......	......	......	......	......	......	......	......	4.60	+1.24	......	......	......	......
Dahlonega	4.02	−1.49	13.29	+7.43	12.35	+6.34	6.08	+1.54	3.34	−1.55	2.78	−1.94	3.58	−2.05	5.01	−0.04	3.02	−1.35	1.52	−2.37	5.39	+1.77	4.50	−2.69	64.88	+3.60
Dalton	§4.70	......	10.17	......	§1052	......	§4.25	......	2.89	......	1.87	......	2.11	......	3.44	......	4.24	......	1.37	......	1.69	......	5.10		52.35	......
Gainesville	4.14	−0.60	10.13	+4.75	10.41	+4.78	5.04	+1.05	2.03	−1.97	3.06	−1.07	3.84	−1.51	4.46	−0.15	3.60	−0.09	1.77	−1.48	3.96	+0.90	2.74	−2.72	55.18	+1.89
Hartwell (near)	3.59	−0.38	§7.53	+2.49	8.12	+3.44	4.24	+0.66	2.24	−1.41	0.19	−3.82	2.34	−2.12	2.50	−2.32	5.10	+1.69	1.98	−1.19	2.54	−0.16	2.21	−2.84	42.58	−5.96
Jasper	3.58	......	11.18	......	11.42	......	4.91		4.30	......	2.04	......	3.70	......	1.88	......	2.04	......	1.22	......	2.98	......	4.11	......	53.36	......
Lafayette	4.05	−0.57	10.80	+5.40	10.82	+5.61	4.03	−1.52	2.41	−0.68	1.23	−3.60	3.06	−2.36	3.03	−1.81	4.80	+1.76	0.81	−1.54	1.85	−0.66	5.41	+0.83	52.30	+0.86
Norcross	4.10	−0.51	9.86	+4.63	7.65	+2.52	6.74	+2.69	1.38	−2.35	2.32	−1.69	2.57	−3.31	1.90	−2.51	3.53	+0.71	1.17	−1.83	2.47	−0.53	3.00	−2.62	46.69	−4.83
Resaca	3.66	−1.14	11.08	+5.58	11.21	+5.36	5.72	+1.09	2.94	−0.90	1.57	−2.71	2.46	−2.53	3.63	−0.65	3.58	+0.57	1.30	−2.02	2.47	−1.00	4.98	−0.99	54.60	+0.66
Rome	3.35	−1.47	11.61	+6.03	11.03	+5.20	5.39	+0.96	1.37	−2.77	0.98	−3.47	0.99	−4.04	2.85	−1.72	3.02	−0.01	1.57	−1.68	2.77	−0.68	3.54	−2.30	48.47	−5.95
Tallapoosa	3.26	−1.24	7.44	+2.35	7.93	+2.58	8.13	+3.78	1.71	−2.11	4.09	−0.12	3.15	−2.25	3.40	−1.10	4.07	+0.47	1.20	−1.83	3.29	+0.07	2.70	−2.84	50.37	−2.24
Toccoa	3.79	−1.21	9.88	+4.32	12.47	+6.55	5.80	+1.36	2.96	−1.03	2.42	−2.10	2.03	−3.37	5.32	−0.38	5.19	+1.07	1.86	−2.29	3.37	+0.13	3.35	−3.09	58.44	−0.04
Washington	4.15	+0.02	5.94	+0.82	11.34	+6.62	4.11	+0.52	1.30	−2.09	1.55	−2.69	2.40	−2.93	3.62	−1.04	1.47	−2.62	2.13	−1.00	2.39	−0.36	1.40	−2.99	41.80	−7.74
Middle Division																										
Augusta	4.01	+0.08	5.41	+1.18	9.30	+5.19	5.17	+2.03	1.39	−1.65	2.55	−2.13	2.72	−2.67	2.47	−2.56	1.79	−1.57	2.90	+0.44	1.59	−0.81	0.97	−2.28	40.27	−4.75
Brooklet	4.35	+1.37	3.71	+0.09	11.18	+7.40	8.07	+4.98	2.32	−1.42	4.14	−2.04	5.66	−0.40	10.11	+3.97	7.10	+2.43	3.54	+1.14	1.79	−0.66	0.73	−2.47	62.70	+14.39
Carrollton	3.69	−1.04	6.45	+1.78	6.90	+0.66	§8.00	+3.71	1.33	−1.52	0.94	−2.66	§2.93	−1.58	2.61	−2.07	2.95	−0.16	0.56	−2.17	2.63	−0.22	2.72	−1.82	41.71	−7.09
Columbus	3.93	−0.27	4.55	−0.68	14.02	+8.72	10.35	+6.50	1.29	−2.02	3.44	−0.31	7.37	+1.64	7.62	+3.12	3.80	+1.14	1.32	−1.56	2.79	−0.04	2.27	−2.70	62.75	+13.54
Concord	3.41	−0.63	6.44	+1.20	10.58	+4.58	7.49	+3.92	1.12	−2.18	2.95	−1.92	4.31	−1.49	3.32	−1.12	5.13	+2.13	0.62	−2.17	2.74	−0.06	2.19	−2.73	50.30	−0.47
Covington	4.31	−0.05	7.04	+1.67	9.58	+4.41	5.22	+1.43	1.62	−2.21	3.04	−1.09	4.98	−0.26	4.21	−0.26	4.14	+1.00	1.24	−1.92	2.04	−0.78	2.32	−2.78	49.74	−0.84
Dublin	4.18	+0.10	3.14	−1.26	9.91	+5.28	7.06	+3.82	2.88	−0.68	3.10	−1.78	5.23	−0.44	5.44	+0.41	4.16	+0.18	3.06	+0.55	1.41	−1.31	1.29	−2.64	50.86	+2.23
Experiment	3.80	+0.17	8.79	+3.65	10.23	+5.33	6.79	+3.49	1.48	−1.50	4.77	+1.37	7.41	+3.42	3.65	−0.43	4.68	+1.96	1.40	−1.06	2.20	−0.49	2.18	−2.25	57.38	+13.66
Fair View	3.89	−0.26	6.91	+2.08	15.44	+9.88	5.67	+1.87	0.82	−2.39	1.27	−1.98	7.13	+2.34	6.10	+2.31	4.09	+1.07	1.13	−1.45	2.65	−0.03	1.44	−3.07	56.60	+10.37
Fort Valley	3.51	−0.73	3.82	−1.15	11.69	+6.45	9.52	+5.31	2.65	−0.93	2.38	−2.12	2.99	−2.56	2.52	−2.16	3.53	+0.34	1.88	−1.47	2.12	−0.88	1.60	−2.95	48.21	−2.85
Goat Rock	§3.83	+0.13	§5.79	+1.14	11.38	+6.34	§9.56	+5.56	1.57	−1.31	2.84	−0.08	6.13	+0.51	5.84	+2.15	5.18	+2.52	§0.51	−2.11	§2.63	−0.23	......	......	......	......
Greensboro	4.56	+0.51	6.09	+1.02	12.38	+7.74	3.81	+0.28	1.94	−1.51	0.60	−3.62	4.51	−0.69	2.93	−2.19	2.41	−1.15	2.13	−0.97	1.93	−0.80	1.91	−2.52	45.20	−3.90
Griffin	3.82	−0.35	8.16	+2.81	11.12	+5.67	6.78	+2.94	0.22	−2.92	3.69	−0.13	6.48	+1.35	3.48	−1.10	4.04	+0.91	1.16	−1.63	2.95	+0.15	2.22	−2.70	54.12	+5.00
Lagrange	3.71	−0.70	7.69	+2.88	8.15	+2.33	8.86	+4.64	1.50	−1.84	4.87	+0.82	2.90	−2.39	5.30	+0.77	6.27	+3.24	0.59	−2.25	3.84	+0.81	3.23	−1.51	56.91	+6.80
Louisville	3.47	−0.11	§3.91	−0.36	11.39	+7.16	5.40	+2.19	1.96	−1.46	2.59	−1.98	1.66	−3.86	4.50	−0.18	3.28	−0.26	3.14	+0.26	1.79	−0.70	1.03	−2.47	44.12	−1.77
Macon	2.77	−1.40	4.00	−0.58	12.52	+7.55	5.72	+2.57	1.72	−1.24	1.14	−2.90	3.86	−0.88	3.24	−1.10	5.99	+2.80	1.33	−1.01	1.87	−0.65	1.62	−2.37	45.78	+0.79
Milledgeville	3.44	−0.59	6.78	+2.13	10.90	+6.17	§5.72	+2.31	2.73	−0.48	3.34	−0.75	4.72	−1.22	3.63	−0.98	2.72	−0.92	2.46	−0.42	1.68	−0.90	1.81	−2.24	49.93	+2.11
Millen	3.14	−0.17	3.86	+0.02	9.76	+5.87	7.19	+4.07	2.00	−1.07	4.07	−0.70	2.46	−4.07	4.89	+0.18	7.55	+3.66	5.22	+2.75	2.27	+0.07	1.11	−2.38	53.52	+8.23
Monticello	4.15	−0.19	6.99	+1.55	12.45	+7.17	4.62	+0.84	2.21	−1.39	0.41	−4.54	2.63	−2.89	6.28	+1.38	5.67	+2.09	1.28	−2.14	2.81	+0.07	1.73	−2.96	51.23	−1.01
Newnan	4.98	+0.32	8.08	+2.71	7.02	+1.13	6.97	+3.20	2.20	−1.52	3.60	−0.55	2.41	−2.50	6.11	+1.33	6.45	+3.55	0.52	−2.45	3.49	+0.42	2.83	−2.52	54.66	+3.12
Stillmore	3.72	+0.43	......	......	......	......	§9.80	+6.78	2.36	−1.34	2.92	−2.15	§3.57	−4.10	......	......	7.02	+3.01	5.35	−3.06	1.49	−0.95	......	......	......	......
Talbotton	4.19	−0.13	§4.65	−0.70	16.37	+10.80	7.38	+3.33	1.10	−2.51	2.20	−1.87	7.85	+2.50	3.85	−0.64	3.01	−0.21	0.93	−2.07	2.18	−0.91	2.22	−2.72	55.93	+4.87
Warrenton	4.29	+0.29	6.91	+2.11	10.02	+5.48	6.29	+3.08	1.64	−1.46	0.90	−3.20	3.43	−1.68	6.77	+2.43	1.11	−2.89	2.79	−0.19	1.65	−1.05	1.44	−2.50	47.24	+0.42
Waynesboro	3.95	+0.64	§4.23	+0.34	10.29	+6.42	§5.26	+2.41	2.05	−1.11	1.66	−3.06	4.30	−1.43	......	......	3.30	−0.16	4.09	−1.48	§1.60	−0.70	1.19	−2.17	......	......
West Point	4.70	+0.33	6.43	+1.20	9.96	+4.20	10.36	+6.18	2.93	−0.82	2.02	−2.38	2.60	−2.59	3.75	−1.02	6.24	+3.35	0.23	−2.50	3.89	+0.83	3.36	−2.15	56.47	+4.63
Woodbury	4.16	+0.18	5.70	+0.55	11.57	+6.11	7.20	+3.65	0.95	−2.30	4.08	−0.14	5.63	−0.25	4.51	+0.41	6.06	+3.10	0.44	−2.36	3.51	+0.78	2.42	−2.26	56.28	+7.47
Southern Division																										
Abbeville	4.51	+0.68	2.45	−2.00	9.89	+5.69	11.32	+7.98	1.47	−2.12	1.59	−2.19	3.64	−2.85	3.24	−1.72	3.04	−1.09	2.97	+0.54	1.76	−0.86	0.90	−2.61	46.78	−0.55
Alapaha	3.63	−0.19	6.04	+1.84	12.92	+8.84	6.24	+3.01	2.33	−1.06	5.32	+0.26	6.88	+0.86	5.59	+0.20	2.67	−1.48	4.63	+2.39	1.72	−0.39	0.84	−2.86	58.81	+11.42
Albany	4.92	+0.64	4.19	−0.75	14.01	+9.26	8.67	+4.84	2.33	−1.71	4.53	−0.22	3.03	−3.40	4.96	−0.95	3.06	−0.63	0.51	−2.01	1.81	−0.65	1.30	−2.81	53.32	+1.61
Alma	4.42	......	3.39	......	10.98	......	7.96	......	2.90	......	5.06	......	10.01	......	6.92	......	2.37	......	5.78	......	2.53	......	0.72	......	63.04	......
Americus	§4.17	−0.26	2.96	−2.15	12.11	+7.09	12.26	+8.68	2.23	−1.47	0.71	−3.19	4.02	−1.21	2.60	−2.55	4.26	+0.73	1.17	−1.49	2.04	−0.80	1.50	−2.55	50.03	+0.83
Bainbridge	3.85	−0.10	4.85	+0.45	7.15	+2.97	5.07	+1.54	1.17	−2.44	1.92	−3.04	5.45	−0.82	6.24	+0.36	6.59	+2.23	1.00	−1.38	1.81	−0.60	1.44	−2.85	46.54	−3.68
Blakely	5.32	+0.92	5.27	−0.03	14.28	+9.22	10.22	+5.93	3.52	−0.02	1.54	−3.03	4.56	−2.33	10.23	+4.83	6.93	+2.90	0.17	−2.57	2.48	−0.53	1.82	−2.96	66.34	+12.33
Brunswick	2.96	+0.16	2.76	−1.00	8.08	+4.76	2.94	+0.03	0.88	−2.46	3.08	−2.52	16.95	+9.48	8.12	+1.94	10.71	+4.20	10.31	+7.16	1.69	−0.33	0.37	−2.59	68.85	+18.83
Cairo	4.96	+1.43	5.41	+1.53	9.97	+5.85	6.37	+3.01	0.99	−2.11	3.38	−2.29	5.93	−0.74	6.87	+0.81	10.27	+6.09	1.59	−1.09	2.09	−0.50	1.18	−2.71	59.01	+9.28
Camilla	4.75	......	4.87	......	12.42	......	7.83	......	1.87	......	4.37	......	5.20	......	3.39	......	4.79	......	1.50	......	1.67	......	0.91	......	53.57	......
Camp Stewart	4.15	......	4.40	......	11.01	......	6.60	......	3.58	......	5.21	......	9.38	......	12.19	......	2.75	......	4.99	......	2.04	......	0.76	......	67.06	......
Cordele	3.72	−0.14	§2.79	−1.73	11.60	+7.21	13.92	+10.18	2.54	−0.79	3.70	−0.40	3.04	−3.08	6.28	+1.69	4.29	+0.79	1.89	−0.73	§1.33	−1.21	1.34	−2.62	56.44	+9.17
Douglas	5.49	+2.29	§5.91	+1.27	12.58	+7.25	7.00	+3.68	1.21	−2.62	4.03	−1.60	11.08	+4.35	3.44	−0.92	3.26	−0.51	8.28	+6.20	§2.04	+0.33	§0.72	−2.74	65.04	+16.98
Eastman	4.10	+0.10	§2.93	−1.67	12.56	+7.77	16.48	+13.31	0.80	−2.50	3.21	−1.03	5.36	−0.54	4.33	−0.69	4.85	+0.97	2.98	+0.36	1.83	−0.90	1.57	−2.05	61.00	+13.13
Fargo	3.38	+0.08	3.97	+0.19	6.88	+2.90	4.24	+0.08	4.46	+1.12	7.14	+0.56	8.12	+1.04	......	......	......	......	......	......	......	......	......	......	......	......
Fitzgerald	5.25	+1.74	4.51	+0.52	11.56	+7.28	11.41	+7.86	0.42	−3.17	3.52	−0.88	7.44	+1.66	4.83	−0.13	3.39	−0.88	4.00	+1.51	1.73	−0.63	0.89	−2.81	58.95	+12.07
Fort Gaines	4.80	+0.25	3.40	−1.71	9.78	+5.00	9.53	+5.70	2.44	−1.31	2.30	−2.07	1.88	−4.11	8.69	+3.18	5.29	+1.78	0.19	−2.51	3.19	+0.20	1.83	−3.06	53.32	+1.34
Glennville	4.80	+2.06	4.61	+1.06	12.85	+9.37	4.95	+2.23	3.19	−0.10	1.19	−3.82	6.22	+0.28	8.17	+1.17	5.47	+0.52	6.09	+3.67	2.18	−0.15	0.64	−2.66	60.36	+13.63
Hawkinsville	3.72	−0.49	3.19	−1.13	§1065	+5.98	13.43	+10.31	2.78	−0.54	5.68	+1.38	7.72	+2.36	1.89	−2.97	4.84	+1.31	2.28	−0.30	1.37	−1.22	1.09	−2.46	58.64	+12.23
Hoggard's Mill	4.52	......	4.66	......	12.10	......	7.44	......	1.00	......	4.72	......	8.76	......	6.46	......	6.13	......	1.51	......	2.60	......	1.66	......	61.56	......
Lumber City	§3.90	+0.22	3.53	−0.54	10.03	+5.72	10.81	+7.89	1.21	−1.59	3.83	−0.79	3.26	−2.64	7.53	+1.86	3.60	−0.09	6.48	+4.36	......	......	......	......	......	......
Montezuma	3.86	−0.28	3.44	−1.21	10.48	+5.96	8.78	+4.95	1.91	−1.56	0.90	−3.01	5.14	+0.07	7.21	+2.27	3.95	+0.70	2.10	−0.50	2.44	−0.44	1.28	−2.95	51.49	+4.00
Moultrie	4.52	+0.81	7.88	+4.10	11.53	+7.40	9.15	+5.97	2.02	−0.75	1.13	−4.06	6.77	+0.91	5.81	−0.11	8.34	+3.98	2.33	−0.50	2.17	−0.24	1.08	−2.94	62.73	+14.57
Quitman	3.58	−0.22	5.93	+1.68	8.61	+4.53	3.43	+0.01	1.53	−2.28	3.04	−2.86	11.41	+4.34	5.34	−1.37	4.73	−0.60	3.70	+1.35	2.52	+0.24	0.75	−3.65	54.57	+1.17
Savannah, No. 1	3.23	+0.45	4.37	+1.11	9.96	+6.90	3.27	+0.70	1.11	−1.91	3.64	−1.65	7.14	+0.50	13.60	+6.29	4.56	−0.85	7.96	+4.98	1.67	−0.43	0.50	−2.43	61.01	+13.66
Savannah, No. 2	4.31	+1.43	4.49	+0.97	12.18	+8.35	3.01	+0.22	1.69	−1.49	4.08	−2.59	8.88	+1.51	13.61	+7.01	9.08	+2.48	8.38	+5.84	1.83	+0.02	0.91	−1.72	72.45	+22.03
Savannah Beach	2.24	......	3.79	......	9.37	......	2.87	......	0.97	......	3.83	......	6.19	......	8.47	......	1.21	......	6.78	......	§1.58	......	0.55	......	47.85	......
Thomasville	3.36	−0.74	4.64	+0.18	9.64	+5.55	5.45	+2.11	3.22	−0.41	1.50	−3.95	10.16	+3.46	8.77	+3.02	7.53	+2.65	2.15	−0.81	2.28	−0.40	0.78	−3.53	59.48	+7.13
Tifton	4.90	+0.74	5.19	+0.95	14.33	+9.76	8.40	+4.75	3.04	−0.38	2.25	−2.56	5.93	−0.57	5.46	−0.04	3.98	+0.33	2.81	+0.68	1.96	−0.23	0.98	−2.54	59.23	+10.89
Waycross	3.38	+0.27	4.64	+0.81	9.80	+6.40	6.82	+4.03	2.39	−1.45	4.33	−2.01	5.61	−1.54	7.47	+1.41	5.83	+1.29	3.26	+0.73	1.65	−0.59	0.61	−2.46	55.79	+6.89

Monthly and Annual Temperatures for the Year 1944, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
Northern Division																										
Athens, No. 1	44.4	+0.9	50.8	+5.0	52.6	−0.5	60.4	−0.8	71.4	+1.3	79.2	+2.0	77.5	−2.1	76.0	−2.5	72.8	−1.0	61.4	−1.2	50.6	−1.5	40.8	−4.0	61.5	−0.4
Athens, No. 2	§44.6	.....	§51.7	.....	53.4	.....	60.6	.....	71.4	.....	80.0	.....	79.0	.....	77.0	.....	74.4	.....	62.4	.....	50.5	.....	40.5	.....	62.1	.....
Atlanta Airport	44.4	+1.9	50.4	+5.1	52.9	+0.9	60.2	−0.9	72.6	+2.3	80.2	+3.5	78.3	−0.8	77.2	−0.8	73.5	+0.7	62.8	+0.1	51.0	−0.5	41.2	−3.0	62.1	+0.7
Atlanta [City]	44.4	+1.8	49.8	+4.5	52.3	+0.3	59.8	−1.2	72.1	+2.2	79.4	+3.4	77.5	−0.6	76.2	−0.8	72.8	+0.4	62.7	−0.3	50.9	−1.2	40.6	−4.1	61.6	+0.4
Blairsville	39.9	+4.5	§46.6	+5.0	48.6	+1.1	55.4	+0.1	65.0	+0.9	73.1	+1.4	71.8	−1.8	72.8	−0.5	68.2	0.0	56.2	−2.0	46.4	−1.1	37.0	−4.7	56.8	+0.3
Carlton Bridge	§43.4	−0.6	§50.8	+5.3	.....	.....	59.8	−0.9	71.1	+1.1	79.8	+2.7	78.8	−0.4	76.9	−1.4	74.2	+0.7	61.6	−0.8	50.1	−2.0	40.4	−4.5	.....	.....
Cartersville	43.8	.....	50.5	.....	53.2	.....	60.6	.....	72.4	.....	80.7	.....	79.0	.....	78.0	.....	74.0	.....	61.5	.....	50.7	.....	40.9	.....	62.1	.....
Cedartown	§44.0	+1.0	51.8	+5.9	53.2	+0.3	60.6	+0.3	71.8	+2.1	79.2	+1.5	78.6	−0.9	78.4	−0.4	73.7	+0.3	61.6	−0.6	50.8	−0.3	41.6	−2.7	62.0	+0.5
Clayton	§41.6	+1.2	47.7	+6.3	49.2	+0.2	56.0	−0.2	67.2	+2.7	75.2	+3.8	73.0	−1.3	74.2	+0.8	69.9	+1.4	§58.4	+0.4	47.6	−0.4	38.3	−2.8	58.2	+1.0
Cornelia	§43.0	+0.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dahlonega	42.2	+0.7	§48.3	+5.3	50.4	−0.4	58.2	−0.4	67.8	+1.3	.....	.....	.....	.....	74.8	−0.3	72.2	+1.7	60.8	+1.0	49.6	−0.1	39.4	−3.1	.....	.....
Dalton	§42.6	.....	§49.0	.....	52.6	.....	58.3	.....	70.0	.....	78.1	.....	77.4	.....	76.8	.....	73.0	.....	61.2	.....	49.8	.....	39.4	.....	60.7	.....
Gainesville	§43.6	+1.9	§49.8	+6.4	51.2	−0.1	58.4	−0.8	70.4	+2.6	78.2	+3.3	76.5	−1.2	75.4	−1.0	72.0	+0.5	61.6	+0.9	50.0	−0.1	40.0	−2.7	60.6	+0.8
Hartwell (near)	§44.4	+0.4	§50.4	+4.8	52.6	−0.5	60.0	−0.7	71.6	+2.1	80.6	+3.5	78.2	−1.2	76.5	−1.9	73.8	−0.2	62.1	−0.6	50.5	−1.4	40.4	−4.0	61.8	+0.1
Jasper	43.4	.....	§47.9	.....	50.8	.....	57.6	.....	69.1	.....	77.7	.....	76.6	.....	76.0	.....	73.2	.....	61.8	.....	49.6	.....	39.0	.....	60.2	.....
Lafayette	42.4	.....	49.2	.....	52.2	.....	59.1	.....	71.3	.....	79.4	.....	78.2	.....	78.3	.....	73.8	.....	60.4	.....	49.8	.....	39.4	.....	61.2	.....
Rome	43.5	+0.9	50.2	+5.2	53.4	+0.5	61.0	−0.1	72.0	+2.3	79.8	+2.9	79.4	−0.2	78.2	−0.6	74.0	+0.2	61.4	−1.1	50.7	−0.2	40.3	−3.3	62.0	+0.6
Tallapoosa	41.8	−1.0	49.8	+5.6	52.0	−0.6	58.1	−1.5	68.5	+0.2	76.8	+1.2	76.1	−1.9	75.6	−1.8	72.2	−0.7	59.0	−2.5	49.0	−1.8	40.2	−3.4	60.0	−0.6
Toccoa	§46.3	+3.6	50.6	+6.2	52.6	+0.4	60.2	0.0	71.2	+2.6	79.6	+3.8	77.6	−0.7	76.0	−1.0	72.8	+0.7	61.8	+0.7	50.8	−0.3	41.0	−2.7	61.7	+1.1
Washington	45.8	+0.3	53.2	+6.3	54.8	−0.5	62.6	+0.1	73.6	+2.2	81.2	+3.0	80.2	−0.2	78.2	−1.4	76.8	+1.8	§64.6	+0.7	53.0	−1.8	43.1	−2.9	63.9	+0.6
Middle Division																										
Augusta	47.8	+0.8	54.0	+4.1	56.4	+0.4	63.2	−1.0	74.8	+2.4	82.8	+4.1	80.3	−1.0	79.4	−1.0	77.3	+2.0	65.6	+0.3	54.2	−0.3	44.2	−3.9	65.0	+0.6
Brooklet	48.3	−1.8	55.4	+3.4	59.2	−0.3	64.0	−1.9	74.2	+0.1	81.4	+1.3	78.6	−3.4	.....	.....	77.6	+0.3	65.8	−1.6	56.3	−1.0	46.4	−4.4	.....	.....
Carrollton	.....	.....	.....	.....	§53.0	−0.5	^{g}59.9	−1.4	71.0	+1.8	79.2	+2.3	78.8	−0.2	76.9	−1.0	73.4	+0.7	62.7	−0.2	50.4	−1.4	40.6	−3.9	.....	.....
Columbus	§49.2	+1.0	§56.7	+6.5	59.6	+1.4	64.6	−0.7	75.8	+2.4	83.2	+3.0	82.0	+0.3	82.0	+0.8	78.6	+1.2	66.4	−0.4	56.2	+0.2	47.8	−1.5	66.8	+1.2
Covington	44.8	+0.5	§51.6	+6.8	53.8	−0.8	§60.2	−0.7	73.6	+3.1	80.9	+3.4	78.5	−1.4	§77.4	−1.6	74.8	+0.5	63.1	+0.5	^{f}52.6	+0.1	41.3	−3.8	62.7	+0.5
Dublin	48.4	−0.8	56.5	+5.0	59.0	+1.6	64.0	−1.1	73.8	+1.1	81.8	+2.4	79.4	−1.8	79.4	−1.1	77.2	+0.6	64.4	−1.9	54.0	−1.8	45.8	−4.2	65.3	−0.2
Experiment	45.1	+0.6	51.2	+5.8	52.2	−3.6	58.8	−2.6	71.2	+0.5	78.4	+1.5	76.9	−2.3	76.6	−2.2	74.0	−0.1	62.8	−1.0	51.9	−0.9	42.0	−2.7	61.8	−0.5
Fair View	45.5	−1.7	52.8	+3.6	55.3	−0.3	60.8	−2.0	72.0	+1.3	80.3	+2.6	77.4	−2.1	77.0	−1.7	74.5	−0.2	63.4	−1.2	52.6	−1.5	43.4	−4.1	63.0	−0.5
Fort Valley	47.5	−0.5	54.5	+3.6	57.6	+0.7	62.4	−2.1	73.6	+1.4	82.1	+3.0	79.6	−1.1	79.7	−0.5	76.8	+0.1	64.6	−1.2	53.6	−1.6	44.8	−4.9	64.8	−0.2
Greensboro	45.6	+0.7	52.6	+5.9	54.8	+0.3	61.2	−0.6	72.4	+2.0	81.0	+3.2	78.6	−1.2	.....	.....	75.6	+0.9	64.3	+0.8	52.6	−0.3	43.2	−2.5	.....	.....
Griffin	46.8	+1.0	53.4	+5.5	56.2	+0.5	61.9	−1.1	72.8	+1.8	79.9	+2.1	77.7	−2.1	77.2	−1.8	74.6	−0.4	64.6	+0.1	53.7	−0.5	44.0	−3.0	63.6	+0.2
Lagrange	46.0	.....	54.1	.....	56.5	.....	61.4	.....	72.4	.....	79.8	.....	78.7	.....	78.4	.....	75.0	.....	63.2	.....	52.8	.....	44.4	.....	63.6	.....
Louisville	48.0	+0.1	§55.3	+5.6	58.4	+1.1	64.7	+0.8	75.2	+2.5	82.4	+3.2	81.0	+0.1	80.4	+0.2	78.0	+2.2	65.9	+0.7	55.0	+0.1	45.8	−2.6	65.8	+1.3
Macon	47.5	+0.7	53.9	+4.6	57.1	+0.4	62.4	−1.5	73.8	+1.5	81.5	+2.6	79.4	−1.8	79.0	−0.9	76.3	+1.5	64.2	−0.3	53.4	−0.8	45.2	−2.3	64.5	+0.3
Milledgeville	46.9	+0.6	§53.2	+4.6	56.1	+0.2	61.8	−1.9	72.0	−0.4	79.6	+0.6	§78.0	−3.2	77.8	−2.6	.....	.....	64.0	−0.7	53.0	−1.1	44.4	−2.9	.....	.....
Millen	48.1	−0.7	§55.2	+4.7	58.6	+0.5	64.2	−0.9	75.1	+1.8	82.3	+2.5	80.5	−1.2	80.0	−1.1	78.2	+1.5	65.8	−0.3	54.8	−1.1	45.6	−3.7	65.7	+0.2
Monticello	45.6	+0.3	§53.0	+5.5	55.2	+0.1	61.5	−1.4	73.2	+1.6	81.8	+3.3	79.6	−0.7	78.4	−1.2	75.8	+0.4	§64.5	+0.3	52.8	−0.8	43.4	−2.2	63.8	+0.5
Newnan	§46.7	+2.0	§53.7	+7.4	.....	.....	^{g}60.6	−1.1	72.8	+2.3	80.1	+2.4	79.0	−0.7	77.4	−1.5	74.7	+0.2	64.2	+0.5	52.5	−0.7	41.2	−4.4	.....	.....
Stillmore	.....	.....	.....	.....	.....	.....	^{c}64.2	−1.4	§74.6	+1.1	.....	.....	^{g}80.6	−0.6	.....	.....	77.4	+0.5	65.1	−2.1	55.2	−2.0	.....	.....	.....	.....
Talbotton	§46.8	−0.6	54.0	+5.0	56.7	+0.1	61.2	−2.1	71.5	−0.3	80.1	+1.6	77.1	−3.1	77.2	−2.4	74.5	−1.0	63.8	−1.3	53.2	−1.5	44.7	−3.5	63.4	−0.8
Warrenton	45.8	−0.9	§53.2	+5.2	55.6	−0.3	62.4	−0.5	72.7	+1.0	81.1	+2.7	78.9	−1.6	.....	.....	.....	.....	63.6	−0.5	52.4	−1.7	43.4	−3.8	.....	.....
Waynesboro	§48.4	+0.9	§55.4	+7.2	59.1	+1.4	.....	.....	.....	.....	.....	.....	79.6	−1.5	.....	.....	^{f}77.5	+2.2	^{f}65.8	+0.8	.....	.....	44.8	−2.8	.....	.....
West Point	46.4	+0.7	§54.1	+6.6	57.0	+1.6	62.0	−0.9	72.2	+0.8	80.2	+1.6	79.2	−1.3	78.4	−1.3	75.1	−0.1	62.4	−1.8	52.8	−0.7	44.0	−2.4	63.6	+0.2
Southern Division																										
Alapaha	.....	.....	§58.0	+4.6	60.0	−0.1	64.2	−2.4	72.4	−1.7	80.1	+0.2	78.4	−3.1	79.3	−1.7	77.2	−0.3	63.6	−4.3	55.4	−2.7	47.6	−4.5	.....	.....
Albany	51.3	+0.7	§59.8	+7.2	62.2	+1.9	66.0	−0.9	76.4	+1.7	83.6	+2.8	81.1	−1.1	81.8	+0.1	79.6	+1.5	68.0	−0.1	58.2	+0.3	49.6	−2.0	68.2	+1.1
Alma	47.8	.....	57.0	.....	60.5	.....	64.3	.....	73.5	.....	80.6	.....	78.4	.....	79.4	.....	77.4	.....	63.8	.....	54.2	.....	46.4	.....	65.3	.....
Americus	48.4	−0.3	§56.9	+5.9	59.0	+0.7	63.3	−1.9	73.6	+0.2	82.2	+2.3	79.7	−1.7	80.0	−0.9	77.4	+0.3	65.0	−2.0	55.0	−1.3	47.0	−2.7	65.6	−0.1
Bainbridge	51.2	−0.9	62.3	+8.2	63.4	+2.4	67.0	−0.4	75.3	+0.5	82.4	+1.9	.....	.....	.....	.....	79.2	+1.0	§67.0	−1.1	58.4	+2.1	50.4	−2.0	.....	.....
Blakely	§50.4	−1.3	59.4	+5.8	60.9	+0.9	64.7	−1.7	74.0	+0.2	82.4	+2.6	79.9	−1.5	79.8	−1.2	78.0	+0.2	67.0	−1.0	57.2	−0.7	49.8	−2.0	67.0	+0.1
Brunswick	52.8	−1.3	60.6	+4.9	63.4	+2.4	68.2	+0.4	75.9	+1.4	82.9	+2.2	80.7	−1.1	82.2	+0.5	80.7	+2.2	70.3	−0.1	60.6	−0.2	50.8	−4.6	69.1	+0.6
Cairo	51.8	−1.6	61.0	+6.8	63.0	+2.8	66.6	+0.2	75.0	+0.6	82.6	+2.7	79.8	−1.0	80.6	0.0	78.8	+1.4	67.0	−2.3	58.4	−0.2	50.2	−3.3	67.9	+0.5
Camilla	§52.6	.....	§61.0	.....	62.6	.....	66.7	.....	§76.2	.....	83.4	.....	80.9	.....	81.6	.....	80.0	.....	68.0	.....	58.0	.....	50.6	.....	68.4	.....
Camp Stewart	50.8	.....	§58.4	.....	61.0	.....	65.1	.....	74.2	.....	81.8	.....	80.2	.....	81.0	.....	79.6	.....	.....	.....	§55.8	.....	^{b}46.6	.....	.....	.....
Cordele	.....	.....	.....	.....	61.3	+1.5	64.8	−0.4	75.5	+1.6	83.0	+2.8	§80.6	−0.6	80.1	−1.1	78.2	+2.3	66.4	+0.9	56.3	+0.4	47.6	−2.3	.....	.....
Douglas	§49.2	−2.5	§58.5	+5.4	61.0	+0.3	65.4	−0.8	74.6	0.0	81.8	+1.4	79.5	−2.4	80.0	−1.5	78.2	+1.5	.....	.....	§56.2	−1.6	.....	.....	.....	.....
Eastman	§49.5	−0.9	§58.1	+6.2	60.4	+1.0	64.7	−1.4	75.4	+1.4	84.0	+3.7	80.6	−1.3	80.6	−0.5	78.6	+1.3	66.2	−0.9	55.9	−1.2	47.6	−3.0	66.8	+0.4
Fargo	§51.0	−2.9	§61.5	+6.1	63.8	−2.2	67.2	+1.0	77.4	+3.6	83.3	+3.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Fitzgerald	47.0	−4.3	§58.5	+6.2	61.8	+0.9	64.6	−0.9	75.4	+1.0	82.2	+2.1	^{f}79.4	−2.4	80.4	−0.7	78.1	+0.8	.....	.....	55.8	+0.2	48.0	−1.8	.....	.....
Fort Gaines	§49.8	−0.1	58.2	+6.4	60.4	+1.5	63.8	−2.0	73.3	−0.3	81.8	+1.9	80.5	−0.7	79.8	−0.8	77.4	+0.3	65.2	−1.9	55.9	−1.1	49.2	−1.5	66.3	+0.2
Glennville	50.2	−1.9	58.5	+5.1	60.8	+0.8	65.2	−1.4	73.6	−0.4	82.0	+2.1	79.0	−2.5	79.5	−1.5	78.2	+0.7	66.2	−2.0	56.8	−1.5	48.4	−3.8	66.6	−0.5
Hawkinsville	§49.2	+0.3	57.6	+6.9	60.2	+1.8	64.2	−1.0	75.2	+1.8	82.0	+2.3	79.0	−2.4	79.9	−1.2	78.4	+1.0	65.0	−1.8	54.6	−1.8	46.7	−3.1	66.0	+0.2
Hoggard's Mill	§49.8	.....	§69.0	.....	61.4	.....	65.2	.....	74.1	.....	82.1	.....	80.2	.....	80.2	.....	78.2	.....	65.4	.....	55.4	.....	48.8	.....	66.8	.....
Lumber City	.....	.....	.....	.....	60.7	.....	64.2	.....	74.2	.....	81.9	.....	80.4	.....	80.4	.....	78.8	.....	65.2	.....	.....	.....	.....	.....	.....	.....
Montezuma	.....	.....	§55.8	.....	§59.8	.....	64.0	.....	74.5	.....	82.7	.....	80.2	.....	79.3	.....	76.8	.....	.....	.....	54.2	.....	47.0	.....	.....	.....
Moultrie	§52.2	−1.6	61.4	+5.6	63.0	+1.7	67.3	−0.4	75.8	+0.5	83.8	+3.1	81.0	−1.1	81.5	−0.2	79.6	+1.2	68.2	−1.6	58.8	−0.8	50.6	−3.7	68.6	+0.2
Quitman	§52.4	−0.5	60.7	+5.3	63.0	+1.7	67.4	−0.1	75.0	+0.1	81.8	+1.4	79.2	−2.4	80.4	−0.8	79.0	+0.8	66.8	−2.1	58.6	−0.8	49.8	−3.4	67.8	−0.1
Savannah, No. 1	52.2	+0.8	58.9	+4.9	62.0	+3.0	66.4	+0.4	75.8	+2.4	83.4	+4.4	80.2	−1.3	80.8	+0.1	79.8	+3.6	68.2	+0.3	58.1	−0.4	49.0	−3.4	67.9	+1.2
Savannah, No. 2	48.6	−3.0	56.6	+4.4	59.6	+1.6	63.6	−0.7	72.4	+0.7	80.2	+1.7	78.0	−2.6	78.4	−1.8	77.6	+1.3	63.7	−2.9	54.2	−2.2	46.1	−5.0	64.9	−0.7
Savannah Beach	52.9	.....	59.4	.....	62.5	.....	66.6	.....	75.5	.....	83.4	.....	80.2	.....	81.0	.....	80.2	.....	68.7	.....	58.9	.....	47.6	.....	68.1	.....
Thomasville	51.6	+0.6	59.9	+4.9	63.2	+3.0	66.4	−0.3	75.0	+1.0	83.0	+3.5	79.6	−2.2	80.3	−0.7	78.8	+2.0	67.7	−0.5	58.9	+0.4	51.0	−1.5	68.0	+0.9
Tifton	§50.2	−1.5	59.0	+5.5	61.6	+3.2	65.4	−0.6	74.8	+1.4	82.2	+3.0	79.3	−1.5	79.1	−1.4	77.4	−0.3	65.6	−2.4	55.5	−2.2	48.0	−4.6	66.5	−0.1
Waycross	51.6	−1.6	§60.1	+5.3	63.0	+1.6	67.1	−0.2	74.0	−0.5	81.5	+1.4	79.6	−2.3	80.9	−0.7	78.9	+0.9	67.0	−2.0	58.4	−0.7	49.9	−3.2	67.6	−0.2

Reference letters, ^{a}, ^{b}, ^{c}, appearing in the table indicate number of days missing; for example, ^{b} represents two days, etc. § Partly interpolated.

ANNUAL CLIMATOLOGICAL DATA FOR THE STATE

Year	Temperature			Precipitation					Number of days			
	Mean	Highest	Lowest	Northern Division	Middle Division	Southern Division	Average	Average snowfall	Precip. .01 or more	Clear	Pt. cloudy	Cloudy
1892	62.9	102	9	59.15	47.92	47.13	51.39	.....	95	150	103	113
1893	63.4	103	−1	43.81	46.39	50.25	46.83	.....	85	171	107	87
1894	64.0	104	0	44.92	50.18	53.58	49.55	.....	94	157	123	85
1895	62.0	104	−5	55.04	49.52	50.24	51.60	.....	96	154	117	94
1896	64.4	107	3	42.09	44.33	47.94	44.78	1.4	81	176	113	77
1897	64.2	106	−1	51.00	45.14	51.34	49.15	0.4	84	166	106	93
1898	63.8	104	5	58.62	52.10	52.92	54.54	0.4	96	159	110	96
1899	63.6	105	−12	49.87	42.54	41.87	44.75	6.5	89	167	116	82
1900	63.7	106	0	63.21	55.36	54.09	57.56	0.4	115	141	130	94
1901	61.6	106	3	65.58	53.58	53.49	57.55	4.1	113	152	123	90
1902	63.6	108	10	46.70	48.17	55.48	50.14	1.4	100	136	129	100
1903	62.6	104	9	52.28	51.57	57.51	53.79	0.4	110	140	116	109
1904	62.7	104	4	37.54	33.81	39.19	36.84	1.8	89	158	116	92
1905	63.3	102	−8	52.85	46.04	52.53	50.47	1.6	97	161	99	105
1906	63.6	103	11	63.62	50.61	50.08	54.79	2.2	101	168	104	93
1907	64.2	106	16	47.88	47.94	50.20	48.67	0.3	95	169	114	82
1908	64.4	104	9	54.87	50.14	45.73	50.25	0.7	85	174	110	82
1909	64.0	104	5	58.28	47.91	39.63	48.62	0.3	93	175	113	77
1910	63.0	103	8	45.69	42.29	43.62	43.86	0.7	91	187	79	99
1911	65.6	105	9	48.72	45.69	47.87	47.43	0.1	97	165	83	117
1912	62.9	103	0	62.17	62.39	64.84	63.14	5.1	113	153	83	130
1913	64.1	110	12	49.74	45.50	44.74	46.67	T.	95	184	79	102
1914	63.3	109	5	44.70	42.78	49.61	45.70	5.1	93	179	83	103
1915	63.7	106	17	53.54	48.97	46.23	49.58	0.5	86	196	83	86
1916	64.1	103	10	47.09	41.68	42.23	43.67	0.4	93	180	95	91
1917	62.4	103	0	53.79	45.28	43.55	47.54	1.9	99	181	92	92
1918	64.3	106	−3	55.00	45.07	47.88	49.25	1.6	101	161	88	116
1919	65.0	103	2	57.27	54.59	53.95	55.27	0.4	103	167	87	111
1920	62.9	105	4	67.54	56.63	56.32	60.14	T.	107	166	86	114
1921	66.1	104	20	46.22	38.76	38.23	41.08	1.0	94	173	100	92
1922	65.6	104	12	59.71	54.78	51.27	55.26	0.3	113	158	94	113
1923	64.3	105	0	56.08	54.12	47.90	52.72	T.	108	159	88	118
1924	62.8	107	−9	52.18	52.94	57.37	54.15	1.9	99	187	73	106
1925	65.6	111	0	39.46	38.37	45.14	41.01	T.	89	186	75	104
1926	63.6	110	6	50.72	46.92	53.66	50.43	0.8	104	181	78	106
1927	65.9	108	4	44.89	39.96	37.51	40.79	1.0	92	177	100	88
1928	63.2	105	−5	55.77	57.98	64.95	59.56	0.3	114	167	101	98
1929	64.1	103	7	78.43	71.85	60.83	70.37	1.6	122	156	101	108
1930	63.5	109	8	41.02	47.28	48.75	45.68	3.3	99	175	93	97
1931	64.9	109	11	44.55	33.84	33.79	37.39	0.2	87	194	91	80
1932	65.1	108	10	70.76	49.71	54.50	58.32	0.7	115	162	93	111
1933	65.6	108	0	39.60	40.12	45.43	41.72	T.	94	184	95	86
1934	61.0	105	−10	54.61	46.24	44.24	48.36	0.8	106	179	95	91
1935	64.3	105	0	48.66	38.98	46.29	44.64	1.8	99	170	96	99
1936	64.4	106	−8	66.12	57.14	53.33	58.87	4.7	104	170	98	98
1937	63.9	102	−3	54.60	49.10	53.87	52.53	0.6	114	159	104	102
1938	65.0	105	7	47.85	41.14	37.21	42.07	T.	95	177	96	92
1939	64.9	105	8	50.55	47.44	48.90	48.96	T.	109	174	97	94
1940	62.2	106	−17	50.12	47.15	44.47	47.24	5.0	106	171	91	104
1941	64.4	105	11	42.44	40.39	44.50	42.45	0.1	96	163	101	101
1942	63.5	106	−2	57.36	49.93	51.66	52.99	3.2	102	179	91	84
1943	63.8	106	2	48.47	48.51	43.74	46.91	0.2	87	185	96	95
1944	64.0	106	2	51.11	52.20	58.57	53.96	0.4	114	163	102	101
Period	63.9	111	−17	52.52	47.91	49.05	49.82	1.2	99	169	99	98

MONTHLY STATE DATA FOR 1944

Months	Temperature				Precipitation				
	Mean	Departure from normal	Maximum	Minimum	Average	Departure from normal	Greatest	Least	No. days with 0.01 inch or more
January	46.1	−0.6	83	14	3.97	−0.28	5.78	2.24	8
February	51.5	+5.9	87	4	6.62	+1.78	13.55	2.45	15
March	56.7	+0.6	88	17	10.59	+5.57	16.37	5.93	12
April	62.3	−1.0	91	19	6.86	+3.05	16.48	2.87	12
May	72.8	+1.2	99	30	2.15	−1.24	5.61	0.22	6
June	80.7	+2.5	106	46	2.69	−1.75	7.14	0.19	7
July	78.8	−1.2	103	49	4.83	−0.92	16.95	0.82	12
August	78.4	−1.1	99	54	4.95	−0.29	13.61	1.46	13
September	75.8	+0.4	103	44	1.40	+0.80	13.78	1.11	10
October	64.0	−1.0	93	25	2.34	−0.29	11.45	0.03	4
November	53.5	−1.0	82	19	2.48	−0.10	6.29	1.33	8
December	44.3	−3.4	80	2	2.08	−2.19	5.78	0.30	7
Year	64.0	+0.1	106	2	53.96	+4.14	72.45	37.88	114

(WBO, Atlanta, 2-5-45—1075)

KILLING FROSTS

Stations	Last in spring	First in autumn
Northern Division		
Athens, No. 1	Apr. 6*	Nov. 6†
Athens, No. 2	Apr. 6*	Oct. 28†
Atlanta	Apr. 6	Nov. 21
Blairsville	Apr. 14*	Oct. 15†
Carlton Bridge	Apr. 7*	Oct. 28†
Cartersville	Apr. 6*	Oct. 28†
Cedartown	Apr. 6*	Oct. 28†
Clayton	Apr. 14*	Oct. 16†
Cornelia	....	Oct. 28
Dahlonega	Apr. 6	Nov. 6
Dalton	Apr. 6*	Oct. 28
Gainesville	Apr. 6*	Nov. 6†
Hartwell (near)	Apr. 6*	Oct. 28†
Jasper	Apr. 14*	Nov. 6†
Lafayette	Apr. 6*	Oct. 28†
Rome	Apr. 6	Oct. 28
Tallapoosa	Apr. 7*	Oct. 28†
Toccoa	Apr. 6	Nov. 6†
Washington	Apr. 6*	Nov. 21†
Middle Division		
Augusta	Feb. 13	Nov. 24
Brooklet	Apr. 6	Nov. 22†
Carrollton	Apr. 6*	Nov. 21
Columbus	Apr. 6	Nov. 22
Concord	Apr. 6	Nov. 21
Covington	Apr. 6*	Nov. 7†
Dublin	Apr. 6	Oct. 28
Experiment	Apr. 6*	Nov. 21†
Fair View	Apr. 6*	Nov. 21
Fort Valley	Apr. 6	Nov. 22
Greensboro	Apr. 6*	Oct. 28†
Griffin	Apr. 6*	Nov. 21
Lagrange	Apr. 6*	Nov. 7†
Louisville	Apr. 6*	Oct. 28
Macon	Apr. 6	Nov. 22
Milledgeville	Apr. 5*	Oct. 28†
Millen	Apr. 6*	Oct. 28
Middle Division—Con.		
Monticello	Apr. 6	Nov. 7†
Newnan	Apr. 6	Nov. 23†
Stillmore	Apr. 6*	Nov. 6†
Talbotton	Apr. 6	Nov. 22
Warrenton	Apr. 6*	Nov. 22†
Waynesboro	....	....
West Point	Apr. 6*	Oct. 28†
Southern Division		
Alapaha	Apr. 6	Nov. 22
Albany	Apr. 6	Nov. 21
Alma	Mar. 9*	Nov. 22†
Americus	Apr. 6	Nov. 22
Bainbridge	Apr. 6*	Nov. 22
Blakely	Apr. 5	Nov. 22
Brunswick	Apr. 6	Dec. 1
Cairo	Apr. 6	Nov. 22
Camilla	Apr. 6	Nov. 22†
Camp Stewart	Apr. 6	....
Cordele	Apr. 6	Nov. 22
Douglas	Apr. 6	Nov. 22
Eastman	Apr. 6	Nov. 22†
Fargo	Mar. 9*	....
Fitzgerald	Apr. 6*	Nov. 22†
Fort Gaines	Apr. 6	Nov. 22
Glennville	Apr. 6	Nov. 22
Hawkinsville	Apr. 6*	Nov. 21†
Hoggards Mill	Apr. 6	Nov. 22†
Lumber City	Apr. 6	....
Montezuma	Apr. 6	Nov. 22
Moultrie	Apr. 6	Nov. 22
Quitman	Apr. 6	Nov. 22
Savannah, No. 1	Feb. 13	Dec. 1
Savannah, No. 2	Apr. 6	Nov. 22†
Savannah Beach	Feb. 13*	Dec. 3†
Thomasville	Apr. 6	Nov. 22
Tifton	Apr. 6	Nov. 22†
Waycross	Mar. 9*	Nov. 7†

* Latest date with temperature 32° or below.
† Earliest date with temperature 32° or below.

SUPPLEMENTARY PRECIPITATION TOTALS TABLE 1944

Stations	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	An'l
Adairsville	3.46	10.78	10.76	4.85	3.38	1.05	0.82	3.81	2.36	1.39	2.56	4.09	49.31
Adel	4.06	5.49	10.10	7.47	3.06	1.13	7.20	6.12	6.36	3.53	1.79	0.70	57.01
Atlanta No. 2	4.17	8.39	6.70	9.01	1.16	3.00	5.35	2.56	4.06	0.81	2.49	2.84	50.54
Augusta Airport	3.42	5.29	7.50	5.45	1.28	6.95	4.72	4.38	2.25	3.33	1.52	1.24	47.33
Beaverdale	3.45	11.97	9.37	3.97	3.07	2.21	3.00	4.58	4.70	2.12	2.09	4.78	55.31
Bellville ‡	3.88	4.35	11.11	8.74	3.59	2.92	4.91	4.65	6.69	4.47	1.66	0.74	57.71
Benevolence	3.86	2.43	11.83	.....	.....	0.92	.....	.....	.....	0.95	.....	.....	.....
Brunswick Airport	2.52	2.41	7.63	2.48	0.92	5.92	12.39	12.48	13.78	11.45	1.66	0.30	73.94
Burton Dam ‡	4.94	11.75	12.65	4.27	.....	.....	3.28	4.32	4.89	1.13	6.42	.....	.....
Butler	3.39	3.59	14.30	9.98	1.81	1.07	5.48	3.48	4.18	1.06	2.75	2.13	53.22
Butler Creek	3.92	5.54	8.55	3.77	1.07	1.38	1.64	2.88	4.06	2.59	1.69	0.79	37.88
Camp Toccoa	4.02	10.61	13.20	5.53	4.25	.....	.....	.....	.....	.....	.....	.....	.....
Camp Wheeler	3.25	4.87	13.97	6.04	3.08	1.08	3.23	4.74	4.52	1.37	2.37	1.45	49.97
Carnesville ‡	3.57	10.90	8.48	4.52	3.72	0.20	3.10	3.84	3.30	1.74	2.64	2.51	48.42
Chatsworth	3.15	11.06	11.75	3.72	5.16	1.65	3.80	4.06	3.44	1.40	1.92	4.83	55.94
Clermont ‡	3.48	8.56	9.79	5.35	2.62	2.14	2.04	4.39	2.73	1.48	4.01	3.38	49.97
Coolidge ‡	3.75	5.52	10.90	6.00	1.96	1.01	6.58	.....	6.73	2.20	1.85	0.91	.....
Cumming	4.71	9.66	8.17	5.80	1.79	0.55	7.91	1.19	1.81	§1.49	2.25	4.24	49.57
Damascus	5.13	4.27	15.37	10.51	.....	1.82	3.60	8.24	4.53	0.96	2.00	1.43	.....
Dawson	4.26	2.81	11.77	13.01	3.95	1.12	6.84	4.64	4.55	1.31	3.41	1.34	59.01
Doctortown	3.35	4.22	10.50	5.87	0.98	4.77	10.28	9.11	4.73	4.93	1.84	0.75	61.33
Doles ‡	4.86	2.79	11.45	11.42	.....	3.17	3.62	4.74	3.51	2.19	1.37	1.03	.....
Donaldsonville	.....	.....	§8.38	6.80	2.10	1.84	4.83	4.71	10.08	0.03	2.15	2.49	.....
Double Branches	3.94	5.38	9.65	3.94	1.67	2.16	3.02	1.93	0.37	3.27	1.78	1.07	38.18
Douglasville	3.23	7.41	7.31	7.77	2.48	1.43	3.69	4.79	6.08	1.63	2.64	2.89	51.35
Dover	4.05	3.87	10.91	10.68	3.01	2.14	3.37	6.60	3.98	4.81	1.65	0.86	55.93
Edison ‡	4.39	3.19	13.17	8.13	2.52	3.32	4.80	8.28	3.79	0.85	2.35	1.80	56.90
Ellijay	3.83	13.55	12.02	5.74	4.40	1.15	4.05	7.03	3.04	2.12	3.50	5.78	66.21
Embry	2.62	7.61	7.94	5.84	1.65	1.71	2.65	4.03	3.22	0.61	3.11	2.75	43.74
Fairmount	2.82	10.18	10.20	5.27	4.27	2.16	2.02	2.61	1.92	1.24	2.21	3.27	49.31
Folkston ‡	2.40	.....	7.65	6.86	2.72	4.59	6.95	11.76	6.81	6.19	.....	.....	.....
Haralson	3.81	9.08	8.54	7.85	2.10	5.01	6.44	1.78	4.41	0.46	2.37	1.99	53.84
Hazlehurst ‡	4.65	4.50	11.41	9.89	1.12	6.47	5.51	4.98	2.88	7.86	1.68	0.72	61.67
Homerville	.....	.....	§1105	5.21	1.82	4.33	11.06	6.00	4.41	3.80	1.10	0.71	.....
Jackson Dam ‡	4.53	6.86	11.72	4.67	1.97	3.19	7.64	5.41	5.31	1.10	2.49	1.66	56.55
Jesup ‡	3.10	4.22	10.71	6.65	0.84	4.23	9.48	8.70	4.99	5.73	1.71	0.57	60.93
Jonesboro	4.43	7.92	7.25	5.98	2.36	1.47	4.83	2.93	.....	.....	.....	.....	.....
Lawson Field ‡	3.33	3.47	11.54	9.16	1.49	1.31	5.10	3.63	5.37	0.28	2.79	1.82	49.32
Lisbon ‡	3.10	6.62	11.04	5.04	1.98	2.06	4.77	3.86	1.83	1.91	1.63	1.29	45.13
Macon Airport	2.94	3.85	10.66	6.05	2.66	2.83	3.52	2.46	4.78	1.22	2.22	1.62	44.81
Maysville	3.06	8.43	9.60	5.08	1.49	2.13	2.57	5.62	3.79	1.60	2.91	2.15	48.43
Midville	4.29	3.10	9.57	5.06	1.57	1.76	2.24	7.35	5.11	3.70	1.44	1.16	46.35
Mount Vernon	4.95	2.75	12.04	9.65	0.71	4.58	1.50	5.28	1.15	4.80	2.71	0.80	50.92
Pearson ‡	3.56	5.61	11.49	6.45	2.94	4.58	7.02	5.98	5.77	7.89	2.04	0.51	63.84
Savannah Airport	3.33	4.91	11.35	2.90	1.37	6.75	7.53	11.21	8.45	9.99	1.61	0.57	69.97
Sparta	4.03	6.84	8.64	5.09	0.66	2.85	2.39	5.71	1.85	2.30	2.02	2.02	44.40
Summerville	2.17	11.09	11.31	5.35	5.61	0.61	1.56	4.22	3.90	1.82	2.37	5.04	55.05
Sylvania ‡	.....	2.75	8.89	6.00	.....	0.33	5.56	.....	.....	5.07	.....	.....	.....
Taylorsville	2.46	10.97	9.62	5.29	1.78	3.13	4.78	3.51	4.13	1.12	2.53	3.87	53.22
The Rock ‡	3.76	5.96	16.35	5.34	1.47	.....	7.29	.....	1.83	0.65	2.69	2.12	.....
Valdosta ‡	2.81	5.05	7.70	3.87	1.51	2.65	7.61	4.98	2.52	4.68	2.17	0.80	46.35
Watkinsville ‡	4.37	7.82	.....	7.02	1.81	1.97	4.08	3.81	3.66	1.54	2.04	2.28	.....
Winder	3.60	8.07	6.51	5.47	1.13	2.37	2.38	.....	2.37	1.70	2.19	2.19	.....
Woodstock	2.73	9.82	8.82	6.11	2.28	2.64	1.35	3.89	3.18	1.74	2.85	3.02	51.43

‡ Hydrologic Recorder Station. § Interpolated or partly interpolated.


GEORGIA
SCALE OF MILES
10 5 0 10 20 30 40
85
84
83
82
81
35
34
33
32
31
Northern Division
Middle Division
Southern Division
DADE
CATOOSA
WHITFIELD
MURRAY
FANNIN
Blue Ridge
TOWNS
Blairsville
UNION
RABUN
Clayton
WALKER
La Fayette
Dalton
Chatsworth
Ellijay
GILMER
Oakman
LUMPKIN
Dahlonega
WHITE
HABERSHAM
Toccoa
STEPHENS
Cornelia
CHATTOOGA
Summerville
Resaca
GORDON
Fairmont
Jasper
PICKENS
DAWSON
HALL
Gainesville
BANKS
Gillsville
FRANKLIN
HART
Hartwell
Adairsville
Rome
FLOYD
BARTOW
Cartersville (near)
Taylorsville
CHEROKEE
Canton
Woodstock
FORSYTH
Cumming
JACKSON
Jefferson
MADISON
Carlton Bridge
ELBERT
Cedartown
POLK
Marietta
COBB
Lawrenceville
Norcross
GWINNETT
BARROW
Winder
CLARKE
Athens
Pt. Peter
Lisbon
LINCOLN
Savannah
PAULDING
HARALSON
Tallapoosa
FULTON
Atlanta
DE KALB
OCONEE
OGLETHORPE
WILKES
Washington
Double Branches
WALTON
CARROLL
DOUGLAS
CLAYTON
Jonesboro
ROCKDALE
Covington
NEWTON
Madison
MORGAN
GREENE
Greensboro
TALIAFERRO
Mc DUFFIE
Thomson
COLUMBIA
Augusta
RICHMOND
WARREN
Warrenton
HENRY
Newnan
COWETA
FAYETTE
HEARD
Griffin
SPALDING
BUTTS
Jackson
JASPER
Monticello
Eatonton
PUTNAM
HANCOCK
Sparta
GLASCOCK
JEFFERSON
Waynesboro
BURKE
TROUP
Lagrange
West Point
MERIWETHER
Woodbury
PIKE
Concord
LAMAR
MONROE
Fair View
Round Oak
JONES
Milledgeville
BALDWIN
Sandersville
WASHINGTON
Louisville
UPSON
Macon
BIBB
Irwinton
WILKINSON
Wrightsville
JOHNSON
JENKINS
Millen
Midville
SCREVEN
Dover
HARRIS
Goat Rock
TALBOT
Talbotton
CRAWFORD
TAYLOR
Butler
Ft. Valley
PEACH
TWIGGS
Danville
Dublin
Meeks
EMANUEL
MUSCOGEE
Columbus
Chattahoochee
HOUSTON
Marshallville
MACON
LAURENS
Stillmore
Statesboro
Brooklet
BULLOCH
CANDLER
Clyo
EFFINGHAM
CHATTAHOOCHEE
MARION
Hawkinsville
BLECKLEY
TREUTLEN
Montezuma
SCHLEY
PULASKI
Eastman
DODGE
Mt. Vernon
MONTGOMERY
Lyons
TOOMBS
Claxton
EVANS
Meldrim
Savannah No 1
STEWART
WEBSTER
Americus
SUMTER
DOOLY
WHEELER
Abbeville
Mc Rae
Lumber City
TELFAIR
TATTNALL
Glennville
Savannah No 2
CHATHAM
LIBERTY
Savannah Beach
Cordele
CRISP
WILCOX
Hazelhurst
Hinesville
QUITMAN
RANDOLPH
TERRELL
LEE
TURNER
BEN HILL
Fitzgerald
JEFF DAVIS
APPLING
Surrency
LONG
OCEAN
CLAY
River
Ft. Gaines
CALHOUN
Albany
DOUGHERTY
WORTH
TIFT
Tifton
IRWIN
COFFEE
Douglas
BACON
Alma
Doctortown
WAYNE
Screven
Everett City
Mc INTOSH
Valona
Blakely
EARLY
BAKER
Camilla
MITCHELL
COLQUITT
Moultrie
Alapaha
BERRIEN
ATKINSON
Pearson
PIERCE
Waycross
Nahunta
GLYNN
Brunswick
ATLANTIC
MILLER
COOK
LANIER
WARE
BRANTLEY
SEMINOLE
DECATUR
Bainbridge
GRADY
Cairo
THOMAS
Thomasville
BROOKS
Quitman
LOWNDES
Valdosta
CLINCH
ECHOLS
Fargo
CHARLTON
Folkston
St. George
Woodbine
CAMDEN

U. S. DEPARTMENT OF COMMERCE, WEATHER BUREAU

CLIMATOLOGICAL DATA

7 GEORGIA SECTION

A. J. KNARR

Vol. XLIX Atlanta, Ga., Annual 1945 No. 13

GENERAL SUMMARY

The annual mean temperature for Georgia in 1945 was slightly higher than the average of the past 55 years, with variations of individual station means from 58.4° at Clayton in the extreme northeast to 70.2° at Brunswick on the coast. January and each month of the period, June through August, had averages that were very close to corresponding monthly normals. February, March, and April averaged considerably above normal, and moderate excesses occurred in September and November. December, the coldest month of the year, had an average deficiency of almost 6°, while substantial though not exceptionally large deficiencies occurred in May and October. The trend of abnormal warmth that began late in January and persisted almost until the close of April produced some unusual departures from seasonal or monthly normals. The highest temperatures reached in February very closely approached record high maxima for that month, and the monthly mean for March was 8.0° above normal and within 0.1° of the record high mean for that month. Most of May was unseasonably cool and would have averaged remarkably low had it not been for the excessive heat that developed late in the month. The predominance of below normal temperatures in December made it decidedly the coldest month of the year and one of the coldest Decembers on record. Lowest temperatures of the year occurred shortly after the middle of December, when minimum readings ranged from about 10° in some northern districts to just a little higher than 20° in far southern and coastal areas. Conditions were almost as cold on February 1st. The most noteworthy cold periods of the year, when minimum temperatures fell below the freezing mark in practically every section of the State, were January 2–3d, 10–12th, 17th, 30–31st, February 1–3d, 9th, November 5th, 16th, 23–25th, December 1–2d, 7–8th, 11–12th, 16–18th, and 20–22d. The latest killing frost in spring was on February 9th throughout the State, except about a week earlier in southernmost sections and as late as April 7th over much of the north. The earliest killing frost in fall was very generally on November 5th. Hottest conditions occurred during the period, June 27th to July 2d, when maximum temperatures of 100° to 105° occurred extensively, and very nearly the same degree of heat occurred in the closing days of May.

Precipitation averaged 54.24 inches, which was an excess of 4.34 inches or 109% of normal. Totals for individual stations ranged from more than 70 inches in the far northeast and in the lower coastal section to less than 40 inches in a small area between Augusta and Savannah. April, July, September, and December averaged considerably above normal, while substantial to large deficiencies occurred in January, March, and June. With respect to comparisons in specific months, September was the wettest since 1930, December was the wettest since 1927 and among the three wettest on record, while March was the driest since 1925. The greatest monthly precipitation was 18.03 inches at Brunswick in September, and the least was 0.06 inch at the Brunswick Airport in March. Monthly totals fell under 1.00 inch in some eastern counties during March, June, and November, and more than 10 inches occurred locally in the southwest during April, over most of the south during July, in the extreme southeast during August, and along the coast during September. Daily rainfall in January and February, though not often of a heavy character, occurred very frequently, thus materially retarding or preventing farm operations. This condition continued over the northern section during March, when much drier weather prevailed in middle and southern counties. Dry weather became more generally pronounced during the first half of April, but the trend of frequently occurring rainfall again became prominent during the month following April 16th. Heavy to excessive rains during the 3 days, April 23d to 25th, produced rapidly rising rivers in the Altamaha System, and though flood stages were moderately exceeded, no appreciable damages resulted. Comparatively dry weather prevailed from May 17th to the close of June except for rainy weather that occurred between June 15th and 20th. Rather rainy conditions prevailed during all of July and throughout most of August, which caused severe deterioration of the cotton crop. Rainfall occurred quite frequently during December, with excessive falls on December 24–25th, which produced rapidly rising rivers throughout the State, though flood stages that occurred were not sufficiently high to cause much damage. Light to moderate snow flurries occurred over northern and western counties on December 14th and 18th, leaving a cover on the ground up to 2.0 inches except locally as deep as 5.0 inches in the far northeast.

A storm of tornadic character struck two small communities a short distance south of Atlanta on the morning of February 22d in which one person was indirectly killed and property damaged for a loss of about $10,000. On the night of April 24th, a severe tornado struck the environs of Experiment, causing property damage of about $150,000; 7 people were killed and 18 others injured. On the same night, tornadoes struck two rural communities, one near Covington and the other at the extreme eastern edge of Laurens County; no one was killed or injured, but property damage aggregated between $40,000 and $50,000. Hailstorms and windstorms about the same time affected an extensive area south of Atlanta between Troup and Baldwin counties; damages to property and crops, mostly peach trees, amounted in the aggregate to $100,000 or more. A severe windstorm on April 28th at Fort Valley caused property damages of $25,000 and crop losses of about $5,000. Earlier in April on the 16th, heavy hail near Rome caused property damages of $10,000 and crop damages of $5,000. Moderate to heavy hail fell during June on the 2d at Gainesville, on the 7th and 10th at Hiram, on the 15th at Fort Valley, and on the 17th in several communities between Newnan and Dawson; no property damage occurred but crop losses amounted to at least $10,000. In connection with a severe electrical storm in the Atlanta Area on June 29th, one person was killed when struck by lighting and two others were painfully injured. The near approach of a tropical hurricane on September 17th produced very heavy washing rains and high winds in the coastal area, especially around Savannah; no appreciable damages resulted other than the excessive flooding of fields and consequent losses to crops which were considerable.

R. L. C.

Climatological Data for the Year 1945

Stations	Counties	Elevation, feet	Temperature (degrees Fahrenheit)						Precipitation (inches)							Number rainy days	Sky			Prevailing direction of wind
			Length of record, years	Annual mean	Highest	Date	Lowest	Date	Length of record, years	Total for the year	Greatest monthly	Month	Least monthly	Month	Total snowfall		Number clear days	Number partly cloudy days	Number cloudy days	
Northern Division																				
Adairsville	Gordon	670			98	June 29			34	51.29	6.96	Dec.	2.56	May	0.2	133				s.
Athens Airport	Clarke	803	2	62.0	101	June 29	16	Feb. 1†	2	53.67	8.45	Dec.	0.95	June	T.	130	84	105	176	w.
Athens, No. 1	....do	775	64	62.4	101	June 29	15	Dec. 20	71	55.32	9.87	Apr.	1.46	June	0.8	131	95	183	87	w.
Atlanta Airport 7 mi. S.	Fulton	975	15	62.4	98	June 29	15	Dec. 20	15	54.25	8.10	Apr.	1.33	Aug.	0.5	128	105	117	143	nw.
Atlanta [City]	....do	1,054	79	62.0	96	June 28	14	Feb. 1	79	50.09	6.85	Dec.	2.09	Mar.	0.5	121				
Blairsville 2 miles SE.	Union	1,938	14		95	July 1†			14	58.51	7.70	Dec.	2.82	Jan.		110				
Canton	Cherokee	894							56		7.28	Dec	3.32	Jan,						
Carlton Bridge	Elbert	500	52		104	June 29	10	Feb. 1†	47	50.03	8.17	Dec.	1.40	June	T.	115	236	33	96	
Cartersville	Bartow	772	7	62.1	99	June 29	13	Dec. 17	9	50.12	6.11	Dec.	1.58	Aug.	2.1	122	182	97	86	se.
Cedartown	Polk	797	9		99	June 29†	13	Dec. 17	12		7.19	Dec.	2.23	Sep.	T.					
Clayton	Rabun	2,000	50	58.4	95	June 29†	10	Dec. 20	51	70.59	9.74	Dec.	2.86	Jan.	5.5	137	227	64	74	
Dahlonega	Lumpkin	1,519	54	59.7	96	June 29	11	Dec. 21	55	63.82	8.35	Dec.	2.67	Aug.	0.3	145	170	96	99	w.
Dalton	Whitfield	710	10	61.2	98	June 29	13	Dec. 17	10	56.55	8.82	Feb.	2.59	July	1.5	98	92	83	190	n.
Gainesville	Hall	1,254	66		97	June 30	11	Dec. 20	68	60.01	9.28	Dec.	3.25	†June	1.0	125	156	121	88	w.
Hartwell 5 miles NE.	Hart	750	45	61.9	102	June 29	14	Feb. 1	45	54.10	8.19	Dec.	1.50	June	2.0	108	104	210	51	w.
Jasper	Pickens	1,480	6	60.2	101	June 29	11	Feb. 1†	9	55.85	7.91	Feb.	1.60	June	2.0	110	131	94	140	e.
La Fayette	Walker	950	11		98	June 29	10	Dec. 17	15	60.09	7.85	Dec.	2.96	Aug.	1.0	131				nw.
Norcross 4 Miles N	Gwinnett	1,025							31	54.10	7.81	Dec.	1.58	Aug.	1.0	125				
Rome	Floyd	617	64	62.2	98	Sep. 9	14	Dec. 17	89	55.32	7.90	Dec.	2.54	May	1.0	128				
Tallapoosa 2 miles NW	Haralson	1,000	49		97	June 28	9	Dec. 17	49	54.93	7.64	Dec.	2.20	Oct.		93	213	70	82	
Toccoa	Stephens	1,050	59	61.8	100	June 30	14	Dec. 20	60	65.90	10.31	Dec.	2.68	May	1.0	132	143	138	84	w.
Washington	Wilkes	630	55	63.8	105	June 29	15	Dec. 20	57	48.20	9.20	Dec.	0.91	June	0.0	101	187	68	110	w.
Division means and extremes				61.3	105	June 29	8	Feb. 1		55.92	10.31	Dec.	0.91	June	1.5	119	149	107	109	w.
Middle Division																				
Augusta	Richmond	134	89	65.8	101	June 1	21	Feb. 1†	80	39.23	7.40	Dec.	0.59	Nov.	0.0	121	119	111	135	nw.
Brooklet	Bulloch	150	54	67.4	104	June 1	22	Dec. 20	51	35.39	5.71	Dec.	0.92	Mar.	0.0	99	168	144	53	
Carrollton	Carroll	1,095	22	62.2	98	June 29	10	Dec. 20	19	49.84	7.53	Dec.	0.40	Aug.	T.	94	156	106	103	s.
Columbus	Muscogee	262	57	67.2	102	June 29	18	Dec. 20	57	59.41	8.62	Feb.	1.71	June	0.0	131	187	80	98	se.
Covington	Newton	747	33	63.1	100	June 29†	14	Dec. 17	60	50.08	8.52	Feb.	1.89	Mar.	T.	102				
Dublin	Laurens	234	37	66.0	101	June 1	19	Dec. 20	54	49.78	8.21	Dec.	1.73	May	0.0	118	89	182	94	w.
Experiment	Spalding	946	25	62.4	96	June 29	15	Dec. 20	24	59.02	9.80	Feb.	2.14	Mar.		147				
Fair View	Lamar		36	63.6	100	June 29	16	Dec. 20	32	57.18	8.57	July	1.72	June	T.	128				
Fort Valley	Peach	526	25	64.8	100	June 1	17	Dec. 20	25	52.82	7.31	Dec.	2.25	Mar.	T.	119	118	161	86	nw.
Greensboro	Greene	620	44	64.1	104	June 29†	16	Feb. 1	43	54.83	9.61	Sep.	0.66	June	0.5	108	200	62	103	w.
Griffin	Spalding	975	55	63.8	95	June 29	15	Dec. 20	55	62.71	9.32	Feb.	1.90	Mar.	T.	110	150	132	83	w.
Lagrange	Troup	740	9		98	June 29†			85				3.05	Nov.						e.
Louisville	Jefferson	337	49	65.6	102	June 28†	19	Feb. 1†	50	40.37	6.26	July	0.98	Nov.	0.0	95	135	134	96	ne.
Macon	Bibb	330	64	65.1	101	June 29	19	Dec. 20	97	50.80	8.72	Dec.	1.84	May	T.	130	102	116	147	s.
Milledgeville	Baldwin	320	62		104	June 28			56		8.40	Dec.	0.99	June						
Millen	Jenkins	180	57	66.4	104	June 1†	18	Dec. 17	58	46.60	8.89	July	1.20	Oct.	0.0	112	229	34	102	nw.
Monticello	Jasper	680	56	63.8	99	June 13†	15	Dec. 17	53	52.20	7.64	Dec.	1.86	June	T.	129	143	66	156	w.
Newnan	Coweta	975	56	62.1	95	June 29†	14	Dec. 20	56	61.10	9.22	Apr.	2.92	Aug.	T.	125	152	56	157	
Stillmore	Emanuel	257	20		100	June 1†			20											
Talbotton	Talbot	750	52	64.2	99	June 27†	15	Dec. 20	52	54.58	8.57	Dec.	1.40	Aug.	1.0	93	183	93	89	sw.
Warrenton	Warren	500	45		100	June 29	18	Feb. 1†	52	40.85	7.83	Dec.	1.65	Oct.	0.0	116	157	155	53	ne.
Waynesboro	Burke	261	26						25											
West Point	Troup	573	55	64.1	99	June 27†	13	Dec. 17	56	61.66	8.92	Feb.	2.82	Nov.	0.0	117	100	126	139	sw.
Woodbury	Meriwether	800							45	56.19	7.96	Feb.	2.29	Mar.	0.0	114				
Division means and extremes				64.6	104	June 1†	10	Dec. 20		51.61	9.80	Feb.	0.40	Aug.	T.	113	147	107	111	sw.
Southern Division																				
Alapaha	Berrien	293	56	66.4	98	June 1	19	Dec. 17	56	53.30	11.00	July	1.31	Oct.	0.0	130	122	154	89	sw.
Albany	Dougherty	230	58	68.1	99	May 31†	21	Dec. 20	59	57.95	12.47	July	1.63	Nov.	T.	108	196	16	153	sw.
Alma	Bacon	198	7	66.3	99	June 1	22	Dec. 17	7	53.91	9.22	Aug.	0.82	Nov.	0.0	136	83	118	164	sw.
Americus 1 mile NE.	Sumter	362	61	66.1	99	June 1†	17	Dec. 20	61	45.43	8.24	Dec.	1.79	Aug.	T.	124	108	182	75	sw.
Bainbridge	Decatur	119	53		101	May 31	22	Dec. 17†	53	68.95	10.25	Apr.	1.41	Oct.	0.0	104				
Blakely	Early	300	67	67.3	99	May 31†	18	Dec. 20	68	69.01	11.84	Aug.	1.17	Mar.	0.0	128	139	142	84	sw.
Brunswick	Glynn	14	45	70.2	100	June 1	26	Dec. 17	47	74.67	18.03	Sep.	0.31	Mar.	0.0	123	196	97	72	se.
Cairo	Grady	265	14	68.3	99	May 31†	21	Dec. 20	19	56.25	12.01	Apr.	0.83	Nov.	T.	109	170	116	79	se.
Camilla	Mitchell	177	8	68.6	102	June 1	20	Dec. 17	8	58.40	9.34	Dec.	1.19	Nov.	0.0	96	162	141	62	
Camp Stewart	Liberty	90	4		104	June 1†	19	Dec. 17	4	54.55	14.66	July	0.73	May	0.0	121				
Cordele	Crisp	336	16		100	June 1			18				1.96	Nov.						
Douglas	Coffee	275	12		99	May 31†			12				1.53	Nov.						
Eastman	Dodge	361	53		102	June 1	19	Dec. 20	53	42.62	8.29	Dec.	1.36	†May	0.0	97				sw.
Fitzgerald	Ben Hill	515	28		100	June 1	20	Dec. 20	29		11.76	July	1.46	Nov.	0.0					
Fort Gaines	Clay	340	57	66.6	97	June 1	17	Dec. 20	58	59.09	9.59	Dec.	0.94	Mar.	0.0	120	174	124	67	s.
Glennville	Tattnall	175	41	67.6	101	June 1	21	Dec. 17	41	47.91	7.93	Aug.	0.80	Mar.	0.0	111	173	132	60	w.
Hawkinsville	Pulaski	235	54	66.4	99	May 31†	17	Dec. 17	54	47.08	8.27	Dec.	1.78	May	0.0	94	190	107	68	s.
Hoggard's Mill	Baker	132	6		99	May 31†	19	Dec. 17	6		9.81	Apr.								
Lumber City	Telfair	150	4						36											
Montezuma	Macon	292	6		99	June 1†	17	Dec. 20	41	49.03	8.20	Dec.	2.18	May	0.0	93	172	20	173	
Moultrie	Colquitt	325	19	69.1	100	June 1	22	Dec. 17	19	65.01	13.84	July	1.48	Mar.	T.	113				
Quitman	Brooks	173	60	68.4	99	May 31†	22	Dec. 17	54	58.50	14.03	July	0.45	Nov.	0.0	105	195	124	46	sw.
Savannah, No. 1	Chatham	42	96	68.2	102	June 1	22	Dec. 17	96	55.92	15.72	Sep.	0.57	Nov.	0.0	113	133	133	99	sw.
Savannah, No. 2	....do	22	18	66.1	102	May 31†	16	Dec. 17	18	56.94	15.74	Sep.	0.80	Mar.	0.0	156	110	158	97	sw.
Savannah Beach	....do	15	7						7											
Thomasville	Thomas	276	63	68.4	98	May 31	22	Dec. 20	68	54.87	10.91	Apr.	0.35	Nov.	0.0	117	84	134	147	e.
Tifton	Tift	370	24	67.1	100	May 31†	20	Dec. 20†	25	52.93	14.66	July	0.96	Nov.	0.0	103	216	52	97	s.
Waycross	Ware	131	54	68.8	101	May 31†	20	Dec. 17	54	57.34	11.27	July	0.52	Nov.	0.0	118	239	66	60	nw.
Division means and extremes				67.6	104	June 1†	16	Dec. 17		55.14	18.03	Sep.	0.06	Mar.	T.	115	160	110	95	sw.
State means and extremes				64.5	105	June 29	8	Feb. 1		54.24	18.03	Sep.	0.06	Mar-	0.5	112	154	107	104	sw.

† Also on other dates. *ITALICS* Data Interpolated.

Monthly and Annual Precipitation for the Year 1945, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure
Northern Division																										
Adairsville	3.07	−1.51	6.82	+1.52	4.77	−0.54	5.76	+1.99	2.56	−1.54	3.51	−0.41	3.57	−1.66	4.16	+0.05	3.59	+0.38	3.08	+0.28	3.44	+0.37	6.96	+1.47	51.29	+0.40
Athens Airport	2.38	......	7.52	......	2.77	......	8.30	......	2.13	......	0.95	......	5.69	......	4.36	......	6.49	......	1.86	......	2.77	......	8.45	......	53.67	......
Athens, No. 1	3.12	−1.14	6.79	+1.71	3.16	−1.84	9.87	+6.14	2.44	−1.15	1.46	−2.45	6.69	+1.56	3.19	−1.48	4.49	+1.03	2.33	−0.90	2.70	+0.09	9.08	+4.00	55.32	+5.57
Atlanta Airport	2.98	−2.05	6.17	+1.11	2.87	−2.54	8.10	+4.38	3.92	+0.50	3.15	−0.79	7.97	+3.13	1.33	−3.37	3.05	+0.01	4.73	+2.04	3.24	+0.13	6.74	+1.95	54.25	+4.50
Atlanta [City]	2.97	−1.98	5.94	+1.15	2.09	−3.21	6.60	+2.99	2.32	−1.15	3.28	−0.46	3.54	−1.11	4.52	+0.07	4.25	+1.26	5.02	+2.43	2.71	−0.32	6.85	+2.15	50.09	+1.82
Blairsville	2.82	−2.34	7.27	+1.58	4.33	−0.83	5.91	+1.81	3.55	−0.41	2.98	−0.60	6.33	+0.92	4.89	−0.03	5.27	+2.13	3.43	+0.33	§4.03	+1.24	7.70	+2.12	58.51	+5.92
Canton	3.32	−1.47	6.60	+1.11	4.38	−1.11	5.90	+1.71	3.46	−0.42	3.60	−0.33	5.46	−0.03	......	......	4.66	+1.60	3.56	+0.01	3.57	+0.36	§7.28	+1.14	......	......
Carlton Bridge	3.21	−0.67	6.45	+1.38	4.54	−0.23	7.77	+4.40	2.45	−1.03	1.40	−2.70	3.04	−1.73	3.57	−0.91	5.79	+2.17	1.52	−1.46	2.12	−0.55	8.17	+3.36	50.03	+2.03
Cartersville	2.87	......	5.74	......	4.28	......	6.00	......	2.53	......	4.90	......	5.67	......	1.58	......	4.53	......	2.75	......	3.16	......	6.11	......	50.12	......
Cedartown	§3.42	−0.56	6.67	+1.70	5.16	−1.22	6.52	+1.68	4.42	+1.48	3.81	−0.36	3.96	−0.87	3.49	−0.67	2.23	−0.62	......	......	§2.95	+0.41	§7.19	+3.10	......	......
Clayton	2.86	−3.22	8.01	+1.67	4.45	−2.67	8.49	+2.94	3.46	−1.66	3.87	−1.71	6.25	−0.80	3.96	−2.53	8.56	+3.13	6.39	+1.47	4.55	+0.37	§9.74	+1.89	70.59	−1.12
Dahlonega	4.48	−1.03	8.21	+2.38	4.46	−1.55	7.10	+2.56	3.57	−1.32	2.80	−1.92	6.72	+1.09	2.67	−2.38	6.68	+2.31	4.78	+0.89	3.97	+0.35	8.35	+1.16	63.82	+2.54
Dalton	3.59	......	8.82	......	3.30	......	6.17	......	4.94	......	3.71	......	2.59	......	5.32	......	3.66	......	3.18	......	4.04	......	7.23	......	56.55	......
Gainesville	4.16	−0.58	7.25	+1.87	3.88	−1.75	5.50	+1.51	4.64	+0.64	3.25	−0.88	6.73	+1.38	3.25	−1.36	4.57	+0.88	4.13	+0.88	3.87	+0.31	9.28	+3.82	60.01	+6.72
Hartwell (near)	3.93	−0.04	6.48	+1.44	4.28	−0.40	6.53	+2.95	2.97	−0.68	1.50	−2.51	6.51	+2.05	1.95	−2.87	5.78	+2.37	2.97	−0.20	3.01	+0.31	8.19	+3.14	54.10	+5.56
Jasper	4.10	......	7.91	......	4.72	......	6.32	......	3.67	......	1.60	......	4.52	......	3.70	......	5.09	......	4.25	......	3.36	......	6.61	......	55.85	......
Lafayette	4.47	−0.14	7.70	+2.13	3.72	−1.40	6.68	+1.06	3.53	+0.41	4.16	−0.63	7.73	+2.16	2.96	−1.76	3.05	+0.01	4.14	+1.68	4.10	+1.49	7.85	+3.06	60.09	+8.07
Norcross	4.09	−0.55	6.85	+1.62	3.07	−2.06	5.86	+1.81	3.96	+0.23	3.30	−0.71	4.30	−1.58	1.58	−2.83	5.72	+2.90	4.20	+1.20	3.36	+0.36	7.81	+2.19	54.10	+2.58
Rome	3.90	−0.92	6.69	+1.11	4.90	−0.93	6.11	+1.68	2.54	−1.60	4.14	−0.31	3.54	−1.49	3.55	−1.02	5.07	+2.04	3.59	+0.34	3.39	−0.06	7.90	+2.06	55.32	+0.90
Tallapoosa	3.88	−0.62	5.23	+0.14	§4.17	−1.18	7.44	+3.09	4.24	+0.42	3.13	−1.08	5.42	+0.02	4.05	−0.45	3.34	−0.26	2.20	−0.83	§4.19	+0.97	7.64	+2.10	54.98	+2.32
Toccoa	3.40	−1.60	7.89	+2.33	3.79	−2.13	6.30	+1.86	2.68	−1.31	3.97	−0.55	8.61	+3.21	4.90	−0.80	6.51	+2.39	4.28	+0.13	3.26	+0.02	10.31	+3.87	65.90	+7.42
Washington	2.89	−1.24	6.65	+1.53	2.30	−2.42	6.07	+2.48	2.84	−0.55	0.91	−3.33	4.67	−0.66	5.54	+0.88	3.61	−0.48	§1.59	−1.54	§1.93	−0.82	9.20	+4.81	48.20	−1.34
Middle Division																										
Augusta	1.46	−2.47	3.54	−0.57	1.07	−3.04	4.50	+1.36	1.97	−1.07	3.59	−1.09	5.97	+0.58	2.88	−2.15	4.78	+1.42	1.43	−0.98	0.59	−1.81	7.40	+4.15	39.23	−5.67
Brooklet	1.65	−1.33	4.35	+0.73	0.92	−2.86	2.55	−0.54	1.69	−2.05	1.00	−5.18	4.95	−1.11	5.26	−0.88	4.98	+0.31	1.39	−1.01	0.94	−1.51	5.71	+2.51	35.39	−12.92
Carrollton	2.62	−2.01	6.37	+1.62	4.08	−2.05	6.11	+1.73	3.48	−0.59	3.08	−0.49	5.82	+1.24	0.40	−4.07	3.78	+0.63	3.31	+0.55	3.26	+0.38	§7.53	+2.80	49.84	+0.92
Columbus	2.92	−1.28	8.62	+3.39	3.04	−2.26	6.76	+2.91	4.49	+1.18	1.71	−2.04	7.30	+1.57	5.89	+1.39	3.62	+0.96	4.34	+1.46	3.93	+1.10	6.79	+1.82	59.41	+10.20
Covington	2.90	−1.46	8.52	+3.15	1.89	−3.28	7.70	+3.91	2.68	−1.15	2.52	−1.61	4.58	−0.66	2.31	−2.16	2.65	−0.49	3.72	+0.56	3.49	+0.67	§7.12	+2.02	50.08	−0.50
Dublin	2.08	−2.00	5.62	+1.22	2.98	−1.65	4.14	+0.90	1.73	−1.83	2.68	−2.20	8.08	+2.41	5.24	+0.21	4.30	+0.32	2.46	−0.05	2.26	−0.46	8.21	+4.28	49.78	+1.15
Experiment	3.40	−0.23	9.80	+4.66	2.14	−2.76	7.17	+3.87	4.19	+1.21	6.32	+2.92	6.25	+2.26	3.92	−0.16	3.27	+0.55	3.04	+0.58	3.27	+0.58	6.25	+1.82	59.02	+15.30
Fair View	3.17	−0.98	6.97	+2.14	2.42	−3.14	6.98	+3.18	2.06	−1.15	1.72	−1.53	8.57	+3.72	5.59	+1.80	6.36	+3.34	3.59	+1.01	2.87	+0.19	6.88	+2.37	57.18	+10.95
Fort Valley	3.05	−1.19	6.99	+2.02	2.25	−2.99	6.49	+2.28	2.46	−1.12	4.26	−0.24	6.15	+0.60	3.33	−1.35	3.51	+0.32	4.24	+0.89	2.78	−0.22	7.31	+2.76	52.82	+1.76
Greensboro	3.40	−0.65	5.86	+0.79	4.00	−0.64	8.05	+4.52	2.53	−0.92	0.66	−3.56	6.28	+1.08	2.08	−3.04	9.61	+6.05	1.62	−1.48	2.15	−0.58	8.59	+4.16	54.83	+5.73
Griffin	3.28	−0.89	9.32	+3.97	1.90	−3.55	8.60	+4.76	4.83	+1.69	6.91	+3.09	6.33	+1.20	3.44	−1.14	3.93	+0.80	3.30	+0.51	3.24	+0.44	7.63	+2.71	62.71	+13.59
Lagrange	3.46	−0.95	8.67	+3.86	3.23	−2.59	11.50	+7.28	3.24	−0.10	3.76	−0.29	6.59	+1.30	3.76	−0.77	5.63	+2.60	5.30	+2.46	3.05	+0.02	......	......	......	......
Louisville	2.06	−1.52	§4.36	+0.09	1.75	−2.48	4.07	+0.86	2.35	−1.07	2.24	−2.33	6.26	+0.74	2.89	−1.79	5.55	+2.01	1.78	−1.10	0.98	−1.51	§6.08	+2.58	40.87	−5.52
Macon	2.22	−1.95	4.77	+0.34	1.96	−3.01	7.32	+4.17	1.84	−1.12	3.52	−0.52	8.11	+3.37	3.57	−0.77	2.80	−0.39	3.18	+0.84	2.79	+0.27	8.72	+4.73	50.80	+5.96
Milledgeville	2.25	−1.78	4.44	−0.21	1.46	−3.27	§5.83	+2.42	2.10	−1.11	0.99	−3.10	7.58	+1.64	§2.86	−1.75	2.02	−1.62	2.31	−0.57	......	......	8.40	+4.35	......	......
Millen	2.71	−0.60	4.05	+0.21	1.75	−2.14	4.09	+0.97	2.43	−0.64	1.66	−3.11	8.89	+2.36	4.48	−0.23	6.67	+2.78	1.20	−1.27	1.48	−0.72	7.19	+3.70	46.60	+1.31
Monticello	3.09	−1.25	5.41	−0.03	2.72	−2.56	7.44	+3.66	4.04	+0.44	1.86	−3.09	7.21	+1.69	3.54	−1.36	4.47	+0.89	2.48	−0.94	2.30	−0.44	7.64	+2.95	52.20	−0.04
Newnan	4.14	−0.52	7.19	+1.82	3.62	−2.27	9.22	+5.45	3.74	+0.02	6.38	+2.23	6.45	+1.54	2.92	−1.86	3.49	+0.59	3.80	+0.83	2.94	−0.13	7.21	+1.86	61.10	+9.56
Stillmore	2.80	−0.49	......	......	1.46	−2.76	3.82	+0.80	2.45	−1.25	1.07	−4.00	5.74	−1.93	§3.39	−1.69	§5.68	+1.67	......	......	......	......	§6.53	+3.45	......	......
Talbotton	3.46	−0.86	7.20	+1.85	3.17	−2.40	6.12	+2.07	§3.37	−0.24	3.15	−0.92	6.74	+1.39	1.40	−3.09	§4.53	+1.31	3.48	+0.48	3.39	+0.30	8.57	+3.63	54.58	+3.52
Warrenton	2.19	−1.81	4.05	−0.75	1.68	−2.86	3.90	+0.69	1.78	−1.32	2.20	−1.90	6.62	+1.51	3.14	−1.20	3.99	−0.01	1 65	−1.33	1.82	−0.88	7.83	+3.89	40.85	−5.97
Waynesboro	......	......	§4.72	+0.83	......	......	......	......	2.78	−0.38	1.44	−3.28	......	......	......	......	......	......	......	......	......	......	......	......	......	......
West Point	3.16	−1.21	8.92	+3.69	4.14	−1.62	8.85	+4.67	4.42	+0.67	3.81	−0.59	4.91	−0.28	3.88	−0.89	4.34	+1.45	4.76	+2.03	2.82	−0.24	7.65	+2.14	61.66	+9.82
Woodbury	2.90	−1.08	7.96	+2.81	2.29	−3.17	7.00	+3.45	4.27	+1.02	4.25	+0.03	4.60	−1.28	3.58	−0.52	3.33	+0.37	5.57	+2.77	3.10	+0.37	7.34	+2.66	56.19	+7.43
Southern Division																										
Alapaha	4.10	+0.28	2.09	−2.11	1.78	−2.30	7.49	+4.26	1.90	−1.49	3.60	−1.46	11.00	+4.98	6.03	+0.64	5.04	+0.89	1.31	−0.93	1.33	−0.78	7.63	+3.93	53.30	+5.92
Albany	3.47	−0.81	4.69	−0.25	1.89	−2.86	7.30	+3.47	3.48	−0.56	2.54	−2.21	12.47	+6.04	3.36	−2.55	6.07	+2.38	2.64	+0.12	1.63	−0.83	8.41	+4.30	57.95	+6.24
Alma	3.21	......	2.66	......	0.89	......	7.26	......	1.42	......	3.56	......	9.15	......	9.22	......	6.30	......	1.88	......	0.82	......	7.54	......	53.91	......
Americus	3.54	−0.89	4.34	−0.77	2.11	−2.91	4.94	+1.36	2.81	−0.89	3.00	−0.90	3.66	−1.57	1.79	−3.36	4.84	+1.31	3.34	+0.68	2.82	−0.02	8.24	+4.19	45.43	−3.77
Bainbridge	5.97	+2.02	2.61	−1.79	2.60	−1.58	10.25	+6.72	3.35	−0.26	5.97	+1.01	9.46	+3.19	8.48	+2.60	7.88	+3.52	1.41	−0.97	2.10	−0.31	8.87	+4.58	68.95	+18.73
Blakely	5.06	+0.66	4.51	+0.79	1.17	−3.89	8.68	+4.39	2.44	−1.10	5.27	+0.70	8.57	+1.68	11.84	+6.44	7.17	+3.14	2.42	−0.32	1.51	−1.50	10.37	+5.59	69.01	+15.00
Brunswick	4.60	+1.80	1.92	−1.84	0.31	−3.01	6.26	+3.35	2.71	−0.63	3.40	−2.20	13.57	+6.10	14.45	+8.27	18.03	+11.52	3.50	+0.35	0.70	−1.32	5.22	+2.26	74.67	+24.65
Cairo	4.73	+1.20	3.18	−0.70	1.56	−2.56	12.01	+8.65	1.40	−1.70	3.49	−2.18	8.60	+1.93	4.82	−1.24	4.97	+0.79	1.73	−0.95	0.83	−1.76	8.93	+5.04	56.25	+6.52
Camilla	4.36	......	3.28	......	1.91	......	8.49	......	1.90	......	4.73	......	8.46	......	5.87	......	7.24	......	1.63	......	1.19	......	§9.34	......	58.40	......
Camp Stewart	2.86	......	3.69	......	1.01	......	4.18	......	0.73	......	3.76	......	14.66	......	6.95	......	8.79	......	1.10	......	0.87	......	5.95	......	54.55	......
Cordele	3.56	−0.30	5.21	+0.69	2.43	−1.96	7.02	+3.28	2.00	−1.33	5.69	+1.59	8.43	+2.31	3.51	−1.08	2.31	−1.19	2.33	−0.29	1.96	−0.58	......	......	......	......
Douglas	3.45	+0.24	3.48	−1.07	1.78	−3.30	§6.83	+3.26	3.15	−0.63	3.83	−1.65	10.16	+3.14	§6.89	+2.31	§4.59	+0.75	1.58	−0.46	1.53	−0.17	......	......	......	......
Eastman	3.05	−0.95	4.34	−0.26	2.19	−2.60	4.08	+0.91	1.36	−1.94	2.34	−1.90	4.70	−1.20	4.52	−0.50	3.85	−0.03	2.54	−0.08	1.36	−1.37	8.29	+4.67	42.62	−5.25
Fitzgerald	2.77	−0.74	3.67	−0.32	1.52	−2.76	4.76	+1.21	......	......	3.39	−1.01	11.76	+5.98	6.45	+1.49	5.36	+1.09	1.79	−0.70	1.46	−0.90	7.00	+3.30	......	......
Fort Gaines	4.70	+0.15	5.72	+0.61	0.94	−3.84	6.13	+2.30	4.82	+1.07	3.59	−0.78	5.48	−0.51	5.89	+0.38	8.14	+4.63	2.47	−0.23	1.62	−1.37	§9.59	+4.70	59.09	+7.11
Glennville	3.24	+0.50	2.68	−0.87	0.80	−2.68	5.16	+2.44	0.87	−2.42	2.64	−2.37	7.22	+1.28	7.93	+0.93	7.50	+2.55	2.79	+0.37	1.18	−1.15	5.90	+2.60	47.91	+1.18
Hawkinsville	2.54	−1.67	5.27	+0.95	2.14	−2.53	5.39	+2.27	1.78	−1.54	4.42	+0.12	5.34	−0.02	5.15	+0.29	2.93	−0.60	2.02	−0.56	1.83	−0.76	8.27	+4.72	47.08	+0.67
Hoggard's Mill	4.76	......	3.50	......	1.33	......	9.81	......	3.08	......	5.47	......	4.18	......	3.54	......	5.29	......	1.52	......	......	......	9.63	......	......	......
Lumber City	§3.15	−0.53	3.48	−0.61	......	......	......	......	5.65	+2.85	3.23	−1.39	5.96	+0.06	8.84	+3.17	2.58	−1.11	2.04	−0.08	......	......	......	......	......	......
Montezuma	3.02	−1.12	5.38	+0.73	2.82	−1.70	6.60	+2.77	2.18	−1.29	3.18	−0.73	2.66	−2.41	3.88	−1.06	5.32	+2.07	2.98	+0.38	2.81	−0.07	8.20	+3.97	49.03	+2.54
Moultrie	5.05	+1.34	2.82	−0.96	1.48	−2.65	9.56	+6.38	2.25	−0.52	§4.18	−1.01	13.84	+7.98	8.42	+2.50	4.38	+0.02	1.77	−1.06	1.56	−0.85	9.70	+5.68	65.01	+16.85
Quitman	4.32	+0.52	2.29	−1.96	0.78	−3.30	7.65	+4.23	1.88	−2.43	4.82	−1.08	14.03	+6.96	7.91	+1.20	3.97	−1.36	2.85	+0.50	0.45	−1.83	8.05	+3.65	58.50	+5.10
Savannah, No. 1	1.88	−0.90	2.81	−0.33	0.76	−2.30	3.91	+1.34	2.06	−0.96	5.35	+0.06	9.93	+3.29	5.79	−0.92	15.72	+10.31	1.72	−1.26	0.57	−1.53	5.42	+2.49	55.92	+8.69
Savannah, No. 2	2.61	−0.33	1.84	−1.58	0.80	−2.86	4.22	+1.39	2.81	−0.35	3.94	−2.58	9.29	+1.82	7.41	+0.76	15 74	+8.64	1.76	−0.74	0.92	−0.84	5.60	+2.81	56.94	+6.14
Savannah Beach	§1.34	......	1.15	......	0.09	......	2.37	......	......	......	......	......	......	......	......	......	......	......	1.67	......	0.94	......	4.81	......	......	......
Thomasville	4.44	+0.34	3.31	−1.15	2.48	−1.61	10.91	+7.57	2.58	−1.05	3.39	−2.06	7.62	+0.92	5.03	−0.72	3.99	−0.89	2.63	−0.33	0.35	−2.33	8.14	+3.83	54.87	+2.52
Tifton	3.94	−0.22	3.24	−1.00	2.33	−2.24	7.32	+3.67	1.72	−1.70	1.99	−2.82	14.66	+8.16	4.16	−1.34	3.18	−0.47	1.65	−0.48	0.96	−1.23	7.78	+4.26	52.93	+4.59
Waycross	3.35	+0.24	2.89	−0.94	1.22	−2.18	7.90	+5.11	1.60	−2.24	3.46	−2.88	11.27	+4.12	9.45	+3.39	6.79	+2.25	1.89	−0.64	0.52	−1.72	7.00	+3.93	57.34	+8.44

§ Partly interpolated.

Monthly and Annual Temperatures for the Year 1945, with Departures from the Normal

Stations	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
Northern Division																										
Adairsville	40.4	-1.4	45.8	+2.8	59.4	+6.9	61.1	+1.3	64.4	-4.6	74.8	-1.1	78.4	+0.3	76.8	-0.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Athens Airport	43.0	.....	47.9	.....	60.6	.....	63.6	.....	66.4	.....	78.4	.....	78.8	.....	77.4	.....	75.6	.....	61.2	.....	53.0	.....	38.1	.....	62.0	.....
Athens	44.5	+1.0	48.8	+3.0	61.4	+8.3	64.4	+3.2	67.3	-2.8	78.2	+1.0	79.0	-0.6	77.4	-1.1	75.0	+1.2	60.6	-2.0	53.7	+1.6	39.1	-5.7	62.4	+0.5
Atlanta Airport	43.2	+0.7	48.7	+3.4	61.8	+9.8	63.7	+2.6	66.6	-3.7	78.0	+1.3	79.2	+0.1	78.2	+0.2	76.2	+3.4	61.4	-1.3	53.2	+1.7	38.4	-5.8	62.4	+1.0
Atlanta [City]	42.7	+0.1	48.2	+2.9	61.7	+9.7	63.7	+2.7	66.1	-3.8	77.1	+1.1	78.2	+0.1	77.5	+0.5	75.6	+3.2	61.4	-1.6	53.4	+1.3	38.1	-6.6	62.0	+0.8
Blairsville	39.5	+3.8	45.1	+3.2	57.5	+9.2	60.5	+4.8	61.9	-2.0	70.4	-1.2	75.1	+1.4	73.2	-0.1	70.0	+1.7	57.4	-0.7	49.6	+1.9	.....	.....	.....	.....
Carlton Bridge	43.6	-0.4	47.7	+2.2	60.8	+7.6	64.2	+3.5	66.8	-3.2	.....	.....	79.7	+0.5	77.7	-0.6	76.2	+2.7	59.7	-2.7	51.7	-0.4	38.2	-6.7	.....	.....
Cartersville	43.2	.....	48.2	.....	62.4	.....	64.0	.....	66.2	.....	76.8	.....	79.4	.....	78.0	.....	76.0	.....	59.4	.....	54.0	.....	37.8	.....	[i]62.1	.....
Cedartown	43.0	0.0	49.4	+3.6	62.6	+8.9	64.0	+3.4	66.4	-3.1	76.2	-1.4	79.0	-0.4	78.8	0.0	76.0	+2.4	.....	.....	.....	.....	38.4	-5.4	.....	.....
Clayton	41.6	+1.2	45.0	+3.6	57.6	+8.6	60.3	+4.1	62.7	-1.8	72.0	+0.6	75.0	+0.7	72.8	-0.6	71.3	+2.8	57.2	-0.8	48.8	+0.8	36.6	-4.5	58.4	+1.2
Dahlonega	41.1	-0.4	46.6	+3.6	59.8	+9.0	62.6	+4.0	63.6	-2.9	73.5	-0.1	76.4	+0.4	74.8	-0.3	73.0	+2.5	58.4	-1.4	50.4	+0.7	36.4	-6.1	59.7	+0.7
Dalton	42.3	.....	46.4	.....	61.1	.....	63.4	.....	65.2	.....	75.2	.....	78.4	.....	77.2	.....	74.8	.....	60.4	.....	52.7	.....	37.0	.....	61.2	.....
Gainesville	42.8	+1.1	47.0	+3.6	59.8	+8.5	63.4	+4.2	65.7	-2.1	75.6	+0.7	77.8	+0.1	76.6	+0.2	75.0	+3.5	.....	.....	.....	.....	.....	.....	.....	.....
Hartwell (near)	44.4	+0.4	47.9	+2.3	60.5	+7.4	63.9	+3.2	66.8	-2.7	77.6	+0.5	78.0	-1.4	77.0	-1.4	75.2	+1.2	60.6	-2.1	52.4	+0.5	38.5	-5.9	61.9	+0.2
Jasper	41.5	.....	45.4	.....	59.4	.....	61.8	.....	63.8	.....	74.0	.....	77.6	.....	76.0	.....	74.5	.....	60.2	.....	51.9	.....	36.8	.....	60.2	.....
Lafayette	41.7	.....	45.5	.....	61.4	.....	62.8	.....	65.4	.....	74.8	.....	78.4	.....	.....	.....	74.8	.....	59.3	.....	53.0	.....	36.2	.....	.....	.....
Rome	43.1	+0.5	47.8	+2.8	62.4	+9.5	63.6	+2.5	66.6	-3.1	76.0	-0.9	79.0	-0.6	78.2	-0.6	76.4	+2.6	60.6	-1.9	54.4	+3.5	37.2	-6.4	62.2	+0.8
Tallapoosa	41.6	-1.2	47.5	+3.3	60.3	+7.7	61.4	+1.8	64.5	-3.8	74.3	-1.3	77.4	-0.6	75.6	-1.8	.....	.....	58.6	-2.9	51.7	+0.9	37.2	-6.4	.....	.....
Toccoa	43.7	+1.0	48.4	+4.0	61.0	+8.8	63.6	+3.4	66.0	-2.6	76.6	+0.8	78.1	-0.2	76.4	-0.6	74.9	+2.8	60.6	-0.5	52.8	+1.7	39.2	-4.5	61.8	+1.2
Washington	45.5	0.0	49.8	+2.9	63.2	+7.9	65.9	+3.4	67.6	-3.8	79.7	+1.5	80.4	0.0	78.4	-1.2	76.8	+1.8	63.0	-1.5	55.3	+0.5	39.8	-6.2	63.8	+0.5
Middle Division																										
Augusta	47.4	+0.4	53.0	+3.1	65.8	+9.8	68.0	+3.8	70.4	-2.0	81.4	+2.7	81.2	-0.1	80.4	0.0	78.8	+3.5	64.0	-1.3	57.0	+2.5	42.3	-5.8	65.8	+1.4
Brooklet	48.9	-1.2	57.0	+5.0	68.0	+8.5	70.0	+4.1	71.8	-2.3	82.2	+2.1	81.8	-0.2	80.2	-1.1	79.2	+1.9	65.6	-1.8	59.2	+1.9	44.2	-6.6	67.4	+0.9
Carrollton	42.0	-0.6	48.7	+3.2	61.4	+7.5	64.8	+3.4	66.6	-2.8	77.4	+0.4	79.0	0.0	77.4	-0.5	75.7	+2.8	60.6	-2.2	54.2	+2.2	38.0	-6.1	62.2	+0.7
Columbus	48.6	+0.4	55.0	+4.8	67.0	+8.8	68.8	+3.5	71.6	-1.8	82.4	+2.2	82.5	+0.8	82.2	+1.0	80.4	+3.0	65.8	-1.0	58.2	+2.2	44.1	-5.2	67.2	+1.6
Covington	44.4	+0.1	49.1	+4.3	61.7	+7.1	65.2	+4.3	67.6	-2.9	78.0	+0.5	79.9	0.0	78.9	-0.1	77.6	+3.3	61.6	-1.0	54.2	+1.7	39.0	-6.1	63.1	+0.9
Dublin	48.0	-1.2	54.1	+2.6	66.4	+9.0	68.2	+3.1	70.2	-2.5	80.6	+1.2	80.4	-0.8	79.8	-0.7	78.4	+1.8	64.3	-2.0	57.4	+1.6	43.8	-6.2	66.0	+0.5
Experiment	43.8	-0.7	49.6	+4.2	62.6	+6.8	64.0	+2.6	66.8	-3.9	77.3	+0.4	78.2	-1.0	77.0	-1.8	75.5	+1.4	61.2	-2.6	53.5	+0.7	39.2	-5.5	62.4	+0.1
Fair View	45.6	-1.6	51.5	+2.3	63.8	+8.2	65.1	+2.3	68.2	-2.5	78.8	+1.1	78.8	-0.7	77.4	-1.3	75.9	+1.2	61.8	-2.8	55.3	+1.2	41.2	-6.3	63.6	+0.1
Fort Valley	45.8	-2.2	52.4	+1.5	65.0	+8.1	66.9	+2.4	69.6	-2.6	80.2	+1.1	80.0	-0.7	79.9	-0.3	77.8	+1.1	63.5	-2.3	55.8	+0.6	41.2	-8.5	64.8	-0.2
Greensboro	46.0	+1.1	50.8	+4.1	64.0	+9.5	65.9	+4.1	67.9	-2.5	79.3	+1.5	80.0	+0.2	79.0	0.0	77.3	+2.6	62.6	-0.9	55.8	+2.9	40.4	-5.3	64.1	+1.5
Griffin	46.2	+0.4	51.4	+3.5	64.0	+8.3	65.6	+2.6	67.3	-3.7	77.4	-0.4	78.3	-1.5	77.6	-1.4	76.2	+1.2	64.0	-0.5	56.5	+2.3	41.5	-5.5	63.8	+0.4
Lagrange	46.2	.....	52.0	.....	64.4	.....	66.6	.....	68.4	.....	78.4	.....	80.0	.....	79.2	.....	77.8	.....	63.2	.....	56.4	.....	.....	.....	.....	.....
Louisville	47.5	-0.4	53.5	+3.8	65.6	+8.3	68.6	+4.7	70.2	-2.5	81.4	+2.2	79.9	-1.0	79.3	-0.9	77.4	+1.6	63.6	-1.6	57.5	+2.6	43.0	-5.4	65.6	+1.1
Macon	46.9	+0.1	53.2	+3.9	65.0	+8.3	66.6	+2.7	69.6	-2.7	80.1	+1.2	80.1	-1.1	79.7	-0.2	78.2	+3.4	63.1	-1.4	56.2	+2.0	42.0	-5.5	65.1	+0.9
Milledgeville	.....	.....	.....	.....	65.4	+9.5	.....	.....	68.7	-3.7	79.4	+0.4	80.3	-0.9	[g]78.6	-1.8	78.2	+2.3	62.4	-2.3	.....	.....	41.2	-6.1	.....	.....
Millen	47.6	-1.2	54.0	+3.5	66.4	+8.3	68.8	+3.7	71.2	-2.1	82.2	+2.4	81.0	-0.7	80.0	-1.1	79.4	+2.7	64.3	-1.8	58.3	+2.4	43.0	-6.3	66.4	+0.9
Monticello	44.8	-0.5	51.0	+3.5	64.2	+9.1	66.0	+3.1	68.2	-3.4	79.1	+0.6	80.0	-0.3	78.5	-1.1	76.7	+1.3	62.6	-1.6	55.2	+1.6	40.0	-5.6	63.8	+0.5
Newnan	43.2	-1.5	48.8	+2.5	61.0	+6.4	63.6	+1.9	66.3	-4.2	76.6	-1.1	78.3	-1.4	77.5	-1.4	75.6	+1.1	62.6	-1.1	53.6	+0.4	38.3	-7.3	62.1	-0.5
Stillmore	48.4	-2.4	.....	.....	67.2	+8.7	68.4	+3.0	70.2	-3.1	81.2	+1.9	80.8	-0.4	[h]79.7	-1.0	[g]78.8	+1.8	.....	.....	.....	.....	.....	.....	.....	.....
Talbotton	47.0	-0.4	52.2	+3.2	64.0	+7.4	65.8	+2.5	68.2	-3.6	78.8	+0.3	78.8	-1.4	78.0	-1.6	76.6	+1.1	62.9	-2.2	55.9	+1.2	42.2	-6.0	64.2	.....
Warrenton	46.0	-0.7	51.4	+3.4	64.3	+8.4	66.7	+3.8	68.4	-3.3	79.4	+1.0	.....	.....	.....	.....	77.6	+2.5	62.6	-1.5	56.0	+1.9	41.6	-5.6	.....	.....
Waynesboro	47.4	-0.1	53.0	+4.8	.....	.....	.....	.....	69.8	-2.9	80.8	+2.0	.....	.....	.....	.....	.....	.....	64.2	-0.8	57.8	+2.4	.....	.....	.....	.....
West Point	46.0	+0.3	52.2	+4.7	63.9	+8.5	65.8	+2.9	68.2	-3.2	78.8	+0.2	79.6	-0.9	79.0	-0.7	77.0	+1.8	62.4	-1.8	55.2	+1.7	40.6	-5.8	64.1	+0.7
Southern Division																										
Alapaha	49.1	-2.3	56.3	+2.9	66.0	+5.9	68.0	+1.4	70.4	-3.7	79.0	-0.9	79.2	-2.3	79.8	-1.2	78.6	+1.1	65.9	-2.0	57.8	+0.3	46.4	-5.7	66.4	-0.6
Albany	50.8	+0.2	57.4	+4.8	68.8	+8.5	70.0	+3.1	72.8	-1.9	81.8	+1.0	81.2	-1.0	81.2	-0.5	79.8	+1.7	67.4	-0.7	60.2	+2.3	46.2	-5.4	68.1	+1.0
Alma	48.9	.....	55.6	.....	65.7	.....	67.6	.....	70.8	.....	78.4	.....	79.4	.....	79.4	.....	78.6	.....	65.4	.....	58.2	.....	46.2	.....	66.3	.....
Americus	48.0	-0.7	55.1	+4.1	65.9	+7.6	67.6	+2.4	70.4	-3.0	79.4	-0.5	80.9	-0.5	80.6	-0.3	78.6	+1.5	64.7	-2.3	57.6	+1.3	44.0	-5.7	66.1	+0.4
Bainbridge	.....	.....	[g]59.5	+5.4	69.0	+8.0	70.8	+3.4	72.6	-2.2	81.6	+1.1	81.3	-0.6	.....	.....	.....	.....	67.6	-0.5	60.0	+3.9	48.2	-4.2	.....	.....
Blakely	50.2	-1.5	57.6	+4.0	67.8	+7.8	69.2	+2.8	72.0	-1.8	80.9	+1.1	80.2	-1.2	79.6	-1.4	79.2	+1.4	66.2	-1.8	59.1	+1.2	45.8	-6.0	67.3	+0.4
Brunswick	53.8	-0.3	60.1	+4.4	69.6	+8.6	71.9	+4.1	74.4	-0.1	82.4	+1.7	81.5	-0.3	81.4	-0.3	81.4	+2.9	70.2	-0.2	63.5	+2.7	51.6	-3.8	70.2	+1.7
Cairo	51.2	-2.0	59.0	+4.5	68.8	+8.0	70.2	+3.5	72.4	-1.9	80.4	+0.5	80.6	-0.2	80.4	-0.2	79.6	+2.0	67.9	-1.3	60.3	+1.6	48.2	-4.9	68.3	+0.8
Camilla	51.4	.....	58.4	.....	69.0	.....	70.7	.....	72.8	.....	82.2	.....	81.4	.....	81.6	.....	80.5	.....	67.6	.....	60.4	.....	46.9	.....	68.6	.....
Camp Stewart	50.3	.....	57.8	.....	67.6	.....	69.8	.....	72.3	.....	81.8	.....	81.2	.....	80.8	.....	.....	.....	67.6	.....	60.0	.....	47.5	.....	.....	.....
Cordele	49.4	+1.4	55.8	+4.8	67.6	+7.2	69.4	+3.9	72.4	-1.4	80.8	+0.6	80.8	-0.4	80.6	-0.6	79.9	+3.8	66.2	+0.7	59.4	+3.2	.....	.....	.....	.....
Douglas	50.1	-1.4	56.2	+2.9	67.2	+6.1	68.6	+2.2	72.0	-2.4	81.0	+0.6	79.7	-2.0	80.0	-1.4	.....	.....	66.4	-1.5	59.4	+1.4	.....	.....	.....	.....
Eastman	48.9	-1.5	55.2	+3.3	66.9	+7.5	69.5	+3.4	72.2	-1.8	81.8	+1.5	81.2	-0.7	81.6	+0.5	79.8	+2.5	66.3	-0.8	.....	.....	[e]46.0	-4.6	.....	.....
Fitzgerald	49.6	-1.7	56.0	+3.7	66.6	+5.7	68.0	+2.5	.....	.....	.....	.....	80.8	-1.0	.....	.....	.....	.....	66.5	-0.9	60.6	+5.0	47.8	-2.0	.....	.....
Fort Gaines	48.8	-1.1	56.2	+4.4	67.1	+8.2	68.0	+2.2	70.8	-2.8	80.2	+0.3	80.5	-0.7	79.7	-0.9	78.5	+1.4	65.5	-1.6	58.6	+1.6	44.8	-5.9	66.6	+0.5
Glennville	50.4	-1.7	56.6	+3.2	67.7	+7.7	69.5	+2.9	72.2	-1.8	81.4	+1.5	80.5	-1.0	80.0	-1.0	78.8	+1.3	66.7	-1.5	60.2	+1.9	46.8	-5.4	67.6	+0.5
Hawkinsville	48.1	-0.8	54.8	+4.1	66.1	+7.7	68.4	+3.2	71.2	-2.2	79.8	+0.1	80.8	-0.6	80.8	-0.3	79.7	+2.3	65.6	-1.2	57.9	+1.5	43.9	-5.9	66.4	+0.6
Hoggard's Mill	49.3	.....	56.2	.....	66.8	.....	68.3	.....	71.3	.....	80.4	.....	80.8	.....	80.2	.....	79.4	.....	66.3	.....	.....	.....	45.4	.....	.....	.....
Lumber City	.....	.....	.....	.....	.....	.....	.....	.....	72.0	.....	.....	.....	80.3	.....	79.4	.....	78.6	.....	65.8	.....	.....	.....	.....	.....	.....	.....
Montezuma	48.8	.....	54.6	.....	66.3	.....	68.4	.....	70.4	.....	79.7	.....	80.4	.....	[f]80.5	.....	78.4	.....	65.1	.....	.....	.....	[d]42.9	.....	.....	.....
Moultrie	52.2	-1.5	59.2	+3.2	69.4	+7.6	70.8	+2.9	73.4	-1.8	81.8	+1.1	81.4	-0.7	81.2	-0.5	80.6	+2.1	68.6	-1.2	61.6	+1.9	49.2	-4.8	69.1	+0.7
Quitman	51.6	-1.3	58.8	+3.4	68.6	+7.3	69.6	+2.1	72.6	-2.3	80.6	+0.2	79.8	-1.8	80.3	-0.9	79.6	+1.4	67.9	-1.0	61.3	+1.9	49.4	-3.8	68.4	+0.5
Savannah, No. 1	51.8	+0.4	57.8	+3.8	68.4	+9.4	70.2	+4.2	72.2	+0.5	81.8	+3.6	81.2	+0.3	80.4	-0.8	80.1	+5.8	67.3	+1.6	60.0	+3.2	47.4	-3.3	68.2	+0.3
Savannah, No. 2	48.3	-3.1	55.4	+3.0	64.8	+6.4	67.6	+3.2	69.7	-1.9	79.2	+0.7	80.2	-0.4	79.5	-0.6	78.7	+2.2	65.5	-1.0	58.3	+1.7	45.9	-4.9	66.1	+0.4
Savannah Beach	51.7	.....	57.5	.....	68.2	.....	71.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	69.1	.....	62.0	.....	48.9	.....	.....	.....
Thomasville	52.9	+1.9	58.9	+3.9	67.2	+7.0	70.0	+3.3	72.4	-1.6	80.6	+1.1	80.9	-0.9	81.0	0.0	80.0	+3.2	68.0	-0.2	60.0	+1.5	48.8	-3.7	68.4	+1.3
Tifton	49.8	-1.9	55.4	+1.9	66.6	+8.2	68.8	+2.8	71.5	-1.9	80.8	+1.6	79.6	-1.2	80.4	-0.1	79.2	+1.5	66.6	-1.4	59.4	+1.7	46.8	-5.8	67.1	+0.4
Waycross	52.0	-1.2	59.3	+4.5	69.1	+7.7	70.2	+2.9	73.2	-1.3	81.4	+1.3	81.4	-0.5	81.0	-0.6	80.0	+2.0	67.7	-1.3	60.8	+1.7	49.0	-4.1	68.8	+0.1

[a], [b], [c], etc. Number of days missing, for example, [b] indicates two days missing. § Partly interpolated.